

NACOmatic

Effective: 22-October-2009

Expires: 17-December-2009

Your Ad Here

~60,000 Page views/month

Contact:

Doug Ranz

248-318-0011

NACOmatic@hotmail.com

Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <http://naco.faa.gov/index.asp?xml=naco/onlineproducts>

Copyright

This compilation is protected by US copyright laws and international copyright treaties.

Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

00M => 114	39R => 286	91F => 156	BPK => 59
00R => 310	3R4 => 94	92F => 158	BPT => 221
01M => 114	41F => 261	93F => 159	BQP => 77
04M => 140	42A => 57	94R => 367	BRO => 228
06M => 122	44M => 162	95F => 160	BTR => 77
06R => 222	45R => 301	97F => 163	BVO => 153
07F => 273	49F => 339	99A => 68	BVX => 30
07R => 224	49R => 308	99F => 165	BWD => 229
08F => 161	49T => 247	9X9 => 297	BXA => 79
08M => 116	407 => 181	ABI => 208	BYH => 31
09M => 116	4T7 => 281	ACP => 101	BYY => 219
09R => 373	50F => 264	ACT => 365	CBM => 119
10F => 274	50R => 310	ADH => 148	CCA => 35
11M => 123	51R => 314	ADM => 152	CDH => 33
11R => 227	52F => 340	ADS => 246	CDS => 234
12A => 35	54F => 340	AEX => 74	CFD => 229
12T => 261	54T => 220	AFW => 264	CHK => 159
14F => 278	54X => 364	AGO => 54	CKM => 117
14M => 127	55M => 69	ALI => 209	CLK => 161
15F => 279	55T => 239	AMA => 211	CLL => 237
15M => 128	56F => 342	APY => 374	CNW => 364
16X => 296	58F => 347	AQO => 310	COM => 237
17K => 154	58T => 251	AQR => 152	COT => 243
17M => 133	5F1 => 336	ARA => 97	CPT => 236
19M => 131	501 => 204	ARG => 72	CQB => 157
1R1 => 88	60F => 349	ARM => 367	CRP => 240
20M => 132	60R => 325	ASD => 107	CRS => 243
20R => 245	61R => 326	ASG => 69	CRT => 37
21F => 294	63F => 353	ASL => 315	CRX => 121
22F => 295	64F => 354	ATA => 216	CSM => 161
22M => 140	66R => 238	AUS => 217	CUH => 162
23M => 141	66Y => 121	AVK => 150	CVB => 233
23R => 253	67R => 339	AWM => 73	CVK => 29
24F => 295	68F => 357	AXH => 289	CWC => 368
24R => 254	72F => 359	AXS => 150	CWF => 91
25M => 142	73F => 365	BAD => 76	CWS => 36
26R => 258	74R => 344	BAZ => 326	CXO => 289
27R => 258	76F => 371	BBD => 226	CZT => 232
29F => 301	76T => 250	BDQ => 58	DAL => 250
2KL => 355	77F => 373	BEA => 221	DEQ => 38
30F => 303	77T => 308	BFE => 228	DFW => 248
30M => 144	78R => 346	BFK => 155	DHT => 246
32A => 37	79F => 149	BGD => 225	DKR => 244
33M => 146	80F => 151	BIF => 222	DLF => 307
33R => 276	81D => 213	BIX => 130	DRI => 83
34R => 277	81R => 347	BKD => 226	DRT => 252
35M => 132	84R => 351	BKN => 153	DTN => 106
37F => 324	86F => 157	BKS => 261	DTO => 252
37K => 156	87I => 147	BMQ => 230	DUA => 164
37T => 33	88R => 352	BMT => 220	DUC => 163
37X => 365	90F => 155	BPG => 223	DUX => 255

DWH => 284	HBG => 126	LFT => 90	OKC => 187
DYS => 256	HBR => 174	LHB => 280	OKM => 188
E52 => 362	HBV => 280	LIT => 53	OLV => 138
EBG => 258	HBZ => 46	LIU => 309	ONY => 327
ECU => 341	HDC => 86	LLN => 308	OPL => 102
EDC => 217	HDO => 282	LLQ => 58	ORG => 328
EFD => 285	HEE => 47	LMS => 132	ORK => 62
ELA => 257	HEZ => 137	LNC => 304	OSA => 323
ELD => 40	HHF => 231	LNR => 306	OSX => 131
ELK => 164	HHW => 176	LRF => 51	OUN => 184
ELP => 259	HKA => 32	LTS => 149	OWP => 193
END => 203	HKS => 128	LUD => 251	OZA => 329
ERV => 298	HLR => 283	LUL => 131	PBF => 64
ESF => 75	HMY => 182	LVJ => 290	PEQ => 332
ETN => 257	HOT => 49	LXY => 319	PEZ => 334
EYQ => 291	HOU => 292	LZZ => 304	PGR => 63
FCY => 43	HPY => 219	M18 => 47	PIB => 126
FDR => 168	HQZ => 319	M37 => 122	PIL => 335
FLP => 42	HRL => 279	MAF => 320	PKV => 336
FSI => 173	HRO => 46	MBO => 133	PMU => 113
FSM => 44	HRX => 281	MCB => 134	PNC => 190
FST => 263	HSA => 114	MDD => 320	POE => 104
FTW => 265	HSD => 186	MDF => 182	PPA => 330
FWS => 265	HUM => 87	MEI => 135	PQL => 139
FYV => 41	HYI => 347	MEZ => 57	PRX => 331
GAG => 168	HZR => 100	MFE => 316	PSN => 330
GAO => 85	IAH => 286	MIO => 181	PSX => 329
GCM => 160	IDL => 128	MJD => 140	PTN => 103
GDJ => 275	IER => 97	MKN => 239	PVJ => 189
GGG => 311	IKG => 299	MKO => 182	PVW => 334
GKY => 215	ILE => 298	MKV => 94	PWA => 186
GLE => 269	INJ => 282	MLC => 180	PWG => 364
GLH => 123	INK => 372	MLU => 96	PYX => 333
GLS => 270	IWS => 291	MMS => 133	RAS => 334
GMJ => 170	JAN => 129	MNZ => 278	RBD => 247
GNC => 348	JAS => 295	MPE => 140	RBO => 340
GNF => 124	JBR => 50	MPJ => 59	RCE => 185
GOK => 170	JCT => 296	MRF => 314	RCK => 340
GOP => 270	JDD => 321	MSY => 99	RFG => 339
GPM => 275	JSO => 294	MWL => 322	RFI => 280
GPT => 125	JSV => 193	MXA => 55	RKP => 341
GRK => 263	JWG => 205	NBG => 100	RKR => 191
GTR => 120	JWY => 321	NEW => 98	RND => 338
GTU => 271	JXI => 272	NFW => 267	RNV => 117
GUY => 171	L47 => 102	NGP => 241	ROG => 66
GVT => 276	LAW => 178	NMM => 136	RPH => 274
GWO => 124	LBB => 312	NOG => 328	RQO => 165
GYB => 272	LBR => 235	NQI => 299	RSN => 105
GYI => 350	LBX => 214	OCH => 325	RUE => 66
GZL => 196	LCH => 92	ODO => 327	RVS => 201
HAX => 183	LFK => 313	OJA => 206	RWV => 231

RYW	=>	303	XNA	=>	41
SAT	=>	345			
SEP	=>	353			
SGR	=>	290			
SGT	=>	70			
SHV	=>	107			
SJT	=>	343			
SKF	=>	302			
SLG	=>	68			
SLR	=>	355			
SNK	=>	351			
SNL	=>	195			
SOA	=>	352			
SPH	=>	108			
SPS	=>	369			
SRC	=>	67			
SRE	=>	194			
SSF	=>	346			
STF	=>	143			
SUD	=>	196			
SUZ	=>	30			
SWI	=>	349			
SWO	=>	196			
SWW	=>	356			
TDW	=>	212			
TFP	=>	293			
TIK	=>	199			
TKI	=>	318			
TME	=>	288			
TPL	=>	358			
TQH	=>	197			
TRL	=>	359			
TUL	=>	202			
TUP	=>	145			
TVR	=>	109			
TXK	=>	71			
TYR	=>	361			
UBS	=>	120			
UOX	=>	139			
UTA	=>	144			
UTS	=>	293			
UVA	=>	361			
UXL	=>	108			
VBV	=>	30			
VCT	=>	363			
VHN	=>	362			
VKS	=>	146			
WDG	=>	166			
WEA	=>	366			
WWR	=>	207			
XBP	=>	227			

GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: <http://nfdc.faa.gov/portal/airportchanges.do>

FAA, Aeronautical Information Services, ATO-R, Rm. 626
800 Independence Ave., SW
Washington, DC 20591
Telephone 1-866-295-8236
Fax 202-267-5322
Email 9-ATOR-HQ-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

Effective Date	Airport Information Cut-off date	Airspace Information* Cut-off date
22 Oct 09	9 Sep 09	20 Aug 09
17 Dec 09	4 Nov 09	15 Oct 09
11 Feb 10	30 Dec 09	10 Dec 09
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10

*Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT:

FAA, National Aeronautical Charting Office, ATO-W
SSMC-4 Sta. #2335
1305 East West Highway
Silver Spring, MD 20910-3281
Telephone 1-800-626-3677
Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our web site at www.naco.faa.gov.

See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Charting Office
Distribution Division, ATO-W
10201 Good Luck Road
Glenn Dale, MD 20769-9700
Online at www.naco.faa.gov
Email 9-AMC-Chartsales@faa.gov
Telephone 1-800-638-8972
Fax 301-436-6829
or any authorized FAA Chart Agent

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

TABLE OF CONTENTS

General Information.....	Inside Front Cover
Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Arkansas	22
Louisiana	67
Mississippi	105
Oklahoma	140
Texas	200
City/Military Airport Cross Reference	364
Seaplane Landing Areas	365
Special Notices.....	366
Regulatory Notices	378
FAA and National Weather Service	
Telephone Numbers	379
Key to Aviation Weather Reports	380
Air Traffic Facilities Telephone Numbers	382
Air Route Traffic Control Centers	384
Flight Service Station Communication Frequencies	386
Flight Standards District Offices	388
Routes/Waypoints	
Low Altitude Directional Routes	389
High Altitude Preferred Routes	390
High Altitude Directional Routes	394
Q-Routes	395
RNAV Routing Pitch and Catch Points	398
VFR Waypoints	409
VOR Receiver Check	418
Parachute Jumping Areas	425
Aeronautical Chart Bulletins	428
Supplemental Communication Reference	440
Airport Diagrams	448
National Weather Service (NWS) Upper Air Observing Stations	552
Enroute Flight Advisory Service (EFAS)	Inside Back Cover

ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example—"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	C	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control Center	CGAS	Coast Guard Air Station
acft	aircraft	CIV	Civil
ADCC	Air Defense Control Center	clsd	closed
AER	approach end rwy	comd	command
AFB	Air Force Base	CONUS	Continental United States
AFHP	Air Force Heliport	CSTMS	Customs
afld	airfield	ctc	contact
AFOD	US Army Flight Operations Detachment	ctl	control
AFRC	Armed Forces Reserve Center/Air Force Reserve Command	dalgt	daylight
AFSS	Automated Flight Service Station	Dec	December
AG	Agriculture	DIAP	DoD Instrument Approach Procedure
A-GEAR	Arresting Gear	DoD	Department of Defense
AGL	above ground level	DSN	Defense Switching Network (Telephone)
AHP	Army heliport	dspld	displaced
ALS	Approach Light System	durn	duration
alt	altitude	eff	effective
AMC	Air Mobility Command	emerg	emergency
ANGS	Air National Guard Station	EOR	End of Runway
apch	approach	ETA	Estimated Time of Arrival
Apr	April	ETD	Estimated Time of Departure
APU	Auxiliary Power Unit	exc	except
ARB	Air Reserve Base	extd	extend
arpt	airport	FBO	fixed-base operator
ARS	Air Reserve Station	Feb	February
AS	Air Station	fld	field
ASDE-X	Airport Surface Detection Equipment—Model X	FLIP	Flight Information Publication
ASU	Aircraft Starting Unit	flt	flight
ATC	Air Traffic Control	flw	follow
Aug	August	Fri	Friday
AUW	All Up Weight (gross weight)	FSS	Flight Service Station
avbl	available	GA	glide angle
bcn	beacon	GCA	Ground Controlled Approach
blo	below	GS	glide slope
		haz	hazard
		HQ	Headquarters

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

hr	hour	npi	non precision instrument
IAP	Instrument Approach Procedure	NS ABTMT	Noise Abatement
ICAO	International Civil Aviation Organization	NSTD	nonstandard
IFR	Instrument Flight Rules	ntc	notice
ILS	Instrument Landing System	obsn	observation
IM	Inner Marker	Oct	October
IMG	Immigration	OLF	Outlying Field
incr	increase	opr	operate, operator, operational
indef	indefinite	ops	operations
ints	intensity	OTS	out of service
invo	in the vicinity of	ovrn	overrun
IMC	Instrument Meteorological Conditions	PAEW	personnel and equipment working
Jan	January	pat	pattern
JASU	Jet Aircraft Starting Unit	p-line	power line
JOAP	Joint Oil Analysis Program	PMSV	Pilot-to-Metro Service
JOSAC	Joint Operational Support Airlift Center	POL	Petrol, Oils and Lubricants
JRB	Joint Reserve Base	PPR	prior permission required
Jul	July	PRM	Precision Runway Monitoring
Jun	June	PTD	Pilot to Dispatcher
Kt	Knots	RAMCC	Regional Air Movement Control Center
LAA	Local Airport Advisory	req	request
LAHSO	Land and Hold Short Operations	rgt tfc	right traffic
lbs	pounds	RON	Remain Overnight
ldg	landing	rqr	require
lgt	lighted	rstd	restricted
lgts	lights	RSRS	reduced same runway separation
LMM	Compass locator at Middle Marker ILS	rw	runway
LOC	Localizer	Sat	Saturday
LOM	Compass locator at Outer Marker ILS	SELF	Strategic Expeditionary Landing Field
ltd	limited	Sep	September
MACC	Military Area Control Center	SFA	Single Frequency Approach
Mar	March	sfc	surface
MCAF	Marine Corps Air Facility	SFRA	Special Flight Rules Area
MCALF	Marine Corps Auxiliary Landing Field	SOAP	Spectrometric Oil Analysis Program
MCAS	Marine Corps Air Station	SOF	Supervisor of Flying
MCB	Marine Corps Base	SPB	Seaplane Base
med	medium	SR	sunrise
METRO	Pilot-to-Metro voice call	SS	sunset
Mil	military	std	standard
min	minute	Sun	Sunday
MLS	Microwave Landing System	svc	service
MM	Middle Marker of ILS	tfc	traffic
Mon	Monday	thld	threshold
MP	Maintenance Period	Thu	Thursday
MSL	mean sea level	tkf	take-off
MSAW	minimum safe altitude warning	tmp	temporary
NAAS	Naval Auxiliary Air Station	tran	transient
NADC	Naval Air Development Center	Tue	Tuesday
NADEP	Naval Air Depot	twr	tower
NAEC	Naval Air Engineering Center	twy	taxiway
NAES	Naval Air Engineering Station	UC	Under Construction
NAF	Naval Air Facility	USA	United States Army
NALCO	Naval Air Logistics Control Office	USAF	United States Air Force
NALO	Navy Air Logistics Office	USCG	United States Coast Guard
NALF	Naval Auxiliary Landing Field	USN	United States Navy
NAS	Naval Air Station	V	Defense Switching Network (telephone, formerly AUTOVON)
NAWC	Naval Air Warfare Center	VFR	Visual Flight Rules
NAWS	Naval Air Weapons Station	VIP	Very Important Person
ngt	night	VMC	Visual Meteorological Conditions
NOLF	Naval Outlying Field	Wed	Wednesday
Nov	November	wx	weather

DIRECTORY LEGEND

SAMPLE

① CITY NAME
 ② AIRPORT NAME (ALTERNATE NAME) (LTS) (KLTS) CIV/MIL 3 N UTC-6(-5DT) N34°41.93' W99°20.20' JACKSONVILLE
 ③ 200 B S4 FUEL 100 OX 1 TPA-1000(800) AOE Class IV, ARFF Index A NOTAM FILE ORL Not insp. COPTER
 ④ ⑤ ⑥ ⑦ ⑧ ⑨ H-46, L-19C IAP, DIAP, AD

⑩ RWY 18-36: H12004X200 (ASPH-CONC-GRVD)
 S-90, D-160, DT-300 PCN 80 R/B/W/T HIRL CL
 RWY 18: LDIN. MALSF. TDZL. REIL. PAPI(P2R)—GA 3.0° TCH 36'.
 Thld displcd 300'. Trees. Rgt tfc. 0.3% up.
 RWY 36: ALSF1. 0.4% down.
 RWY 09-27: H6000X150 (ASPH) MIRL
 RWY 173-353: H3515X150 (ASPH-PFC) AUW PCN 59 F/A/W/T

⑪ LAND AND HOLD SHORT OPERATIONS
 LANDING HOLD SHORT POINT DIST AVBL
 RWY 18 09-27 6500
 RWY 36 09-27 5400

⑫ RUNWAY DECLARED DISTANCE INFORMATION
 RWY 18: TORA-12004 TODA-12704 ASDA-11704 LDA-11504
 RWY 36: TORA-12004 TODA-12004 ASDA-12004 LDA-11704

⑬ ARRESTING GEAR/SYSTEM
 RWY 18 → HOOK E5 (65' OVRN) BAK-14 BAK-12B (1650')
 BAK-14 BAK-12 (B) (1087') HOOK E5 (74' OVRN) ← RWY 36

⑭ MILITARY SERVICE: A-GEAR E-5 connected on dep end, disconnected on
 apch end. JASU 3(AM32A-60) 2(A/M32A-86)

⑮ FUEL J8(Mil) (NC-100, A) FLUID W SP PRESAIR LOX ← ⑯
 OIL O-128 TRAN ALERT Avbl 1300-0200Z†, svc limited weekends.

⑰ AIRPORT REMARKS: Special Air Traffic Rules—Part 93, see Regulatory Notices. Attended 1200-0300Z†. Parachute
 Jumping. Deer invov arpt. Heavy jumbo jet training surface to 9000'. Twy A clsd indef. Flight Notification Service
 (ADCUS) avbl.

⑱ MILITARY REMARKS: ANG PPR/Official Business Only. Base OPS DSN 638-4390, C503-335-4222. Ctc Base OPS 15
 minutes prior to ldg and after dep. Limited tran parking.


⑳ WEATHER DATA SOURCES: AWOS-1 120.3 (202) 426-8000. LLWAS.

㉑ COMMUNICATIONS: SFA ATIS 127.25 273.5 (202) 426-8003 UNICOM 122.95 PTD 372.2
 NAME FSS (ORL) on arpt. 123.65 122.65 122.2
 NAME RCO 112.2T 112.1R (NAME RADIO)
 ⑳ NAME APP/DEP CON 128.35 257.725 (1200-0400Z†)
 TOWER 119.65 255.6 (1200-0400Z†) GND CON 121.7 GCO 135.075 (ORLANDO CLNC) CLNC DEL 125.55
 NAME COMD POST (GERONIMO) 311.0 321.4 6761 PMSV METRO 239.8 NAME OPS 257.5

㉓ AIRSPACE: CLASS B See VFR Terminal Area Chart.

㉔ RADIO AIDS TO NAVIGATION: NOTAM FILE ORL. VHF/DF ctc FSS.
 (H) VORTAC 112.2 MCO Chan 59 N28°32.55' W81°20.12' at fld. 1110/8E.
 (H) TACAN Chan 29 CBU (109.2) N28°32.65' W81°21.12' at fld. 1115/8E.
 HERNY NDB (LOM) 221 OR N28°37.40' W81°21.05' 177° 5.4 NM to fld.
 ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.
 ASR/PAR (1200-0400Z†)

㉕ COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.
 HELIPAD H1: H100X75 (ASPH)
 HELIPAD H2: H60X60 (ASPH)
 HELIPORT REMARKS: Helipad H1 lctd on general aviation side and H2 lctd on air carrier side of arpt.
 187 TPA 1000(813)
 WATERWAY 15-33: 5000X425 (WATER)
 SEAPLANE REMARKS: Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of
 arpt not visible from twr and are required to ctc twr.



All bearings and radials are magnetic unless otherwise specified.
 All mileages are nautical unless otherwise noted.

All times are Coordinated Universal Time (UTC) except as noted.











All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.

The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).
















10

SKETCH LEGEND







RUNWAYS/LANDING AREAS

Hard Surfaced	
Metal Surface	
Sod, Gravel, etc.	
Light Plane,	
Ski Landing Area or Water	
Under Construction	
Closed	
Helicopter Landings Area	
Displaced Threshold	
Taxiway, Apron and Stopways ..	






MISCELLANEOUS BASE AND CULTURAL FEATURES

Buildings	
Power Lines	
Fence	
Towers	
Tanks	
Oil Well	
Smoke Stack	
Obstruction	
Controlling Obstruction	
Trees	
Populated Places	
Cuts and Fills	
Cliffs and Depressions ..	
Ditch	
Hill	

RADIO AIDS TO NAVIGATION

















VORTAC ...		VOR	
VOR/DME ..		NDB	
TACAN		NDB/DME	

MISCELLANEOUS AERONAUTICAL FEATURES

Airport Beacon	
Wind Cone	
Landing Tee	
Tetrahedron	
Control Tower	

APPROACH LIGHTING SYSTEMS

A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting system e.g., (A1) Negative symbology, e.g., (A1) (V) indicates Pilot Controlled Lighting (PCL).

Runway Centerline Lighting	
(A) Approach Lighting System ALSF-2 ..	
(A1) Approach Lighting System ALSF-1 ..	
Short Approach Lighting System SALS/SALSF	
(A2) Simplified Short Approach Lighting System (SSALR) with RAIL	
(A3) Medium Intensity Approach Lighting System (MALS and MALSF)/(SSALS and SSALF)	
(A4) Medium Intensity Approach Lighting System (MALSR) and RAIL	
(A5) Omnidirectional Approach Lighting System (ODALS)	
(D) Navy Parallel Row and Cross Bar ..	
(F) Air Force Overrun	
(V) Visual Approach Slope Indicator with Standard Threshold Clearance provided	
(V2) Pulsating Visual Approach Slope Indicator (PVASI)	
(V3) Visual Approach Slope Indicator with a threshold crossing height to accommodate long bodied or jumbo aircraft	
(V4) Tri-color Visual Approach Slope Indicator (TRCV)	
(V5) Approach Path Alignment Panel (APAP)	
(P) Precision Approach Path Indicator (PAPI)	

LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Nav aids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

① CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

② ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

③ LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

④ OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

A	US Army	MC	Marine Corps
AFRC	Air Force Reserve Command	N	Navy
AF	US Air Force	NAF	Naval Air Facility
ANG	Air National Guard	NAS	Naval Air Station
AR	US Army Reserve	NASA	National Air and Space Administration
ARNG	US Army National Guard	P	US Civil Airport Wherein Permit Covers
CG	US Coast Guard		Use by Transient Military Aircraft
CIV/MIL	Joint Use Civil/Military	PVT	Private Use Only (Closed to the Public)
DND	Department of National Defense Canada		

⑤ AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

⑥ TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

⑦ GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

⑧ CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER.

⑨ INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAM

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5-4-5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

⑩ AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

⑪ ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

⑫ ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

⑬ SERVICING—CIVIL

S1: Minor airframe repairs.	S5: Major airframe repairs.
S2: Minor airframe and minor powerplant repairs.	S6: Minor airframe and major powerplant repairs.
S3: Major airframe and minor powerplant repairs.	S7: Major powerplant repairs.
S4: Major airframe and major powerplant repairs.	S8: Minor powerplant repairs.

⑭ FUEL

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP** minus 50° C.
100	Grade 100 gasoline (Green)	J4 (JP4)	(JP-4 military specification) FP** minus 58° C.
100LL	100LL gasoline (low lead) (Blue)	J5 (JP5)	(JP-5 military specification) Kerosene with FS-11, FP** minus 46°C.
115	Grade 115 gasoline (115/145 military specification) (Purple)	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C.
A	Jet A, Kerosene, without FS-II*, FP** minus 40° C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C, with-fuel additive package that improves thermo stability characteristics of JP-8.
A+	Jet A, Kerosene, with FS-II*, FP** minus 40° C.	J	(Jet Fuel Type Unknown)
A1	Jet A-1, Kerosene, without FS-II*, FP** minus 47°C.	MOGAS	Automobile gasoline which is to be used as aircraft fuel.
A1+	Jet A-1, Kerosene with FS-II*, FP** minus 47° C.		
B	Jet B, Wide-cut, turbine fuel without FS-II*, FP** minus 50° C.		

*(Fuel System Icing Inhibitor)

**(Freeze Point)

NOTE: Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

⑮ OXYGEN—CIVIL

OX 1 High Pressure	OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure	OX 4 Low Pressure—Replacement Bottles

⑯ TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

17 AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)

407-975-1740

Southeast Sector (Atlantic States—DC, WV, VA to FL)

407-975-1780

Central Sector (Interior of the US, including Gulf states—MS, AL, LA)

407-975-1760

Southwest East Sector (OK and eastern TX)

407-975-1840

Southwest West Sector (Western TX, NM and AZ)

407-975-1820

Pacific Sector (WA, OR, CA, HI and AK)

407-975-1800

18 CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS
AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	X			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	X	X		X
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	X	X	X	

14 CFR—PART 139 CERTIFICATED AIRPORTS

INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
A	1	<90'	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H ₂ O
B	1 or 2	≥90', <126' ----- ≥126', <159'	≥5 ----- <5	Index A + 1500 gal H ₂ O
C	2 or 3	≥126', <159' ----- ≥159', <200'	≥5 ----- <5	Index A + 3000 gal H ₂ O
D	3	≥159', <200' ----- >200'	<5	Index A + 4000 gal H ₂ O
E	3	≥200'	≥5	Index A + 6000 gal H ₂ O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H₂O—Water; DC—Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMS are available from Flight Service Stations at 1-800-WX-BRIEF. Real time Military NOTAMS are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

21 RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as STOL, Ultralight, or assault strips. Assault strips are shown by magnetic bearing.

RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking, landing mats, membranes	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	(PEM)—Part concrete, part asphalt	(TURF)—Turf
(DIRT)—Dirt	(PFC)—Porous friction courses	(TRTD)—Treated
(GRVD)—Grooved		(WC)—Wire combed

RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757, KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body gear type landing gear (A340-600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
 - R — Rigid
 - F — Flexible
- (3) The pavement subgrade category:
 - A — High
 - B — Medium
 - C — Low
 - D — Ultra-low
- (4) The maximum tire pressure authorized for the pavement:
 - W — High, no limit
 - X — Medium, limited to 217 psi
 - Y — Low, limited to 145 psi
 - Z — Very low, limited to 73 psi
- (5) Pavement evaluation method:
 - T — Technical evaluation
 - U — By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL—Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS—Omni Directional Approach Lighting System.

AF OVRN—Air Force Overrun 1000' Standard Approach Lighting System.

LDIN—Lead-In Lighting System.

MALS—Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF—Sequenced Flashing Lights.

OLS—Optical Landing System.

WAVE—OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.

PNIL APAP on left side of runway

PNIR APAP on right side of runway

PAPI—Precision Approach Path Indicator

P2L 2-identical light units placed on left side of runway

P4L 4-identical light units placed on left side of runway

P2R 2-identical light units placed on right side of runway

P4R 4-identical light units placed on right side of runway

PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.

PSIL PVASI on left side of runway

PSIR PVASI on right side of runway

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

S2L 2-box SAVASI on left side of runway

S2R 2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

TRIL TRCV on left side of runway

TRIR TRCV on right side of runway

VASI—Visual Approach Slope Indicator

V2L 2-box VASI on left side of runway

V6L 6-box VASI on left side of runway

V2R 2-box VASI on right side of runway

V6R 6-box VASI on right side of runway

V4L 4-box VASI on left side of runway

V12 12-box VASI on both sides of runway

V4R 4-box VASI on right side of runway

V16 16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided.

LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

22 ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI-DIRECTIONAL CABLE (B)

<u>TYPE</u>	<u>DESCRIPTION</u>
BAK-9	Rotary friction brake.
BAK-12A	Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary friction brake.
BAK-12B	Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary friction brake.
E28	Rotary Hydraulic (Water Brake).
M21	Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to five seconds to fully raise the cable.)
H	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>
MB60	Textile brake—an emergency one-time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.
E5/E5-1/E5-3	Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100 HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service.

FOREIGN CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>US EQUIVALENT</u>
44B-3H	Rotary Hydraulic (Water Brake)	
CHAG	Chain	E-5

UNI-DIRECTIONAL BARRIER

<u>TYPE</u>	<u>DESCRIPTION</u>
MA-1A	Web barrier between stanchions attached to a chain energy absorber.
BAK-15	Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction, chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK-15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

<u>TYPE</u>	<u>DESCRIPTION</u>
EMAS	Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

24 JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

ELECTRICAL STARTING UNITS:

A/M32A-86	AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack)
MC-1A	AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire DC: 28v, 500 amp, 14 kw
MD-3	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3A	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3M	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 500 amp, 15 kw

MD-4	AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire
AIR STARTING UNITS	
AM32-95	150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia
AM32A-95	150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)
LASS	150 +/- 5 lb/min @ 49 +/- 2 psia
MA-1A	82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press
MC-1	15 cfm, 3500 psia
MC-1A	15 cfm, 3500 psia
MC-2A	15 cfm, 200 psia
MC-11	8,000 cu in cap, 4000 psig, 15 cfm
COMBINED AIR AND ELECTRICAL STARTING UNITS:	
AGPU	AC: 115/200v, 400 cycle, 3 phase, 30 kw gen DC: 28v, 700 amp AIR: 60 lb/min @ 40 psig @ sea level
AM32A-60*	AIR: 120 +/- 4 lb/min (1644 +/- 55 cfm) at 49 +/- 2 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva DC: 28v, 500 amp, 15 kw
AM32A-60A	AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
AM32A-60B*	AIR: 130 lb/min, 50 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.	
USN JASU	
ELECTRICAL STARTING UNITS:	
NC-8A/A1	DC: 500 amp constant, 750 amp intermittent, 28v; AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.
NC-10A/A1/B/C	DC: 750 amp constant, 1000 amp intermittent, 28v; AC: 90 kva, 115/200v, 3 phase, 400 Hz.
AIR STARTING UNITS:	
GTC-85/GTE-85	120 lbs/min @ 45 psi.
MSU-200NAV/A/U47A-5	204 lbs/min @ 56 psia.
WELLS AIR START SYSTEM	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.
COMBINED AIR AND ELECTRICAL STARTING UNITS:	
NCPP-105/RCPT	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, 30 kva.
JASU (ARMY)	
59B2-1B	28v, 7.5 kw, 280 amp.
OTHER JASU	
ELECTRICAL STARTING UNITS (DND):	
CE12	AC 115/200v, 140 kva, 400 Hz, 3 phase
CE13	AC 115/200v, 60 kva, 400 Hz, 3 phase
CE14	AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp
CE15	DC 22-35v, 500 amp continuous 1100 amp intermittent
CE16	DC 22-35v, 500 amp continuous 1100 amp intermittent soft start
AIR STARTING UNITS (DND):	
CA2	ASA 45.5 psig, 116.4 lb/min
COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)	
CEA1	AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp AIR 112.5 lb/min, 47 psig
ELECTRICAL STARTING UNITS (OTHER)	
C-26	28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire
C-26-B, C-26-C	28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire
E3	DC 28v/10kw
AIR STARTING UNITS (OTHER):	
A4	40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)
MA-1	150 Air HP, 115 lb/min 50 psia
MA-2	250 Air HP, 150 lb/min 75 psia
CARTRIDGE:	
MXU-4A	USAF

(25) FUEL—MILITARY

Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at www.desc.dla.mil/Static/ProductsAndServices.asp; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

(26) SUPPORTING FLUIDS AND SYSTEMS—MILITARY**CODE**

ADI	Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.
W	Water Thrust Augmentation—Jet Aircraft.
WAI	Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.
SP	Single Point Refueling.
PRESAIR	Air Compressors rated 3,000 PSI or more.
De-Ice	Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).

OXYGEN:

LPOX	Low pressure oxygen servicing.
HPOX	High pressure oxygen servicing.
LHOX	Low and high pressure oxygen servicing.
LOX	Liquid oxygen servicing.
ORXB	Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be replenished only by replacement of cylinders.)
OX	Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB	Low and high pressure oxygen servicing and replacement bottles;
LPOXRB	Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

NITROGEN:

LPNIT	Low pressure nitrogen servicing.
HPNIT	High pressure nitrogen servicing.
LHNIT	Low and high pressure nitrogen servicing.

(27) OIL—MILITARY

US AVIATION OILS (MIL SPECS):

CODE	GRADE, TYPE
O-113	1065, Reciprocating Engine Oil (MIL-L-6082)
O-117	1100, Reciprocating Engine Oil (MIL-L-6082)
O-117+	1100, O-117 plus cyclohexanone (MIL-L-6082)
O-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
O-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
O-132	1005, Jet Engine Oil (MIL-L-6081)
O-133	1010, Jet Engine Oil (MIL-L-6081)
O-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
O-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
O-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
O-155	None, MIL-L-6086C, Aircraft, Medium Grade
O-156	None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines
JOAP/SOAP	Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)

(28) TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

29 AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

30 MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11-204, AR 95-27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on board are designated Code 6 or higher as explained in AFJMAN 11-213, AR 95-11, OPNAVINST 3722-8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

31 WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS—Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2—reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

32 COMMUNICATIONS

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1-800-WX-BRIEF (1-800-992-7433). When the FSS is located on the field it will be indicated as "on aprt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation. (See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies—Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122-126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remote facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol **®** indicates radar approach control.


TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol  indicates radar departure control.

CLNC DEL—Clearance Delivery.

PRE TAXI CLNC—Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or hours of operation as "Wx obsn svc 1900-0000Z+" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS E:

or

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.


Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

34 RADIO AIDS TO NAVIGATION

The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Charting Office Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDS.

NAVAID information is tabulated as indicated in the following sample:



Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information.

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's and will be implemented throughout the conterminous U.S.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance (NM)
(T) Terminal	1000' to 12,000'	25
(L) Low Altitude	1000' to 18,000'	40
(H) High Altitude	1000' to 14,500'	40
	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45,000' to 60,000'	100

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

AB _____	Automatic Weather Broadcast.
DF _____	Direction Finding Service.
DME _____	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y) _____	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS _____	Glide slope.
H _____	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH _____	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB _____	Non-directional radio beacons providing automatic transcribed weather service.
ILS _____	Instrument Landing System (voice, where available, on localizer channel).
IM _____	Inner marker.
ISMLS _____	Interim Standard Microwave Landing System.
LDA _____	Localizer Directional Aid.
LMM _____	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM _____	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH _____	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS _____	Microwave Landing System.
MM _____	Middle marker.
OM _____	Outer marker.
S _____	Simultaneous range homing signal and/or voice.
SABH _____	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF _____	Simplified Direction Facility.
TACAN _____	UHF navigational facility-omnidirectional course and distance information.
VOR _____	VHF navigational facility-omnidirectional course only.
VOR/DME _____	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC _____	Collocated VOR and TACAN navigational facilities.
W _____	Without voice on radio facility frequency.
Z _____	VHF station location marker at a LF radio facility.

ILS FACILITY PERFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

ILS Facility Performance
Classification Code

FREQUENCY PAIRING PLAN AND MLS CHANNELING

MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
30Y	109.35	566	63X	133.60	-	95Y	114.85	650
31X	109.40	-	63Y	133.65	-	96X	114.90	-
31Y	109.45	568	64X	133.70	-	96Y	114.95	652
32X	109.50	514	64Y	133.75	-	97X	115.00	-
32Y	109.55	570	65X	133.80	-	97Y	115.05	654
33X	109.60	-	65Y	133.85	-	98X	115.10	-
33Y	109.65	572	66X	133.90	-	98Y	115.15	656
34X	109.70	516	66Y	133.95	-	99X	115.20	-
34Y	109.75	574	67X	134.00	-	99Y	115.25	658
35X	109.80	-	67Y	134.05	-	100X	115.30	-
35Y	109.85	576	68X	134.10	-	100Y	115.35	660
36X	109.90	518	68Y	134.15	-	101X	115.40	-
36Y	109.95	578	69X	134.20	-	101Y	115.45	662
37X	110.00	-	69Y	134.25	-	102X	115.50	-
37Y	110.05	580	70X	112.30	-	102Y	115.55	664
38X	110.10	520	70Y	112.35	-	103X	115.60	-
38Y	110.15	582	71X	112.40	-	103Y	115.65	666
39X	110.20	-	71Y	112.45	-	104X	115.70	-
39Y	110.25	584	72X	112.50	-	104Y	115.75	668
40X	110.30	522	72Y	112.55	-	105X	115.80	-
40Y	110.35	586	73X	112.60	-	105Y	115.85	670
41X	110.40	-	73Y	112.65	-	106X	115.90	-
41Y	110.45	588	74X	112.70	-	106Y	115.95	672
42X	110.50	524	74Y	112.75	-	107X	116.00	-
42Y	110.55	590	75X	112.80	-	107Y	116.05	674
43X	110.60	-	75Y	112.85	-	108X	116.10	-
43Y	110.65	592	76X	112.90	-	108Y	116.15	676
44X	110.70	526	76Y	112.95	-	109X	116.20	-
44Y	110.75	594	77X	113.00	-	109Y	116.25	678
45X	110.80	-	77Y	113.05	-	110X	116.30	-
45Y	110.85	596	78X	113.10	-	110Y	116.35	680
46X	110.90	528	78Y	113.15	-	111X	116.40	-
46Y	110.95	598	79X	113.20	-	111Y	116.45	682
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y	113.65	626	116X	116.90	-
51Y	111.45	608	84X	113.70	-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X	113.80	-	117Y	117.05	694
53X	111.60	-	85Y	113.85	630	118X	117.10	-
53Y	111.65	612	86X	113.90	-	118Y	117.15	696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	-
57Y	112.05	-	90X	114.30	-	122Y	117.55	-
58X	112.10	-	90Y	114.35	640	123X	117.60	-
58Y	112.15	-	91X	114.40	-	123Y	117.65	-
59X	112.20	-	91Y	114.45	642	124X	117.70	-
59Y	112.25	-	92X	114.50	-	124Y	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.80	-
60Y	133.35	-	93X	114.60	-	125Y	117.85	-
61X	133.40	-	93Y	114.65	646	126X	117.90	-
61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62X	133.50	-	94Y	114.75	648			
62Y	133.55	-	95X	114.80	-			

(35) COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

ADAMS FLD (See LITTLE ROCK)

ALMND N35°42.19' W091°47.86' NOTAM FILE BVX
NDB (LOM) 335 BV 078° 7.4 NM to Batesville Rgnl.

MEMPHIS
 L-16G

ALMYRA MUNI (M73) 3 W UTC-6(-5DT) N34°24.74' W91°27.98'

MEMPHIS
 L-18F
 IAP

211 B S2 FUEL 100LL NOTAM FILE JBR

RWY 18-36: H3496X50 (ASPH) S-4 MIRL

RWY 18: Road.

RWY 10-28: H3000X50 (ASPH) S-4

RWY 28: Trees.


AIRPORT REMARKS: Unattended. For fuel call 870-830-1231.

COMMUNICATIONS: CTAF/UNICOM 123.0

LITTLE ROCK APP/DEP CON 119.85 CLNC DEL 119.85 (501) 379-2908

RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.

PINE BLUFF (L) VORW/DME 116.0 PBF Chan 107 N34°14.81'
 W91°55.57' 062° 24.9 NM to fld. 210/4E. HIWAS.

**ARKADELPHIA**

DEXTER B FLORENCE MEM FLD (M89) 1 S UTC-6(-5DT) N34°05.99' W93°03.97'

MEMPHIS
 H-6I, L-17E
 IAP

182 B FUEL 100LL, JET A NOTAM FILE M89

RWY 04-22: H5002X75 (ASPH) S-30 MIRL

RWY 04: PAPI(P2L)—GA 3.0° TCH 23'. Rgt tfc.

RWY 22: PAPI(P2L)—GA 4.0° TCH 23'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z±. For arpt attendant after hours call 870-246-4545—fee charged. Fuel avbl 24 hrs with credit card. ACTIVATE MIRL Rwy 04-22—CTAF.

WEATHER DATA SOURCES: ASOS 118.175 (870)403-0945.

COMMUNICATIONS: CTAF/UNICOM 122.7

® MEMPHIS CENTER APP/DEP CON 128.475

RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.

EL DORADO (H) VORTACW 115.5 ELD Chan 102 N33°15.37' W92°44.64' 335° 53.0 NM to fld. 230/7E.

ARKADELPHIA NDB (MHW) 275 ADF N34°03.34' W93°06.31' 034° 3.3 NM to fld. NOTAM FILE JBR.

ARKADELPHIA N34°03.34' W93°06.31' NOTAM FILE JBR.

MEMPHIS
 L-17E

NDB (MHW) 275 ADF 034° 3.3 NM to Dexter B Florence Mem Fld.

ARKANSAS INTL (See BLYTHEVILLE)

ASH FLAT N36°10.84' W91°36.39' NOTAM FILE JBR.

KANSAS CITY
 L-16G

NDB (MHW) 344 AJX 020° 5.5 NM to Sharp Co Rgnl. NDB unusable byd 10 NM.

ASH FLAT

SHARP COUNTY RGNL (CVK) 3 NE UTC-6(-5DT) N36°15.89' W91°33.76'

KANSAS CITY
H-6J, L-166
IAP

716 B S4 **FUEL** 100LL, JET A NOTAM FILE JBR
RWY 04-22: H5156X75 (ASPH) S-12.5 MIRL 0.9% up NE
RWY 04: Trees. **RWY 22:** Thld dsplcd 150'. Hill.

AIRPORT REMARKS: Unattended. Self service fuel avbl 24 hrs with credit card. ACTIVATE MIRL Rwy 04-22—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60'
W90°57.22' 284° 31.0 NM to fld. 260/4E. **HIWAS.**

ASH FLAT NDB (MHW) 344 AJX N36°10.84' W91°36.39' 020°
5.5 NM to fld. NDB unusable byd 10 NM. NOTAM FILE JBR.



AUGUSTA

WOODRUFF CO (M60) 4 E UTC-6(-5DT) N35°16.31' W91°16.18'

MEMPHIS
L-166

200 B NOTAM FILE JBR

RWY 09-27: H3797X75 (ASPH) MIRL


RWY 09: Road. **RWY 27:** Trees.

AIRPORT REMARKS: Unattended. Deer on and invof arpt.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60'
W90°57.22' 193° 52.5 NM to fld. 260/4E. **HIWAS.**



BAKKY N36°11.46' W93°09.61' NOTAM FILE HRO.
NDB (LOM) 233 HR 360° 4.2 NM to Boone Co. Unmonitored.

KANSAS CITY

BALD KNOB MUNI (M74) 0 SE UTC-6(-5DT) N35°17.97' W91°33.46'

MEMPHIS

212 B NOTAM FILE JBR

RWY 09-27: H2228X50 (ASPH) MIRL

RWY 09: Thld dsplcd 246'. Tree. **RWY 27:** Thld dsplcd 146'. Road.

RWY 04-22: 1850X100 (TURF)

RWY 04: Road. **RWY 22:** Road.

AIRPORT REMARKS: Unattended. Remote ctl acft flying on and invof arpt. ACTIVATE MIRL Rwy 09-27—CTAF.

COMMUNICATIONS: CTAF 122.9

BATESVILLE RGNL (BVX) 3 S UTC-6(-5DT) N35°43.57' W91°38.85'

MEMPHIS

465 B S4 FUEL 100LL, JET A TPA-1250(785) NOTAM FILE BVX

H-6J, L-16G

RWY 07-25: H6002X150 (ASPH) S-35, D-50, DT-80 MIRL

IAP

RWY 07: MALS. PAPI(P2L)—GA 3.0° TCH 40'.

RWY 25: PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RWY 17-35: H2804X60 (ASPH) S-8

RWY 17: Sign. RWY 35: Road.

AIRPORT REMARKS: Attended Mon-Fri 1330-2330Z†, Sat-Sun

1400-2300Z†. 100LL fuel avbl with credit card. For Service other hours call 870-251-2326 or 870-793-6669 fee charged.

ACTIVATE MIRL Rwy 07-25—CTAF.

WEATHER DATA SOURCES: AWOS-3 126.375 (870) 251-1369. Ceiling unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.25 (JONESBORO RADIO)

Ⓡ MEMPHIS CENTER APP/DEP CON 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.


WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60'

W90°57.22' 232° 40.9 NM to fld. 260/4E. HIWAS.

ALMND NDB (LOM) 335 BV N35°42.19' W091°47.86' 078° 7.4 NM to fld.

LOC/DME 109.7 I-BVX Chan 34 Rwy 07.

LOM ALMND NDB. LOC/DME unmonitored indef.



BEARCE (See MOUNT IDA)

BENTON

SALINE CO RGNL (SUZ) 5 E UTC-6(-5DT) N34°35.42' W92°28.77'

MEMPHIS

390 B FUEL 100LL, JET A NOTAM FILE JBR

H-6J, L-14E

RWY 02-20: H5001X100 (ASPH) S-54, D-65, DT-111 MIRL

IAP

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 39'. Rgt tfc.

RWY 20: REIL. PAPI(P4L)—GA 3.0° TCH 34'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1400-2230Z†. For svc after hrs call 501-425-1215. Fuel avbl 24 hrs self serve with credit card. ACTIVATE MIRL Rwy 02-20, REIL Rwy 02 and Rwy 20—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

LITTLE ROCK APP/DEP CON 119.5

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 246° 15.7 NM to fld. 240/5E.

LOC/DME 111.95 I-SUZ Chan 56(Y) Rwy 02.

BENTONVILLE MUNI/LOUISE M THADEN FLD (VBT) 2 S UTC-6(-5DT)

KANSAS CITY

N36°20.74' W94°13.16'

L-16F

1296 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE VBT

IAP

RWY 18-36: H4082X65 (ASPH) S-12.5, D-21.5 MIRL

RWY 18: REIL. Thld displcd 227'. Road. RWY 36: REIL. Fence.

AIRPORT REMARKS: Attended 1300-2300Z†. For svc after hours call

479-586-5540. 100LL avbl 24 hrs self service with credit card.

ACTIVATE MIRL Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 134.975 (479) 273-9198.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ RAZORBACK APP/DEP CON 121.0 (1130-0500Z†) CLNC DEL 121.05


MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)

AIRSPACE: CLASS E svc 1130-0500Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

RAZORBACK (H)VORTACW 116.4 RZC Chan 111 N36°14.79'

W94°07.28' 317° 7.6 NM to fld. 1331/4E.



BERRYVILLE**CARROLL CO**

(4M1) 3 W UTC-6(-5DT) N36°22.88' W93°37.47'

KANSAS CITY

L-16F

1205 B S4 FUEL 100LL NOTAM FILE JBR

RWY 07-25: H3554X75 (ASPH) S-12 MIRL


RWY 07: PAPI(P2L)—GA 3.0° TCH 23'. Trees.

RWY 25: PAPI(P2L)—GA 4.0° TCH 30'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z†. Fuel avbl 24 hrs self service with credit card. Ultralight activity on and invof arpt. No line of sight btn rwy ends. For rotg bcn call 870-423-2668. ACTIVATE MIRL Rwy 07-25—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.

RAZORBACK (H) VORTACW 116.4 RZC Chan 111 N36°14.79' W94°07.28' 067° 25.4 NM to fld. 1331/4E.

**BILLY FREE MUNI** (See DUMAS)**BLYTHERVILLE****ARKANSAS INTL**

(BYH) 3 NW UTC-6(-5DT) N35°57.86' W89°56.64'

MEMPHIS

H-6J, L-16H

IAP

254 B S5 FUEL 100LL, JET A NOTAM FILE BYH

RWY 18-36: H11602X150 (CONC) S-155, D-235, DT-455 HIRL (NSTD)

RWY 18: ALSF1. VASI(V4L)—GA 3.0° TCH 54'.


RWY 36: SALS. VASI(V4L)—GA 3.0° TCH 51'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Arpt unattended holidays. For svc after hrs call 870-780-6455, no fee charged. Rwy 18 ALSF1 OTS indef. Rwy 36 SALS OTS indef. Rwy 18-36 NSTD HIRL located 85' from rwy edge and NSTD distance from centerline. Depth perception problems may exist during periods of darkness. ACTIVATE HIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7**MEMPHIS CENTER APP/DEP CON** 134.65**RADIO AIDS TO NAVIGATION:** NOTAM FILR DYR.

DYERSBURG (L) VORTACW 116.8 DYR Chan 115 N36°01.11' W89°19.06' 261° 30.7 NM to fld. 380/3E. **HIWAS.**

GOSNELL (L) VORW 111.8 GOJ N35°57.06' W89°56.47' at fld. NOTAM FILE BYH.

ILS/DME 110.3 I-BYH Chan 40 Rwy 18.

BLYTHEVILLE MUNI (HKA) 3 E UTC-6(-5DT) N35°56.42' W89°49.85'

MEMPHIS

255 B S4 FUEL 100LL JET A NOTAM FILE HKA

H-6J, L-16H

RWY 18-36: H5001X75 (ASPH) S-15 MIRL

IAP

RWY 18: PAPI(P4L)—GA 3.0° TCH 48'.

RWY 36: PAPI(P4L)—GA 3.0° TCH 48'.

AIRPORT REMARKS: Attended 1330-2330Z. For arpt attendant after hours call 870-740-0798. Numerous agricultural acft ops from Feb-Nov 250' AGL and below, right and left TPA. Ultralight activity on and in/ov arpt. PAPI Rwy 36 OTS indef. ACTIVATE MIRL Rwy 18-36—CTAF. PAPI Rwy 18 and Rwy 36 opr continuously.

WEATHER DATA SOURCES: ASOS 135.025 (870) 763-8206.**COMMUNICATIONS:** CTAF/UNICOM 123.05

MEMPHIS CENTER APP/DEP CON 134.65


RADIO AIDS TO NAVIGATION: NOTAM FILE DYR.

DYERSBURG (L) VORTACW 116.8 DYR Chan 115 N36°01.11'

W89°19.06' 257° 25.4 NM to fld. 380/3E. HIWAS.

HICKS NDB (MHW) 350 IUI N35°56.27' W89°50.03' at fld.

NOTAM FILE HKA.

**BOONE CO** (See HARRISON)**BOONEVILLE MUNI** (4M2) 3 E UTC-6(-5DT) N35°08.97' W93°51.73'

MEMPHIS

465 B S4 FUEL 100LL NOTAM FILE JBR

L-17E

RWY 09-27: H3254X50 (ASPH) MIRL

RWY 09: PAPI(P2L)—GA 4.0° TCH 28'. Trees.

RWY 27: PAPI(P2L)—GA 4.0° TCH 28'. Trees.

AIRPORT REMARKS: Attended Mon-Thu 1300-2300Z. Self-serve fuel avbl 24 hrs with credit card. ACTIVATE MIRL

Rwy 09-27 and PAPI Rwy 09 and Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE FSM.

FORT SMITH (L) VORTACW 110.4 FSM Chan 41 N35°23.31' W94°16.29' 118° 24.7 NM to fld. 430/7E.

HIWAS.

BRINKLEY**FRANK FEDERER MEM** (M36) 0 SE UTC-6(-5DT) N34°52.82' W91°10.59'

MEMPHIS

194 B S4 FUEL 100LL TPA-1194(1000) NOTAM FILE JBR

L-18F

RWY 02-20: H4005X75 (ASPH) S-12 MIRL

IAP

RWY 02: PAPI(P2L)—GA 3.0° TCH 45'. Thld dsplcd 250'. Tree. Rgt tfc.

RWY 20: PAPI(P2L)—GA 3.0° TCH 45'. Thld dsplcd 150'. Trees.

AIRPORT REMARKS: Attended Mar-Sep 1400-2300Z. Oct-Feb Mon-Fri 1400-2300Z. PAEW adjacent Rwy 02-20. Numerous agricultural acft ops from Feb-Nov 500' AGL and below. Water tank NW. PAPI Rwy 02 and Rwy 20 OTS indef. ACTIVATE MIRL Rwy 02-20—122.8.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ MEMPHIS CENTER APP/DEP CON 135.3

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

GILMORE (L) VORW/DME 113.0 GQE Chan 77 N35°20.82'

W90°28.69' 227° 44.3 NM to fld. 211/4E.



CALICO ROCK-IZARD CO (37T) 3 NW UTC-6(-5DT) N36°09.87' W92°08.67'

MEMPHIS

L-166

733 NOTAM FILE JBR

RWY 15-33: H3000X60 (ASPH) S-12.5 MIRL

RWY 15: REIL. PAPI(P2L)—GA 4.0° TCH 29'.

RWY 33: REIL. PAPI(P2L)—GA 4.0° TCH 29'. Trees.


AIRPORT REMARKS: Unattended. Rwy 33 REIL OTS indef. ACTIVATE MIRL
RWY 15-33—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.

FLIPPIN (L) VORW/DME 112.8 FLP Chan 75

N36°17.98'W92°27.50' 115° 17.3 NM to fld. 780/3E.



CAMDEN

HARRELL FLD (CDH) 5 NE UTC-6(-5DT) N33°37.37' W92°45.80'

MEMPHIS

H-6I, L-17E

IAP

130 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE JBR

RWY 18-36: H6502X100 (ASPH) S-86, D-112, DT-180 MIRL

RWY 18: REIL. PAPI(P2L)—G.A. 3.0° TCH 25'. Trees.

RWY 36: REIL. PAPI(P2L)—G.A. 3.0° TCH 25'. Trees.

AIRPORT REMARKS: Attended 1400Z±-dusk. For svc after hours call
870-864-6772 or 870-866-4293. Fuel avbl self serve after hrs
with credit card. Ultralight activity on and invof arpt. Deer on and
in vicinity of arpt. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and
36 and REIL Rwy 18 and 36—CTAF. NOTE: See Special
Notice—Controlled Firing.

WEATHER DATA SOURCES: AWOS-3 125.2 (870) 574-1011.


COMMUNICATIONS: CTAF/UNICOM 122.7

® FORT WORTH CENTER APP/DEP CON: 128.2

RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.

EL DORADO (H) VORTACW 115.5 ELD Chan 102 N33°15.37'

W92°44.64' 350° 22.0 NM to fld. 230/7E.



CARLISLE MUNI (4M3) 2 NE UTC-6(-5DT) N34°48.49' W91°42.73'

MEMPHIS

241 B S4 FUEL 100LL NOTAM FILE JBR

L-18F

RWY 09-27: H4501X75 (ASPH) S-17 MIRL

IAP

RWY 09: PAPI(P2L)—GA 3.0° TCH 47'.

RWY 27: PAPI(P2L)—GA 3.0° TCH 47'. Berm.

RWY 18-36: H4494X60 (ASPH) S-17

RWY 18: Brush. RWY 36: Pole.

AIRPORT REMARKS: Attended daylight hours. Self serve fuel avbl 24 hrs with credit card. Rwy 18-36 has standing water first 2000' on south end of rwy after rain. Numerous agriculture operations year round. ACTIVATE MIRL Rwy 09-27—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

® LITTLE ROCK APP/DEP CON 135.4 CLNC DEL 135.4 (501) 379-2908

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'

W92°10.83' 066° 24.5 NM to fld. 240/5E.



CARROLL CO (See BERRYVILLE)

CERCY N35°07.35' W91°45.70' NOTAM FILE SRC

NDB (MHW) 375 DS 011° 5.4 NM to Searcy Muni.

CLARENDON MUNI (4M8) 5 SW UTC-6(-5DT) N34°38.88' W91°23.67'

MEMPHIS

217 B S2 FUEL 100LL NOTAM FILE JBR

RWY 18-36: H2420X30 (ASPH) S-4 MIRL

RWY 18: Thld displcd 200'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z, Sat 1400-1800Z. Rwy 18-36 agriculture acft use turf 2400' by 100' area E side of paved rwy, soft when wet. ACTIVATE MIRL Rwy 18-36—123.8.

COMMUNICATIONS: CTAF/UNICOM 122.8

CLARKSVILLE MUNI (H35) 3 E UTC-6(-5DT) N35°28.24' W93°25.63'

MEMPHIS

481 B S4 FUEL 100LL, JET A TPA-1448(967) NOTAM FILE JBR

L-16F

RWY 09-27: H4508X75 (ASPH) S-19 MIRL 0.7% up E

IAP

RWY 09: PVASI(PSIL)—GA 4.0° TCH 41'. Trees.

RWY 27: PVASI(PSIL)—GA 4.0° TCH 34'. Tree.

AIRPORT REMARKS: Attended daylight hours. For fuel after hrs call 479-885-2646. Fuel avbl 24 hrs with credit card.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MEMPHIS CENTER APP/DEP CON 128.475


RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.

FORT SMITH (L) VORTACW 110.4 FSM Chan 41 N35°23.31'

W94°16.29' 076° 41.7 NM to fld. 430/7E. HIWAS.

NDB (MHW) 201 CZE N35°28.16' W93°25.41' at fld. NOTAM

FILE JBR. Unmonitored 2300-1400Z.



CLINTON

CLINTON MUNI (CCA) 1 NE UTC-6(-5DT) N35°35.87' W92°27.10'
 514 B S2 FUEL 100LL NOTAM FILE CCA
 RWY 13-31: H4012X50 (ASPH) MIRL

MEMPHIS
L-166

RWY 13: Trees.

RWY 31: REIL. PAPI(P2L)—GA 4.0° TCH 69'. Trees.


AIRPORT REMARKS: Attended 1400-2300Z±. 24 hr self svc fuel avbl with credit card. Deer on and invof arpt. Use extreme care rapidly rising terrain 3 miles SW thru NE. Use extreme care rapidly rising terrain 3 miles NW of arpt. ACTIVATE MIRL Rwy 13-31—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.725 (501) 745-5000.

COMMUNICATIONS: CTAF 122.7

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'
 W92°10.83' 341° 56.7 NM to fld. 240/5E.



HOLLEY MOUNTAIN AIRPARK (2A2) 5 NE UTC-6(-5DT) N35°39.04' W92°24.23'
 1269 B NOTAM FILE JBR

MEMPHIS
L-166
IAP

RWY 05-23: H4795X50 (ASPH) MIRL

RWY 05: REIL. VASI(V2L)—GA 3.5° TCH 31'. Trees. Thld dspcd 398'.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Deer on and invof rwy. Unmanned acft 400' AGL/blo 1 NM radius dalgt. PAEW adjacent to rwy. PAEW AER 05. PAEW adjacent to apch to helipad. Rwy 05 VASI unusable byd 5° left of course. ACTIVATE rotating bcn—CTAF. ACTIVATE MIRL Rwy 05-23 and REIL Rws 05 and 23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

MEMPHIS CENTER APP/DEP CON 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 344° 59.3 NM to fld. 240/5E.

• • • • •
 HELIPAD H1: H40X40 (CONC)

HELIPORT REMARKS: Rwy H1 ingress to northwest, egress to southeast. Helipad H1 perimeter lgts.

CONWAY N35°05.04' W92°25.61'. NOTAM FILE JBR.
 NDB (MHW) 302 CWS at Dennis F Cantrell Fld.

MEMPHIS
L-18F

CONWAY

ARKAVALLEY (12A) 7 SW UTC-6(-5DT) N35°10.65' W092°20.10'
 329 NOTAM FILE JBR

MEMPHIS
L-166

RWY 18-36: H3133X40 (ASPH) MIRL

RWY 36: Tree.

AIRPORT REMARKS: Unattended. Rising terrain north end. ACTIVATE MIRL Rwy 18-36—122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 341° 31.0 NM to fld. 240/5E.

DENNIS F CANTRELL FLD (CWS) 1 SE UTC-6(-5DT) N35°04.85' W92°25.50'

MEMPHIS

316 B FUEL 100LL, JET A NOTAM FILE JBR

L-18F

RWY 08-26: H4875X100 (ASPH) S-12 MIRL 0.3% up SW

IAP

RWY 08: PAPI(P2L)—GA 3.0° TCH 86'. Thld dsplcd 831'. Trees.

RWY 26: PAPI(P2L)—GA 3.0° TCH 109'. Thld dsplcd 1643'. Road.

RWY 18-36: H3278X60 (ASPH) S-12 MIRL 0.3% up S

RWY 18: Thld dsplcd 155'. Trees.

RWY 36: Building.

AIRPORT REMARKS: Attended daylight hours. For svc after hours call 501-269-4559, fee charged. Rwy 08 and Rwy 26 thlds dsplcd ngts only. 170' AGL crane ¼ mile S of Rwy 36. 5' drop off 100' south of Rwy 36. Numerous argricultural ops Feb-Nov. ACTIVATE MIRL Rwy 08-26—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8 MIRL Rwy

® LITTLE ROCK APP/DEP CON 119.5 CLNC DEL 121.2 (501) 379-2908

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 329° 27 NM to fld. 240/5E.

CONWAY NDB (MHW) 302 CWS N35°05.04' W92°25.61' at fld. NOTAM FILE JBR.



CORNING MUNI (4M9) 3 W UTC-6(-5DT) N36°24.25' W90°38.88'

ST LOUIS

293 B S4 NOTAM FILE JBR

L-16H

RWY 18-36: H4299X60 (ASPH) S-12.5 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Antenna.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Road.

AIRPORT REMARKS: Attended 1300-0100Z±. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 18-36 REIL, Rwy 18 and Rwy 36, PAPI Rwy 18 and Rwy 36 and taxiway lgts—CTAF.


WEATHER DATA SOURCES: ASOS-3 118.325 (870-857-9702).

COMMUNICATIONS: CTAF/UNICOM 123.0

MEMPHIS CENTER APP/DEP CON 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60' W90°57.22' 036° 23.0 NM to fld. 260/4E. HIWAS.



CROSSETT**Z M JACK STELL FLD** (CRT) 5 NE UTC-6(-5DT) N33°10.70' W91°52.81'

184 B FUEL 100LL, JET A NOTAM FILE JBR


RWY 05-23: H5009X75 (ASPH) S-19 MIRL

RWY 05: PVASI(PSIL)—GA 3.5° TCH 28'. Trees.

RWY 23: VASI(V2L)—GA 3.0° TCH 15'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Self serve fuel avbl 24 hrs with credit card.**COMMUNICATIONS:** CTAF/UNICOM 122.8**MEMPHIS CENTER APP/DEP CON** 135.875**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.**MONTICELLO (L) VOR/DME** 111.6 MON Chan 53 N33°33.72'

W91°42.94' 196° 24.4 NM to fld. 280/4E.

MEMPHIS
H-6J, L-18F
IAP**CRYSTAL LAKE** (See DECATUR)**DANVILLE MUNI** (32A) 3 NW UTC-6(-5DT) N35°05.22' W93°25.65'

387 B FUEL 100LL NOTAM FILE JBR

RWY 11-29: H5325X75 (ASPH) S-12.5 MIRL


RWY 11: Brush. RWY 29: Tree.

AIRPORT REMARKS: Unattended. For svc call Yell County sheriff 501-495-2811. Self-serve fuel avbl 24 hrs. Pay phone available.

ACTIVATE MIRL Rwy 11-29—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE HOT.**HOT SPRINGS (L) VOR/DME** 110.0 HOT Chan 37 N34°28.72'

W93°05.44' 332° 40.1 NM to fld. 528/4E. HIWAS.

MEMPHIS
H-6I, L-17E

DECATUR**CRYSTAL LAKE** (5M5) 2 NE UTC-6(-5DT) N36°20.61' W94°26.69'

KANSAS CITY

1180 FUEL JET A NOTAM FILE JBR

L-16F

RWY 13-31: H3865X75 (ASPH) S-10 LIRL 0.7% up SE

IAP

RWY 13: VASI(V2L)—GA 3.5° TCH 20'. Trees.

RWY 31: VASI(V2L)—GA 3.5° TCH 20'. Tree.

AIRPORT REMARKS: Unattended. Be alert for +176' tower approximately 1300' North of Rwy 13. Rwy 13-31 unmarked.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ RAZORBACK APP/DEP CON 121.0 (1130-0500Z‡)


CLNC DEL 121.725

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

RAZORBACK (H) VORTACW 116.4 RZC Chan 111 N36°14.79'

W94°07.28' 286° 16.7 NM to fld. 1331/4E.

**DENNIS F CANTRELL FLD** (See CONWAY)**DE QUEEN** N34°02.75' W94°24.19' NOTAM FILE DEQ.

MEMPHIS

NDB (MHW) 281 DEQ at J Lynn Helms Sevier Co. Unmonitored.

L-17D

DE QUEEN**J LYNN HELMS SEVIER CO** (DEQ) 3 W UTC-6(-5DT) N34°02.82' W94°23.96'

MEMPHIS

355 B S2 FUEL 100LL, JET A NOTAM FILE DEQ

H-61, L-17D

RWY 08-26: H5001X75 (ASPH) S-27 MIRL

IAP

RWY 08: REIL. PAPI(P2L)—GA 3.0° TCH 62'. Brush.

RWY 26: Brush.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hr self serve with major credit card. ACTIVATE MIRL Rwy 08-26 and REIL Rwy 08—CTAF**WEATHER DATA SOURCES:** ASOS 134.075 (870) 642-7829.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ FORT WORTH CENTER APP/DEP CON 123.925


RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.

TEXARKANA (H) VORTACW 116.3 TXK Chan 110 N33°30.83'

W94°04.40' 326° 35.9 NM to fld. 270/7E. HIWAS.

DE QUEEN NDB (MHW) 281 DEQ N34°02.75' W94°24.19'

at fld. NOTAM FILE DEQ. Unmonitored.

**DERMOTT MUNI** (4M5) 3 SW UTC-6(-5DT) N33°29.28' W91°26.56'

MEMPHIS

135 B NOTAM FILE JBR

RWY 01-19: H2980X50 (ASPH)

AIRPORT REMARKS: Attended Mon-Sat, Mar-Oct 1300-0000Z‡. Rwy 01-19 ravelled pavement north 1/3 of rwy.

Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

DE WITT MUNI (5M1) 3 SE UTC-6(-5DT) N34°15.74' W91°18.45'

MEMPHIS
L-18F

190 B FUEL 100LL NOTAM FILE JBR

RWY 18-36: H3204X60 (ASPH) S-12 MIRL

RWY 18: REIL. PAPI (P2L)-GA 3.0° TCH 40'. Road.


RWY 36: REIL. PAPI (P2L)-GA 3.0° TCH 40'.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z, Sat 1300-1800Z. For fuel nghts & Sunday call 870-946-2307/3072. Arpt bcn OTS indef. Pavement lip west side of rwy between twys to north and south ramp drops off approximately 18 inches. ACTIVATE MIRL Rwy 18-36, PAPI Rws 18 and 36—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.

PINE BLUFF (L) VOR/DME 116.0 PBF Chan 107 N34°14.81' W91°55.57' 084° 30.8 NM to fld. 210/4E. HIWAS.



DEXTER B FLORENCE MEM FLD (See ARKADELPHIA)

DRAKE FLD (See FAYETTEVILLE)

DUMAS

BILLY FREE MUNI (ØMØ) 2 W UTC-6(-5DT) N33°53.09' W91°32.07'

MEMPHIS
H-61, L-18F
IAP

163 B S4 FUEL 100LL, JET A NOTAM FILE JBR

RWY 18-36: H5000X75 (ASPH) S-15 MIRL

RWY 36: PAPI(P2L)-GA 3.0° TCH 40'.


AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z. For attendant after hrs call 870-382-5782. Self service fuel avbl 24 hrs with credit card. Migratory birds on and invof arpt Nov-Feb. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MEMPHIS CENTER APP/DEP CON 135.875

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

MONTICELLO (L) VOR/DME 111.6 MON Chan 53 N33°33.72' W91°42.94' 021° 21.4 NM to fld. 280/4E.



EL DORADO NOTAM FILE ELD.

MEMPHIS
H-61, L-17E

(H) VORTACW 115.5 ELD Chan 102 N33°15.37' W92°44.64' 232° 4.1 NM to South Arkansas Rgnl at Goodwin Fld. 230/7E.

RCO 122.65 (JONESBORO RADIO)

EL DORADO**EL DORADO DOWNTOWN—STEVENS FLD** (F43) 0 S UTC-6(-5DT) N33°11.48' W92°39.79'

MEMPHIS

256 B S4 FUEL 100LL NOTAM FILE JBR

L-17E

RWY 18-36: H3000X60 (ASPH) S-7 LIRL

RWY 18: Trees.

RWY 36: PAPI(P2L)—GA 3.5° TCH 32'. Trees.


AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. For fuel after hours call 870-863-6776, 24 hr self service credit card avbl.

Ultralight activity on and invof arpt.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE ELD.

EL DORADO (H) VORTACW 115.5 ELD Chan 102 N33°15.37'

W92°44.64' 127° 5.6 NM to fld. 230/7E.

**SOUTH ARKANSAS RGNL AT GOODWIN FLD** (ELD) 8 W UTC-6(-5DT)

MEMPHIS

N33°13.26' W92°48.80'

H-61, L-17E

277 B FUEL 100LL, JET A TPA-1277(1000) Class III, ARFF Index A NOTAM FILE ELD

IAP

RWY 04-22: H6601X150 (ASPH-GRVD) S-75, D-200 HIRL

RWY 04: PAPI(P4L)—GA 3.0° TCH 49'.

RWY 22: MALSR. PAPI(P4L)—GA 3.0° TCH 55'.

RWY 13-31: H5100X100 (ASPH) S-25 MIRL 0.7% up NW

RWY 31: Tree.

RWY 17-35: H3733X75 (CONC) S-25 0.5% up N

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z†, Sun

1900-0000Z†. For svc after hours call 870-310-9912, fee charged. Rwy 17-35 CLOSED indef. Rwy 17 has a hump located near thld. Rwy 17-35 pavement 150' wide, edges not marked, center 75' usable. Remainder 75' has cracks and vegetation.

HIRL Rwy 04-22 preset low ints, to increase ints and ACTIVATE

MIRL Rwy 13-31. MALSR Rwy 22 and twy lghts—CTAF.

WEATHER DATA SOURCES: ASOS 118.325 (870) 862-3090.**COMMUNICATIONS:** CTAF/UNICOM 123.0

EL DORADO RCO 122.65 (JONESBORO RADIO)

® FORT WORTH CENTER APP/DEP CON 128.2


RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.

EL DORADO (H) VORTACW 115.5 ELD Chan 102

N33°15.37' W92°44.64' 232° 4.1 NM to fld. 230/7E.

LADOS NDB (LOM) 418 EL N33°17.16' W92°43.69' 225° 5.8 NM to fld. Unmonitored.

ILS/DME 111.1 I-ELD Chan 48 Rwy 22. Class IA. LOM LADOS NDB. LOC/DME and LADOS LOM unmonitored. Coupled apch not avbl until further notice. DME OTS indef.

**FAYETTEVILLE** N36°00.50' W94°10.83'

KANSAS CITY

RCO 122.3 (JONESBORO RADIO)

L-16F

FAYETTEVILLE**DRAKE FLD**

(FVY) 3 S UTC-6(-5DT) N36°00.31' W94°10.20'

1251 B S2 FUEL 100LL, JET A, MOGAS TPA-2100(849) Class IV, ARFF Index A

NOTAM FILE FVY

RWY 16-34: H6006X100 (ASPH-GRVD) S-90, D-150, DT-175

MIRL

RWY 16: ODALS. PAPI(P4L)—GA 3.0° TCH 50'. Road.

RWY 34: ODALS. PAPI(P4L)—GA 3.5° TCH 58'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 16: TORA-6006 TODA-6006 ASDA-6006 LDA-6006

RWY 34: TORA-6006 TODA-6006 ASDA-6006 LDA-6006

AIRPORT REMARKS: Attended Mon-Fri 1200-0400Z†, Sat-Sun 1400-0200Z†. For fuel and svc after hrs call 479-718-7641, fee charged. Self service fuel avbl 24hrs. Deer on and invof arpt. 24 hr PPR for air carrier ops with more than 30 passenger seats call arpt manager 479-718-7642 and fax FBO 866-641-0861. When twr clsd MIRL Rwy 16-34 preset med ints. ACTIVATE ODALS Rwy 16 and Rwy 34 and PAPI Rwy 16 and Rwy 34—CTAF.

WEATHER DATA SOURCES: ASOS (479) 442-5237.**COMMUNICATIONS:** CTAF 128.0 ATIS 119.575 UNICOM 122.95

FAYETTEVILLE RCO 122.3 (JONESBORO RADIO)

① RAZORBACK APP/DEP CON 121.0 (1130-0500Z†)

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)

TOWER 128.0 (1200-0400Z†) GND CON 121.8


AIRSPACE: CLASS D svc 1200-0400Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FVY.

(T) VOR/DME 108.8 DAK Chan 25 N36°02.57' W94°11.85' 142° 2.6 NM to fld. 1530/7E.

ILS/DME 111.9 I-FVY Chan 56 Rwy 16. LOC only. LOC/DME unmonitored when twr clsd.

LDA/DME 111.9 I-LFH Chan 56 Rwy 34. LDA unusable byd 10 NM blo 3500'. LDA unusable byd 10° right of final apch course. DME unusable byd 25° right of course.

ASR (1200-0400Z†)



KANSAS CITY

H-6I, L-16F

IAP, AD

FAYETTEVILLE (SPRINGDALE) N36°16.90' W94°18.40'

RCO 122.55 (JONESBORO RADIO)

KANSAS CITY

L-16F

FAYETTEVILLE (SPRINGDALE)**NORTHWEST ARKANSAS RGNL**

(XNA) 15 NW UTC-6(-5DT) N36°16.91' W94°18.41'

1287 B FUEL 100LL, JET A OX 2 Class I, ARFF Index B NOTAM FILE XNA

RWY 16-34: H8800X150 (CONC-GRVD) S-75, D-150, DT-350 HIRL

RWY 16: MALSR. PAPI(P4L)—GA 3.0° TCH 52'. 0.3% down.

RWY 34: MALSR. PAPI(P4L)—GA 3.0° TCH 52'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 16: TORA-8800 TODA-8800 ASDA-8800 LDA-8800

RWY 34: TORA-8800 TODA-8800 ASDA-8800 LDA-8800

AIRPORT REMARKS: Attended continuously. For fuel svcs use freq 130.05. Arpt also associated with Rogers MSA City. Bird activity on and invof arpt. Distance and direction to arpt from Springdale is 10 NM northwest and from Rogers MSA is 9 NM southwest. Rwy 16 and Rwy 34 runway visual range touchdown and rollout avbl. Rwy 16 PAPI OTS indef. When twr clsd ACTIVATE HIRL Rwy 16-34 and MALSR Rwy 16 and Rwy 34—CTAF. PAPI Rwy 16 and Rwy 34 opr continuously.

WEATHER DATA SOURCES: ASOS 119.425 (479) 203-0109.**COMMUNICATIONS:** CTAF 127.1

FAYETTEVILLE (SPRINGDALE) RCO 122.55 (JONESBORO RADIO)

① RAZORBACK APP/DEP CON 121.0 West 126.6 East (1130-0500Z†)

① MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)


TOWER 127.1 (1130-0500Z†) GND CON 121.9

AIRSPACE: CLASS C svc 1130-0500Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.

RAZORBACK (H) VORTACW 116.4 RZC Chan 111 N36°14.79' W94°07.28' 279° 9.2 NM to fld. 1331/4E.

ILS/DME 110.55 I-XNA Chan 42(Y) Rwy 16. Glide slope unusable for coupled apch blo 2070' MSL.

ILS/DME 110.55 I-FBS Chan 42(Y) Rwy 34. Class IB.



KANSAS CITY

H-6I, L-16F

IAP, AD

FENCH N34°32.35' W094°04.38' NOTAM FILE MEZ
NDB (LOM) 352 VM 270° 6.4 NM to Mena Intermountain Muni.

FLIPPIN N36°17.98' W92°27.50' NOTAM FILE FLP.
(L) VORW/DME 112.8 FLP Chan 75 262° 6.4 NM to Marion Co Rgnl. 780/3E.

KANSAS CITY

L-166

VOR unusable:

091°-130° byd 11 NM blo 8000'

DME unusable:

031°-090° byd 15 NM blo 7000'

091°-130° byd 11 NM blo 8000'

131°-180° byd 20 NM blo 7000'

181°-230° byd 20 NM blo 6500'

231°-330° byd 30 NM blo 6500'

331°-030° byd 15 NM blo 6500'

RCO 122.35 (JONESBORO RADIO)**FLIPPIN**

MARION CO RGNL (FLP) 1 N UTC-6(-5DT) N36°17.45' W92°35.42'
 719 B S4 **FUEL** 100LL, JET A TPA-1719(1000) NOTAM FILE FLP
RWY 04-22: H5000X75 (ASPH) S-30 MIRL 1.0% up NE

KANSAS CITY

H-61, L-166


IAP

RWY 04: REIL. PAPI(P2L)-GA 3.5° TCH 55'. Trees.**RWY 22: REIL. PAPI(P2L)-GA 3.0° TCH 52'. Tree.**

AIRPORT REMARKS: Attended 1400-2300Z†. For fuel at night call
 870-427-5343 or 870-453-2557, fee charged. Ultralight activity
 on and invof arpt. No line of sight between rwy ends. **ACTIVATE**
 MIRL Rwy 04-22, PAPI and REIL Rwy 04 and Rwy 22-CTAF.

WEATHER DATA SOURCES: AWOS-3 132.075 (870) 453-2380.**COMMUNICATIONS:** CTAF/UNICOM 123.0**FLIPPIN RCO 122.35 (JONESBORO RADIO)**® **MEMPHIS CENTER APP/DEP CON 126.85****RADIO AIDS TO NAVIGATION:** NOTAM FILE FLP.

FLIPPIN (L) VORW/DME 112.8 FLP Chan 75 N36°17.98'
 W92°27.50' 262° 6.4 NM to fld. 780/3E.



FORDYCE MUNI (5M4) 3 NE UTC-6(-5DT) N33°50.75' W92°21.93'

MEMPHIS


L-18F

193 B **FUEL** 100LL NOTAM FILE JBR**RWY 05-23: H3183X60 (ASPH)** S-4 MIRL**RWY 05: Trees. RWY 23: Road.****AIRPORT REMARKS:** Unattended. Fuel avbl self service with credit card.

MIRL Rwy 05-23 opr dusk-0600Z†.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE PBF.

PINE BLUFF (L) VORW/DME 116.0 PBF Chan 107 N34°14.81'
 W91°55.57' 218° 32.5 NM to fld. 210/4E. **HIWAS.**



FORREST CITY MUNI (FCY) 4 S UTC-6(-5DT) N34°56.52' W90°46.50'

MEMPHIS

249 B S4 FUEL 100LL, JET A NOTAM FILE JBR

L-18F

RWY 18-36: H3014X50 (ASPH) S-20 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 4.0° TCH 36'.

RWY 36: REIL. PAPI(P2R)—GA 4.0° TCH 36'. Trees


AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. 100LL avbl 24 hrs self svc with credit card, Jet A avbl during attended hrs only. 494 ft lgtd twr 3 miles north on centerline. ACTIVATE MIRL Rwy 18-36 and PAPI Rwy 18 and Rwy 36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® **MEMPHIS CENTER APP/DEP CON** 135.3

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

GILMORE (L) VORW/DME 113.0 GQE Chan 77 N35°20.82' W90°28.69' 207° 28.3 NM to fld. 211/4E.



FORT SMITH RGNL (FSM) 3 SE UTC-6(-5DT) N35°20.20' W94°22.05'

469 B S4 FUEL 100LL, JET A Class I, ARFF Index B NOTAM FILE FSM

RWY 07-25: H8000X150 (ASPH-GRVD) S-75, D-175, DT-295 HIRL

RWY 07: MALSR. PAPI(P4R)—GA 3.0° TCH 51'. Tree. 0.5% down.

RWY 25: MALSR. VASI(V4L)—GA 2.9° TCH 60'. Tree.

RWY 01-19: H5002X150 (ASPH-GRVD) S-55, D-70, DT-120

MIRL

RWY 01: PAPI(P4R)—GA 3.0° TCH 50'. Railroad.

RWY 19: PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 19: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 07: TORA-8000 TODA-8000 ASDA-8000 LDA-8000

RWY 25: TORA-8000 TODA-8000 ASDA-8000 LDA-8000

ARRESTING GEAR/SYSTEM

RWY 07 BAK-14 BAK-12A (B) (985')

BAK-14 BAK-12A (B) (1008') RWY 25

AIRPORT REMARKS: Attended continuously. Flock of migratory birds on and in vicinity of arpt. Rwy 01 aiming points 1390' from thld. Rwy 25 runway visual range touchdown avbl. Landing fee for all FAR 121 and FAR 135 ops abv 12,500 lbs. PPR for all acft (including U.S. government) above 100,000 lbs contact arpt manager Mon-Fri 1400-2300Z† 479-452-7000 minimum 24 hrs in advance. 24 hrs PPR for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 479-452-7000. Rwy 01 PAPI unusable 8° left side of centerline. When twr clsd ACTIVATE HIRL Rwy 07-25, MIRL Rwy 01-19, MALSR Rwy 07 and Rwy 25—CTAF.

WEATHER DATA SOURCES: ASOS (479) 646-2504. HIWAS 110.4 FSM. LLWAS.

COMMUNICATIONS: CTAF 118.3 ATIS 126.3 UNICOM 122.95

RCO 122.2 (JONESBORO RADIO)

Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130-0500Z‡)

TOWER 118.3 (1130-0500Z‡) GND CON 121.9 CLNC DEL 133.85

Ⓡ **MEMPHIS CENTER APP/DEP CON** 126.1 (0500-1130Z‡)

AIRSPACE: CLASS D svc 1130-0500Z‡ other times CLASS E.

TRSA svc ctc APP CON within 25 NM. Service not provided within R2401 and R2402 when activated.

RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.

(L) VORTACW 110.4 FSM Chan 41 N35°23.31' W94°16.29' 230° 5.6 NM to fld. 430/7E. HIWAS.


WIZER NDB (LOM) 223 FS N35°21.25' W94°13.02' 257° 7.5 NM to fld. Unmonitored when tower closed.

JEMBO NDB (LOM) 311 GK N35°19.36' W94°28.45' 076° 5.3 NM to fld. Unmonitored when twr clsd.

ILS 111.3 I-GKV Rwy 07. Class IE. LOM JEMBO NDB. LOM unmonitored when twr clsd.

ILS 111.3 I-FSM Rwy 25. CLASS IT. LOM WIZER NDB. LOM unmonitored when tower closed. OM unmonitored.

ASR (1130-0500Z‡)



FRANK FEDERER MEM (See BRINKLEY)

GASTONS (See LAKEVIEW)

GILMORE N35°20.82' W90°28.69' NOTAM FILE JBR.

(L) VORW/DME 113.0 GQE Chan 77 133° 17.5 NM to West Memphis Muni. 211/4E.

MEMPHIS

H-61, L-16H

GOSNELL N35°57.06' W89°56.47' NOTAM FILE BYH.

(L) VORW 111.8 GOJ at Arkansas Intl.

MEMPHIS

L-16H

GRIDER FLD (See PINE BLUFF)

GURDON LOWE FLD (5M8) 1 NW UTC-6(-5DT) N33°55.43' W93°10.09'

MEMPHIS

229 B FUEL 100LL NOTAM FILE JBR

L-17E

RWY 08-26: H4403X60 (ASPH) S-12.5 MIRL


RWY 08: Trees.

RWY 26: Thld dsplcd 114'. Road. Rgt tfc.

AIRPORT REMARKS: Unattended. For fuel call 870-353-2581. Ultralight activity on and invof arpt. Rwy 26 NSTD dsplcd thld lights, thld lights at rwy end. **ACTIVATE MIRL** Rwy 08-26-122.7.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ELD.**EL DORADO (H) VORTACW** 115.5 ELD Chan 102 N33°15.37'

W92°44.64' 325° 45.3 NM to fld. 230/7E.

**HAMPTON MUNI** (ØR6) 2 SE UTC-6(-5DT) N33°31.36' W92°27.62'

MEMPHIS

178 NOTAM FILE JBR

L-18F


RWY 02-20: H4326X50 (ASPH)

RWY 02: Trees.

RWY 20: Road.

AIRPORT REMARKS: Unattended. Arpt CLOSED 0100-1130Z±.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ELD.**EL DORADO (H) VORTACW** 115.5 ELD Chan 102 N33°15.37'

W92°44.64' 033° 20.9 NM to fld. 230/7E.

**HARRELL FLD** (See CAMDEN)**HARRISON** N36°19.10' W93°12.80' NOTAM FILE HRO.

KANSAS CITY

(L) VOR/DME 112.5 HRO Chan 72 136° 4.4 NM to Boone Co. 1400/4E. HIWAS.

L-16F

VOR unusable:

165°-215° beyond 20 NM below 5000'

165°-215° beyond 30 NM below 6500'

DME unusable:

245°-260° beyond 30 NM below 4500'

RCO 122.45 (JONESBORO RADIO)

HARRISON

BOONE CO (HRO) 3 NW UTC-6(-5DT) N36°15.69' W93°09.28'
 1365 B S2 FUEL 100LL, JET A TPA-2201(836) Class III, ARFF Index A
 NOTAM FILE HRO

KANSAS CITY
 H-61, L-16F
 IAP

RWY 18-36: H6161X150 (ASPH-GRVD) S-38, D-53, DT-84
 HIRL

RWY 18: REIL VASI(V4L)—GA 3.0° TCH 54'.

RWY 36: MALSR VASI(V4L)—GA 3.0° TCH 54'.

AIRPORT REMARKS: Attended continuously. 100LL avbl 24 hrs self serve. Deer and birds on and invof arpt. ACTIVATE HIRL Rwy 18-36, REIL Rwy 18, MALSR Rwy 36—CTAF.

WEATHER DATA SOURCES: ASOS 121.125 (870) 365-8550. HIWAS 112.5 HRO.

COMMUNICATIONS: CTAF/UNICOM 123.0

HARRISON RCO 122.45 (JONESBORO RADIO)

MEMPHIS CENTER APP/DEP CON 126.85

AIRSPACE: CLASS E svc 1200-0400Z+ other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE HRO.

HARRISON (L) VORW/DME 112.5 HRO Chan 72 N36°19.10'
 W93°12.80' 136° 4.4 NM to fld. 1400/4E. HIWAS.

BAKKY NDB (LOM) 233 HR N36°11.46' W93°09.61' 360°
 4.2 NM to fld. Unmonitored.

ILS/DME 111.7 I-HRO Chan 54 Rwy 36. LOM BAKKY

NDB. LOC/DME and BAKKY LOM unmonitored. DME unusable byd 20° left of course.



HAZEN MUNI (6M0) 3 SW UTC-6(-5DT) N34°45.55' W91°38.28'

MEMPHIS
 L-18F

230 B FUEL 100LL, JET A NOTAM FILE JBR

RWY 18-36: H4048X150 (ASPH) S-12 MIRL

RWY 18: PAPI(P2L)—GA 3.0° TCH 52'.


RWY 36: PAPI(P2L)—GA 3.0° TCH 52'.

AIRPORT REMARKS: Attended dalgt hrs. Migratory birds invof arpt Oct-Mar. For svc after hours call 870-255-4873. Extensive agriculture operations Jan-Sep. PAPI Rwy 36 OTS indef. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'
 W92°10.83' 075° 27.3 NM to fld. 240/5E.



HEBER SPRINGS MUNI (HBZ) 2 NE UTC-6(-5DT) N35°30.70' W92°00.78'

MEMPHIS
 L-16G
 IAP

632 B S4 FUEL 100LL, JET A TPA-1430(798) NOTAM FILE JBR

RWY 05-23: H4002X75 (ASPH) S-12.5 MIRL 0.3% up NE

RWY 05: PAPI(2PL)—GA 3.0° TCH 36'. Trees.

RWY 23: PAPI(2PL)—GA 3.0° TCH 39'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z+. Self svc fuel avbl 24 hrs with credit card. No line of sight btn rwy ends.

Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 05-23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ MEMPHIS CENTER APP/DEP CON: 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 004° 50.6 NM to fld. 240/5E.

HELENA/WEST HELENA**THOMPSON-ROBBINS** (HEE) 5 NW UTC-6(-5DT) N34°34.59' W90°40.55'**MEMPHIS**
H-6J, L-18F
IAP

242 B S4 FUEL 100LL, JET A TPA-1202(960) NOTAM FILE JBR

RWY 17-35: H5000X96 (ASPH) S-15 MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 39'.


RWY 35: REIL. PAPI(P2L)—GA 4.0° TCH 53'.

RWY 08-26: H3009X60 (ASPH) S-16 MIRL

RWY 08: Tree.

AIRPORT REMARKS: Attended Mon-Sat daylight hours. Ultralight activity on and in/ovf arpt. Rwy 17 PAPI OTS indef. Rwy 35 PAPI OTS indef.

Rwy 08-26 MIRL OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.**MARVELL (L) VORW/DME** 109.6 UJM Chan 33 N34°34.50' W90°40.46' at fld. 241/1E.**HICKS** N35°56.27' W89°50.03' NOTAM FILE HKA.**MEMPHIS**
L-16H

NDB (MHW) 350 IUI at Blytheville Muni.

H.L. HOPKINS-FORDYCE MUNI (See FORDYCE)**HOLLEY MOUNTAIN AIRPARK** (See CLINTON)**HOLLY GROVE MUNI** (2A6) 1SE UTC-6(-5DT) N34°34.95' W91°09.91'**MEMPHIS**
L-18F

176 B S2 NOTAM FILE JBR

RWY 15-33: H4469X50 (ASPH) S-12.5 MIRL

RWY 15: TRCV(TRIR)—GA 3.0° TCH 10'. RWY 33: TRCV(TRIL)—GA 3.0° TCH 10'. Fence.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z. For svc after hours call 870-462-8805/3491. Deer on and in/ovf arpt. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 15-33—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE PBF.**PINE BLUFF (L) VORW/DME** 116.0 PBF Chan 107 N34°14.81' W91°55.57' 058° 42.8 NM to fld. 210/4E.
HIWAS.**HOPE MUNI** (M18) 4 NW UTC-6(-5DT) N33°43.21' W93°39.53'**MEMPHIS**
H-6I, L-17E
IAP

359 B S4 FUEL 100LL, JET A NOTAM FILE JBR

RWY 04-22: H5560X150 (CONC) S-40 D-55, DT-105 0.4% up NE

RWY 04: Thld dsplcd 1190'. Trees.

RWY 16-34: H5501X150 (CONC) S-40 D-55, DT-105 MIRL

0.3% up NW


RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 42'.

RWY 34: REIL. PAPI(P2R)—GA 3.0° TCH 37'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z, Sun 1900-2300Z. For svc after hrs call 870-983-3033. Self-serve fuel avbl 24 hrs. Rwy 04-22 CLOSED indef. Rwy 04-22 humps on rwy. Hump on Rwy 04 at dsplcd thld. MIRL Rwy 16-34 opr dusk-0400Z, after 0400Z ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **FORT WORTH CENTER APP/DEP CON** 123.925**RADIO AIDS TO NAVIGATION:** NOTAM FILE TXK.**TEXARKANA (H) VORTACW** 116.3 TXK Chan 110 N33°30.83' W94°04.40' 052° 24.2 NM to fld. 270/7E. HIWAS.

NDB (MHW) 362 HPC N33°43.09' W93°39.05' at fld.

NOTAM FILE JBR. Unmonitored.



HORSESHOE BEND (6M2) 1 NE UTC-6(-5DT) N36°13.28' W91°45.33'

KANSAS CITY

782 B S4 FUEL 100LL NOTAM FILE JBR

L-166

RWY 13-31: H4524X50 (ASPH) S-4 MIRL

RWY 13: Thld dspcd 1009' Trees.

RWY 31: PAPI(P2L)—GA 3.0° TCH 39'.


AIRPORT REMARKS: Unattended. Self serve fuel avbl 24 hrs with credit card. Deer on and invof arpt. Recommend tkf Rwy 13 due to rapidly rising terrain NW of arpt. Rapidly rising terrain with trees on final apch Rwy 13. ACTIVATE MIRL Rwy 13-31—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60'

W90°57.22' 276° 40 NM to fld. 260/4E. HIWAS.



HOSSY N34°25.36' W93°11.38' NOTAM FILE HOT.

MEMPHIS

NDB (HW/LOM) 385 HO 050° 5.7 NM to Memorial Fld.

L-17E

HOT SPRINGS N34°28.72' W93°05.44' NOTAM FILE HOT.

MEMPHIS

(L) VOR/DME 110.0 HOT Chan 37 at Memorial Fld. 528/4E. HIWAS.

L-17E

VOR unusable:

346°-055°beyond 20 NM below 3500'

228°-311°beyond 20 NM below 3500'

056°-140°beyond 20 NM below 6500'

312°-345°beyond 15 NM below 5500'

141°-227°beyond 20 NM below 3500'

312°-345°beyond 32 NM below 9500'

141°-227°beyond 26 NM below 5500'

DME unusable:

310°-035°beyond 10 NM below 11,000'

310°-035°beyond 30 NM below 17,000'

310°-035°beyond 25 NM below 12,000'

RCO 122.1R 110.0T (JONESBORO RADIO)

HOT SPRINGS

MEMORIAL FLD (HOT) 3 SW UTC-6(-5DT) N34°28.68' W93°05.77'

MEMPHIS
H-6I, L-17E
IAP

540 B S4 FUEL 100LL, JET A Class II, ARFF Index A NOTAM FILE HOT
RWY 05-23: H6595X150 (ASPH-GRVD) S-75, D-125, DT-210, DDT-400 HIRL 0.6% up NE

RWY 05: MALSR. Rgt tfc.

RWY 23: PAPI(P4L)—GA 3.0° TCH 40'. Pole.

RWY 13-31: H4099X100 (ASPH) S-28, D-36, DT-63
MIRL 0.4% up NW

RWY 13: REIL. Trees. Rgt tfc.

RWY 31: Pole.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-6595 TODA-6595 ASDA-6595 LDA-6595

RWY 23: TORA-6595 TODA-6595 ASDA-6595 LDA-6595

RWY 13: TORA-4099 TODA-4099 ASDA-4099 LDA-4099

RWY 31: TORA-4099 TODA-4099 ASDA-4099 LDA-4099

AIRPORT REMARKS: Attended 1100-0400Z†. For fuel after hrs call 501-609-1242 or 501-617-4908. Rwy 23 PAPI OTS indef.
ACTIVATE HIRL Rwy 05-23, MIRL Rwy 13-31 (medium ints only),
MALSR Rwy 05, PAPI Rwy 23 and REIL Rwy 13—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (501) 624-7633. HIWAS 110.0 HOT.

COMMUNICATIONS: CTAF/UNICOM 123.0

HOT SPRINGS RCO 122.1R 110.0T (JONESBORO RADIO)

MEMPHIS CENTER APP/DEP CON 128.475


AIRSPACE: CLASS E svc 1200-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE HOT.

HOT SPRINGS (L) VOR/DME 110.0 HOT Chan 37 N34°28.72' W93°05.44' at fld. 528/4E. HIWAS.

HOSSY NDB (HW/LOM) 385 HO N34°25.36' W93°11.38' 050° 5.7 NM to fld.

ILS/DME 111.5 I-HOT Chan 52 Rwy 05. Class IT. LOM HOSSY NDB. Unmonitored indef.



HOWARD CO (See NASHVILLE)

HUNTSVILLE MUNI (H34) 2 SW UTC-6(-5DT) N36°04.69' W93°45.29'

KANSAS CITY
L-16F
IAP

1749 B FUEL 100LL NOTAM FILE JBR

RWY 12-30: H3600X60 (ASPH) S-12.5 MIRL

RWY 12: Tree. RWY 30: Tree.

RWY 03-21: 1250X60 (TURF)

RWY 03: Trees.

AIRPORT REMARKS: Unattended. Self service fuel avbl 24 hrs with credit card. Rwy 03 and Rwy 21 steep dropoffs at Rwy ends. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 12-30—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


Ⓡ RAZORBACK APP/DEP CON 126.6 (1130-0500Z†)

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

RAZORBACK (H) VORTACW 116.4 RZC Chan 111 N36°14.79'

W94°07.28' 115° 20.5 NM to fld. 1331/4E.



JACKSONVILLE N34°55.08' W92°09.46' NOTAM FILE LRF.

MEMPHIS
L-18F

(T) TACAN Chan 29 LRF (109.2) at Little Rock AFB. 328/1E. No NOTAM MP Tue 1000-1430Z†.

J LYNN HELMS SEVIER CO (See DE QUEEN)

JEMBO N35°19.36' W94°28.45' NOTAM FILE FSM

MEMPHIS

NDB (LOM) 311 GK 076° 5.3 NM to Fort Smith Rgnl. Unmonitored when twr clsd.

JONESBORO MUNI (JBR) 3 E UTC-6(-5DT) N35°49.90' W90°38.79'

262 B FUEL 100LL, JET A Class III, ARFF Index A NOTAM FILE JBR

RWY 05-23: H6200X150 (ASPH-PFC) S-40, D-48, DT-76 MIRL

RWY 23: ODALS. REIL. VASI(V4L)—GA 3.0° TCH 54'. Tree.

RWY 13-31: H4099X150 (ASPH-GRVD) S-50, D-60, DT-95 MIRL

0.3% up NW

RWY 13: Road. RWY 31: Tree.

AIRPORT REMARKS: Attended 1200-0300Z. No line of sight between rwy ends. ACTIVATE MIRL Rwy 05-23 and 13-31, ODALS Rwy 23, VASI Rwy 23, REIL Rwy 23 and Taxiway lgts—CTAF.

WEATHER DATA SOURCES: ASOS 118.525 (870) 932-4010.

COMMUNICATIONS: CTAF 123.6 UNICOM 123.0

RCO 122.2 122.3 123.6 (JONESBORO RADIO)

MEMPHIS CENTER APP/DEP CON 120.075


AIRSPACE: CLASS E svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

(T) VOR/DME 108.6 JBR Chan 23 N35°52.50' W90°35.31'
226° 3.8 NM to fld. 247/2E.

ILS 110.15 I-JBR Rwy 23. Class IT. GS unusable auto
coupled apchs blo 1327' MSL.

COMM/NAV/WEATHER REMARKS: Ctc Jonesboro Radio for airport advisory
service on 123.6.



MEMPHIS
H-6J, L-16H
IAP

KIRK FLD (See PARAGOULD)

KIZER FLD (See PRESCOTT)

LADOS N33°17.16' W92°43.69'. NOTAM FILE ELD.

NDB (LOM) 418 EL 225° 5.8 NM to South Arkansas Rgnl at Goodwin Fld. Unmonitored.

LAKEVIEW

GASTONS (3M0) 1 S UTC-6(-5DT) N36°20.92' W92°33.43'

479 FUEL 100LL TPA-1300 (821) NOTAM FILE JBR

RWY 06-24: 3200X55 (TURF)

RWY 06: Road. RWY 24: Trees.

AIRPORT REMARKS: Attended continuously. All acft land Rwy 24, takeoff Rwy 06.

COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY

LAKE VILLAGE MUNI (M32) 2 W UTC-6(-5DT) N33°20.76' W91°18.94'

125 B NOTAM FILE JBR

RWY 01-19: H4000X75 (ASPH) S-18 MIRL

RWY 01: PAPI(P2L)—GA 4.0° TCH 32'. Trees.

RWY 19: PAPI(P2L)—GA 3.0° TCH 32'. Trees.


AIRPORT REMARKS: Attended Mon-Fri 1300-0000Z. Numerous
agriculture ops Feb-Oct below 500'. ACTIVATE MIRL Rwy 01-19,
PAPI Rwy 01 and 19, and rotating bcn—CTAF.

COMMUNICATIONS: CTAF 122.9

MEMPHIS CENTER APP/DEP CON: 135.875

RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.

GREENVILLE (L) VOR/DME 110.2 GLH Chan 39 N33°31.41'
W90°58.98' 234° 19.8 NM to fld. 130/4E.



MEMPHIS
L-18F
IAP

LASKY N34°40.14' W92°18.33' NOTAM FILE LIT.

NDB (LOM) 353 LI 043° 5.4 NM to Adams Fld.

MEMPHIS
L-18F

LAWRENCE CO N36°12.34' W90°55.39' NOTAM FILE ARG.

ST. LOUIS

NDB (MHW) 227 TNZ 180° 4.9 NM to Walnut Ridge Rgnl. Unmonitored 2300–1300Z‡.

L-166

LITTLE ROCK N34°40.66' W92°10.83' NOTAM FILE LIT.

MEMPHIS

(H) VORTACW 113.9 LIT Chan 86 320° 3.8 NM to Adams Fld. 240/5E.

H-61, L-18F

DME unusable:

221°–228° byd 20 NM blo 2,800'

229°–239° byd 20 NM blo 2,500'

260°–280° byd 35 NM blo 5,000'

RCO 122.55 122.2 (JONESBORO RADIO) Frequency 122.2 OTS indef.

LITTLE ROCK AFB (LRF)(KLRF) AF (ANG) 1 SE UTC–6(–5DT) N34°55.01' W92°08.79'

MEMPHIS

311 B TPA—See Remarks NOTAM FILE LIT Not insp.

H-61, L-18F

RWY 07–25: H12000X200 (CONC) S–125, T–200, ST–175, SBT–570, TT–330, TDT–820, TRT–485

DIAP, AD

PCN 49 R/B/W/T HIRL

RWY 07: ALSF1. PAPI(P4L).

RWY 25: ALSF1. PAPI(P4L). Rgt tfc.

RWY 069–249: H3482X60 (ASPH) S, T, ST–175 PCN 63 F/A/W/T

MILITARY SERVICE: LGT SFL ints uncontrolled may be turned off on req. Rwy 07–25 nstd ALSF–1 (missing last centerline barrette prior to thld.) NSTD infra-red lgt co-located with Rwy 25 and Rwy 249 edge lgt and one NSTD infra-red strobe located end of Rwy 25 and 249 ovrn. These lgts are visible only thru night vision devices.

JASU 5(A/M 32A–86) FUEL J8 Minimum POL capability Mon–Fri 2200–0600Z‡, expect 2–4 hr delay during local flying. FLUID SP PRESAIR LHOX LOX.

OIL O-133–148–156 TRAN ALERT Svc avbl weekdays 1300–0200Z‡, Sat, Sun 1500–2300Z‡, clsd holidays. Acft arriving after 0100Z‡ svc next day.

MILITARY REMARKS: Opr continuously. Hol, arpt CLOSED from 0300Z‡ preceding day thru 1300Z‡ succeeding day holiday on Mon, CLOSED preceding Sat 0500Z‡ thru 1300Z‡ succeeding Tue. CLOSED Dec 24 0300Z‡ thru Dec 26 1300Z‡, and CLOSED Dec 31 0300Z‡ thru Jan 2 1300Z‡. See FLIP AP/1 Supplementary Arpt Info. **RSTD** Degraded firefighting capability for B–2, C–5, VC–25, E–4, KC–10, MD–11, 747 and 777 acft—coordinate 48 hours prior to arrival for PPR and SVC. Confirm rescue and firefighting avbl prior ldg or tlf. PPR except AIREVAC and Armed Forces Courier. Official Business Only weekdays 1700–2100Z‡, except AIREVAC and Armed Forces Courier obtain PPR 72 hrs prior to arrival, call DSN 731–6123, PPR is valid +/- 30 minutes of proposed ETA. No practice apch or landing during local flying. Dep acft remain at or blo 1300' until dep end of rwy. Fighter acft unable to ctc dep until airborne. Rwy 069–249 marked for C130 assault opr; use of assault strip landing zone rqr prior coordination with 19 AW Current OPS or Comd Post. Minimum 24 hr prior notice rqr for B52 acft ground support. Use of alert apron (x–mas tree) stub 1 rqr prior coordination with airfield management. C–5 acft rqr wing-walkers on Twy F btn parking rows O and Y. Twy edge lgts on Twy C are located 26' from edge of full strength pavement. NSTD rwy markings–assault strip marked (3500X60) painted on Rwy 25. Rwy 25 centerline markings obscured by rubber deposits. **CAUTION** Extensive turbo-prop training Mon–Fri 1300–0600Z‡. Tran ramp marking may not be appropriate for large acft follow marshalls instructions. Significant increase in bird activity Mar–May, Aug–Oct. Deer hazard. Phase II in effect Apr–May and Sep–Nov. High potential for hydroplaning on Rwy 07–25 during periods of wet wx. Numerous unlighted obstructions located in primary surface. **TFC PAT** TPA—Rectangular 1300(989), overhead 1800(1489). **NS ABTMT** Departing heavy acft climb rwy heading to 1500' AGL prior to turning on course. **MISC** Backup wx obsn view ltd, rstd from 060°–280° by flightline facilities and trees. ATC Personnel in accordance with cooperative wx watch will alert wx personnel on any unreported wx condition that could affect fit safety. All tran acft ctc Comd Post 20 minutes prior to arrival. Ltd aircrew transportation on weekends. To ensure aircrew transportation avbl upon arrival, ctc afld management at least 20 min prior to ldg.

COMMUNICATIONS: SFA (Tfc permitting.) ATIS 119.175 251.1 (Mon–Fri 1200–0500Z‡, Sat–Sun 1500–2300Z‡ except holidays.) PTB 372.2

Ⓡ APP/DEP CON 119.5 306.2

TOWER 120.6 269.075 Opr continuously. (Hol, arpt CLOSED from 0300Z‡ preceding day thru 1300Z‡ succeeding day. Holiday on Mon, CLOSED 0500Z‡ preceding Sat thru 1300Z‡ succeeding Tue. CLOSED Dec 24, 0300Z‡ thru Dec 26, 1300Z‡ and CLOSED Dec 31, 0300Z‡ thru Jan 2 1300Z‡.)

GND CON 132.8 275.8 **CLNC DEL** 253.5 (weekdays 1300–0500Z‡, other times or VHF only acft ctc Gnd Con. Ctc Clnc Del for engine start and req prior to taxi.)

COMD POST (ROCK OPS) 349.4

ANG COMD POST 138.6 225.45 **PMVS METRO** 239.8 Afld wx is monitored by AN/FMQ–19 AWOS. Wx Clsd Sat, Sun and hol. Wx briefings for tran aircrew avbl via 26 OWS/Barksdale AFB, DSN 781–4775, C318–456–4775.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE LRF.

JACKSONVILLE (T) TACAN Chan 29 LRF (109.2) N34°55.08' W92°09.46' at fld. 328/1E. No NOTAM MP Tue

1000-1430Z±.

TONEYVILLE NDB (MHW/LOM) 290 TYV N34°57.15' W92°01.17' 247° 6.6 NM to fld. No NOTAM MP Fri

1000-1430Z±.

ILS 109.9 I-TYV Rwy 25. No NOTAM MP Wed/Thu 1000-1430Z±.

MLS Chan 634 M-SQN Rwy 07.

MLS Chan 620 M-JPK Rwy 25.

PAR (Mon-Fri 1400-2200Z±, clsd weekends and holidays)

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

LITTLE ROCK

ADAMS FLD

(LIT) 2 E UTC-6(-5DT) N34°43.77' W92°13.46'

262 B S4 FUEL 100LL, JET A OX 1, 3 LRA Class I, ARFF Index C NOTAM FILE LIT

MEMPHIS

H-61, L-18F

IAP, AD

RWY 04L-22R: H8273X150 (CONC-GRVD) S-75, D-200, DT-350 HIRL CL

RWY 04L: MALSR. Thld dspcd 297'. Railroad.

RWY 22R: ALSF-2. TDZL. Rgt tfc.

RWY 04R-22L: H8250X150 (CONC-GRVD) S-75, D-200,

DT-350 HIRL CL

RWY 04R: MALSR. Thld dspcd 1050'. Pole. Rgt tfc.

RWY 22L: MALSF. PAPI(P4L)—GA 3.0° TCH 50'. Trees.

RWY 18-36: H5124X150 (CONC-GRVD) S-75, D-100, DT-135

HIRL

RWY 18: Thld dspcd 99'. Tree.

RWY 36: VASI(V4L)—GA 4.0° TCH 64'. Thld dspcd 100'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04R: TORA-8250 TODA-8250 ASDA-8250 LDA-7200

RWY 22L: TORA-8250 TODA-8250 ASDA-8250 LDA-8250

RWY 04L: TORA-8273 TODA-8273 ASDA-8273 LDA-7976

RWY 22R: TORA-8273 TODA-8273 ASDA-8273 LDA-8273

RWY 18: TORA-5124 TODA-5124 ASDA-5124 LDA-5025

RWY 36: TORA-5124 TODA-5124 ASDA-5124 LDA-5024

ARRESTING GEAR/SYSTEM

RWY 04R:EMAS 300'X 168'

RWY 22R:EMAS 263'X 170'

AIRPORT REMARKS: Attended continuously. Large concentrations of birds invof arpt most activity between SR-SS up to 1500' MSL. Rwy 18 CLOSED except for takeoff. Rwy 36 CLOSED indef. Rwy 18 dspcd thld 2000' indef. Rwy 04R runway visual range OTS indef. Rwy 04R and Rwy 22L runway visual range touchdown and rollout avbl. Acft not visible from twr on Twy M btn Cargo Apron and Twy F. Rwy 04L and Rwy 22R rwy visual range touchdown, midfield, and rollout avbl. Twy A marked for acft with wingspan less than 79'. Rwy 04L-22R NSTD edge marking at twy A. Twy A clsd north of Twy B indef. Twy B NSTD markings between Rwy 04L-22R and Twy P. Twy K clsd indef. Twy A clsd North of Twy K indef. Twy P clsd 1900' NW of Twys B,C, and P intersections indef. Rwy 36 VASI OTS indef. No general aviation parking on terminal or cargo ramp. Cargo and terminal ramps are non-movement areas. Landing fee. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (501) 376-0247. LLWAS.

COMMUNICATIONS: D-ATIS 125.65 (501) 324-2618 UNICOM 122.95

LITTLE ROCK RCO 122.55 (JONESBORO RADIO)

Ⓡ LITTLE ROCK APP/DEP CON 135.4 (042°-221°) 119.5 (222°-041°)

TOWER 118.7 GND CON 121.9 CLNC DEL 118.95 PRE TAXI CLNC 118.95

AIRSPACE: CLASS C svc ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 320° 3.8 NM to fld. 240/5E.

LASKY NDB (LOM) 353 LI N34°40.14' W92°18.33' 043° 5.4 NM to fld.

ILS/DME 111.3 I-CNL Chan 50 Rwy 04R. Class IA. ILS OTS indef.

ILS/DME 110.3 I-LIT Chan 40 Rwy 04L. Class IB. LOM LASKY NDB. DME also serves Rwy 22R.

Unusable byd 30° left of centerline. Unusable byd 15° right of centerline. GS unusable for coupled apchs blo 650'.

ILS/DME 110.3 I-AAY Chan 40 Rwy 22R. Class IIIE. DME also serves Rwy 04L.

ILS/DME 110.7 I-BWY Chan 44 Rwy 22L. LOC only. LOC offset 1.9°. GS OTS indef.


ASR

• • • • •

258

HELIPAD H1: H50X50 (CONC)

HELIPORT REMARKS: Helipad H1 perimeter lgts.



CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE LRF.

JACKSONVILLE (T) TACAN Chan 29 LRF (109.2) N34°55.08' W92°09.46' at fld. 328/1E. No NOTAM MP Tue

1000-1430Z±.

TONEYVILLE NDB (MHW/LOM) 290 TYV N34°57.15' W92°01.17' 247° 6.6 NM to fld. No NOTAM MP Fri

1000-1430Z±.

ILS 109.9 I-TYV Rwy 25. No NOTAM MP Wed/Thu 1000-1430Z±.

MLS Chan 634 M-SQN Rwy 07.

MLS Chan 620 M-JPK Rwy 25.

PAR (Mon-Fri 1400-2200Z±, clsd weekends and holidays)

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

LITTLE ROCK

ADAMS FLD

(LIT) 2 E UTC-6(-5DT) N34°43.77' W92°13.46'

262 B S4 FUEL 100LL, JET A OX 1, 3 LRA Class I, ARFF Index C NOTAM FILE LIT

MEMPHIS

H-61, L-18F

IAP, AD

RWY 04L-22R: H8273X150 (CONC-GRVD) S-75, D-200, DT-350 HIRL CL

RWY 04L: MALSR. Thld dspcd 297'. Railroad.

RWY 22R: ALSF-2. TDZL. Rgt tfc.

RWY 04R-22L: H8250X150 (CONC-GRVD) S-75, D-200,

DT-350 HIRL CL

RWY 04R: MALSR. Thld dspcd 1050'. Pole. Rgt tfc.

RWY 22L: MALSF. PAPI(P4L)—GA 3.0° TCH 50'. Trees.

RWY 18-36: H5124X150 (CONC-GRVD) S-75, D-100, DT-135

HIRL

RWY 18: Thld dspcd 99'. Tree.

RWY 36: VASI(V4L)—GA 4.0° TCH 64'. Thld dspcd 100'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04R: TORA-8250 TODA-8250 ASDA-8250 LDA-7200

RWY 22L: TORA-8250 TODA-8250 ASDA-8250 LDA-8250

RWY 04L: TORA-8273 TODA-8273 ASDA-8273 LDA-7976

RWY 22R: TORA-8273 TODA-8273 ASDA-8273 LDA-8273

RWY 18: TORA-5124 TODA-5124 ASDA-5124 LDA-5025

RWY 36: TORA-5124 TODA-5124 ASDA-5124 LDA-5024

ARRESTING GEAR/SYSTEM

RWY 04R:EMAS 300'X 168'

RWY 22R:EMAS 263'X 170'

AIRPORT REMARKS: Attended continuously. Large concentrations of birds invof arpt most activity between SR-SS up to 1500' MSL. Rwy 18 CLOSED except for takeoff. Rwy 36 CLOSED indef. Rwy 18 dspcd thld 2000' indef. Rwy 04R runway visual range OTS indef. Rwy 04R and Rwy 22L runway visual range touchdown and rollout avbl. Acft not visible from twr on Twy M btn Cargo Apron and Twy F. Rwy 04L and Rwy 22R rwy visual range touchdown, midfield, and rollout avbl. Twy A marked for acft with wingspan less than 79'. Rwy 04L-22R NSTD edge marking at twy A. Twy A clsd north of Twy B indef. Twy B NSTD markings between Rwy 04L-22R and Twy P. Twy K clsd indef. Twy A clsd North of Twy K indef. Twy P clsd 1900' NW of Twys B,C, and P intersections indef. Rwy 36 VASI OTS indef. No general aviation parking on terminal or cargo ramp. Cargo and terminal ramps are non-movement areas. Landing fee. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (501) 376-0247. LLWAS.

COMMUNICATIONS: D-ATIS 125.65 (501) 324-2618 UNICOM 122.95

LITTLE ROCK RCO 122.55 (JONESBORO RADIO)

Ⓡ LITTLE ROCK APP/DEP CON 135.4 (042°-221°) 119.5 (222°-041°)

TOWER 118.7 GND CON 121.9 CLNC DEL 118.95 PRE TAXI CLNC 118.95

AIRSPACE: CLASS C svc ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 320° 3.8 NM to fld. 240/5E.

LASKY NDB (LOM) 353 LI N34°40.14' W92°18.33' 043° 5.4 NM to fld.

ILS/DME 111.3 I-CNL Chan 50 Rwy 04R. Class IA. ILS OTS indef.

ILS/DME 110.3 I-LIT Chan 40 Rwy 04L. Class IB. LOM LASKY NDB. DME also serves Rwy 22R.

Unusable byd 30° left of centerline. Unusable byd 15° right of centerline. GS unusable for coupled apchs blo 650'.

ILS/DME 110.3 I-AAY Chan 40 Rwy 22R. Class IIIE. DME also serves Rwy 04L.

ILS/DME 110.7 I-BWY Chan 44 Rwy 22L. LOC only. LOC offset 1.9°. GS OTS indef.


ASR

• • • • •

258

HELIPAD H1: H50X50 (CONC)

HELIPORT REMARKS: Helipad H1 perimeter lgts.



LOST BRIDGE VILLAGE (See GARFIELD)**MAGNOLIA MUNI** (AGO) 3 SE UTC-6(-5DT) N33°13.65' W93°13.02'

319 B FUEL 100LL, JET A NOTAM FILE JBR

RWY 18-36: H5008X100 (ASPH) S-50, D-75, DT-130 MIRL 0.3% up S

RWY 18: REIL. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 44'.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z±. For fuel after hrs call 870-904-1666.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 128.2

RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.


EL DORADO (H) VORTACW 115.5 ELD Chan 102 N33°15.37'

W92°44.64' 259° 23.9 NM to fld. 230/7E.

MEMPHIS

H-61, L-17E

IAP

**MALVERN MUNI** (M78) 3 SE UTC-6(-5DT) N34°20.00' W92°45.69'

538 B S4 FUEL 100LL NOTAM FILE JBR

RWY 04-22: H3188X60 (ASPH) S-10 MIRL

RWY 04: Thld dspcd 178'. Trees.

RWY 22: Thld dspcd 376'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Remote control acft flying on and invof arpt. ACTIVATE MIRL Rwy 04-22—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MEMPHIS CENTER APP/DEP CON 128.475

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.


LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'

W92°10.83' 230° 35.4 NM to fld. 240/5E.

MEMPHIS

L-17E

IAP



MANILA MUNI (MXA) 2 NE UTC-6(-5DT) N35°53.67' W90°09.28'

MEMPHIS

242 B S2 FUEL 100LL, JET A NOTAM FILE JBR

L-16H

RWY 18-36: H4200X60 (ASPH) S-15 MIRL

IAP

RWY 18: PAPI(P2R)—GA 4.0° TCH 31'. Tree.

RWY 36: PAPI(P2L)—GA 4.0° TCH 32'. Thld dsplcd 60'. Road. Rgt tfc.


AIRPORT REMARKS: Attended dalgt hours. For svc after hours call 870-561-4777, no fee. 24 hr self serve fuel avbl with credit card. Numerous agricultural acft ops from Feb-Nov 500' AGL and below. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

GILMORE (L) VORW/DME 113.0 GQE Chan 77 N35°20.82' W90°28.69' 022° 36.4 NM to fld. 211/4E.



MARIANNA/LEE CO—STEVE EDWARDS FLD (6M7) 3 W UTC-6(-5DT) N34°46.97' W90°48.60'

MEMPHIS

219 B FUEL 100LL NOTAM FILE JBR

L-18F

RWY 18-36: H4020X75 (ASPH) MIRL

Rwy 18: PAPI(P2L)—GA 3.0° TCH 52'.


Rwy 36: PAPI(P2L)—GA 3.0° TCH 53'.

AIRPORT REMARKS: Attended Mon-Fri dalgt hours, Sat sunrise-1800Z+. For fuel other hours call 870-295-4288. Rwy 36 75' unlgtd p-line 1500' S of thld. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

GILMORE (L) VORW/DME 113.0 GQE Chan 77 N35°20.82' W90°28.69' 202° 37.5 NM to fld. 211/4E.



MARION CO RGNL (See FLIPPIN)

MARKED TREE MUNI (6M8) 1 E UTC-6(-5DT) N35°32.13' W90°24.00'

MEMPHIS

219 B NOTAM FILE JBR

RWY 18-36: H2700X60 (ASPH) S-8 LIRL

RWY 36: Road.

AIRPORT REMARKS: Attended irregularly. Numerous agricultural acft ops from Feb-Nov 500' AGL and below. 221' twr 5391' south of arpt on rwy centerline. Runway lgts and rotating bcn opr dusk-0600Z+. ACTIVATE LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

MARSHALL**SEARCY CO** (4A5) 1 SW UTC-6(-5DT) N35°53.82' W92°39.54'**MEMPHIS**

963 B FUEL 100LL NOTAM FILE JBR

L-166

RWY 05-23: H4003X75 (ASPH) S-12.5 MIRL


RWY 05: PAPI(P2L)—GA 3.25°.

RWY 23: PAPI(P2L)—GA 3.25°. P-line. Rgt tfc.

AIRPORT REMARKS: Unattended. For fuel call 870-404-1444. Deer on and in/ov arpt. Lgt'd tower 2059' MSL/299' AGL on mountain top 1 mile E of arpt. ACTIVATE MIRL Rwy 05-23—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FLP.

FLIPPIN (L) VOR/DME 112.8 FLP Chan 75 N36°17.98'
W92°27.50' 199° 26.0 NM to fld. 780/3E.

**MARVELL** N34°34.50' W90°40.46' NOTAM FILE JBR.**MEMPHIS**

(L) VOR/DME 109.6 UJM Chan 33 at Thompson-Robbins. 241/1E.

H-6J, L-18F

DME portion unusable 350°-135° byd 25 NM blo 2,800'.

MC CRORY-MORTON (7M0) 6 SE UTC-6(-5DT) N35°13.71' W91°05.59'**MEMPHIS**

222 NOTAM FILE JBR

RWY 18-36: H2400X20 (ASPH)

AIRPORT REMARKS: Unattended.**COMMUNICATIONS:** CTAF 122.9**Mc GEHEE MUNI** (7M1) 2 E UTC-6(-5DT) N33°37.21' W91°21.89'**MEMPHIS**

141 B NOTAM FILE JBR

L-18F


RWY 18-36: H4007X75 (ASPH) S-12.5 MIRL

IAP

AIRPORT REMARKS: Unattended. Rwy 36 turnaround has 3-4' drop-off on east and north side.

COMMUNICATIONS: CTAF 122.9**MONTICELLO RCO** 122.1R 111.6T (JONESBORO RADIO)**MEMPHIS CENTER APP/DEP CON** 135.875**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.

MONTICELLO (L) VOR/DME 111.6 MON Chan 53 N33°33.72'
W91°42.94' 075° 17.9 NM to fld. 280/4E.



MELBOURNE MUNI—JOHN E MILLER FLD (42A) 3 E UTC-6(-5DT) N36°04.26' W91°49.81'

KANSAS CITY

735 B S3 FUEL 100LL NOTAM FILE JBR

L-166

RWY 03-21: H4002X75 (ASPH) MIRL

IAP

RWY 03: PAPI(P2L)—GA 3.0° TCH 44'. Tree.

RWY 21: PAPI(P2L)—GA 3.0° TCH 34'.

AIRPORT REMARKS: Attended daltg hrs. Fuel self serve with major credit card. Rwy 21 PAPI OTS indef. ACTIVATE MIRL Rwy 03-21—122.95.


COMMUNICATIONS: CTAF 122.9

MEMPHIS CENTER APP/DEP CON 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.

FLIPPIN (L) VORW/DME 112.8 FLP Chan 75 N36°17.98'

W92°27.50' 111° 33.5 NM to fld. 780/3E.

**MEMORIAL FLD** (See HOT SPRINGS)**MENA INTERMOUNTAIN MUNI** (MEZ) 2 SE UTC-6(-5DT) N34°32.72' W94°12.16'

MEMPHIS

1080 B S4 FUEL 100LL, JET A NOTAM FILE MEZ

H-61, L-17E

RWY 09-27: H6001X100 (ASPH) S-75, D-200, ST 175, DT-300 HIRL 0.5% up W

IAP, AD

RWY 09: PAPI(P4L)—GA 3.5° TCH 53'.

RWY 27: PAPI(P4L)—GA 3.0° TCH 53'.

RWY 17-35: H5000X75 (ASPH) S-75, D-100, ST 127, DT-160

MIRL 0.8% up S

RWY 17: PAPI(P4R)—GA 3.0° TCH 35'. Pole.

RWY 35: REIL. Tree.

AIRPORT REMARKS: Attended dawn-dusk. 1675' mountain 13,000' west of Rwy 27 thld. ACTIVATE HIRL Rwy 09-27, PAPI Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.025 (479) 394-5149.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® MEMPHIS CENTER APP/DEP CON 126.1

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83'


W94°36.54' 108° 21.4 NM to fld. 2700/4E.

FENCH NDB (LOM) 352 VM N34°32.35' W094°04.38' 270°

6.4 NM to fld.

ILS/DME 108.7 I-VMU Chan 24 Rwy 27. Class I.

LOM FENCH NDB. ILS unmonitored indef.



MONTICELLO MUNI/ELLIS FLD (LLQ) 2 E UTC-6(-5DT) N33°38.31' W91°45.06'

MEMPHIS
H-6J, L-18F
IAP

270 B S2 FUEL 100LL, JET A NOTAM FILE LLQ
RWY 03-21: H5018X75 (ASPH) S-17 MIRL 0.5% up SW
RWY 03: REIL. PAPI(P2L)—GA 3.0° TCH 52'. P-line.
RWY 21: REIL. PAPI(P2L)—GA 3.0° TCH 52'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. For arpt attendant after hrs call 870-367-5516 or 870-723-3940. Self service fuel avbl 24 hrs with credit card. ACTIVATE MIRL Rwy 03-21 and PAPI Rwy 03 and Rwy 21 and REIL Rwy 03 and Rwy 21—CTAF.

WEATHER DATA SOURCES: ASOS 133.325 (870) 367-1019.


COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 111.6T (JONESBORO RADIO)

MEMPHIS CENTER APP/DEP CON 135.875

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

(L) VOR/DME 111.6 MON Chan 53 N33°33.72' W91°42.94'
335° 4.9 NM to fld. 280/4E.



MORRILTON

MORRILTON MUNI (BDQ) 2 SE UTC-6(-5DT) N35°08.17' W92°42.81'

MEMPHIS
L-17E
IAP

321 B S4 FUEL 100LL, JET A NOTAM FILE JBR
RWY 09-27: H4000X75 (ASPH) S-4 MIRL 0.3% up W

AIRPORT REMARKS: Attended 1400-0000Z. Self service fuel with credit card. Ultralight activity on and invof arpt. Deer on and invof arpt. ACTIVATE MIRL Rwy 09-27—122.9.


COMMUNICATIONS: CTAF/UNICOM 122.8

® MEMPHIS CENTER APP/DEP CON 128.475

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'
W92°10.83' 311° 38.0 NM to fld. 240/5E.

NDB (MHW) 410 MPJ N35°07.12' W92°55.51' 077° 10.5 NM
to fld. NOTAM FILE JBR. SHUTDOWN.



PETIT JEAN PARK (MPJ) 8 W UTC-6(-5DT) N35°08.33' W92°54.55'

MEMPHIS

923 B NOTAM FILE JBR

H-61, L-17E

RWY 03-21: H5853X75 (ASPH) S-17 MIRL 0.6% up NE

IAP

RWY 03: PAPI(P2R)—GA 4.0° TCH 36'. Thld dsplcd 450'. Trees.

RWY 21: PAPI(P2L)—GA 4.0° TCH 30'. Thld dsplcd 175'. Trees.

AIRPORT REMARKS: Unattended. Ultralight activity on and in/ov arpt. Deer on and in/ov arpt. ACTIVATE MIRL Rwy 03-21, PAPI Rwy 03 and Rwy 21—CTAF. PAPI Rwy 03 and Rwy 21 unavailable 0400-1000Z†. ACTIVATE rotating bcn—CTAF. Bcn unavailable 0400-1000Z†.

COMMUNICATIONS: CTAF 122.9

® **MEMPHIS CENTER APP/DEP CON** 128.475


RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'

W92°10.83' 303° 45.3 NM to fld. 240/5E.

MORRILTON NDB (MHW) 410 MPJ N35°07.12' W92°55.51'

026° 1.4 NM to fld. NOTAM FILE JBR. SHUTDOWN.



MOUNTAIN HOME

OZARK RGNL (BPK) 4 NW UTC-6(-5DT) N36°22.14' W92°28.23'

KANSAS CITY

928 B S4 FUEL 100LL, JET A NOTAM FILE BPK

H-61, L-16G

RWY 05-23: H5001X75 (ASPH) S-17 MIRL 0.3% up SW

IAP

RWY 05: Road.

RWY 23: PAPI(P2L)—GA 4.0° TCH 45'. P-line.

AIRPORT REMARKS: Attended 1300-0030Z†. No ARFF svcs avbl until further notice. ACTIVATE MIRL Rwy 05-23 and PAPI Rwy 23—CTAF.

WEATHER DATA SOURCES: ASOS 133.975 (870) 481-5946.

COMMUNICATIONS: CTAF/UNICOM 123.0


MEMPHIS CENTER APP/DEP CON 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE FLP.

FLIPPIN (L) VORW/DME 112.8 FLP Chan 75 N36°17.98'

W92°27.50' 349° 4.2 NM to fld. 780/3E.

ILS/DME 111.95 I-BPK Chan 56(Y) Rwy 05. GS unusable byd 3 degrees left of LOC course.



MOUNTAIN VIEW WILCOX MEM FLD (7M2) 2 E UTC-6(-5DT) N35°51.87' W92°05.42'

MEMPHIS

805 B S4 FUEL 100LL OX 3 TPA-1805(1000) NOTAM FILE JBR

L-166

RWY 09-27: H4502X70 (ASPH) MIRL 0.5% up W

IAP

RWY 09: VASI(V2L)—GA 3.0° TCH 54'. Building.

RWY 27: VASI(V2L)—GA 4.0° TCH 49'. Tower.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. Self-service fuel avbl 24 hrs with credit card. Rwy 27 has a 15' dropoff 400' from thld. Rwy 27 VASI OTS indef.


COMMUNICATIONS: CTAF/UNICOM 122.7

® MEMPHIS CENTER APP/DEP CON 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60'

W90°57.22' 251° 57.3 NM to fld. 260/4E. HIWAS.



MOUNT IDA

BEARCE (7M3) 5 E UTC-6(-5DT) N34°31.74' W93°31.77'

MEMPHIS

644 B FUEL 100LL, JET A NOTAM FILE JBR

L-17E

RWY 08-26: H4000X75 (ASPH) S-6.5, D-12.5 MIRL

RWY 08: PAPI(P2L)—GA 4.0° TCH 64'. Tree.

RWY 26: PAPI(P2R)—GA 4.0° TCH 68'. Thld displcd 180' Trees. Rgt tfc.


AIRPORT REMARKS: Attended dailgt hours. Self svc fuel avbl 24 hrs with credit card. ACTIVATE MIRL Rwy 08-26—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'


W92°10.83' 258° 67.4 NM to fld. 240/5E.



NASHVILLE**HOWARD CO** (M77) 3 N UTC-6(-5DT) N33°59.81' W93°50.29'**MEMPHIS**

L-17E

553 B NOTAM FILE JBR

RWY 01-19: H3652X75 (ASPH) S-8 MIRL**RWY 01:** Thld dsplcd 115'.**AIRPORT REMARKS:** Unattended. Rwy 19 turnaround has a 10' drop off.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TXK.**TEXARKANA (H) VORTACW** 116.3 TXK Chan 110 N33°30.83'W94°04.40' 015° 31.2 NM to fld. 270/7E. **HIWAS.****NEWPORT MUNI** (M19) 5 NE UTC-6(-5DT) N35°38.26' W91°10.58'**MEMPHIS**


H-6J, L-166

239 B S4 **FUEL** 100LL, JET A TPA-1239(1000) NOTAM FILE M19**IAP****RWY 04-22:** H5002X150 (CONC) S-30**RWY 04:** Rgt tfc.**RWY 18-36:** H5002X150 (CONC) S-30 MIRL**RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 42'. P-line.**RWY 36:** REIL. PAPI(P4L)—GA 3.0° TCH 31'. Rgt tfc.**AIRPORT REMARKS:** Attended Mon-Sat 1400-2300Z†, Sun

1900-2300Z†. Self svc fuel avbl after hrs only with credit card.

Numerous agricultural ops Mar-Jul. **ACTIVATE** MIRL Rwy

18-36—CTAF.

WEATHER DATA SOURCES: ASOS 118.15 (870) 523-2189.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **MEMPHIS CENTER APP/DEP CON** 120.075**RADIO AIDS TO NAVIGATION:** NOTAM FILE ARG.**WALNUT RIDGE (H) VORTAC** 114.5 ARG Chan 92 N36°06.60'W90°57.22' 197° 30.3 NM to fld. 260/4E. **HIWAS.**

NORTH LITTLE ROCK MUNI (ORK) 6 N UTC-6(-5DT) N34°49.99' W92°15.25'

MEMPHIS

545 B S4 FUEL 100LL, JET A TPA-1545(1000) NOTAM FILE JBR

H-6I, L-18F

RWY 05-23: H5002X75 (CONC) S-30, D-60 MIRL 0.5% up SW

IAP

RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees. Rgt tfc.

RWY 17-35: H3019X75 (ASPH) S-17 MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 41'. Ground. Rgt tfc.


RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 37'. Trees.

AIRPORT REMARKS: Attended 1400Z±-dusk. For arpt access call 501-835-5654, 501-680-1607 or pager 501-680-1607. Deer on and invof arpt. Ultralight activity on and invof arpt. Calm wind tkf/lbg preferred to the North when possible. Rwy 05 REIL OTS indef. Rwy 23 REIL OTS indef. ACTIVATE MIRL Rwy 05-23 and Rwy 17-35, PAPI Rwy 05, Rwy 23, Rwy 17 and Rwy 35, and REIL Rwy 05, Rwy 23 and Rwy 17—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8⑧ **LITTLE ROCK APP/DEP CON** 119.5 **CLNC DEL** 121.6 (501) 379-2908**RADIO AIDS TO NAVIGATION:** NOTAM FILE LIT.**LITTLE ROCK (H) VORTACW** 113.9 LIT Chan 86 N34°40.66'

W92°10.83' 334° 10.0 NM to fld. 240/5E.

ILS/DME 111.9 I-ORK Chan 56 Rwy 05. Class IE.

**NORTHWEST ARKANSAS RGNL** (See FAYETTEVILLE (SPRINGDALE))**OSCEOLA MUNI** (7M4) 2 SW UTC-6(-5DT) N35°41.47' W90°00.61'

MEMPHIS

234 B NOTAM FILE JBR

L-16H

RWY 01-19: H3800X75 (ASPH) S-8.5 MIRL

IAP

RWY 01: P-line. RWY 19: REIL. Pole.

AIRPORT REMARKS: Attended dawn-dusk. ACTIVATE MIRL Rwy 01-19 and REIL Rwy 19—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**MEMPHIS CENTER APP/DEP CON** 120.075**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.**GILMORE (L) VORW/DME** 113.0 GQE Chan 77 N35°20.82' W90°28.69' 044° 30.8 NM to fld. 211/4E.**OSZARK-FRANKLIN CO** (7M5) 2 NW UTC-6(-5DT) N35°30.64' W93°50.36'

MEMPHIS

648 B S4 FUEL 100LL NOTAM FILE JBR

L-16F

RWY 04-22: H3302X60 (ASPH) S-12 MIRL 1.3% up NE

IAP

RWY 04: PAPI(P2L)—GA 3.0° TCH 40'. Bldg.


RWY 22: PAPI(P2L)—GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z±. ACTIVATE MIRL

Rwy 04-22—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8⑧ **RAZORBACK APP/DEP CON** 120.9 (1130-0500Z±)**MEMPHIS CENTER APP/DEP CON** 128.475 (0500-1130Z±)**RADIO AIDS TO NAVIGATION:** NOTAM FILE FSM.**FORT SMITH (L) VORTACW** 110.4 FSM Chan 41 N35°23.31'

W94°16.29' 064° 22.4 NM to fld. 430/7E. HIWAS.

**OSZARK RGNL** (See MOUNTAIN HOME)**PARAGOULD** N36°03.77' W90°30.66' NOTAM FILE JBR.

ST LOUIS

NDB (MHW) 383 PGR at Kirk Fld

L-16H

PARAGOULD

KIRK FLD (PGR) 1 NW UTC-6(-5DT) N36°03.83' W90°30.55'
 290 B **FUEL** 100LL, JET A TPA-1099(809) NOTAM FILE JBR
RWY 04-22: H4500X75 (ASPH) S-12.5 MIRL

RWY 04: PAPI(P2L)—GA 3.0° TCH 21'. Thld dspcd 489'. Road.

RWY 22: PAPI(P2L)—GA 4.0° TCH 60'. Thld dspcd 148'. Road.

RWY 08-26: 2792X100 (TURF)

RWY 08: P-line. **RWY 26:** Trees.

AIRPORT REMARKS: Attended 1400-2300Z. Unlgt'd twr 250' AGL 1.7 miles ESE AER 04. Rwy 08-26 soft when wet. Windsock lgts OTS indef. ACTIVATE MIRL Rwy 04-22—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **MEMPHIS CENTER APP/DEP CON** 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60' W90°57.22' 093° 21.8 NM to fld. 260/4E. **HIWAS.**

NDB (MHW) 383 PGR N36°03.77' W90°30.66' at fld. NOTAM FILE JBR.



ST LOUIS
 L-16H
 IAP

PARIS (SUBIACO)

PARIS MUNI (7M6) 2 E UTC-6(-5DT) N35°17.94' W93°40.90'

MEMPHIS

430 **FUEL** 100LL NOTAM FILE JBR

RWY 03-21: H2700X60 (ASPH) S-10 LIRL

RWY 03: Road. **RWY 21:** Tree.

AIRPORT REMARKS: Unattended. Prior arrangements rqr for fuel ctc 479-963-2450. Numerous agriculture ops Feb-Oct below 500' above ground level.

COMMUNICATIONS: CTAF 122.9

PETIT JEAN PARK (See MORRILTON)

PIGGOTT MUNI (7M7) 2 E UTC-6(-5DT) N36°22.69' W90°09.98'

ST LOUIS

275 NOTAM FILE JBR

RWY 18-36: H2550X50 (ASPH) S-10 LIRL

RWY 18: Thld dspcd 550'. **RWY 36:** Trees.

AIRPORT REMARKS: Unattended. South end of Rwy 18-36 flooded after heavy rain. ACTIVATE LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

PINE BLUFF N34°14.81' W91°55.57' NOTAM FILE PBF.

MEMPHIS

(L) **VORW/DME** 116.0 PBF Chan 107 182° 4.4 NM to Grider Fld. 210/4E. **HIWAS.**

L-18F

VOR portion unusable 170°-244° byd 31 NM blo 3,000'.

RCO 122.6 (JONESBORO RADIO)

PINE BLUFF

GRIDER FLD (PBF) 4 SE UTC-6(-5DT) N34°10.47' W91°56.14'
 206 B S4 FUEL 100LL, JET A TPA-1200(994) NOTAM FILE PBF
RWY 18-36: H5998X150 (ASPH) S-40, D-56, DT-90 MIRL

RWY 18: MALSR: VASI(V4L)—GA 3.0° TCH 52'.

RWY 36: VASI(V4L)—GA 3.0° TCH 52'.

AIRPORT REMARKS: Attended 1400-0000Z. For arpt attendant after hours call 870-540-9439. Self svc fuel avbl 24 hrs with credit card. Arpt CLOSED to air carrier with 30 or more passengers. Migratory birds invof arpt. Numerous AG ops on and invof arpt year round. ARFF normally avbl when arpt attended. ACTIVATE MIRL Rwy 18-36 and MALSR Rwy 18—CTAF.

WEATHER DATA SOURCES: ASOS 120.775 (870) 536-0228. HIWAS 116.0 PBF.

COMMUNICATIONS: CTAF/UNICOM 123.0


PINE BLUFF RCO 122.6 (JONESBORO RADIO)

Ⓡ **LITTLE ROCK APP/DEP CON** 119.85 **CLNC DEL** 119.85 (501) 379-2908

RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.

PINE BLUFF (L) VORW/DME 116.0 PBF Chan 107 N34°14.81'
 W91°55.57' 182° 4.4 NM to fld. 210/4E. HIWAS.

ILS 111.7 I-PBF Rwy 18. ILS unmonitored indef.



MEMPHIS
 H-6J, L-18F
 IAP

POCAHONTAS MUNI (M70) 1 SE UTC-6(-5DT) N36°14.73' W90°57.31'

273 B S4 FUEL 100LL, JET A NOTAM FILE JBR

RWY 18-36: H3999X75 (ASPH) S-19 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Road.

RWY 36: Tree.


AIRPORT REMARKS: Attended 1400-2300Z. 24 hr self serve fuel avbl with credit card. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 18-36 and REIL Rwy 18—122.7. PAPI Rwy 18 opr continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **MEMPHIS CENTER APP/DEP CON** 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60'
 W90°57.22' 355° 8.1 NM to fld. 260/4E. HIWAS.




ST LOUIS
 L-166
 IAP

PRESCOTT**KIZER FLD** (4F7) 1 E UTC-6(-5DT) N33°48.23' W93°21.73'**MEMPHIS**

319 B NOTAM FILE JBR

L-17E

RWY 18-36: H3464X50 (ASPH) S-12 MIRL**RWY 18:** Road. **RWY 36:** Trees.**AIRPORT REMARKS:** Unattended. Arpt gate locked from 0300-1100Z†, call police for access 870-887-2676.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TXK.**TEXARKANA (H)VORTACW** 116.3 TXK Chan 110 N33°30.83' W94°04.40' 057° 39.6 NM to fld. 270/7E. **HIWAS.****RAZORBACK** N36°14.79' W94°07.28' NOTAM FILE JBR.**KANSAS CITY****(H)VORTACW** 116.4 RZC Chan 111 175° 4.2 NM to Springdale Muni. 1331/4E.

H-6I, L-16F

VOR portion unusable:

310°-025° byd 22 NM blo 3000'.

025°-150° byd 22 NM blo 4000'.

150°-210° byd 22 NM blo 3500'.

210°-220° byd 22 NM blo 3000'.

DME portion unusable:


148°-160°

225°-240°

RECTOR (7M8) 2 SW UTC-6(-5DT) N36°15.00' W90°19.17'**ST LOUIS**

281 B NOTAM FILE JBR

L-16H

RWY 18-36: H3405X60 (ASPH) S-5 MIRL**RWY 18:** Tree. **RWY 36:** Thld dsplcd 266'. Road.**AIRPORT REMARKS:** Unattended. ACTIVATE MIRL Rwy 18-36-CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.**MALDEN (L) VORTAC** 111.2 MAW Chan 49 N36°33.31' W89°54.69' 224° 26.9 NM to fld. 280/3E.

ROGERS MUNI-CARTER FLD (ROG) 2 N UTC-6(-5DT) N36°22.35' W94°06.42'

KANSAS CITY

1359 B S4 FUEL 100LL, JET A OX 3 TPA-2358(999) NOTAM FILE ROG

H-6I, L-16F

RWY 02-20: H6011X100 (ASPH) S-42, D-73 HIRL 0.3% up SW

IAP

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 55'. Trees.

RWY 20: MALSR. PAPI(P4L)—GA 3.0° TCH 61'.


AIRPORT REMARKS: Attended Mon-Fri 1130-0130Z† Sat-Sun 1400-0100Z†. For fuel after hrs call 479-636-9400, fee charged. Bird activity on and in/ovf arpt. Deer and coyote on and in/ovf arpt. Rwy 02-20 PAEW 200' east and south of Twy C. Rwy 20 designated calm wind rwy. No line of sight between rwy ends. ARFF available upon request. Twy A clsd south of Twy C indef. Twy A south of Twy C edge lgts OTS indef. When twr clsd ACTIVATE HIRL Rwy 02-20, REIL Rwy 02, twy lgts and MALSR Rwy 20—CTAF. PAPI Rwy 02 and Rwy 20 operate continuously.

WEATHER DATA SOURCES: AWOS-3 134.375 (479) 631-9196. LAWRS.**COMMUNICATIONS:** CTAF 119.375Ⓡ **RAZORBACK APP/DEP CON** 126.6 (1130-0500Z†) **CLNC DEL** 121.75**MEMPHIS CENTER APP/DEP CON** 126.1 (0500-1130Z†)**TOWER** 119.375 (Mon-Fri 1130-0130Z†, Sat-Sun 1400-0100Z†)**GND CON** 118.0**AIRSPACE:** CLASS D svc Mon-Fri 1130-0130Z†, Sat-Sun

1400-0100Z†, other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.**RAZORBACK (H) VORTACW** 116.4 RZC Chan 111 N36°14.79' W94°07.28' 001° 7.6 NM to fld. 1331/4E.**ROGRS NDB (LOM)** 263 RO N36°27.67' W94°04.17' 199° 5.6 NM to fld.

ILS/DME 111.5 I-ROG Chan 52 Rwy 20. **LOM ROGRS NDB.** Unmonitored Tue-Fri 0830-1100Z†, Fri 0230 to 1300Z† Sat, Sat 2300 to 1100Z† Mon. GS unusable beyond 5° right of course. GS unusable for auto coupled apchs bto 1632'.

**ROGRS** N36°27.67' W94°04.17' NOTAM FILE ROG.

KANSAS CITY

NDB (LOM) 263 RO 199° 5.6 NM to Rogers Muni-Carter Fld.

L-16F

RUSSELLVILLE RGNL (RUE) 2 SE UTC-6(-5DT) N35°15.55' W93°05.60'

MEMPHIS

404 B S4 FUEL 100LL, JET A TPA-1407(1005) NOTAM FILE RUE

H-6I, L-16F

RWY 07-25: H5094X75 (ASPH) S-32, D-46 MIRL 0.7% up NE

IAP

RWY 07: VASI(V2L)—GA 3.0° TCH 49'. Tree.

RWY 25: Thld dsplcd 300'. Tree.


AIRPORT REMARKS: Attended 1400Z†-dusk. For service after hours call 479-857-4074 or 479-857-4076. PAEW in/ovf rwy. Deer in/ovf rwy. Flocks of migratory birds in/ovf arpt. ACTIVATE VASI Rwy 07—CTAF.

WEATHER DATA SOURCES: ASOS 132.475 (479) 968-2267.**COMMUNICATIONS:** CTAF/UNICOM 122.7Ⓡ **MEMPHIS CENTER APP/DEP CON** 128.475**RADIO AIDS TO NAVIGATION:** NOTAM FILE LIT.**LITTLE ROCK (H) VORTACW** 113.9 LIT Chan 86 N34°40.66'

W92°10.83' 303° 57.0 NM to fld. 240/5E.

NDB (MHW) 379 RUE N35°15.43' W93°05.68' at fld.

NOTAM FILE RUE. Unusable 320°-345° byd 20 NM. NDB unmonitored.



SALEM (7M9) 1 S UTC-6(-5DT) N36°21.35' W91°49.86'

787 B NOTAM FILE JBR

RWY 02-20: H3500X50 (ASPH) MIRL

RWY 02: Thld dspcd 1233'. Hiil.

RWY 20: Thld dspcd 248'. Tree.

AIRPORT REMARKS: Unattended. Rwy 02 has 3' ditch at end of rwy extending 700' along east side of rwy. ACTIVATE MIRL Rwy 02-20—CTAF.


COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

WALNUT RIDGE (H) VORTAC 114.5 ARG Chan 92 N36°06.60' W90°57.22' 285° 45.1 NM to fld. 260/4E. HIWAS.

KANSAS CITY

L-166



SALINE CO RGNL (See BENTON)

SALLY WOFORD (See WEINER)

SEARCY CO (See MARSHALL)

SEARCY MUNI (SRC) 3 S UTC-6(-5DT) N35°12.64' W91°44.25'

265 B S4 FUEL 100LL, JET A TPA-1065(800) NOTAM FILE SRC

RWY 01-19: H6008X100 (ASPH) S-24 MIRL 0.5% up N

RWY 01: MALSR. PAPI(P4L)—GA 3.0° TCH 57'.

RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Attended dalgt hours. 100LL avbl self serve with credit card. For JET A fuel or svc after hours call 501-279-1080. Numerous gyrocopter ops dalgt hours. Numerous student pilot ops. No line of sight between rwy ends—small acft. MIRL Rwy 01-19 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 128.325 (501) 268-4280.

COMMUNICATIONS: CTAF/UNICOM 122.7

LITTLE ROCK APP/DEP CON 119.75 CLNC DEL 119.75 (501) 379-2908

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66'

W92°10.83' 029° 38.7 NM to fld. 240/5E.

CERCY NDB (LOM) 375 DS N35°07.35' W91°45.70'

011° 5.4 NM to fld.


ILS/DME 110.1 I-DSY Chan 38 Rwy 01. Class IE.

LOM CERCY NDB. ILS unmonitored indef.

MEMPHIS

H-61, L-166

IAP



SHARP COUNTY RGNL (See ASH FLAT)

SHERIDAN MUNI (9M8) 3 E UTC-6(-5DT) N34°19.71' W92°21.06'

MEMPHIS

232 B S2 FUEL 100LL NOTAM FILE JBR

L-18F

RWY 01-19: H3000X50 (ASPH) S-12.5 MIRL

RWY 01: PAPI(P2L)—GA 3.0° TCH 30'. Trees.


RWY 19: PAPI(P2L)—GA 3.0° TCH 30'. Trees.

AIRPORT REMARKS: Attended 1400-2330Z†. Self svc fuel avbl 24 hrs with credit card. ACTIVATE MIRL Rwy 01-19 and PAPI Rwy 01 and Rwy 19—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE LIT.

LITTLE ROCK (H) VORTACW 113.9 LIT Chan 86 N34°40.66' W92°10.83' 197° 22.6 NM to fld. 240/5E.



SHERILL

SMITH'S INTL (99A) 1 NW UTC-6(-5DT) N34°24.37' W91°57.53'

MEMPHIS

218 S4 NOTAM FILE JBR

RWY 17-35: 3800X75 (TURF) RWY 35: Rgt tfc.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

SILOAM SPRINGS N36°11.36' W94°29.31' NOTAM FILE JBR.

KANSAS CITY

NDB (MHW) 284 SLG at Smith Fld. VFR only.

SILOAM SPRINGS

SMITH FLD (SLG) 3 NE UTC-6(-5DT) N36°11.51' W94°29.40'

KANSAS CITY

1191 B S4 FUEL 100LL, JET A NOTAM FILE SLG

L-16F

RWY 18-36: H4997X75 (ASPH) S-24 HIRL 0.3% up N

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 52'.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 52'.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z†, Sat 1500-0000Z†, Sun 1700-0000Z†. For svc after hrs call 479-427-0845. 100LL available 24 hrs with credit card.

ACTIVATE HIRL Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (479) 524-9893.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **RAZORBACK APP/DEP CON** 121.0 (1130-0500Z‡)


MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

RAZORBACK (H) VORTACW 116.4 RZC Chan 111 N36°14.79'

W94°07.28' 256° 18.2 NM to fld. 1331/4E.

SILOAM SPRINGS NDB (MHW) 284 SLG N36°11.36' W94°29.31' at fld. VFR only.



SMITH FLD (See SILOAM SPRINGS)

SMITH'S INTL (See SHERILL)

SOUTH ARKANSAS RGNL AT GOODWIN FLD (See EL DORADO)

SPRINGDALE MUNI (ASG) 1 SE UTC-6(-5DT) N36°10.58' W94°07.16'

KANSAS CITY

1353 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE ASG

H-61, L-16F

RWY 18-36: H5302X75 (ASPH) S-35, D-50, DT-90 HIRL

IAP, AD

RWY 18: MALSF. VASI(V2L)—GA 3.0° TCH 34'. Thid dsplcd 363'.

RWY 36: VASI(V2L)—GA 3.0° TCH 36'. Trees.

AIRPORT REMARKS: Attended 1200-0300Z†. For svc after hours call 479-751-4462. 100LL avbl 24 hrs self serve with credit card. Sequenced flashing lgts OTS indef. ACTIVATE HIRL Rwy 18-36—CTAF. When twr closed ACTIVATE MALSF Rwy 18—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.675 (479) 750-2967. LAWRS (1200-0300Z†).

COMMUNICATIONS: CTAF 118.2 UNICOM 122.95

® **RAZORBACK APP/DEP CON** 126.6 (1130-0500Z†).

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)


TOWER 118.2 (1200-0300Z†.) **GND CON** 121.6

AIRSPACE: CLASS D svc 1200-0300Z† other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

RAZORBACK (H) VORTACW 116.4 RZC Chan 111 N36°14.79' W94°07.28' 175° 4.2 NM to fld. 1331/4E.

ILS 110.9 I-ASG Rwy 18. Unmonitored. GS unusable for coupled apchs blo 1870'.

**STAR CITY MUNI** (55M) 2 SW UTC-6(-5DT) N33°55.57' W91°51.64'

MEMPHIS

398 NOTAM FILE JBR

L-18F

RWY 18-36: H3000X60 (ASPH) S-4


RWY 18: Tree. RWY 36: Brush.

AIRPORT REMARKS: Unattended. 4" dropoff on east side of Rwy 18-36.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.


PINE BLUFF (L) VORW/DME 116.0 PBF Chan 107 N34°14.81' W91°55.57' 166° 19.5 NM to fld. 210/4E. HIWAS.



STEPHENS

WILSON (4F8) 2 NE UTC-6(-5DT) N33°26.58' W93°03.26'
 230 B NOTAM FILE JBR
RWY 02-20: H3000X50 (ASPH) S-4 MIRL
RWY 02: Brush. **RWY 20:** Deer stand.
AIRPORT REMARKS: Unattended. Deer on and invof arpt.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE ELD.
EL DORADO (H) VORTACW 115.5 ELD Chan 102 N33°15.37'
 W92°44.64' 299° 19.2 NM to fld. 230/7E.

MEMPHIS
L-17E



STUTT N34°30.35' W91°34.89' NOTAM FILE SGT.
 NDB (LOM) 338 TT 001° 5.6 NM to Stuttgart Muni.

MEMPHIS
L-18F

STUTTGART MUNI (SGT) 7 N UTC-6(-5DT) N34°35.97' W91°34.50'

MEMPHIS
H-6J, L-18F
IAP


224 B S2 FUEL 100LL, JET A NOTAM FILE SGT
RWY 18-36: H6015X100 (ASPH-GRVD) S-75, D-150, DT-200, DDT-300 MIRL
RWY 18: REIL. **RWY 36:** MALSF.
RWY 09-27: H5002X150 (CONC) S-25, D-65, DT-120 MIRL
AIRPORT REMARKS: Attended Nov-Jan 1400-0100Z†, Feb-Oct,
 Mon-Sat 1400-2300Z†, Sun on call. For arpt attendant on Sun
 call 870-672-2005. 100LL avbl 24 hrs self-serve with credit
 card. For fuel nights call 870-673-2360. Migratory birds on and
 in vicinity of arpt Nov-Feb. Numerous agricultural acft ops from
 Feb-Sep 500' AGL and below. ACTIVATE MIRL Rwy 09-27 and Rwy
 18-36, MALSF Rwy 36—CTAF.
WEATHER DATA SOURCES: AWOS-3 119.025 (870) 673-1884.
COMMUNICATIONS: CTAF/UNICOM 122.8

® LITTLE ROCK APP/DEP CON 135.4 CLNC DEL 123.7 (501) 918-4608
RADIO AIDS TO NAVIGATION: NOTAM FILE PBF.

PINE BLUFF (L) VORW/DME 116.0 PBF Chan 107 N34°14.81'
 W91°55.57' 035° 27.4 NM to fld. 210/4E. **HIWAS.**
NDB (MHW) 269 SGT N34°39.87' W91°35.51' 166° 4.0
 NM to fld. NOTAM FILE JBR.

STUTT NDB (LOM) 338 TT N34°30.35' W091°34.89' 001°
 5.6 NM to fld.

ILS/DME 110.55 I-TTL Chan 42(Y) Rwy 36. Class IE.



LOM STUTT NDB. ILS unmonitored indef.

TECCO N33°31.45' W93°54.36' NOTAM FILE TXK.
 NDB (LOM) 234 TX 220° 6.0 NM to Texarkana Rgnl-Webb Fld.

MEMPHIS
L-17E

TEXARKANA RGNL—WEBB FLD (TXK) 3 NE UTC—6(−5DT) N33°27.22' W93°59.46'

MEMPHIS

390 B S4 FUEL 100LL, JET A OX 3 TPA—1201(811) Class I, ARFF Index A

H-61, L-17E

NOTAM FILE TXK

IAP, AD

RWY 04-22: H6601X144 (ASPH-GRVD) S-50, D-86, DT-120

HIRL 0.7% up NE

RWY 04: VASI(V4L)—GA 3.0° TCH 52'. Trees.

RWY 22: MALSR. Trees.

RWY 13-31: H5200X100 (ASPH-GRVD) S-25 MIRL

0.5% up SE

RWY 13: PAPI(P4L). Thld dsplcd 641'. Road.

RWY 31: PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-6601 TODA-6601 ASDA-6601 LDA-6601

RWY 22: TORA-6601 TODA-6601 ASDA-6601 LDA-6601

RWY 13: TORA-5200 TODA-5200 ASDA-5200 LDA-4559

RWY 31: TORA-5200 TODA-5200 ASDA-4559 LDA-4559

AIRPORT REMARKS: Attended 1200-0400Z†. Deer on and invof arpt.

When twr clsd ACTIVATE HIRL Rwy 04-22, MIRL Rwy 13-31,

MALSR Rwy 22—CTAF. NOTE: See SPECIAL NOTICE—Controlled

Firing.

COMMUNICATIONS: CTAF 123.875 ATIS 120.2

RCO 122.45 (JONESBORO RADIO)

® **FORT WORTH CENTER APP/DEP CON** 123.925

TOWER 123.875 (1200-0400Z†) **GND CON** 119.225

AIRSPACE: CLASS D svc 1200-0400Z† other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.

(H) **VORTACW** 116.3 TXK Chan 110 N33°30.83' W94°04.40' 124° 5.5 NM to fld. 270/7E. **HIWAS.**

TECCO NDB (LOM) 234 TX N33°31.45' W93°54.36' 220° 6.0 NM to fld.


ILS/DME 111.9 I-TXK Chan 56 Rwy 22. Class IB. LOM **TECCO NDB.** Unmonitored when tower closed.

.....

HELIPAD H1: H60X60 (CONC-ASPH) S-21

HELIPORT REMARKS: Helipad H1 perimeter lgts. Helipad H1 three lgtd helicopter parking pads south of helipad.

ACTIVATE perimeter lgts Helipad H1—CTAF.



THOMPSON—ROBBINS (See HELENA/WEST HELENA)

TONEYVILLE N34°57.15' W92°01.17' NOTAM FILE LRF.

MEMPHIS

NDB (MHW/LOM) 290 TYV 247° 6.6 NM to Little Rock AFB. No NOTAM MP Fri 1000-1430Z†.

L-18F

WALDRON MUNI (M27) 2 SW UTC—6(−5DT) N34°52.56' W94°06.56'

MEMPHIS

695 B NOTAM FILE JBR

L-17E

RWY 09-27: H4000X40 (ASPH) S-4 MIRL

RWY 09: Trees. **RWY 27:** Tree.

AIRPORT REMARKS: Attended 1400-0000Z†. Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy 09-27—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83' W94°36.54' 060° 27.3 NM to fld. 2700/4E.

WALNUT RIDGE RGNL (ARG) 4 NE UTC-6(-5DT) N36°07.48' W90°55.51'

KANSAS CITY

279 B S4 FUEL 100LL, JET A NOTAM FILE ARG

H-6J, L-16G

RWY 13-31: H5003X150 (CONC) S-40, D-60, DT-110

IAP

RWY 13: Road. RWY 31: Berm.

RWY 04-22: H6001X150 (ASPH) S-40, D-60, DT-110 MIRL

RWY 18-36: H5001X150 (CONC) S-40, D-60, DT-110 MIRL

RWY 18: ODALS. REIL. Tree.

AIRPORT REMARKS: Attended continuously. If arpt attendant not avbl, call 870-886-5432/7226 or 501-412-1271. Government contract fuel avbl. ACTIVATE MIRL Rwy 04-22 and ODALS Rwy 18-CTAF.

WEATHER DATA SOURCES: AWOS-3 135.925 (870) 886-2537. HIWAS 114.5 ARG.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 114.5T (JONESBORO RADIO)


Ⓡ MEMPHIS CENTER APP/DEP CON 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE ARG.

(H) VORTAC 114.5 ARG Chan 92 N36°06.60' W90°57.22' 054° 1.6 NM to fld. 260/4E. HIWAS.

LAWRENCE CO NDB (MHW) 227 TNZ N36°12.34' W90°55.39' 180° 4.9 NM to fld. Unmonitored 2300-1300Z.

ILS 111.1 I-ARG Rwy 18. LOC only. LOC unmonitored 2300-1300Z.



WARREN MUNI (3M9) 3 S UTC-6(-5DT) N33°33.63' W92°05.12'

MEMPHIS

235 B FUEL 100LL NOTAM FILE JBR

L-18F

RWY 03-21: H3829X75 (ASPH) S-4 LIRL 1.0% up NE

IAP

RWY 03: VASI(V2L)—GA 3.0° TCH 20'. Trees.

RWY 21: Road.


AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with credit card. For services call 870-226-6743/3703. Ultralight activity invof arpt. Deer on and invof arpt. Ctc police on 122.85 or 870-226-3703 to clear rwy.

COMMUNICATIONS: CTAF 122.9

Ⓡ MEMPHIS CENTER APP/DEP CON 135.875

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.

MONTICELLO (L) VOR/DME 111.6 MON Chan 53 N33°33.72' W91°42.94' 266° 18.5 NM to fld. 280/4E.



WEINER

SALLY WOFFORD (8M2) 3 S UTC-6(-5DT) N35°35.42' W90°54.82'

MEMPHIS

245 NOTAM FILE JBR

RWY 01-19: H2330X160 (ASPH-TURF)

AIRPORT REMARKS: Unattended. Numerous agricultural acft ops. Rwy 01-19 north end of rwy asphalt 2000' by 28'.

COMMUNICATIONS: CTAF 122.9

WEST MEMPHIS MUNI (AWM) 3 W UTC-6(-5DT) N35°08.10' W90°14.07'

MEMPHIS

212 B S4 FUEL 100LL JET A NOTAM FILE AWM

H-6J, L-16H

RWY 17-35: H6003X100 (CONC) S-30, D-45 MIRL

IAP

RWY 17: MALS. REIL.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40'.

AIRPORT REMARKS: Attended 1300-0100Z+. For svc after hrs call 870-735-4656, fee charged. 100LL avbl 24 hr self service with credit card. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE MALS. Rwy 17, PAPI Rwy 35, and REIL Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 118.175 (870) 733-9987.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ MEMPHIS APP CON 119.1 126.7

Ⓡ MEMPHIS DEP CON 124.65

MEMPHIS CLNC DEL 121.7

RADIO AIDS TO NAVIGATION: NOTAM FILE JBR.


GILMORE (L) VORW/DME 113.0 GQE Chan 77 N35°20.82'

W90°28.69' 133° 17.5 NM to fld. 211/4E.

NDB (MHW) 362 AWM N35°08.36' W90°13.95' at fld.

NOTAM FILE AWM. NDB OTS indef. SHUTDOWN.

ILS 110.7 I-LWR Chan 44 Rwy 17. ILS unmonitored indef.

**WILSON** (See STEPHENS)**WIZER** N35°21.25' W94°13.02' NOTAM FILE FSM.

MEMPHIS

NDB (LOM) 223 FS 257° 7.5 NM to Fort Smith Rgnl.

L-13D, 14E

Unmonitored when Fort Smith Rgnl tower closed.

WOODRUFF CO (See AUGUSTA)**WYNNE MUNI** (M65) 1 NE UTC-6(-5DT) N35°13.90' W90°45.69'

MEMPHIS

370 B S4 FUEL 100LL NOTAM FILE JBR

L-16H

RWY 16-34: H4024X75 (ASPH) S-4 MIRL

RWY 16: PAPI(P2R)—GA 3.0° TCH 72'. Thld displcd 344'. Tree.

RWY 34: PAPI(P2L)—GA 3.0° TCH 63'. Thld displcd 209'. Tree. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri daylight hours. Fuel avbl self service with credit card system only. Rwy 16 PAPI OTS indef. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 16-34—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE JBR.

GILMORE (L) VORW/DME 113.0 GQE Chan 77 N35°20.82'

W90°28.69' 240° 15.5 NM to fld. 211/4E.

**Z M JACK STELL FLD** (See CROSSETT)

ABBEVILLE CHRIS CRUSTA MEM (ØR3) 3 E UTC-6(-5DT) N29°58.55' W92°05.05'

HOUSTON

15 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE DRI

H-70, L-21B, 22E

RWY 15-33: H5000X75 (ASPH) S-17 MIRL

IAP

RWY 15: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Fence.

RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended daylight hours. TPA for fixed wing 1000(985), helicopter 500(485) within 3 miles of arpt and ultralight 300(285). Rwy 15-33 has some small cracks. MIRL Rwy 15-33 and REIL Rwy 15 and Rwy 33 preset on low intensity dusk to dawn, to increase intensity ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.875 (337) 892-0526.**COMMUNICATIONS:** CTAF/UNICOM 122.8

GCO 135.075 (LAFAYETTE APCH and DE RIDDER FSS)


Ⓡ LAFAYETTE APP/DEP CON 121.1 (1130-0430Z‡)

HOUSTON CENTER APP/DEP CON 126.35 (0740-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.

LAFAYETTE (L) VORTACW 109.8 LFT Chan 35 N30°11.63'

W91°59.55' 197° 13.9 NM to fld. 36/3E. HIWAS.

**ACADI** N29°57.38' W91°51.80' NOTAM FILE ARA.

HOUSTON

NDB (MHW/LOM) 269 AR 345° 5.0 NM to Acadiana Rgnl.

L-21B, 22E

ACADIANA RGNL (See NEW IBERIA)**ALEXANDRIA****ALEXANDRIA INTL** (AEX) 4 W UTC-6(-5DT) N31°19.64' W92°32.91'

HOUSTON

89 B S4 FUEL 100, JET A, MOGAS OX 2, 4 Class I, ARFF Index D NOTAM FILE AEX

H-6I, L-21B, 22E

RWY 14-32: H9352X150 (CONC-GRVD) S-81, D-180, DT-330, DDT-850 HIRL

IAP, AD

RWY 14: SSALR. PAPI(P4L)—GA 3.0° TCH 55'. Trees.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 55'.

RWY 18-36: H7001X150 (ASPH-CONC-GRVD) S-75, D-130,

DT-191, DDT-502 HIRL

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 64'. Trees.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 61'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 14: TORA-9352 TODA-9352 ASDA-9352 LDA-9352

RWY 32: TORA-9352 TODA-9352 ASDA-9352 LDA-9352

RWY 18: TORA-7001 TODA-7001 ASDA-7001 LDA-7001

RWY 36: TORA-7001 TODA-7001 ASDA-7001 LDA-7001

AIRPORT REMARKS: Attended continuously. Extensive helicopter tfc during military exercises. Center 75' of first 3000' of Rwy 18 is concrete, remainder is asphalt. Rwy 18-36 center 1800' at intersection with Rwy 14-32 in fair condition due to Raveling. Locked wheel and sharp turns prohibited on asph surfaces. Light acft frequently cross asph zones to Rwy 14-32 blo 2000' MSL. Commercial and lifeguard acft only on Commercial Terminal Ramp, all other acft utilize Twy A to FBO. Twy G clsd indef. Twy E clsd indef. Twy F clsd indef.

WEATHER DATA SOURCES: ASOS 123.975 (318) 442-6583. HIWAS 116.1 AEX**COMMUNICATIONS:** CTAF 127.35

Ⓡ POLK APP/DEP CON 125.4

TOWER 127.35 GND CON 121.9 CLNC DEL 121.9


RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

(H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.06' 327° 4.9 NM to fld. 80/3E. HIWAS.

DME portion unusable 285°-245° byd 35 NM blo 1700', 245°-285° byd 35 NM blo 1900'.

ILS 110.1 I-ERJ Rwy 14. Class 1T.

PAR

COMM/NAV/WEATHER REMARKS: Multicom frequency 130.0 avbl.

ESLER RGNL (ESF) 10 NE UTC-6(-5DT) N31°23.69' W92°17.75'

HOUSTON

112 B FUEL 100LL, JET A NOTAM FILE ESF

H-61, L-21B, 22E

RWY 08-26: H5999X150 (ASPH-GRVD) S-75, D-150, DT-220 HIRL

IAP

RWY 08: REIL. VASI(V4L)—GA 3.0° TCH 32'. RWY 26: MALS.

RWY 14-32: H5601X150 (ASPH-GRVD) S-75, D-150, DT-220

MIRL 0.4% up NW

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 60'. Trees.

RWY 32: REIL. VASI(V4L)—GA 3.0° TCH 56'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08: TORA-5999 TODA-5999 ASDA-5999 LDA-5999

RWY 26: TORA-5999 TODA-5999 ASDA-5999 LDA-5999

RWY 14: TORA-5601 TODA-5601 ASDA-5601 LDA-5601

RWY 32: TORA-5601 TODA-5601 ASDA-5601 LDA-5601

AIRPORT REMARKS: Attended Mon-Fri 1300-2230Z. Fuel avbl Mon-Fri 1300-2200Z and Sat-Sun 1300-0100Z. On call Sat-Sun after 0100Z 318-443-5566. Birds on and in/ov arpt seasonally.

PAEW adjacent rwys and twys. Twys F and G clsd indef. Pilot controlled lighting for Rwy 08-26 OTS indef. VASI Rwy 32 OTS indef. Rwy 14 REIL medium ints only. ACTIVATE MIRL Rwy 14-32, HIRL Rwy 08-26, MALS Rwy 26 REIL Rwy 08, Rwy 14 and Rwy 32, and twy lghts Twy A, Twy B, Twy C, Twy D and Twy E—CTAF.

WEATHER DATA SOURCES: ASOS (318) 484-9031. Thunderstorm/freezing rain not avbl. Wind unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8

ESLER RCO 122.55 (DE RIDDER RADIO)


® POLK APP/DEP CON 125.4

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.04' 049° 13.4 NM to fld. 80/3E. HIWAS.

ANDRA NDB (LOM) 223 ES N31°23.52' W92°10.92' 268° 5.9 NM to fld. Unmonitored.

ILS/DME 111.5 I-ESF Chan 52 Rwy 26. Class IA. LOM ANDRA NDB. ILS/DME and LOM unmonitored.



ALLEN PARISH (See OAKDALE)

ALVIN CALLENDER FLD (See NEW ORLEANS NAS JRB)

ANDRA N31°23.52' W92°10.92' NOTAM FILE ESF.

HOUSTON

NDB (LOM) 223 ES 268° 5.9 NM to Esler Rgnl. Unmonitored.

ANGER N30°36.38' W90°25.27' NOTAM FILE DRI.

NEW ORLEANS

NDB (LOM) 212 HP 174° 5.1 NM to Hammond Northshore Rgnl. Unmonitored.

ARCADIA-BIENVILLE PARISH (5FØ) 2 SW UTC-6(-5DT) N32°31.84' W92°57.24'

MEMPHIS

440 B NOTAM FILE DRI

L-17E

RWY 14-32: H3000X75 (ASPH) S-16 MIRL

RWY 14: Trees. RWY 32: Trees.

AIRPORT REMARKS: Unattended. For arpt attendant call 318-263-2013.

Golf course adjacent to arpt. +4' fence 185' south of Rwy 32 thld.


Rotating bcn 1 mile SE of arpt. ACTIVATE MIRL Rwy 14-32—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

ELM GROVE (L) VORTAC 111.2 EMG Chan 49 N32°24.01'

W93°35.71' 069° 33.5 NM to fld. 160/7E. HIWAS.



BARKSDALE AFB (BAD)(KBAD) AF 3 E UTC-6(-5DT) N32°30.12' W93°39.76'

MEMPHIS

166 B TPA—See Remarks AOE NOTAM FILE DRI Not insp.
RWY 15-33: H11777X300 (PEM) S-155, T-260, ST-175, TT-500, AUW-800
 PCN 73 R/B/W/T HIRL

H-6I, L-17E
 DIAP, AD

RWY 15: ALSF1. PAPI(P4L). **RWY 33:** ALSF1. PAPI(P4L).

ARRESTING GEAR/SYSTEMS

BAK-12B(B)(1100') **RWY 33**

MILITARY SERVICE: LGT Rwy 15 and Rwy 33 Sequence Flashing Lights offset 2.5' from centerline. **A-GEAR** BAK12B for Air Warrior acft use only, unsvd other times. W Side A-Gear mark permanently removed. **JASU 1**(MA-1A) 7(A/M32A-86) 1(A/M32A-95) 1(A/M32A-60) **FUEL J8 FLUID W SP PRESAIR LHOX LOX OIL** O-132-133-148-156 JOAP **TRAN ALERT** Tran maintenance hrs of svc are Mon-Fri 1400-0100Z†, Sat and Sun 1400-0000Z†. Clsd holidays. No priority basis. Expect svc delays of 2 hrs or more. Ltd fleet svc avbl. No demineralized water avbl.

MILITARY REMARKS: Attended continuously. Clsd holidays. **RSTD** PPR, call Base OPS DSN 781-3226/4978 or C318-456-3226. Call Comd Post for multi apch DSN 781-2151. Practice apch may be restricted by twr, depending on tfc and time of day. PPR issued up to 7 days prior to arr. PPR good for +/- 15 minute PPR time. Coordination of PPR outside of block time by telephone is rqr or PPR Number will be considered cancelled. Engine running offload ops not permitted. 180° turns for C135 and heavy acft are authorized in the first 750' Rwy 15 and the first 1000' Rwy 33. Tran acft with ordnance not authorized. Twy C restricted to assigned A-10 and small propeller acft. Twy E, E1, and Twy C unlighted and usable for daylight VFR only. Training for tran acft will not be permitted to interfere with local acft opr. Non-ACC acft may be subjected to less than required Quantity-Distance separation due munitions opr. Aircrews should exercise appropriate risk management in determining airfld suitability. All tran aircrews must report to Base OPS. **CAUTION** Lgt acft and parachute opr invof Shreveport Downtown 3.3 NM NW during final apch Rwy 15 and dep Rwy 33. **TFC PAT** Retangular 1200' (1034'), Overhead 1700' (1534') VFR helicopter enter tfc pattern at 700(534) from E and 1000(834) from W. Overflight of munitions storage area E-NE fld not authorized. **MISC** Weather briefing for transient aircrews byd normal opr hr avbl via 26 OWS at Barksdale AFB DSN 781-3024. Observed surface visibility restricted from 150° to 330° by obstructions and lack of visibility markers byd 2 mi. First 1184' Rwy 15 and first 1600' Rwy 33 is conc. Middle 8972' is asph with first 3000' at each end having a 75' wide conc keel surface in center and the middle 2972' having a 50' conc keel surface. Acft with distinguished visitor ctc PTD or Comd Post at least 20 minutes prior to ETA. ACC RSRs applied to Acc acft only.

COMMUNICATIONS: ATIS 307.025 **PTD** 254.425

® **SHREVEPORT APP/DEP CON** 123.75 327.0 (320°-152°) 119.9 335.55 (153°-319°)

TOWER 128.25 278.3 Clsd holidays.

GND CON 121.8 275.8

COMD POST (Call RAYMOND 06) 311.0 321.0 **PMSV METRO** 227.4 (No svc outside airfield opr hrs, ctc Comd Post)

Afld wx is monitored by AN/FMQ-19 ASOS and augmented by human observer dur afld opr hrs.

AIRSPACE: CLASS C svc ctc **APP CON**.

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

ELM GROVE (L) VORTAC 111.2 EMG Chan 49 N32°24.01' W93°35.71' 324° 7.0 NM to fld. 160/7E. **HIWAS**.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28' W93°48.60' 148° 17.8 NM to fld. 190/7E. NOTAM FILE SHV.

(L) **TACAN** Chan 105 BAD (115.8) N32°30.20' W93°40.07' at fld. 163/5E. NOTAM FILE BAD. Monitored during published opr hrs only. TACAN No NOTAM MP Wed 1600-1800Z†.

TACAN unusable:

041°-070° byd 20 NM blo 5,000' 180°-270° byd 26 NM blo 4,000'

071°-109° byd 35 NM blo 3,000' 270°-284° byd 15 NM

ILS 108.9 I-JKC Rwy 15. ILS No NOTAM MP Tue, Thu 1100-1400Z†. Monitored during published opr hrs only.

ILS 109.9 I-BAD Rwy 33. ILS No NOTAM MP Tue, Thu 1100-1400Z†. Monitored during published opr hrs only.

ASR (1100-0600Z†)

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

BASTROP**MOREHOUSE MEM** (BQP) 2 SE UTC-6(-5DT) N32°45.37' W91°52.84'

MEMPHIS

168 B S4 FUEL 100LL TPA-1200(1033) NOTAM FILE DRI

L-18F

RWY 16-34: H4002X100 (ASPH) S-15.5 MIRL

IAP

RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1315-2100Z. Self serve fuel avbl 24 hrs with credit card. Deer on and invof rwy. Wind tee lights OTS indef. Rwy 34 REIL OTS indef. MIRL Rwy 16-34, REIL Rwy 16 and Rwy 34 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (318) 281-1443.**COMMUNICATIONS:** CTAF/UNICOM 122.8

GCO 135.075 (DE RIDDER FSS)

MONROE APP/DEP CON 126.9 (1200-0400Z).


⑧ FORT WORTH CENTER APP/DEP CON 126.325 (0400-1200Z).

RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01'

W92°02.16' 026° 16.3 NM to fld. 80/3E. HIWAS.

BASTROP NDB (MHW) 329 BQP N32°45.28' W91°53.01' at fld. NOTAM FILE DRI.

**BASTROP** N32°45.28' W91°53.01' NOTAM FILE DRI.

MEMPHIS

NDB (MHW) 329 BQP at Morehouse Mem.

L-18F

BATON ROUGE METROPOLITAN, RYAN FLD (BTR) 4 N UTC-6(-5DT)

HOUSTON

N30°31.97' W91°08.99'

H-7D, L-21B, 22F

70 B S4 FUEL 100LL, JET A OX 1, 3 LRA Class I, ARFF Index C NOTAM FILE BTR

IAP, AD

RWY 04L-22R: H7500X150 (CONC-GRVD) S-120, D-170, DT-300

HIRL CL

RWY 04L: VASI(V4L)—GA 3.0° TCH 52'. Thld dsplcd 600'. Pole.

RWY 22R: MALSR. TDZL. VASI(V4L)—GA 3.0° TCH 52'. Thld dsplcd 424'. Trees. Rgt tfc.

RWY 13-31: H7004X150 (ASPH-GRVD) S-120, D-170, DT-300 HIRL

RWY 13: MALSR. Thld dsplcd 597'. Pole.

RWY 31: MALSR. VASI(V4L)—GA 3.0° TCH 52'. Thld dsplcd 315'. Road.

RWY 04R-22L: H3799X75 (ASPH) S-30, D-45 MIRL

RWY 04R: PAPI(P2L). Tree. Rgt tfc. RWY 22L: PAPI(P2L). Tree.

LAND AND HOLD SHORT OPERATIONS


LANDING	HOLD SHORT POINT	DIST AVBL
RWY 13	04-22R	4140
RWY 22L	13-31	2900
RWY 22R	13-31	3450

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04L:	TORA-7500	TODA-7500	ASDA-7500	LDA-6900
RWY 04R:	TORA-3799	TODA-3799	ASDA-3799	LDA-3799
RWY 13:	TORA-7004	TODA-7004	ASDA-7004	LDA-6407
RWY 22L:	TORA-3799	TODA-3799	ASDA-3799	LDA-3799
RWY 22R:	TORA-7500	TODA-7500	ASDA-7500	LDA-7076
RWY 31:	TORA-7004	TODA-7004	ASDA-7004	LDA-6691

ARRESTING GEAR/SYSTEMS

RWY 13 EMAS 300' X 150'



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORT REMARKS: Attended 1100–0600Z†. Rwy 13–31 CLOSED indef. 24 hrs PPR for unscheduled air carrier ops with more than 30 passenger seats 0600–1100Z†, call arpt manager 225–355–2068/0333. Rwy 04R–22L not avbl for air carrier ops with more than 30 passenger seats. Migratory birds on and in vicinity of arpt during months of Mar, Apr, Sep and Oct. When twr clsd use 121.9 to ctc ARFF for emergency request. Ramp and twy lane adjacent to the commercial air carrier terminal building is limited to commercial air carrier and passenger airtaxi acft only. Twy L weight restrictions: single 68,000 pounds, dual 75,000 pounds, dual tandem 106,000 pounds. Twy E weight restrictions: single 44,000 lbs, dual 55,000 lbs, dual tandem 93,000 lbs. Twy B clsd between Rwy 13–31 and Twy A indef. Twy M clsd indefinitely. Rwy 13 MALSR OTS indef. Rwy 31 VASI and Rwy 31 MALSR OTS indef. ACTIVATE MALSR Rwy 22R and Rwy 13 and MALSR Rwy 31—CTAF. When twr clsd HIRL Rwy 13–31 and Rwy 04L–22R preset low intst, to increase intst ACTIVATE—CTAF. MIRL Rwy 04R–22L not avbl. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (225) 356–2305. LLWAS.

COMMUNICATIONS: CTAF 118.45 ATIS 125.2 UNICOM 122.95

RCO 122.2 (DE RIDDER RADIO)

Ⓡ APP/DEP CON 120.3 (West) 126.5 (East) (1100–0600Z†)

Ⓡ HOUSTON CENTER APP/DEP CON 126.35 (0600–1100Z†)

TOWER 118.45 (1100–0600Z†) GND CON 121.9 CLNC DEL 119.4

AIRSPACE: CLASS C svc 1100–0600Z† ctc APP CON other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE BTR.

(L) VORTACW 116.5 BTR Chan 112 N30°29.11' W91°17.64' 063° 8.0 NM to fld. 20/6E.

RUNDI NDB (LOM) 284 BT N30°34.97' W91°12.66' 130° 4.4 NM to fld.

ILS/DME 110.3 I–BTR Chan 40 Rwy 13. Class ID. LOM RUNDI NDB. ILS unmonitored when twr clsd. ILS OTS indef.

ILS/DME 108.7 I–CLZ Chan 24 Rwy 22R. Class IE. ILS unmonitored when twr clsd.

ASR (1100–0600Z†)

BEAUREGARD PARISH (See DE RIDDER)

BELCHER N32°46.28' W93°48.60' NOTAM FILE SHV.

MEMPHIS

(H) VORTACW 117.4 EIC Chan 121 160° 14.3 NM to Shreveport Downtown. 190/7E.

H–6I, L–17E

BLUEBIRD HILL (See KEITHVILLE)

BOGALUSA

GEORGE R. CARR MEM AIR FLD (BXA) 2 N UTC–6(–5DT) N30°48.82' W89°51.90'

NEW ORLEANS

119 B S4 FUEL 100LL, JET A NOTAM FILE DRI

H–6I, 8F, L–21B, 22F

RWY 18–36: H5000X100 (ASPH) S–22 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 19'. Thld dspcd 594'.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 52'. Trees.

AIRPORT REMARKS: Attended 1400–2300Z†. Rwy 18–36 pavement has some high and low areas. MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low ints dusk–dawn to increase ints—CTAF.

WEATHER DATA SOURCES: AWOS–3 118.025 (985) 732–6224.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ HOUSTON CENTER APP/DEP CON 126.8

GCO 135.075 (DE RIDDER FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.


PICAYUNE (L) VORTAC 112.2 PCU Chan 59 N30°33.67'

W89°43.83' 330° 16.6 NM to fld. 70/5E.

CARMA NDB (MHW/LOM) 353 BX N30°52.90' W89°51.73'

180° 4.1 NM to fld. NOTAM FILE DRI. Unmonitored.

ILS 111.1 I–BXA Rwy 18. LOM CARMA NDB. LOC only.



CONTINUED FROM PRECEDING PAGE

AIRPORT REMARKS: Attended 1100–0600Z†. Rwy 13–31 CLOSED indef. 24 hrs PPR for unscheduled air carrier ops with more than 30 passenger seats 0600–1100Z†, call arpt manager 225–355–2068/0333. Rwy 04R–22L not avbl for air carrier ops with more than 30 passenger seats. Migratory birds on and in vicinity of arpt during months of Mar, Apr, Sep and Oct. When twr clsd use 121.9 to ctc ARFF for emergency request. Ramp and twy lane adjacent to the commercial air carrier terminal building is limited to commercial air carrier and passenger airtaxi acft only. Twy L weight restrictions: single 68,000 pounds, dual 75,000 pounds, dual tandem 106,000 pounds. Twy E weight restrictions: single 44,000 lbs, dual 55,000 lbs, dual tandem 93,000 lbs. Twy B clsd between Rwy 13–31 and Twy A indef. Twy M clsd indefinitely. Rwy 13 MALSR OTS indef. Rwy 31 VASI and Rwy 31 MALSR OTS indef. ACTIVATE MALSR Rwy 22R and Rwy 13 and MALSR Rwy 31—CTAF. When twr clsd HIRL Rwy 13–31 and Rwy 04L–22R preset low intst, to increase intst ACTIVATE—CTAF. MIRL Rwy 04R–22L not avbl. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (225) 356–2305. LLWAS.

COMMUNICATIONS: CTAF 118.45 ATIS 125.2 UNICOM 122.95

RCO 122.2 (DE RIDDER RADIO)

Ⓡ APP/DEP CON 120.3 (West) 126.5 (East) (1100–0600Z†)

Ⓡ HOUSTON CENTER APP/DEP CON 126.35 (0600–1100Z†)

TOWER 118.45 (1100–0600Z†) GND CON 121.9 CLNC DEL 119.4

AIRSPACE: CLASS C svc 1100–0600Z† ctc APP CON other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE BTR.

(L) VORTACW 116.5 BTR Chan 112 N30°29.11' W91°17.64' 063° 8.0 NM to fld. 20/6E.

RUNDI NDB (LOM) 284 BT N30°34.97' W91°12.66' 130° 4.4 NM to fld.

ILS/DME 110.3 I–BTR Chan 40 Rwy 13. Class ID. LOM RUNDI NDB. ILS unmonitored when twr clsd. ILS OTS indef.

ILS/DME 108.7 I–CLZ Chan 24 Rwy 22R. Class IE. ILS unmonitored when twr clsd.

ASR (1100–0600Z†)

BEAUREGARD PARISH (See DE RIDDER)

BELCHER N32°46.28' W93°48.60' NOTAM FILE SHV.

MEMPHIS

(H) VORTACW 117.4 EIC Chan 121 160° 14.3 NM to Shreveport Downtown. 190/7E.

H–6I, L–17E

BLUEBIRD HILL (See KEITHVILLE)

BOGALUSA

GEORGE R. CARR MEM AIR FLD (BXA) 2 N UTC–6(–5DT) N30°48.82' W89°51.90'

NEW ORLEANS

119 B S4 FUEL 100LL, JET A NOTAM FILE DRI

H–6I, 8F, L–21B, 22F

RWY 18–36: H5000X100 (ASPH) S–22 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 19'. Thld dspcd 594'.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 52'. Trees.

AIRPORT REMARKS: Attended 1400–2300Z†. Rwy 18–36 pavement has some high and low areas. MIRL Rwy 18–36, REIL Rwy 18 and Rwy 36 preset low ints dusk–dawn to increase ints—CTAF.

WEATHER DATA SOURCES: AWOS–3 118.025 (985) 732–6224.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ HOUSTON CENTER APP/DEP CON 126.8

GCO 135.075 (DE RIDDER FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.


PICAYUNE (L) VORTAC 112.2 PCU Chan 59 N30°33.67'

W89°43.83' 330° 16.6 NM to fld. 70/5E.

CARMA NDB (MHW/LOM) 353 BX N30°52.90' W89°51.73'

180° 4.1 NM to fld. NOTAM FILE DRI. Unmonitored.

ILS 111.1 I–BXA Rwy 18. LOM CARMA NDB. LOC only.



BRISTOL**KIBS AIR PARK** (L89) 3SE UTC-6(-5DT) N30°22.88' W92°08.76'

HOUSTON

51 FUEL MOGAS NOTAM FILE DRI

RWY 09-27: 2640X80 (TURF)

RWY 09: Thld dspcd 250'. Road. RWY 27: Trees

AIRPORT REMARKS: Attended continuously. Dspcd thld marked with orange cones.

COMMUNICATIONS: CTAF 122.9

BUNKIE MUNI (2R6) 2 S UTC-6(-5DT) N30°57.40' W92°14.05'

HOUSTON

62 B NOTAM FILE DRI

L-21B, 22E

RWY 18-36: H3005X75 (ASPH) S-8 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 25'. RWY 36: REIL. PAPI(P2L)—GA 3.25° TCH 26'. P-line.

AIRPORT REMARKS: Unattended. Emergency fuel avbl call 318-264-2922. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

Ⓡ POLK APP/DEP CON 125.4

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.06' 140° 22.6 NM to fld.

80/3E. HIWAS.

NDB (MHW) 397 BWK N30°51.93' W92°14.05' 357° 5.5 NM to fld. NOTAM FILE DRI.

BYERLEY (See LAKE PROVIDENCE)**CARMA** N30°52.90' W89°51.73' NOTAM FILE DRI.

NEW ORLEANS

NDB (MHW/LOM) 353 BX 180° 4.1 NM to George R. Carr Mem Air Fld. Unmonitored.

L-21B, 22F

CE 'RUSTY' WILLIAMS (See MANSFIELD)**CHENNAULT INTL** (See LAKE CHARLES)**COLUMBIA** (F86) 2 NE UTC-6(-5DT) N32°07.33' W92°03.27'

MEMPHIS

67 B FUEL 100LL NOTAM FILE DRI

L-18F

RWY 01-19: H3501X75 (ASPH) S-6 MIRL

RWY 01: SAVASI(S2L)—GA 4.0° TCH 20'. Trees.

RWY 19: SAVASI(S2L)—GA 4.0° TCH 20'. Trees.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card.

Rwy 19 drainage ditch 110' end of rwy and 8' deep starting about

120' both sides of centerline. Rwy 01 and Rwy 19 SAVASI OTS

indef. MIRL Rwy 01-19 preset low ints dusk to dawn, to incr ints


ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01'

W92°02.16' 179° 23.7 NM to fld. 80/3E. HIWAS.

**CONCORDIA PARISH** (See VIDALIA)

COUSHATTA**THE RED RIVER** (ØR7) 2 SE UTC-6(-5DT) N31°59.42' W93°18.47'**HOUSTON**
H-6I, L-22E

177 B NOTAM FILE DRI

RWY 17-35: H5000X75 (ASPH) S-44 MIRL


RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Unattended. MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.**NOTE:** See Special Notices Section—Aerobatic Practice Area.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28'

W93°48.60' 144° 53.3 NM to fld. 190/7E.

**COVINGTON****ST TAMMANY RGNL** (L31) 6 SE UTC-6(-5DT) N30°26.70' W89°59.33'**NEW ORLEANS**
L-21B, 22F

39 B FUEL 100LL NOTAM FILE DRI

RWY 18-36: H2999X75 (ASPH) S-17.5 MIRL

RWY 18: SAVASI(S2L)—GA 4.0° TCH 19'. Trees.

RWY 36: SAVASI(S2L)—GA 4.0° TCH 21'. Trees.

AIRPORT REMARKS: Unattended. Self service fuel avbl 24 hrs with credit card. Rwy 18 and Rwy 36 SAVASI OTS indef.

MIRL Rwy 18-36 preset med int.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ NEW ORLEANS APP/DEP CON 133.15

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

PICAYUNE (L) VORTAC 112.2 PCU Chan 59 N30°33.67' W89°43.83' 238° 15.1 NM to fld. 70/5E.

CRACK N32°30.11' W93°52.69' NOTAM FILE SHV.**MEMPHIS**

NDB (LOM) 230 SH 136° 4.2 NM to Shreveport Rgnl. SHUTDOWN.

CROWLEY**LE GROS MEM** (3R2) 7 SW UTC-6(-5DT) N30°09.71' W92°29.04'**HOUSTON**
L-21B, 22E

17 B FUEL 100LL NOTAM FILE DRI

RWY 04-22: H4307X150 (CONC) S-30, D-47, DT-87 MIRL

RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 50'.

RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Tower.

RWY 13-31: H4012X150 (CONC) S-30, D-47, DT-87

RWY 13: Thld dsplaced 240'. Road.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z. 1790' plus tower 8 miles out 1000' right of centerline Rwy 31, 600' plus tower 2 miles out AER 13. MIRL Rwy 04-22, REIL Rwy 04 and Rwy 22 preset low ints, to increase ints ACTIVATE—CTAF. **NOTE:** See Special Notices Section—Aerobatic Practice Area.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE LFT.

LAFAYETTE (L) VORTACW 109.8 LFT Chan 35 N30°11.63' W91°59.55' 263° 25.6 NM to fld. 36/3E.

HIWAS.

DAVID G. JOYCE (See WINNFIELD)

DELHI MUNI (ØM9) 3 S UTC-6(-5DT) N32°24.63' W91°29.91'

MEMPHIS

91 B NOTAM FILE DRI

L-18F

RWY 18-36: H3000X75 (ASPH) S-5 MIRL


RWY 18: Road. RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 4' fence 123' from centerline on both sides of rwy. Rwy 18-36 cracked with grass in cracks. Pilot controlled lg'tg OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01' W92°02.16' 100° 28.0 NM to fld. 80/3E. HIWAS.



DE QUINCY INDUSTRIAL AIRPARK (5R8) 2 SW UTC-6(-5DT) N30°26.47' W93°28.41'

HOUSTON

81 B NOTAM FILE DRI

H-7D, L-21B, 22E

RWY 15-33: H5000X75 (ASPH) S-18 MIRL

IAP

RWY 15: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Unattended. MIRL Rwy 15-33 and REIL Rwy 15 and Rwy 33 preset low ints dusk-dawn, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


Ⓡ LAKE CHARLES APP/DEP CON 119.35 (1200-0400Z‡)

Ⓡ HOUSTON CENTER APP/DEP CON 124.7 (0400-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.

LAKE CHARLES (H) VORTACW 113.4 LCH Chan 81 N30°08.49' W93°06.33' 306° 26.2 NM to fld. 20/7E.

NDB(MHW) 410 DQU N30°26.13' W93°28.01' at fld. NOTAM FILE DRI.



DE RIDDER**BEAUREGARD RGNL** (DRI) 3 SW UTC-6(-5DT) N30°49.90' W93°20.40'**HOUSTON**

202 B FUEL 100LL, JET A TPA-1202(1000) NOTAM FILE DRI

H-6I, L-21B, 22E

RWY 18-36: H5495X100 (ASPH-CONC-AFSC) S-60 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.15° TCH 33'. Trees.

RWY 36: ODALS. REIL. PAPI(P2L)—GA 3.0° TCH 27'. Trees.

RWY 14-32: H4220X60 (ASPH)

RWY 14: Thld dspcd 441'. Trees.

RWY 32: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1330-2330Z±, Sat, Sun and hol 1300-2300Z±. For attendant other times call 337-375-4672.

Fuel avbl 24 hrs self svc with credit card. Rwy 36 ODALS OTS indef. REIL Rwy 18 and Rwy 36 OTS indef. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.225 (337) 463-8278.**COMMUNICATIONS:** CTAF/UNICOM 122.8

DE RIDDER RCO 122.2 (DE RIDDER RADIO)

® POLK APP/DEP CON 123.7

RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.

LAKE CHARLES (H) VORTACW 113.4 LCH Chan 81 N30°08.49'


W93°06.33' 337° 43.1 NM to fld. 20/7E.

NDB (MHW) 385 DXB N30°45.13' W93°20.08'

353° 4.8 NM to fld. NOTAM FILE DRI. Unmonitored 0100-1300Z±.

ILS 111.1 I-DRI Rwy 36. LOC only. LOC unmonitored 0100-1300Z±.

ASR

**DE RIDDER** N30°49.90' W93°20.40'**HOUSTON**

RCO 122.2 (DE RIDDER RADIO)

L-21B, 22E

DOWNTOWN N32°32.39' W93°44.48' NOTAM FILE DTN.**MEMPHIS**

(T) VORW 108.6 DTN at Shreveport Downtown.

L-17E

VOR unusable:

070°-100° beyond 10 NM below 7,000'.

246°-265° beyond 11 NM below 4,500'

180°-245° beyond 17 NM below 2,500'.

266°-280° beyond 23 NM below 2,500'

DRISKILL MOUNTAIN N32°25.19' W92°53.81'**MEMPHIS**

RCO 122.35 (DE RIDDER RADIO)

L-17E

DURALDE N30°33.59' W92°26.88' NOTAM FILE DRI.**HOUSTON**

NDB (MHW) 263 EGY 164° 5.7 NM to Eunice

H-7D, L-21B, 22E

ELM GROVE N32°24.01' W93°35.71'. NOTAM FILE DRI.**MEMPHIS**

(L) VORTAC 111.2 EMG Chan 49 324° 7.0 NM to Barksdale AFB. 160/7E. HIWAS.

H-6I, L-17E

TACAN unusable byd 30 NM blo 2,000'.

ESLER N31°21.50' W92°17.77' NOTAM FILE ESF.**HOUSTON**

RCO 122.55 (DE RIDDER RADIO)

H-6I, L-22E

ESLER RGNL (See ALEXANDRIA)**EUGENE ISLAND** N28°15.00' W91°47.00'**HOUSTON**

RCO 122.55 (DE RIDDER RADIO)

L-21B

EUNICE (4R7) 2 S UTC-6(-5DT) N30°27.98' W92°25.43'

42 B S2 FUEL 100LL, JET A, MOGAS NOTAM FILE DRI

RWY 16-34: H5001X75 (ASPH) S-21 MIRL

RWY 16: REIL, PAPI(P2L)—GA 3.0° TCH 52'. Trees.

RWY 34: REIL, PAPI(P2L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat and Sun on call. For fuel after hours call 337-457-6585. MIRL Rwy 16-34 and REIL Rwy 16 and Rwy 34 preset low ints dusk to dawn, to incrs ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® LAFAYETTE APP/DEP CON 128.7 (1030-0530Z‡)

HOUSTON CENTER APP/DEP CON 126.35 (0530-1030Z‡)

GCO 135.075 (LAFAYETTE APCH and DE RITTER AFSS)


RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.

LAFAYETTE (L) VORTACW 109.8 LFT Chan 35 N30°11.63'

W91°59.55' 303° 27.7 NM to fld. 36/3E. HIWAS.

DURALDE NDB (MHW) 263 EGY N30°33.59' W92°26.89' 164°
5.7 NM to fld. NOTAM FILE DRI.

HOUSTON
H-7D, L-21B, 22E
IAP



FALSE RIVER RGNL (See NEW ROADS)

FARMERVILLE

UNION PARISH (F87) 4 SE UTC-6(-5DT) N32°43.50' W92°20.23'

MEMPHIS

121 B FUEL 100LL NOTAM FILE DRI

RWY 16-34: H2997X70 (ASPH) S-8 MIRL

RWY 16: SAVASI(V2L)—GA 5.5°TCH 31'. Thld dspld 130'. Trees.

RWY 34: REIL, SAVASI(V2L)—GA 4.5°TCH 25'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Rwy 16-34 CLOSED to acft over 12,500 lbs. Rwy 16 SAVASI OTS indef. Rwy 34 SAVASI OTS indef. MIRL Rwy 16-34 preset low ints, to incrs intst and ACTIVATE REIL Rwy 34—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

FLORENVILLE N30°24.94' W89°49.20'. NOTAM FILE ASD.

NEW ORLEANS
L-21B, 22F, G

NDB (MHW) 371 FNA 178° 4.2 NM to Slidell.

FORT POLK (See POLK AAF)

FRANKLINTON (2R7) 3 SE UTC-6(-5DT) N30°49.17' W90°06.75'

NEW ORLEANS
L-21B, 22F

175 B NOTAM FILE DRI

RWY 13-31: H3000X75 (ASPH) S-20 MIRL

RWY 13: REIL, PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 31: REIL, PAPI(P2L)—GA 3.0° TCH 50'. Trees.


AIRPORT REMARKS: Unattended. MIRL Rwy 13-31, REIL Rwy 13 and Rwy 31 preset low ints, to incrs ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

PICAYUNE (L) VORTAC 112.2 PCU Chan 59 N30°33.67'

W89°43.83' 303° 25.1 NM to fld. 70/5E.



GALLIANO

SOUTH LAFORCHE LEONARD MILLER JR. (GAO) 1E UTC-6(-5DT) N29°26.47' W90°15.67' NEW ORLEANS
 1 B FUEL 100LL, JET A1+ NOTAM FILE DRI H-7E, L-21B, 22F
 RWY 18-36: H6502X100 (ASPH) S-60, D-75 MIRL IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 50'.

AIRPORT REMARKS: Attended continuously. Self svc fuel avbl 24 hrs with credit card. PAEW on and invof arpt. REIL Rwy 18 OTS indef. REIL Rwy 36 OTS indef. MIRL Rwy 18-36 and REIL Rwy 18 and Rwy 36 preset low intensity dusk to dawn, to increase intensity
 ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (985) 475-5178.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ NEW ORLEANS APP/DEP CON 123.85

GCO 135.075 (DE RIDDER FSS)


RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

LEEVILLE (H) VORTAC 113.5 LEV Chan 82 N29°10.51'

W90°06.24' 331° 17.9 NM to fld. 02/2E.

• • • • •

HELIPAD H1: H60X60 (CONC)



GATOR N31°01.70' W93°11.09' NOTAM FILE DRI.
 NDB (MHW) 359 GUV 336° 1.1 to Polk AAF.

HOUSTON
 L-21B, 22E

GEORGE R CARR MEM AIR FLD (See BOGALUSA)

GONZALES

LOUISIANA RGNL (L38) 2 S UTC-6(-5DT) N30°10.36' W90°56.44'

NEW ORLEANS
 L-21B, 22F
 IAP

14 B S2 FUEL 100LL, JET A NOTAM FILE DRI

RWY 17-35: H3998X99 (ASPH) S-30, D-60 MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z±. Other times call 225-647-4568. 100LL avbl self service with credit card. PAEW on arpt. MIRL Rwy 17-35 and REIL Rwy 17 and Rwy 35 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

GCO 135.075 (BATON ROUGE App and DE RIDDER FSS)


Ⓡ BATON ROUGE APP/DEP CON 126.5 (1100-0600Z±)

HOUSTON CENTER APP/DEP CON 126.35 (0600-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE BTR.

BATON ROUGE (L) VORTACW 116.5 BTR Chan 112 N30°29.11'

W91°17.64' 129° 26.2 NM to fld. 20/6E.



HAMMOND NORTHSORE RGNL (HDC) 3 NE UTC-6(-5DT) N30°31.30' W90°25.10'

NEW ORLEANS

47 B S4 FUEL 100LL, JET A TPA-1003(956) NOTAM FILE DRI

H-7D, L-21B, 22F

RWY 13-31: H6502X100 (ASPH-CONC) S-22, D-33 MIRL

IAP

RWY 13: REIL. PAPI(P4L)—GA 3.30° TCH 50'. Trees.

RWY 31: REIL. PAPI(P4L)—GA 3.30° TCH 50'. Thld dspld 690'.
Trees.

RWY 18-36: H5001X150 (CONC) S-27, D-41 MIRL

RWY 18: MALSR. REIL. PAPI (P4L)—GA 3.0° TCH 52'.

RWY 36: REIL. PAPI (P4L)—GA 3.0° TCH 52'.

AIRPORT REMARKS: Attended Mon-Fri 1200-0200Z†, Sat-Sun

1400-0000Z†. Self service fuel avbl 24 hrs with credit card on west ramp. Full svc avbl on southeast ramp. Birds, deer and coyotes on and invof arpt. Ultralight activity on and invof arpt. Transient parking and military and government acft serviced at Southeast apron at the FBO. Unmarked N-S Twy adjacent Rwy 18-36 clsd to acft over 80,000 lbs. Rwy 18-36 all safety areas NSTD. Electronic equipment, open ditches and erosion within safety area AER 36. MIRL Rwy 13-31 and Rwy 18-36, REIL Rwy 13, Rwy 31 and Rwy 36 preset low ints dusk-dawn, to incr ints and ACTIVATE MALSR Rwy 18—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.325 (985) 542-3433.**COMMUNICATIONS:** CTAF/UNICOM 122.7® **NEW ORLEANS APP/DEP CON** 119.3 125.5**RADIO AIDS TO NAVIGATION:** NOTAM FILE MSY.

RESERVE (L) VORW/DME 110.8 RQR Chan 45 N30°05.25' W90°35.32' 017° 27.5 NM to fld. 5/2E.

(T) VORW 109.6 HMU N30°31.17' W90°25.05' at fld. NOTAM FILE DRI.

ANGER NDB (LOM) 212 HP N30°36.38' W90°25.27' 174° 5.1 NM to fld. Unmonitored.

ILS 111.5 I-HPF Rwy 18. LOM ANGER NDB. ILS unmonitored weekends, unmonitored Mon-Fri 2300-1400Z†.

**HARRY P. WILLIAMS MEM** (See PATTERSON)**HART** (See MANY)**HARVEY** N29°51.01' W90°00.18' NOTAM FILE NEW.

NEW ORLEANS

(H) VORTACW 114.1 HRV Chan 88 220° 1.8NM to New Orleans NAS JRB

H-7E, 8F, L-21B, 22F

(Alvin Callender Fld.). 0/2E.

VORTAC unusable:

360°-235° byd 30 NM blo 2,000'

247°-359° byd 30 NM blo 2,000'

236°-246° byd 20 NM blo 2,000'

HODGE N32°12.08' W92°43.56'. NOTAM FILE DRI.

MEMPHIS

NDB (MHW) 256 JBL at Jonesboro. Unmonitored. Unusable 350°-005° byd 10 NM.

L-17E

HOMER MUNI (5F4) 3 E UTC-6(-5DT) N32°47.31' W93°00.22'

244 B NOTAM FILE DRI

RWY 12-30: H3199X60 (ASPH) S-12 MIRL 0.5% up NW

RWY 12: Trees. **RWY 30:** Trees.

AIRPORT REMARKS: Unattended. Rwy 12-30 MIRL OTS indef. Rotating bcn OTS indef. Windsock lgt OTS indef. ACTIVATE MIRL Rwy 12-30-122.8.


COMMUNICATIONS: CTAF 122.9

① **SHREVEPORT APP/DEP CON** 118.6 (1200-0600Z±) 121.4 (0600-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28' W93°48.60' 081° 40.8 NM to fld. 190/7E.

NDB (MHW) 212 HMQ N32°47.41' W93°00.04' at fld. NOTAM FILE DRI.



MEMPHIS
L-17E
IAP

HOUMA N29°20.23' W90°38.71'

RCO 122.45 (DE RIDDER RADIO)

HOUSTON
L-22F

HOUMA-TERREBONNE (HUM) 3 SE UTC-6(-5DT) N29°33.99' W90°39.63'

10 B S4 **FUEL** 100LL, JET A OX 1, 2, 3, 4 TPA-1010(1000) NOTAM FILE HUM

RWY 18-36: H6508X150 (CONC-GRVD) S-50, D-70, DT-137 HIRL

RWY 18: MALSR. PAPI(P2L). Trees.

RWY 36: REIL. PAPI(P2L). Trees.

RWY 12-30: H4999X200 (CONC) S-50, D-70, DT-137 HIRL

RWY 12: REIL. PAPI(P2L). Trees.

RWY 30: REIL. PAPI(P2L). Trees.

AIRPORT REMARKS: Attended 1200-0100Z±. Birds on and invof arpt. Numerous birds 500' AGL and blo 2.8 NM south southwest AER 36, avoidance advised. Extensive helicopter ops south thru west of arpt. Rwy 12-30 surface skid resistance fair when wet. Rwy 36 PAPI and REIL OTS indef. ACTIVATE HIRL Rwy 12-30 and Rwy 18-36 and MALSR Rwy 18 and REIL Rwy 12, Rwy 30 and Rwy 36-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.25 (985) 876-4055. LAWRS.

COMMUNICATIONS: CTAF 125.3 ATIS 120.25 UNICOM 122.95

① **NEW ORLEANS APP/DEP CON** 118.9

TOWER 125.3 (1200-0100Z±) **GND CON** 121.8

AIRSPACE: CLASS D svc 1200-0100Z± other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

TIBBY (L) VORTAC 112.0 TBD Chan 57 N29°39.86'

W90°49.75' 122° 10.6 NM to fld. 10/2E.

NDB (LOM) 219 HU N29°39.80' W90°39.58' 178° 5.8 NM to fld. LOM unmonitored.

ILS 108.5 I-HUM Rwy 18. LOM HOUMA NDB. LOM unmonitored.



NEW ORLEANS
H-7D, L-21B, 22F
IAP, AD

IDA'S HELIPORT (L87) 0 N UTC-6(-5DT) N33°00.26' W93°53.59'

286 NOTAM FILE DRI

HELIPAD H1: H40X40 (CONC)

HELIPORT REMARKS: Attended continuously. Helipad H1 perimeter lghts. Helipad H1 100' water twr 300' E and 149' radio twr 500' S of pad. For perimeter lghts call 318-284-3273. Helipad H1 apch-departure 30°-210°.

COMMUNICATIONS: CTAF 122.9

MEMPHIS

JEANERETTE**LE MAIRE MEM** (2R1) 1 S UTC-6(-5DT) N29°53.95' W91°39.96'**HOUSTON**
L-21B, 22F


14 B FUEL 100LL NOTAM FILE DRI

RWY 04-22: H3000X75 (ASPH) S-6 MIRL**RWY 04:** Trees. **RWY 22:** Thld displcd 603'. Trees.**AIRPORT REMARKS:** Unattended. Fuel self svc with credit card. MIRL Rwy 04-22 preset low ints dusk to dawn, to incr ints ACTIVATE-CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE LFT.**LAFAYETTE (L) VORTACW** 109.8 LFT Chan 35 N30°11.63' W91°59.55' 133° 24.5 NM to fld. 36/3E.
HIWAS.**JENA** (1R1) 2 SW UTC-6(-5DT) N31°40.04' W92°09.45'**HOUSTON**
L-22E

212 B NOTAM FILE DRI

RWY 17-35: H3805X75 (ASPH) S-12 MIRL**RWY 17:** SAVASI(S2L)—GA 4.0° TCH 21'. Trees. **RWY 35:** REIL. SAVASI(S2L)—GA 4.6° TCH 26'. Trees.**AIRPORT REMARKS:** Unattended. Rwy 35 REIL OTS indef. Rwy 17 SAVASI OTS indef. Rwy 35 SAVASI OTS indef. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 17-35 and REIL Rwy 35—122.8.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE AEX.**ALEXANDRIA (H) VORTACW** 116.1 AEX Chan 108 N31°15.40' W92°30.06' 033° 30.2 NM to fld. 80/3E. **HIWAS.****JENNINGS** (3R7) 1 NW UTC-6(-5DT) N30°14.56' W92°40.41'**HOUSTON**
H-7D, L-21B, 22E
IAP

23 B FUEL 100LL, JET A NOTAM FILE DRI

RWY 08-26: H5002X75 (ASPH) S-12 MIRL**RWY 08:** REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.**RWY 26:** REIL. PAPI(P2L)—GA 3.0° TCH 50'. Pole. Rgt tfc.**RWY 13-31:** H3601X75 (ASPH) S-12 MIRL**RWY 13:** REIL. PAPI(P2L)—GA 3.0° TCH 50'. Rgt tfc.**RWY 31:** REIL. PAPI(P2L)—GA 3.0° TCH 50'. Thld displcd 588'. Trees.**RWY 17-35:** 1977X150 (TURF)**RWY 17:** Pole. Rgt tfc. **RWY 35:** P-line.**AIRPORT REMARKS:** Attended Mon-Fri 1200-2200Z†. Self svc fuel avbl after hrs with credit card. Ultralight activity invof arpt. Numerous agricultural acft invof arpt. Rwy 17-35 and thlds outlined with orange cones. 20' unlgtd tower 150' from approach end Rwy 35. MIRL Rwy 08-26 and Rwy 13-31, REIL Rwy 8, Rwy 26, Rwy 13 and Rwy 31 preset low ints dusk to dawn, to increase ints ACTIVATE. NOTE: See Special Notices Section—Aerobatic Practice Area.**COMMUNICATIONS:** CTAF/UNICOM 122.8① **LAKE CHARLES APP/DEP CON** 119.8 (1200-0400Z†)① **HOUSTON CENTER APP/DEP CON** 124.7 (0400-1200Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE LCH.**LAKE CHARLES (H) VORTACW** 113.4 LCH Chan 81 N30°08.49' W93°06.33' 068° 23.3 NM to fld. 20/7E.**JOHN H HOOKS JR MEM** (See RAYVILLE)

JONESBORO (F88) 3 S UTC-6(-5DT) N32°12.12' W92°43.98'

256 B NOTAM FILE DRI

RWY 17-35: H3203X75 (ASPH) S-28 MIRL

RWY 17: REIL. SAVASI(S2L)—GA 3.5° TCH 20'.


RWY 35: SAVASI(S2L)—GA 3.5° TCH 20'.

AIRPORT REMARKS: Unattended. Deer and wildlife on and in/ov arpt.
 Lighted wind tee midfield. Rwy 35 SAVASI OTS indef. MIRL Rwy
 17-35 preset low ints, to increase ints and ACTIVATE REIL Rwy
 17-122.8.

COMMUNICATIONS: CTAF 122.9④ **MONROE APP/DEP CON** 126.9 (1200-0400Z†)④ **FORT WORTH CENTER APP/DEP CON** 126.325 (0400-1200Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLU.**MONROE (L) VORTACW** 117.2 MLU Chan 119 N32°31.01'W92°02.16' 239° 40.1 NM to fld. 80/3E. **HIWAS.****HODGE NDB (MHW)** 256 JBL N32°12.08' W92°43.56' at fld.NOTAM FILE DRI. Unmonitored. Unusable 350°-005° byd 10
NM.**MEMPHIS**

L-17E

IAP

**JONESVILLE** (L32) 0 W UTC-6(-5DT) N31°37.22' W91°50.06'

56 B FUEL 100LL NOTAM FILE DRI

RWY 06-24: H3000X75 (ASPH) S-16 MIRL

RWY 06: SAVASI(S2L)—GA 4.0° TCH 20'. Trees.

RWY 24: SAVASI(S2L)—GA 4.0° TCH 20'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z†. Rwy 24 SAVASI OTS indef. Rwy 06 SAVASI OTS indef. MIRL Rwy
 06-24 preset low ints dusk to dawn, to incr ints ACTIVATE—122.8.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE AEX.**ALEXANDRIA (H) VORTACW** 116.1 AEX Chan 108 N31°15.40' W92°30.06' 054° 40.5 NM to fld.80/3E. **HIWAS.****HOUSTON**

L-22E

KEITHVILLE**BLUEBIRD HILL** (5F5) 2 NE UTC-6(-5DT) N32°20.68' W93°47.99'

180 B S2 NOTAM FILE DRI

RWY 18-36: 3000X40 (ASPH-TURF) LIRL

RWY 18: Thld dsplcd 430'. Trees.

RWY 36: Thld dsplcd 850'. Trees.

AIRPORT REMARKS: Attended continuously. For LIRL Rwy 18-36 call 318-925-2302. First 430' Rwy 18 paved. Rwy
 18-36 very unlevel grade full length; rwy ends stop at 50' trees. Rwy 18-36 dsplcd thld marked with one orange
 cone on each side. For rotating bcn call 318-925-2302.

COMMUNICATIONS: CTAF 122.9**MEMPHIS****KELLY** (See OAK GROVE)**KEYLI** N30°11.58' W93°15.79' NOTAM FILE LCH.**NDB (LOM)** 353 LC 150° 4.5 NM to Lake Charles Rgnl. Unmonitored when twr closed.**HOUSTON****KIBS AIR PARK** (See BRISTOL)**KINTE** N30°01.51' W90°23.99' NOTAM FILE MSY.**NDB (HW/LOM)** 338 MS 102° 7.6 NM to Louis Armstrong New Orleans Intl.**NEW ORLEANS**

H-70, L-21B, 22F

LAFAYETTE RGNL (LFT) 2 SE UTC-6(-5DT) N30°12.32' W91°59.26'

HOUSTON

42 B S4 **FUEL** 100LL, JET A OX 1, 4 Class I, ARFF Index B NOTAM FILE LFT

H-7D, L-21B, 22E

Rwy 04R-22L: H7651X150 (ASPH-GRVD) S-140, D-170, DT-290 HIRL

IAP, AD

Rwy 04R: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Pole. Rgt tfc.

Rwy 22L: MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Trees.

Rwy 11-29: H5400X148 (ASPH-GRVD) S-85, D-110, DT-175 MIRL

Rwy 11: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees. Rgt tfc.

Rwy 29: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Tree.

Rwy 04L-22R: H4099X75 (ASPH) S-25, D-32 MIRL

Rwy 04L: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Tree.

Rwy 22R: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Tree. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

Rwy 04R: TORA-7651 TODA-7651 ASDA-7651 LDA-7651

Rwy 22L: TORA-7651 TODA-7651 ASDA-7651 LDA-7651

Rwy 04L: TORA-4099 TODA-4099 ASDA-4099 LDA-4099

Rwy 22R: TORA-4099 TODA-4099 ASDA-4099 LDA-4099

Rwy 11: TORA-5400 TODA-5400 ASDA-5400 LDA-5400

Rwy 29: TORA-5400 TODA-5400 ASDA-5400 LDA-5400

AIRPORT REMARKS: Attended continuously. Numerous birds on and in/ovt arpt. PPR for unscheduled air carrier ops with more than 30 passenger seats 0430-1200Z† call arpt manager

337-266-4400; for emergencies between 0430-1200Z† use frequency 121.5. Rwy 04L-22R not avbl for air carrier ops with more than 30 passenger seats. Ctc ground control prior to push back from terminal. 155' oil rig 1 NM southeast of arpt. Rwy 22L runway visual range touchdown avbl. Twy B between Twy C and Twy D clsd to acft with wingspan over 80'. Twy F south of Twy B clsd to single wheel acft over 25,000 lbs and dual wheel acft over 32,000 lbs. Twy F south of Twy B reduces to 40' wide. When twr clsd ACTIVATE MALSR Rwy 22L—CTAF, MRL Rwy 04L-22R not avbl.

WEATHER DATA SOURCES: ASOS (337) 237-8153. HIWAS 109.8 LFT.

COMMUNICATIONS: CTAF 118.5 ATIS 134.05 UNICOM 122.95

RCO 122.35 (DE RIDDER RADIO)

® APP/DEP CON 121.1 (020°-210°) 128.7 (211°-019°) (1130-0430Z†)

HOUSTON CENTER APP/DEP CON 126.35 (0430-1130Z†)

TOWER 118.5 (1130-0430Z†) GND CON 121.8 CLNC DEL 125.55

AIRSPACE: CLASS C svc 1130-0430Z† other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.

(L) VORTACW 109.8 LFT Chan 35 N30°11.63' W91°59.55' at fld. 36/3E. HIWAS.

LAFFS NDB (LOM) 375 LF N30°17.36' W91°54.48' 216° 6.5 NM to fld.

ILS/DME 109.5 I-LFT Chan 32 Rwy 22L. Class IE. LOM LAFFS NDB.


ILS/DME 110.9 I-TYN Chan 46 Rwy 04R. Class IE.

ASR (1130-0430Z†)

.....

HELIPAD H1: H50X50 (ASPH) LDIN

HELIPORT REMARKS: Rwy H1 circular pad. Helipad H1 perimeter lgts. Heliport ops to/from helipad between Twys B and F and the terminal ramp, avoid overflight of the terminal and other buildings in the 270°-020° quadrant from the helipad. Lead-in lgts two ingress paths. Helicopter parking pads avbl.



LAFFS N30°17.36' W91°54.48' NOTAM FILE LFT.

HOUSTON

NDB (LOM) 375 LF 216° 6.5 NM to Lafayette Rgnl.


L-21B, 22E

LAKE CHARLES**CHENNAULT INTL** (CWF) 4 E UTC-6(-5DT) N30°12.65' W93°08.59'

17 B FUEL 100LL, JET A+ OX 4 TPA-1500(1483) ARFF Index—See Remarks

HOUSTON

NOTAM FILE CWF

H-7D, L-21B, 22E
IAP, AD**RWY 15-33:** H10701X200 (CONC) S-75, D-200, DT-320,
DDT-750 HIRL**RWY 15:** MALSR. PAPI(P4L)—GA 3.0° TCH 53'.**RWY 33:** REIL. PAPI(P4L)—GA 3.0° TCH 53'. Tree. Rgt tfc.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 15:** TORA-10701 TODA-10701 ASDA-10701 LDA-10701**RWY 33:** TORA-10701 TODA-10701 ASDA-10701 LDA-10701**AIRPORT REMARKS:** Attended Mon-Fri 1230-0230Z† Sat-Sun
1300-0200Z†. After hrs call 337-433-7766. For fuel call
337-436-4877. Birds on and in vof arpt. Occasional heavy jet acft
on and in vof arpt. Class IV, ARFF Index A. 6 hr PPR for air carrier
ops with more than 30 passenger seats, call arpt manager
337-491-9961. Index E available with 24 hours notice, call arpt
manager 337-491-9961. When twr clsd ACTIVATE HIRL Rwy
15-33, MALSR Rwy 15 and REIL Rwy 33—CTAF.**WEATHER DATA SOURCES:** AWOS-3 120.0 (337) 436-3452. LAWRS.**COMMUNICATIONS:** CTAF 124.2 ATIS 120.0 UNICOM 122.95Ⓡ **LAKE CHARLES APP/DEP CON** 119.8 (1200-0400Z†)Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400-1200Z†)**TOWER** 124.2 (1200-0400Z†) **GND CON** 121.65**AIRSPACE:** CLASS D svc 1200-0400Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LCH.**LAKE CHARLES (H) VORTACW** 113.4 LCH Chan 81 N30°08.49' W93°06.33' 328° 4.6 NM to fld. 20/7E.**MOSSY NDB (LOM)** 418 CW N30°18.40' W93°11.77' 150° 6.4 NM to fld.**ILS 110.7 I-CWF** Rwy 15. Class IE. LOM MOSSY NDB. ILS unmonitored when twr clsd.**ASR** (1200-0400Z†)

LAKE CHARLES RGNL (LCH) 5 S UTC-6(-5DT) N30°07.57' W93°13.41'

HOUSTON

15 B S4 FUEL 100LL, JET A+ LRA ARFF Index See remarks NOTAM FILE LCH

H-7D, L-21B, 22E

RWY 15-33: H6500X150 (CONC-GRVD) S-100, D-145, DT-260 HIRL

IAP, AD

RWY 15: MALSR. PAPI(P4L)—GA 3.0° TCH 54'. Pole. Rgt tfc.

RWY 33: ODALS. VASI(V4L)—GA 3.0° TCH 50'.

RWY 05-23: H5200X100 (ASPH) S-70, D-90, DT-140 MIRL

RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 48'. Tree.

RWY 23: REIL. VASI(V4L)—GA 3.0° TCH 47'. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-5200 TODA-5200 ASDA-5200 LDA-5200

RWY 23: TORA-5200 TODA-5200 ASDA-5200 LDA-5200

RWY 15: TORA-6500 TODA-6500 ASDA-6500 LDA-6500

RWY 33: TORA-6500 TODA-6500 ASDA-6500 LDA-6500

AIRPORT REMARKS: Attended 1100-0430Z†. Birds on and in vicinity of arpt. Use extreme care construction on terminal ramp. PPR 8 hours for unscheduled air carrier ops, Class I, ARFF Index B svc available on request Mon-Fri 1400-2230Z† except holidays call arpt manager 337-477-6051 ext 0. ARFF Index A avbl during air carrier ops. Control twr blind spot on Taxiway J. Rwy 33 ODALS OTS indef. When twr clsd ACTIVATE MALSR Rwy 15, ODALS Rwy 33 and HIRL Rwy 15-33 and VASI Rwy 33—CTAF. MIRL Rwy 05-23 and VASI 23 off when twr closed. Rwy 15-33 south 900' grooved. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (337) 477-3371. LAWRS.**COMMUNICATIONS:** CTAF 120.7 ATIS 118.75 UNICOM 122.95

RCO 122.3 (DE RIDDER RADIO)

Ⓡ APP/DEP CON 119.35 (West) 119.8 (East) 119.75 (Offshore helicopter opr) (1200-0400Z†) 119.75 OTS indef.

Ⓡ HOUSTON CENTER APP/DEP CON 124.7 (0400-1200Z†)

TOWER 120.7 (1200-0400Z†) GND CON 121.8 CLNC DEL 126.25

AIRSPACE: CLASS D svc 1200-0400Z† other times CLASS E.

TRSA svc ctc APP CON within 30 NM.


RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.

(H) VORTACW 113.4 LCH Chan 81 N30°08.49' W93°06.33' 254° 6.2 NM to fld. 20/7E.

KEYLI NDB (LOM) 353 LC N30°11.58' W93°15.79' 150° 4.5 NM to fld. Unmonitored when twr closed.

ILS/DME 109.1 I-LCH Chan 28 Rwy 15. LOM KEYLI NDB. ILS unmonitored when twr closed.

ASR (1200-0400Z†)

**LAKEFRONT** (See NEW ORLEANS)**LAKE PROVIDENCE** N32°49.84' W91°11.41' NOTAM FILE DRI.

MEMPHIS

NDB (MHW) 278 BLE at Byerley. OTS indef. SHUTDOWN.

L-18F

LAKE PROVIDENCE**BYERLEY** (ØM8) 2 N UTC-6(-5DT) N32°49.55' W91°11.26'

MEMPHIS

106 B NOTAM FILE DRI

L-18F

RWY 17-35: H3196X75 (ASPH) S-4 MIRL

IAP

RWY 17: REIL. Thld dspcd 175'. Road.

RWY 35: SAVASI(S2L)—GA 3.6° TCH 18'. Thld dspcd 530'. Tree.

AIRPORT REMARKS: Unattended. Rwy 17 dspcd thld markings NSTD, no arrows or chevrons. Rwy 35 dspcd thld markings incomplete—no arrows/chevrons. No hold short line east side of Rwy 35. Dspcd thld lgts OTS indef. Rwy 17-35 MIRL OTS indef. REIL Rwy 17 OTS indef. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

Ⓡ MEMPHIS CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.

GREENVILLE (I) VOR/DME 110.2 GLH Chan 39 N33°31.41' W90°58.98' 190° 43.0 NM to fld. 130/4E.

LAKE PROVIDENCE NDB (MHW) 278 BLE N32°49.84' W91°11.41' at fld. NOTAM FILE DRI. OTS indef.

SHUTDOWN.

LEESVILLE (L39) 4 W UTC-6(-5DT) N31°10.09' W93°20.55'

282 B FUEL 100LL, JET A NOTAM FILE DRI

RWY 18-36: H3807X75 (ASPH) S-12 MIRL 0.4% up N

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Tree.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Tree.

AIRPORT REMARKS: Attended 1400-2200Z. 100LL self service with credit card. Wildlife on and invof arpt. 15 ft terrain drop E side of Rwy 18-36. Rwy 18-36 W side 10-15 ft rise 120 ft off centerline full length. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ POLK APP/DEP CON 123.7

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40'


W92°30.06' 260° 43.6 NM to fld. 80/3E. HIWAS.

NDB (MHW) 247 VED N31°06.14' W93°20.52' 356° 3.9 NM to fld. NOTAM FILE DRI. Monitored dalgt hrs only.

HOUSTON

L-21B, 22E

IAP



LEEVILLE N29°10.51' W90°06.24' NOTAM FILE DRI.

(H) VORTAC 113.5 LEV Chan 82 331° 17.9 NM to South LaFourche Leonard Miller Jr. 02/2E.

RCO 122.1R 113.5T (DE RIDDER RADIO)

NEW ORLEANS

H-7E, 8F, L-21B, 22E

LE GROS MEM (See CROWLEY)

LE MAIRE MEM (See JEANERETTE)

LOUIS ARMSTRONG NEW ORLEANS INTL (See NEW ORLEANS)

LOUISIANA RGNI (See GONZALES)

MANSFIELD

CE 'RUSTY' WILLIAMS (3F3) 3 NW UTC-6(-5DT) N32°04.41' W93°45.93'

324 B S4 FUEL 100LL, JET A NOTAM FILE DRI

RWY 18-36: H4500X100 (ASPH) S-12 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.5° TCH 58'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z, Sat-Sun irregularly. Parachute Jumping. Rwy 18-36 numerous cracks in rwy, surface rough. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ SHREVEPORT APP/DEP CON 119.9 (1200-0600Z) 121.4 (0600-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28'

W93°48.60' 170° 41.9 NM to fld. 190/7E.


MANSFIELD NDB (MHW) 414 MSD N32°03.86' W93°45.87'

at fld. NOTAM FILE DRI. Unmonitored.

MEMPHIS

L-17E

IAP



MANSFIELD N32°03.86' W93°45.87' NOTAM FILE DRI.


NDB (MHW) 414 MSD at CE 'Rusty' Williams. Unmonitored.

MEMPHIS

L-17E

MANY**HART** (3R4) 2 SW UTC-6(-5DT) N31°32.68' W93°29.16'**HOUSTON**319 B **FUEL** 100LL NOTAM FILE DRI**L-22E****RWY 12-30:** H4402X75 (ASPH) S-6 MIRL 0.3% up NW**IAP****RWY 12:** REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.**RWY 30:** REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.**RWY 01-19:** 1822X75 (TURF)**RWY 01:** Trees.**RWY 19:** Trees.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z+. Self svc fuel avbl after hrs with credit card. Rwy 01-19 CLOSED indef. MIRL Rwy 12-30, REIL Rwy 12 and Rwy 30 preset low ints dusk to dawn to incr ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **POLK APP/DEP CON** 123.7**GC0** 135.075 (POLK APCH and DE RIDDER FSS)**RADIO AIDS TO NAVIGATION:** NOTAM FILE AEX.**ALEXANDRIA (H) VORTACW** 116.1 AEX Chan 108 N31°15.40' W92°30.06' 286° 53.4 NM to fld.80/3E. **HIWAS.****MANY NDB (MHW)** 272 MMY N31°34.28' W93°32.49' 115° 3.3 NM to fld. NOTAM FILE DRI. SHUTDOWN.**MANY** N31°34.28' W93°32.49' NOTAM FILE DRI.**HOUSTON****NDB (MHW)** 272 MMY 115° 3.3 NM to Hart. SHUTDOWN.**L-17B****MANY** N31°33.81' W93°26.74'**HOUSTON****RC0** 122.15 (DE RIDDER RADIO)**L-22E****MARKSVILLE MUNI** (MKV) 1 S UTC-6(-5DT) N31°05.68' W92°04.14'**HOUSTON**79 B **FUEL** 100LL NOTAM FILE DRI**L-21B, 22E****RWY 04-22:** H3799X75 (ASPH) S-19 MIRL**IAP****RWY 04:** SAVASI(S2L)—GA 3.5° TCH 18'. Trees.**RWY 22:** SAVASI(S2L)—GA 3.5° TCH 18'. Trees.**AIRPORT REMARKS:** Attended Mon-Fri 1300-2000Z+. Fuel avbl 24 hrs with credit card. Rwy 04-22 CLOSED to acft 12,500 lbs and over. North ramp clsd to all traffic and parking indef. Rwy 04 SAVASI OTS indef. Rwy 22 SAVASI OTS indef. MIRL Rwy 04-22 preset low ints, to increase ints ACTIVATE—122.8.**COMMUNICATIONS:** CTAF 122.9Ⓡ **POLK APP/DEP CON** 125.4**RADIO AIDS TO NAVIGATION:** NOTAM FILE AEX.**ALEXANDRIA (H) VORTACW** 116.1 AEX Chan 108 N31°15.40'W92°30.04' 110° 24.3 NM to fld. 80/3E. **HIWAS.****NDB (MHW)** 347 MKV N31°05.68' W92°04.36' at fld.

NOTAM FILE DRI.

**MELVILLE****PETE ANTIE MUNI HELIPORT** (7L9) 0 N UTC-6(-5DT) N30°41.66' W91°44.78'**HOUSTON**

30 NOTAM FILE DRI

COPTER**HELIPAD H1:** H40X30 (CONC)**HELIPORT REMARKS:** Unattended. For perimeter lgts call 337-623-4226.**COMMUNICATIONS:** CTAF 122.9

MINDEN-WEBSTER (F24) 2 NW UTC-6(-5DT) N32°38.76' W93°17.89'

278 B FUEL 100LL, JET A+ TPA-1300 (1022) NOTAM FILE DRI

RWY 01-19: H5004X75 (ASPH) S-30, D-45 MRL 0.3% up S

RWY 01: REIL. PAPI(P2L)-GA 3.25° TCH 54'. Trees.

RWY 19: REIL. PAPI(P2L)-GA 3.15° TCH 54'. Trees.

AIRPORT REMARKS: Attended 1300-0000Z. MRL Rwy 01-19, REIL Rwy 01 and Rwy 19, preset low ints dusk to dawn, to incr ints ACTIVATE-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® **SHREVEPORT APP/DEP CON** 118.6 (1200-0600Z) 121.4 (0600-1200Z)


GCO 135.075 (SHREVEPORT APCH and DE RIDDER FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28' W93°48.60' 099° 27.0 NM to fld. 190/7E.

NDB (MHW) 201 MNE N32°38.45' W93°18.13' at fld. NOTAM FILE DRI. Unmonitored.

MEMPHIS
H-6I, L-17E
IAP



MOLLY RIDGE N32°24.55' W91°46.68' NOTAM FILE DRI.

NDB (MHW) 338 MRK 002° 4.6 NM to John H Hooks Jr Mem.

MEMPHIS
L-18F

MONROE RGNL (MLU) 3 E UTC-6(-5DT) N32°30.65' W92°02.26'

MEMPHIS

79 B S4 FUEL 100LL, JET A OX 1 Class I, ARFF Index B NOTAM FILE MLU

H-6J, L-18F

RWY 04-22: H7507X150 (ASPH) S-75, D-170, DT-290 HIRL

IAP, AD

RWY 04: MALSR. PAPI(P4L)—GA 3.0° TCH 50'.

RWY 22: MALSR. PAPI(P4L)—GA 3.0° TCH 54'.

RWY 18-36: H5001X150 (ASPH) S-60, D-75, DT-130

RWY 18: Trees.

RWY 36: Trees.

RWY 14-32: H5000X150 (ASPH) S-75, D-170, DT-290 MIRL

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 63'. Thld dsplcd 301'.

Trees.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 50'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-7507 TODA-7507 ASDA-7507 LDA-7507

RWY 22: TORA-7507 TODA-7507 ASDA-7507 LDA-7507

RWY 14: TORA-5000 TODA-5000 ASDA-5000 LDA-4699

RWY 32: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

RWY 18: TORA-5001 TODA-5001 ASDA-5001 LDA-5001

RWY 36: TORA-5001 TODA-5001 ASDA-5001 LDA-5001

AIRPORT REMARKS: Attended continuously. Rwy 18-36, Twys J, E,

between Rwy 18-36 and Rwy 04-22, and Twy A from Rwy 14 to

Twy C not avbl for air carrier ops with over 9 passenger seats. Rwy

04 runway visual range touchdown avbl. SW 6000' grvd ASPH.

Rwy 14-32 surface block cracking with grass over 90% of rwy surface.

Taxiway A clsd to acft over 12,500 lbs E of Rwy 18 to Taxiway C. Taxiway E clsd to aircraft with wing span over 90' East of Rwy 04-22. When twr closed ACTIVATE HIRL Rwy 04-22 MIRL Rwy 14-32, Twy lgts, MALSR

Rwy 04 and Rwy 22—CTAF, PAPI Rwy 04, Rwy 22, Rwy 14 and Rwy 32 operate continuously.

WEATHER DATA SOURCES: ASOS (318) 361-0684. HIWAS 117.2 MLU. LLWAS.

COMMUNICATIONS: CTAF 118.9 ATIS 125.05 UNICOM 122.95

RCO 122.25 (DE RIDDER RADIO)

Ⓡ APP/DEP CON 126.9 (180°-359°) 118.15 (360°-179°) (1200-0400Z‡)

Ⓡ FORT WORTH CENTER APP/DEP CON 126.325 (0400-1200Z‡)

TOWER 118.9 (1200-0400Z‡) GND CON 121.9 CLNC DEL 121.65

AIRSPACE: CLASS D svc 1200-0400Z‡ other times CLASS E.

TRSA svc ctc APP CON within 25 NM below 7000'.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.


(L) VORTACW 117.2 MLU Chan 119 N32°31.01' W92°02.16' at fld. 80/3E. HIWAS.

SABAR NDB (LOM) 392 ML N32°27.25' W92°06.25' 042° 4.8 NM to fld. Unmonitored when tower closed.

ILS 109.5 I-MLU Rwy 04. Class IT. LOM SABAR NDB Unmonitored when tower closed.

ILS 109.5 I-MZR Rwy 22. Class IT. Unmonitored when tower closed.

ASR (1130-0500Z‡)



MOREHOUSE MEM (See BASTROP)

MOSSY N30°18.40' W93°11.77'. NOTAM FILE CWF.

HOUSTON

NDB (LOM) 418 CW 150° 6.3 NM to Chennault Intl.

NATCHITOCHES RGNL (IER) 2 S UTC-6(-5DT) N31°44.14' W93°05.95'HOUSTON
H-6I, L-22E
IAP

121 B S4 FUEL 100LL, JET A1+ NOTAM FILE IER

RWY 17-35: H5003X150 (ASPH) S-30 MIRL

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 35: ODALS. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 07-25: H4000X100 (ASPH-AFSC) S-21 MIRL

RWY 07: Trees. RWY 25: Trees.

AIRPORT REMARKS: Attended dawn-dusk. For arpt attendant after hrs call 318-471-2106. Fuel avbl 24 hr with credit card. MIRL Rwy 17-35 and REIL Rwy 17 preset low ints dusk to dawn, to increase ints and ACTIVATE MIRL Rwy 07-25—CTAF. Rwy 35 ODALS operate low ints continuously, to increase ints ACTIVATE—CTAF.


WEATHER DATA SOURCES: AWOS-3 119.025 (318) 352-1575.**COMMUNICATIONS:** CTAF/UNICOM 122.8

① POLK APP/DEP CON 125.4

GCO 135.075 (FORT POLK APCH AND DE RIDDER FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.**ALEXANDRIA (H) VORTACW** 116.1 AEX Chan 108 N31°15.40'W92°30.06' 310° 42.0 NM to fld. 80/3E. **HIWAS.****NDB (MHW)** 407 OOC N31°39.45' W93°04.66' 343° 4.8 NM to fld. NOTAM FILE IER.**ILS** 110.5 I-IER Rwy 35. LOC only. LOC unmonitored

0000-1200Z†.

**NEW IBERIA****ACADIANA RGNL** (ARA) 4 NW UTC-6(-5DT) N30°02.27' W91°53.03'HOUSTON
H-7D, L-21B, 22E
IAP, AD

24 B S2 FUEL 100LL, JET A OX 4 TPA-1024(1000) Class IV, ARFF Index A

NOTAM FILE ARA

RWY 16-34: H8002X200 (CONC) D-105, DT-163, DDT-400 HIRL

RWY 16: ODALS. PAPI(P4L)—GA 3.0° TCH 50'.

RWY 34: MALSR. PAPI(P4L)—GA 3.0° TCH 50'. Rgt ttc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 16: TORA-8002 TODA-8002 ASDA-8002 LDA-8002

RWY 34: TORA-8002 TODA-8002 ASDA-8002 LDA-8002

AIRPORT REMARKS: Attended 1300-0300Z†. For fuel after hrs call 337-367-1401, FAX 337-367-1404. CAUTION—seaplane landing area (water channel) West of and adjacent/parallel to runway. Rwy 16W-34W seaway edge lgts green; thld lgts amber. Bird activity invof arpt. ARFF PPR for more than 30 passenger seats call arpt manager 337-365-7202. Rotor wing movement and landing area between the rwy and seaway. Intensive helicopter training. When twr closed HIRL Rwy 16-34 preset low ints, to increase ints and ACTIVATE MALSR Rwy 34—CTAF.

WEATHER DATA SOURCES: ASOS 133.325 (337) 365-0128.**COMMUNICATIONS:** CTAF 125.0 UNICOM 122.95

① LAFAYETTE APP/DEP CON 121.1 (1030-0530Z†) LAFAYETTE CLNC DEL 118.05

HOUSTON CENTER APP/DEP CON 126.35 (0530-1030Z†)

TOWER 125.0 (1200-0300Z†) GND CON 121.7 CLNC DEL 121.7


AIRSPACE: CLASS D svc 1200-0300Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LFT.**LAFAYETTE (L) VORTACW** 109.8 LFT Chan 35 N30°11.63' W91°59.55' 146° 10.9 NM to fld. 36/3E. **HIWAS.****ACADI NDB (MHW/LOM)** 269 AR N29°57.38' W91°51.80' 345° 5.0 NM to fld. NOTAM FILE ARA.**ILS** 108.9 I-ARA Rwy 34. Class IA. LOM ACADI NDB.

• • • • •

20 TPA-920(900)

WATERWAY 16-34: 5000X150 (WATER) MIRL**WATERWAY 16:** Rgt ttc.

SEAPLANE REMARKS: Waterway 16-34 seaway edge lgts green, thld lgts amber. ACTIVATE seaway edge lgts Waterway 16-34—122.7. 3 clicks on 7 clicks off.

**NEW ORLEANS** N30°02.38' W90°01.60'NEW ORLEANS
H-7E, 8F, L- 22F

RCO 122.6 (DE RIDDER RADIO)

NEW ORLEANS

LAKEFRONT (NEW) 4 NE UTC-6(-5DT) N30°02.54' W90°01.70'

8 B S4 FUEL 100LL, JET A OX 1, 3 LRA NOTAM FILE NEW

RWY 18R-36L: H6867X150 (ASPH-GRVD) S-60, D-175, DT-200, DDT-350 MIRL

RWY 18R: PAPI(P4L)—GA 3.0° TCH 51'. Thld displcd 228'. Pier. Rgt tfc.

RWY 36L: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Thld displcd 820'. Wall.

RWY 18L-36R: H3697X75 (ASPH) S-35, D-55, DT-80 MIRL

RWY 18L: REIL.

RWY 36R: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Bldg. Rgt tfc.

RWY 09-27: H3113X75 (ASPH) S-50, D-80, DT-100 MIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Berm.

RWY 27: PAPI(P4R)—GA 3.0° TCH 40'. Road. Rgt tfc.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 18R	09-27	5359
RWY 27	18R-36L	2560

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09:	TORA-3113	TODA-3113	ASDA-3113	LDA-3113
RWY 18L:	TORA-3697	TODA-3697	ASDA-3697	LDA-3697
RWY 18R:	TORA-6880	TODA-6880	ASDA-6880	LDA-6640
RWY 27:	TORA-3113	TODA-3113	ASDA-3113	LDA-3113
RWY 36L:	TORA-6880	TODA-6880	ASDA-6880	LDA-6060
RWY 36R:	TORA-3697	TODA-3697	ASDA-3697	LDA-3697

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Boats as high as 80' pass within 400' of Rwy 09, Rwy 18R, and Rwy 18L thlds. PAEW adjacent AER 27 dalgt hours. Rwy 18R-36L few low spots near intersection of Rwy 09-27 holding water. Twy A and Twy A1 clsd indef. Twy G closed west of Rwy 18R-36L indef. Hold short sign on Rwy 09-27 at intersection Rwy 18R-36L unlgtd. MIRL Rwy 18R-36L and twy lgts for twys A, B, D, E, F and H preset on medium. ARFF capability equivalent to Index B. Acft transporting any items listed in Part 175 title 49 PPR to land. Landing fee. Wind sock light OTS indef. Rwy 09-27 MIRL OTS indef. Rwy 09-27 MIRL avbl on low ints only. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 128.25 (504) 242-5993. LAWRS.**COMMUNICATIONS:** CTAF 119.9 ATIS 124.9 UNICOM 122.95

NEW ORLEANS RCO 122.6 (DE RIDDER RADIO) OTS indef.


® NEW ORLEANS APP/DEP CON 133.15 (North) 123.85 (South)

TOWER 119.9 (1400-0000Z) GND CON 121.7 CLNC DEL 127.4 (NEW ORLEANS APP/DEP CON when twr clsd)

AIRSPACE: CLASS D svc 1400-0000Z other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE NEW.

HARVEY (H) VORTACW 114.1 HRV Chan 88 N29°51.01' W90°00.18' 351° 11.6 NM to fld. 0/2E.

ILS/DME 111.3 I-NEW Chan 50 Rwy 18R.



LOUIS ARMSTRONG NEW ORLEANS INTL (MSY) 10 W UTC-6(-5DT) N29°59.60' W90°15.48' **NEW ORLEANS**

4 B FUEL 100LL, JET A LRA Class I, ARFF Index D NOTAM FILE MSY

H-7E, L-21B, 22F

RWY 10-28: H10104X150 (CONC-GRVD) S-75, D-180, DT-380 HIRL CL

IAP, AD

RWY 10: ALSF2. TDZL. PAPI(P4R)—GA 2.8° TCH 53'.

RWY 28: MALSR. PAPI(P4R)—GA 3.0° TCH 55'. Thld dsplcd 304'. Tree.

RWY 01-19: H7001X150 (CONC-GRVD) S-75, D-180, DT-380 HIRL CL

RWY 01: LDIN. PAPI(P4L)—GA 3.0° TCH 52'. Road.

RWY 19: MALS. PAPI(P4L)—GA 3.0° TCH 52'. Road.

RWY 06-24: H3570X150 (ASPH) S-75, D-180, DT-380 HIRL

RWY 06: Pole. RWY 24: Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-7001 TODA-7001 ASDA-7001 LDA-7001

RWY 19: TORA-7001 TODA-7001 ASDA-7001 LDA-7001

RWY 06: TORA-3570 TODA-3570 ASDA-3570 LDA-3570

RWY 24: TORA-3570 TODA-3570 ASDA-3570 LDA-3570

RWY 10: TORA-10104 TODA-10104 ASDA-10104 LDA-10104

RWY 28: TORA-10104 TODA-10104 ASDA-10104 LDA-9800

AIRPORT REMARKS: Attended continuously. Rwy 06-24 CLOSED to tkfs and ldggs indef. Flocks of birds on and in/ovf arpt. 180 degree and locked wheel turns prohibited on ASPH surface aircraft 12,500 pounds and over. Rwy 01 and Rwy 19 runway visual range touchdown and rollout avbl. Rwy 10 and Rwy 28 runway visual range apch midpoint and rollout avbl. Rwy 10 noise sensitive for dep, avbl for operational necessity. All rwy's noise sensitive for arrival. Arriving turbojets must make 5 mile final approach to minimize noise. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (504) 461-5345. LLWAS.

COMMUNICATIONS: D-ATIS 127.55 (504) 471-4417 **UNICOM** 122.95

Ⓡ **NEW ORLEANS APP/DEP CON** 133.15 (N and E) 123.85 (SE and S) 125.5 (W)

TOWER 119.5 **GND CON** 121.9 **CLNC DEL** 127.2 **PRE TAXI CLNC** 127.2

AIRSPACE: CLASS B: See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE MSY.

RESERVE (L) VORW/DME 110.8 RQR Chan 45 N30°05.25' W90°35.32' 106° 18.1 NM to fld. 5/2E.

KINTE NDB (HW/LOM) 338 MS N30°01.51' W90°23.99' 102° 7.6 NM to fld.

ILS 109.9 I-MSY Chan 36 Rwy 10. Class IIIE. LOM KINTE NDB.

ILS/DME 111.7 I-JFI Chan 54 Rwy 01. Class IB.

ILS/DME 111.7 I-ONW Chan 54 Rwy 19. LOC only.

ILS/DME 109.9 I-HOX Chan 36 Rwy 28. Class IT.

ASR

NEW ORLEANS DOWNTOWN HELIPORT (7NØ) 0 N UTC-6(-5DT) N29°57.16' W90°04.96' **NEW ORLEANS**

30 FUEL JET A NOTAM FILE DRI

HELIPAD H1: H80X80 (CONC)

HELIPORT REMARKS: Attended continuously. Helipad H1 200' lgtd twr 1000'south southwest, 500' buildings 700' east northeast, 350' building 375' southeast, and 1100' south of helipad. Helipad H1 PVASI with a 8.5° glide angle.

Helipad H1 ingress 210° for west apch, 070° for east apch. Helipad H1 rooftop of parking garage. Landing fee.

Landing fee waived with fuel purchase. **ACTIVATE PVASI** Helipad H1—CTAF.

WEATHER DATA SOURCES: AWOS-3 133.1 (504) 525-1711.

COMMUNICATIONS: CTAF/UNICOM 123.05

NEW ORLEANS NAS JRB (ALVIN CALLENDER FLD) (NBG)(KNBG) NAS (ANG CG) 3 S

NEW ORLEANS

UTC-6(-5DT) N29°49.63' W90°01.60'

H-7E, 8F, L-21B, 22F

2 B TPA—See Remarks NOTAM FILE MSY Not insp.

DIAP, AD

RWY 04-22: H10000X200 (PEM) PCN 59 R/C/W/T HIRL**RWY 04:** ALSF1, PAPI(P4L). OLS. WAVE-OFF.**RWY 22:** SALS. PAPI(P4L). OLS. WAVE-OFF. Rgt t/c.**RWY 14-32:** H6000X200 (PEM) PCN 71 R/C/W/T MIRL**RWY 32:** OLS.**ARRESTING GEAR/SYSTEMS****RWY 04** HOOK E28(B) (1500')HOOK E-28(B) (1500') **RWY 22****RWY 14** HOOK E-28(B) (1025')HOOK E-28(B) (1025') **RWY 32****MILITARY SERVICE:** LGT OLS Rwy 04-22 and Rwy 14-32 OTS indef. **A-GEAR** Do not land directly on A-Gear cable.**JASU 4** (NC-10C) 4 (A/M 47A-4) Limited DC power. **FUEL J8.** Opr 1330-0430Z+. Fuel delays Fri-Sun. Tranacft expect some delay for svc outside normal working hr. **FLUID PRESAIR** LHOX LOX **OIL O-128-156****MILITARY REMARKS:** Opr 1300-0500Z+. See FLIP AP/1 Supplementary Arpt info. **RSTD** PPR all acft DSN 678-3602/3C504-678-3602/3. **CAUTION** Numerous civilian acft opr to/from canals vicinity afld. Bird hazard. **TFC PAT**

TPA—Overhead break altitude 1499(1497). Pattern altitude 999(997). Reduced rwy separation in effect for all

local based tactical acft; 3000' between similar acft; 6000' between dissimilar acft. Tran acft may utilize

reduced rwy separation only after being briefed. **CSTMS/AG/IMG** CSTMS avbl 2 hr prior notice. Ctc CustomsC504-269-6149, FTS 269-6149 for appointment. **MISC** Limited classified material storage. Ctc Base OPS DSN678-3100, C504-678-3100 or fax DSN 678-9575, C504-678-9575. **CG** Opr rstd 0500-1300Z+ to CG.

C504-393-6032.

COMMUNICATIONS: ATIS 276.2**APP/DEP CON** 123.85 256.9**NAVY NEW ORLEANS TOWER** 123.8 340.2 360.2 (1300-0500Z+) **NAVY NEW ORLEANS GND CON** 121.6 382.8**PMSV METRO** 265.8 (Opr 1200-0000Z+) **BASE OPS** 379.15 **CG** 345.0X 5696X 8984 (ctc New Orleans air)**RADIO AIDS TO NAVIGATION:** NOTAM FILE NEW.**HARVEY (H) VORTACW** 114.1 HRV Chan 88 N29°51.01' W90°00.18' 220° 1.8 NM to fld. 0/2E.**ILS** 109.5 I-NBG Rwy 04. No NOTAM MP Mon 1300-1800Z+.**ASR/PAR****COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.**NEW ROADS****FALSE RIVER RGNL** (HZR) 2 NW UTC-6(-5DT) N30°43.10' W91°28.72'

HOUSTON

H-7D, L-21B, 22F

40 B **FUEL** 100LL TPA-873(834) NOTAM FILE DRI

IAP

RWY 18-36: H5003X75 (ASPH) S-14 MIRL**RWY 18:** REIL. PAPI(P2L)—GA 3.25° TCH 62'. Trees.**RWY 36:** ODALS. PAPI(P2L)—GA 3.0° TCH 50'.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z+. For attendant after hrs call 225-638-8930 or 225-978-8367. Self-service fuel avbl 24 hrs. PAEW on arpt. MIRL Rwy 18-36, REIL Rwy 18 and ODALS Rwy 36 preset low ints dusk to dawn, to increase ints


ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**BATON ROUGE APP/DEP CON** 120.3 (1100-0600Z+)**HOUSTON CENTER APP/DEP CON** 126.35 (0600-1100Z+)**GCO** 135.075 (DE RIDDER FSS)**RADIO AIDS TO NAVIGATION:** NOTAM FILE BTR.**BATON ROUGE (L) VORTACW** 116.5 BTR Chan 112 N30°29.11'

W91°17.64' 320° 16.9 NM to fld. 20/6E.

NEW ROADS NDB (MHW) 356 FWX N30°37.99' W91°29.36'

002° 5.1 NM to fld. NOTAM FILE DRI.

ILS 111.9 I-HZR Rwy 36. LOC only.**NEW ROADS** N30°37.99' W91°29.36'

HOUSTON

NDB (MHW) 356 FWX 002° 5.1 NM to False River Rgnl.

L-21B, 22F

OAKDALE

N30°38.47' W92°41.35' 357° 6.5 NM to Allen Parish. NOTAM FILE DRI

HOUSTON

L-21B, 22E

OAKDALE**ALLEN PARISH** (ACP) 4 S UTC-6(-5DT) N30°45.03' W92°41.31'

107 B FUEL 100LL, JET A NOTAM FILE DRI

RWY 18-36: H4994X75 (ASPH) S-11 MIRL

RWY 18: REIL. PAPI (P2L)—GA 3.0° TCH 50'. Trees.

RWY 36: REIL. PAPI (P2L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended continuously. Fuel avbl self service with credit card. PAPI Rwy 18 OTS indef. PAPI Rwy 36 OTS indef. MIRL Rwy 18-36 and REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.275 (318) 215-9728.

Unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ POLK APP/DEP CON 123.7

GCO 135.075 (POLK APCH CTL and Flight Services)

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.**ALEXANDRIA (H) VORTACW** 116.1 AEX Chan 108 N31°15.40'


W92°30.06' 195° 31.8 NM to fld. 80/3E. HIWAS.

OAKDALE NDB (MHW) 379 LRR N30°38.47' W92°41.35' 357° 6.5 NM to fld. NOTAM FILE DRI.

HOUSTON

L-21B, 22E

IAP

**OAK GROVE****KELLY** (9M6) 1 SW UTC-6(-5DT) N32°50.95' W91°24.24'

112 B S4 FUEL 100LL, JET A NOTAM FILE DRI

RWY 18-36: H3000X60 (ASPH) S-10 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.75° TCH 47'. Thld dsplcd 250'. P-line.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.


AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z. Fuel avbl 24 hrs with credit card. MIRL Rwy 18-36 and REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLU.**MONROE (L) VORTACW** 117.2 MLU Chan 119 N32°31.01'

W92°02.16' 055° 37.7 NM to fld. 80/3E. HIWAS.

MEMPHIS

L-18F

**OIL CITY****THACKERS** (5F8) 3 N UTC-6(-5DT) N32°47.49' W93°57.39'

202 NOTAM FILE DRI

RWY 08-26: 2900X50 (TURF)

RWY 08: Trees. RWY 26: Trees.

AIRPORT REMARKS: Unattended. Livestock on and in vicinity of rwy.**COMMUNICATIONS:** CTAF 122.9

MEMPHIS

OLLA (L47) 1 E UTC-6(-5DT) N31°53.77' W92°13.07'

130 B NOTAM FILE DRI

RWY 03-21: H3010X75 (ASPH) S-9

RWY 03: Trees. **RWY 21:** Thld dsplcd 190'. Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED ngts. Ponding on rwy and twys during heavy rains. Rwy 03 has a dip 450' from apch end of rwy. Rwy 03-21 surface cracked, dip in rwy near Rwy 03 end. Dsplcd thld markings NSTD, no chevrons, arrows or thld bar. Rotating bcn OTS indef. Windsock OTS indef.

COMMUNICATIONS: CTAF 122.9


RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01'

W92°02.16' 191° 38.3 NM to fld. 80/3E. **HIWAS.**

HOUSTON

L-22E



OPELOUSAS

ST LANDRY PARISH-AHART FLD (OPL) 2 NW UTC-6(-5DT) N30°33.50' W92°05.96'

75 B S2 **FUEL** 100LL, JET A NOTAM FILE DRI

RWY 18-36: H5999X100 (CONC) S-30 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.5° TCH 58'. Trees. Thld dsplcd 150'.

RWY 36: REIL. PAPI(P2L)—GA 3.5° TCH 52'. Thld dsplcd 789'. Road.

RWY 06-24: H4051X100 (CONC) S-30

RWY 06: Thld dsplcd 165'. Trees.

RWY 24: Thld dsplcd 169'. Road. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†, Sun 1400-1800Z†. For fuel after hours call 337-407-1551. Parachute Jumping. Rwy 06-24 has some cracks with grass. Rwy has ponding during wet weather. Rwy 18-36 has cracks with grass in cracks. Bump in Rwy 18 at 850' from dsplcd thld. Rwy has ponding during wet weather. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF/UNICOM 123.0

® **LAFAYETTE APP/DEP CON** 128.7 (1030-0530Z†)

HOUSTON CENTER APP/DEP CON 126.35 (0530-1030Z†)

GCO 135.075 (LAFAYETTE APCH and DE RIDDER FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE LFT.

LAFAYETTE (L) VORTACW 109.8 LFT Chan 35 N30°11.63' W91°59.55' 343° 22.5 NM to fld. 36/3E.

HIWAS.

NDB (MHW) 335 OPL N30°39.32' W92°05.92' 176° 5.8 NM to fld. NOTAM FILE DRI.

HOUSTON

H-70, L-21B, 22E

IAP

PATTERSON N29°42.88' W91°20.20' NOTAM FILE PTN.

NDB (MHW) 245 PTN at Harry P. Williams Mem. Unusable byd 15 NM.

HOUSTON

L-21B, 22F

PATTERSON N29°42.68' W91°20.31'

RCO 122.5 (DE RIDDER RADIO)

HOUSTON

L-22F

PATTERSON**HARRY P. WILLIAMS MEM** (PTN) 2 NW UTC-6(-5DT) N29°42.57' W91°20.34'**HOUSTON**
H-7D, L-21B, 22F
IAP

9 B S4 FUEL 100LL, JET A NOTAM FILE PTN

RWY 06-24: H5399X150 (ASPH) S-32 MIRL

RWY 06: REIL. PAPI(P2L). Thld dspcd 395'. GA 3.0° TCH 50'. Trees.

RWY 24: MALSR. PAPI(P2L)—GA 3.0° TCH 50'. Rgt tfc.

AIRPORT REMARKS: Attended dawn-dusk. CAUTION—seaplane landing area (water channel) Southeast of adjacent/parallel runway. Rwy 06-24 3" lip (dropoff) south side of rwy. MIRL Rwy 06-24 and REIL Rwy 06 preset low ints dusk to dawn, to increase ints and ACTIVATE MALSR Rwy 24—CTAF.**WEATHER DATA SOURCES:** AWOS-3 134.575 (985) 395-6735.**COMMUNICATIONS:** CTAF/UNICOM 122.8

PATTERSON RCO 122.5 (DE RIDDER RADIO)

TIBBY RCO 122.1R 112.0T (DE RIDDER RADIO)

® NEW ORLEANS APP/DEP CON 124.3


RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

TIBBY (L) VORTAC 112.0 TBD Chan 57 N29°39.86'

W90°49.75' 274° 26.8 NM to fld. 10/2E.

PATTERSON NDB (MHW) 245 PTN N29°42.88' W91°20.20' at fld. NOTAM FILE PTN. Unusable byd 15 NM.

ILS/DME 108.3 I-PTN Chan 20 Rwy 24. Class IA.



TPA—1009(1000)

WATERWAY 04-22: 4500X100 (WATER)**WATERWAY 04:** Road. Rgt tfc. **WATERWAY 22:** Trees.**SEAPLANE REMARKS:** ACTIVATE MIRL Waterway 04-22—122.9.**PINEVILLE MUNI** (2L0) 2 N UTC-6(-5DT) N31°20.53' W92°26.61'**HOUSTON**
L-21B, 22E

100 B S4 FUEL 100LL TPA-SEE REMARKS NOTAM FILE DRI

RWY 18-36: H3000X75 (ASPH) S-15.5 MIRL

RWY 18: REIL. PAPI(P2L)—GA 4.0° TCH 68'. Trees.

RWY 36: REIL. PAPI(P2R)—GA 3.0° TCH 49'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2200Z† For fuel after hrs call 318-449-5679. Rwy 18 drop off 95' from end of rwy. Rwy 36 lake 96' from end of rwy. TPA-1100' MSL for fixed wing for Rwy 18-36. 800' for acft for water Rwy 05W-23W. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset on low ints dusk to dawn, to increase ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE AEX.

ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.06' 027° 5.9 NM to fld. 80/3E. HIWAS.


WATERWAY 05W-023W: 3000X100 (WATER)**WATERWAY 23W:** Rgt tfc.

POLK AAF (FORT POLK) (POE)(KPOE) A 7 SE UTC-6(-5DT) N31°02.69' W93°11.50' **HOUSTON**
 330 B TPA—See Remarks NOTAM FILE DRI L-21B, 22E
RWY 15-33: H4109X125 (ASPH) PCN 38 F/A/W/T HIRL DIAP
RWY 15: ODALS. REIL. PAPI(P4L). Thld dsplcd 197'. **RWY 33:** ALSF1. REIL. PAPI(P4L).
MILITARY SERVICE: LGT Rwy 15 and Rwy 33 PAPI OTS indef. **FUEL J8** **OIL** 0-156 **TRAN ALERT** Limited svc.
MILITARY REMARKS: Opr Mon-Fri 1300-0400Z+. Closed weekends and fed hols. 24 hr ops during JRTC rotations. **RSTD**
 PPR 24 hr DSN 863-7328, C337-531-4831/7328. **TFC PAT** All patterns W of fld. TPA—Fixed Wing t/c
 1800(1470), Rotary Wing t/c 1000(670). **MISC** Rotary Wing Special VFR daltg 500-1, ngt unaided/ngt vision
 goggles 700-2, Fixed Wing Special VFR not authorized. Rotary wing Special VFR recovery only dalt 300-1/2, ngt
 unaided/Night Vision Devices 500-1, Fixed Wing Special VFR recovery not authorized. Surface visibility
 observation blocked NW-SE by hills, building and trees. Wx forecast avbl 26th OWS, DSN 781-4775,
 C1-866-223-9328 toll free.
COMMUNICATIONS: ATIS 134.85 234.3
(R) APP/DEP CON 123.7 254.8
TOWER 119.0 257.75 41.5 **GND CON** 121.8 239.25
PMSV METRO 134.1 249.75 40.35 **POE OPS** 36.05 374.2 **RANGE CON** 143.2 373.3 40.95
MEDEVAC OPS 42.50 **FLT FOLLOWING** 123.7 254.8 (All flights ctc Polk apch 30 NM out.)
RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.
(T) VORTAC 108.4 FXU Chan 21 N31°06.70' W93°13.07' 156° 4.2 NM to fld. 315/5E. Unusable
 340°-029° byd 20 NM blo 3000'.
GATOR NDB (MHW) 359 GUV N31°01.70' W93°11.09' 336° 1.1 NM to fld.
ASR/PAR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

POLLOCK MUNI (L66) 4 SW UTC-6(-5DT) N31°28.65' W92°27.67' **HOUSTON**
 203 B NOTAM FILE DRI L-21B, 22E
RWY 18-36: H4498X75 (ASPH) S-49 MIRL
RWY 18: Trees. **RWY 36:** Trees.
AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z+. First 1000' Rwy 18 CLOSED indef. Rwy 18-36 cracking and
 grass growing through cracks. Cracks in rwy > ¼ inch. Surface rough. Ponding/standing water outer edges of
 Rwy 18 apch. Helicopter running landings not authorized on Rwy 18-36. Extensive military operations. Rotating
 bcn located 1/2 mile SE of arpt. MIRL Rwy 18-36 preset low ints, to incr ints ACTIVATE-122.7.
COMMUNICATIONS: CTAF/UNICOM 122.8
RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.
ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.06' 006° 13.4 NM to fld.
 80/3E. **HIWAS.**

RAYVILLE

JOHN H HOOKS JR MEM (M79) 1 NW UTC-6(-5DT) N32°29.13' W91°46.26' **MEMPHIS**
 83 B S4 **FUEL** 100LL, JET A NOTAM FILE DRI L-18F
RWY 18-36: H3998X75 (ASPH) S-12 MIRL IAP
RWY 18: REIL. PAPI(P2L)—GA 3.5° TCH 58'. Trees.
RWY 36: REIL. PAPI(P2L)—GA 3.5° TCH 53'. Thld dsplcd 291'.
 Trees.
RWY 09-27: 2224X100 (TURF)
RWY 09: Trees. **RWY 27:** P-line.
AIRPORT REMARKS: Attended daltg hrs. Rwy 18 thld dsplcd 1200' indef.
 Dsplcd thld markings NSTD-yellow. Rwy 18 and Rwy 36 REIL OTS
 indef. Numerous rwy edge lgts OTS indef. MIRL Rwy 18-36, REIL
 Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints
 ACTIVATE—CTAF.
COMMUNICATIONS: CTAF/UNICOM 122.8
MONROE APP/DEP CON 126.9 (1200-0400Z+)
(R) FORT WORTH CENTER APP/DEP CON 126.325 (0400-1200Z+)
RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.
MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01'
 W92°02.16' 095° 13.6 NM to fld. 80/3E. **HIWAS.**
MOLLY RIDGE NDB (MHW) 338 MRK N32°24.55' W91°46.68'
 002° 4.6 NM to fld. NOTAM FILE DRI.



RESERVE N30°05.25' W90°35.32' NOTAM FILE MSY. **NEW ORLEANS**
(L) VORW/DME 110.8 RQR Chan 45 at Saint John The Baptist Parish. 5/2E. L-21B, 22F

RESERVE**SAINT JOHN THE BAPTIST PARISH**

(1L0) 2 NW UTC-6(-5DT) N30°05.22' W90°34.96'

NEW ORLEANSL-21B, 22F
IAP

7 B FUEL 100LL, JET A NOTAM FILE DRI

RWY 17-35: H3999X75 (ASPH) MIRL

RWY 17: REIL PAPI(P2L)—GA 3.0° TCH 28'. Trees.

RWY 35: PAPI(P2L)—GA 3.5° TCH 32'. Rgt tfc.


AIRPORT REMARKS: Attended 1330-2200Z†. For attendant after hrs call 509-416-5988. Fuel avbl 24 hrs self svc with credit card. Birds on and invof arpt. Extensive ultralight activity. MIRL Rwy 17-35 preset low intensity, to increase intensity and ACTIVATE REIL Rwy 17—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ NEW ORLEANS APP/DEP CON 125.5

RADIO AIDS TO NAVIGATION: NOTAM FILE MSY.

RESERVE (L) VORW/DME 110.8 RQR Chan 45 N30°05.25' W90°35.32' at fld. 5/2E.

**RUNDI** N30°34.97' W91°12.66' NOTAM FILE BTR.**HOUSTON**

NDB (LOM) 284 BT 130° 4.4 NM to Baton Rouge Metropolitan, Ryan Fld.

L-21B, 22F

RUSTON RGNL (RSN) 3 E UTC-6(-5DT) N32°30.88' W92°35.31'**MEMPHIS**

311 B S2 FUEL 100LL, JET A TPA-1311(1000) NOTAM FILE RSN

H-6I, L-17E

RWY 18-36: H5000X100 (ASPH) MIRL. 0.7% up S

IAP

RWY 18: PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 36: PAPI(P4L)—GA 3.5° TCH 35'. Thld dsplcd 199'. Trees.

AIRPORT REMARKS: Attended dawn-dusk. Numerous training acft in vicinity. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.525 (318) 242-0062.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ MONROE APP/DEP CON 126.9 (1200-0400Z†) CLNC DEL 118.8

Ⓡ FORT WORTH CENTER APP/DEP CON 126.325 (0400-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01'

W92°02.16' 267° 28.0 NM to fld. 80/3E. HIWAS.

NDB (MHW) 368 ROQ N32°36.52' W92°35.31' 177° 5.6 NM to fld. NOTAM FILE RSN. Unmonitored.

STUCKEY NDB (MHW) 350 TUF N32°24.53' W92°35.37' 357° 6.3 NM to fld. NOTAM FILE RSN. Unmonitored.

**SABAR** N32°27.25' W92°06.25' NOTAM FILE MLU.**MEMPHIS**

NDB (LOM) 392 ML 042° 4.8 NM to Monroe Rgnl. Unmonitored when Monroe Rgnl tower clsd.

L-18F

SAINT JOHN THE BAPTIST PARISH

(See RESERVE)

ST JOSEPH**TENSAS PARISH** (L33) 4 NE UTC-6(-5DT) N31°58.40' W91°19.32'**HOUSTON**
L-18F

74 B FUEL 100LL NOTAM FILE DRI

RWY 16-34: H3500X75 (ASPH) S-12 MIRL

RWY 16: Road. RWY 34: Trees.

AIRPORT REMARKS: Unattended. For arpt attendant call 318-766-4585 or 318-301-0222. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLU.MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01' W92°02.16' 126° 52 NM to fld. 80/3E.
HIWAS.**ST TAMMANY RGNL** (See COVINGTON)**ST LANDRY PARISH-AHART FLD** (See OPELOUSAS)**SAVRY** N32°14.72' W91°01.55' NOTAM FILE DRI.**MEMPHIS**
L-18F

NDB (MHW/LOM) 344 TV 357° 6.4 NM to Vicksburg Tallulah Rgnl.

SAWMILL N31°58.39' W92°40.63' NOTAM FILE DRI.**HOUSTON**
H-61, L-22E(H) VORW/DME 113.75 SWB Chan 84(Y) at David G. Joyce. 164/2E.
Unusable 216°-232° blo 6,500' and 233°-215° blo 2,500'.**SCOTT** (See TALLULAH)**SHREVEPORT****SHREVEPORT DOWNTOWN** (DTN) 3 N UTC-6(-5DT) N32°32.41' W93°44.70'**MEMPHIS**
H-61, L-13D, 17E
IAP, AD

179 B S4 FUEL 100LL, JET A OX 2, 3 NOTAM FILE DTN

RWY 14-32: H5018X150 (ASPH) S-35, D-55 HIRL

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 32: REIL. PAPI(P4R)—GA 3.0° TCH 29'. Trees.

RWY 05-23: H3200X75 (ASPH) S-12.5 MIRL

RWY 05: REIL. PAPI(P2L)—GA 4.0°. Thld displcd 230'. Bldg.

RWY 23: REIL. PAPI(P2L)—GA 4.0°. Trees.

AIRPORT REMARKS: Attended dawn-dusk. All VFR t/c remain within 1½ miles NE thru SW from the center of the arpt due to Shreveport/Barksdale AFB CLASS C airspace. Birds on and invof arpt. Rwy 14 designated calm wind rwy. Rwy 05-23 has minor cracking. Acft/vehicles not visible from twr on north 685' of Twy F. Twy F lgts OTS indef. Rwy 05 PAPI and REIL OTS indef. Rwy 23 PAPI and REIL OTS indef. Rotating bcn ots indef.**WEATHER DATA SOURCES:** ASOS 118.525 (318) 425-7967.**COMMUNICATIONS:** CTAF 120.225 UNICOM 122.95

SHREVEPORT RCO 122.6 (DE RIDDER RADIO)

① SHREVEPORT APP/DEP CON 119.9 (153°-319°) 123.75 (320°-152°)
(1200-0600Z‡) 121.4 (0600-1200Z‡)

CLNC DEL 120.75 (when twr clsd)

TOWER 120.225 (1300-0400Z‡)

GND CON 121.65

AIRSPACE: CLASS D svc 1300-0400Z‡ other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SHV.


BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28' W93°48.60' 160° 14.2 NM to fld. 190/7E.

DOWNTOWN (T) VORW 108.6 DTN N32°32.39' W93°44.48' at fld. NOTAM FILE DTN.

VOR unusable:

070°-100° beyond 10 NM below 7000'

180°-245° beyond 17 NM below 2500'



ILS/DME 111.7 I-DTN Chan 54 Rwy 14. LOC only.

246°-265° beyond 11 NM below 4500'

266°-280° beyond 23 NM below 2500'

SHREVEPORT RGNL (SHV) 4 SW UTC-6(-5DT) N32°26.80' W93°49.54'

MEMPHIS

258 B S4 FUEL 100LL, JET A OX 3 LRA Class I, ARFF Index B NOTAM FILE SHV

H-6I, L-17E

RWY 14-32: H8351X200 (ASPH-GRVD) S-75, D-190, DT-400 HIRL CL

IAP, AD

RWY 14: ALSF2. TDZL. 0.7% down.

RWY 32: MALSR. Thld displcd 375'. Railroad.

RWY 05-23: H6202X150 (ASPH-GRVD) S-75, D-158, DT-280 MIRL

RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 51'. Trees.

RWY 23: REIL. VASI(V4L)—GA 3.0° TCH 54'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-6201 TODA-6201 ASDA-6201 LDA-6201

RWY 23: TORA-6201 TODA-6201 ASDA-6201 LDA-6201

RWY 14: TORA-8351 TODA-8351 ASDA-8351 LDA-8351

RWY 32: TORA-8351 TODA-8351 ASDA-8351 LDA-7976

AIRPORT REMARKS: Attended continuously. Bird activity invof arpt. Twy D clsd to acct over 60,000 lbs. Rwy 14-32 has significant cracking and joint deterioration. Landing fee for all commercial aircraft. Flight Notification Service (ADCUS) available Mon-Fri 1400-2300Z, other times by appointment call 318-635-7873 or 800-973-2867.

WEATHER DATA SOURCES: ASOS (318) 636-5767. LLWAS.**COMMUNICATIONS:** ATIS 128.45 UNICOM 122.95

Ⓡ **APP/DEP CON** 119.9 (153°-319°) 123.75 (320°-152°) (1200-0600Z) 121.4 (0600-1200Z)

TOWER 121.4 **GND CON** 121.9 **CLNC DEL** 124.65**AIRSPACE:** CLASS C svc continuous ctc **APP CON****RADIO AIDS TO NAVIGATION:** NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28' W93°48.60' 175° 19.5 NM to fld. 190/7E.


CRACK NDB (LOM) 230 SH N32°30.11' W93°52.69' 136° 4.2 NM to fld. SHUTDOWN.

ILS 110.3 I-FOG Rwy 32. Class IA.

ILS 110.7 I-SHV Rwy 14. Class IIE. LOM CRACK NDB. LOM SHUTDOWN.

ILS 109.1 I-MWP Rwy 05. (LOC only).

ASR

**SLIDELL** (ASD) 4 NW UTC-6(-5DT) N30°20.78' W89°49.25'

NEW ORLEANS

29 B S4 FUEL 100LL, JET A NOTAM FILE ASD

H-7E, 8F, L-21B, 22F

RWY 18-36: H5001X100 (ASPH) S-48 MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Thld displcd 944'. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 18: TORA-5001 TODA-5001 ASDA-5001 LDA-4057

RWY 36: TORA-5001 TODA-5001 ASDA-5001 LDA-5001

AIRPORT REMARKS: Attended 1200-0000Z. Arpt unattended Christmas and New Years. Fuel avbl 24 hrs with credit card. Wildlife on and invof rwy. MIRL Rwy 18-36, REIL Rwy 18 and Rwy 36 preset low ints dusk to dawn, to increase ints and ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 132.475 (985) 643-7263.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **NEW ORLEANS APP/DEP CON** 133.15

GCO 135.075 (NEW ORLEANS APCH and DE RIDDER FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.


PICAYUNE (L) VORTAC 112.2 PCU Chan 59 N30°33.67'

W89°43.83' 197° 12.8 NM to fld. 70/5E.

FLORENVILLE NDB (MHW) 371 FNA N30°24.94' W89°49.20' 178°

3.2 NM to fld. NOTAM FILE ASD.

NDB (MHW) 256 DEF N30°17.81' W89°50.05' 007° 4.0 NM to fld. NOTAM FILE ASD.

**SOUTH LAFOURCHE LEONARD MILLER JR.** (See GALLIANO)**SOUTHLAND FLD** (See SULPHUR)**SOUTH TIMBALIER** N28°32.01' W90°35.00'

NEW ORLEANS

RCO 122.6 (DE RIDDER RADIO) OTS indef.

L-21B

SPRINGHILL (SPH) 3 E UTC-6(-5DT) N32°59.01' W93°24.55'

MEMPHIS

218 B FUEL 100LL NOTAM FILE DRI

L-17E

RWY 18-36: H4002X75 (ASPH) MIRL

IAP

RWY 18: PAPI(P2L). Trees.

RWY 36: PAPI(P2L). Trees.

AIRPORT REMARKS: Attended dawn to dusk. Rwy 36 PAPI OTS indef.

MIRL Rwy 18-36 preset low, to increase ints ACTIVATE—CTAF.

NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF/UNICOM 122.8


① SHREVEPORT APP/DEP CON 118.6 (1200-0600Z±) 121.4 (0600-1200Z±).

RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28'

W93°48.60' 051° 23.9 NM to fld. 190/7E.

NDB (MHW) 375 SPH N32°55.22' W93°24.56' 355° 3.8 NM to fld. NOTAM FILE DRI. Unmonitored.



STUCKEY N32°24.53' W92°35.37' NOTAM FILE RSN.

MEMPHIS

NDB (MHW) 350 TUF 357° 6.3 NM to Ruston Rgnl. Unmonitored.

L-17E

SULPHUR N30°11.91' W93°25.24' NOTAM FILE DRI.

HOUSTON

NDB (MHW/LOM) 278 AUR 146° 4.6 NM to Southland Fld.

L-21B, 22E

SULPHUR

SOUTHLAND FLD (UXL) 5 S UTC-6(-5DT) N30°07.89' W93°22.57'

HOUSTON

10 B S4 FUEL 100LL, JET A NOTAM FILE UXL

H-7D, L-21B, 22E

RWY 15-33: H5001X75 (ASPH) S-30, D-50 MIRL

IAP

RWY 15: ODALS. REIL. PAPI(P2L)—GA 3.0° TCH 25'. Tree.

RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 25'.

AIRPORT REMARKS: Attended 1200-0200Z±. REIL Rwy 33 OTS indef. MIRL Rwy 15-33, ODALS Rwy 15 and REIL Rwy 15 and Rwy 33 preset low ints dusk to dawn, to increase ints ACTIVATE—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: AWOS-3 118.175 (337) 558-5321.

COMMUNICATIONS: CTAF/UNICOM 122.8

① LAKE CHARLES APP/DEP CON 119.35 (1200-0400Z±).

① HOUSTON CENTER APP/DEP CON 124.7 (0400-1200Z±).

RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.

LAKE CHARLES (H) VORTACW 113.4 LCH Chan 81 N30°08.49' W93°06.33' 261° 14.1 NM to fld. 20/7E.

SULPHUR NDB (MHW/LOM) 278 AUR N30°11.91' W93°25.24' 146° 4.6 NM to fld. NOTAM FILE DRI.

ILS 109.3 I-UXL Rwy 15. LOC only.

TALLULAH

SCOTT (M80) 2 E UTC-6(-5DT) N32°24.98' W91°08.93'

MEMPHIS

84 B NOTAM FILE DRI

L-18F

RWY 18-36: H3014X75 (ASPH) S-12

RWY 36: Thld dsplcd 250'. Road.

RWY 17-35: 2400X130 (TURF)

AIRPORT REMARKS: Attended on call. For attendant call 318-574-4416. Aerobatic box on fld check NOTAMS.

Numerous agricultural and ultralight ops at arpt. Rwy 36 dsplcd thld daylight ops only. 3' tall cotton crops 100' from rwy centerline on east side of rwy. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLU.

MONROE (L) VORTACW 117.2 MLU Chan 119 N32°31.01' W92°02.16' 094° 45.4 NM to fld. 80/3E. HIWAS.

TALLULAH/VICKSBURG, MS**VICKSBURG TALLULAH RGNL**

(TVR) 9 E UTC-6(-5DT) N32°21.10' W91°01.66'

86 B S4 FUEL 100LL, JET A OX 1 TPA-1086(1000) NOTAM FILE TVR

RWY 18-36: H5002X100 (ASPH) S-60, D-75 MIRL

RWY 18: PAPI(P2L)—GA 3.33° TCH 29'. Trees.

RWY 36: PAPI(P2L)—GA 3.33° TCH 29'. P-line.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 18: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 36: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

AIRPORT REMARKS: Attended 1300-0100Z†. For arpt attendant after hrs call Sun-Tue 318-267-1323, Wed-Sat 601-529-7148, alternate number 318-366-1615 or 318-574-1080. For fuel after hrs call 318-366-1615. PAEW on arpt. Migratory birds invov arpt. Crop dusting activity 2 NM radius of arpt. Pilots in tfc pattern are requested to avoid over flight of Mound, LA ½ mile south and east of Rwy 36. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 118.525 (318) 574-4866.**COMMUNICATIONS:** CTAF/UNICOM 123.0

MEMPHIS CENTER APP/DEP CON 132.5

GCO 135.075 (DE RIDDER FSS)


RADIO AIDS TO NAVIGATION: NOTAM FILE JAN.

JACKSON (H) VORTAC 112.6 JAN Chan 73 N32°30.45'

W90°10.06' 253° 44.7 NM to fld. 360/5E.

SAVRY NDB (MHW/LOM) 344 TV N32°14.72' W91°01.55' 357° 6.4 NM to fld. NOTAM FILE DRI.

ILS 109.7 I-TV Rwy 36. LOM SAVRY NDB. LOC only.

**TENSAS PARISH** (See ST JOSEPH)**THACKERS** (See OIL CITY)**THE RED RIVER** (See COUSHATTA)**THIBODAUX MUNI** (L83) 3 S UTC-6(-5DT) N29°44.87' W90°49.97'

9 B S2 FUEL 100LL NOTAM FILE DRI

RWY 08-26: H2999X75 (ASPH) S-6 MIRL

RWY 08: Trees. RWY 26: Thld dsplcd 90'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Rwy 26 thld dsplcd for day ops only. Dsplcd thld markings yellow. Rwy 08-26 ponding along rwy edges during wet conditions. MIRL Rwy 08-26 preset low ints, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ NEW ORLEANS APP/DEP CON 118.9

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.


TIBBY (L) VORTAC 112.0 TBD Chan 57 N29°39.86'

W90°49.75' 356° 5.0 NM to fld. 10/2E.

NEW ORLEANS

L-21B, L-22F

IAP

**TIBBY** N29°39.86' W90°49.75' NOTAM FILE DRI.

(L) VORTAC 112.0 TBD Chan 57 356° 5.0 NM to Thibodaux Muni. 10/2E.

NEW ORLEANS

H-7D, L-21B, 22F

TIBBY N29°39.86' W90°49.75'

RCO 122.1R 112.0T (DE RIDDER RADIO)

NEW ORLEANS

L-22F

UNION PARISH (See FARMERVILLE)**VERMILLION** N28°34.56' W92°27.67'

RCO 122.6 (DE RIDDER RADIO) OTS indef.

NEW ORLEANS

L-21B

VICKSBURG TALLULAH RGNL (See TALLULAH/VICKSBURG)

VIDALIA
CONCORDIA PARISH (ØR4) 4 W UTC-6(-5DT) N31°33.70' W91°30.38'

HOUSTON

54 B FUEL 100LL, MOGAS NOTAM FILE DRI

L-22F

RWY 14-32: H3700X75 (ASPH) S-12 MIRL

RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Trees.

RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 50'

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†. 100LL avbl 24 hrs self svc with credit card. 400' twr 2 miles north of approach end of Rwy 14. West twy and apron have major longitudinal and transverse cracking with grass in cracks. MIRL Rwy 14-32, REIL Rwy 14 and Rwy 32 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.06' 067° 54.2 NM to fld.

80/3E. HIWAS.

VIVIAN (3F4) 2 SW UTC-6(-5DT) N32°51.68' W94°00.61'

MEMPHIS

260 B S4 NOTAM FILE DRI

L-13D, 17E

RWY 09-27: H2998X75 (ASPH) S-12 MIRL 0.4% up E

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 52'. Tree.

RWY 27: Trees.

AIRPORT REMARKS: Attended Mon-Sat dawn-dusk. MIRL Rwy 09-27 and REIL Rwy 09 preset low ints dusk-dawn, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **SHREVEPORT APP/DEP CON** 119.9 (1200-0600Z†) 121.4 (0600-1200Z†)

GCD 135.075 (BARKSDALE APCH CTL and FLIGHT SERVICES)


RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28'

W93°48.60' 291° 11.5 NM to fld. 190/7E.

NDB (MHW) 284 VIV N32°51.58' W94°00.61' at fld.

NOTAM FILE DRI. Unmonitored.


WELSH (6R1) 0 NW UTC-6(-5DT) N30°14.51' W92°49.76'

HOUSTON

18 B S4 FUEL 100LL NOTAM FILE DRI

L-21B, 22E

RWY 07-25: H2700X50 (ASPH) S-6 MIRL

IAP

RWY 07: Trees. RWY 25: SAVASI(S2L)—GA 4.0° TCH 23'. Trees.

RWY 09-27: 2200X150 (TURF)

RWY 09: Trees. RWY 27: Trees.

AIRPORT REMARKS: Attended irregularly. Jet A fuel available on emergency request only, call 318-734-2382.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **LAKE CHARLES APP/DEP CON** 119.8 (1200-0400Z†)

Ⓡ **HOUSTON CENTER APP/DEP CON** 124.7 (0400-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE LCH.

LAKE CHARLES (H) VORTACW 113.4 LCH Chan 81 N30°08.49' W93°06.33' 060° 15.6 NM to fld. 20/7E.

WHITE LAKE N29°39.79' W92°22.42' NOTAM FILE DRI.

HOUSTON

(L) VORW/DME 110.4 LLA Chan 41 035° 24.0 NM to Abbeville Chris Crusta Mem. 40/4E.


H-7D, L-21B, 22E

WINNFIELD**DAVID G. JOYCE** (ØR5) 3 NW UTC-6(-5DT) N31°57.82' W92°39.62'**HOUSTON**
L-22E
IAP

146 B NOTAM FILE DRI

RWY 08-26: H3002X100 (ASPH) S-4 MIRL 0.9% up W**RWY 08:** REIL. PAPI(P2L)—GA 3.0° TCH 45'. Trees.**RWY 26:** REIL. PAPI(P2L)—GA 3.45° TCH 62'. Tree.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2200Z†. Rwy 08 and Rwy 26 REIL OTS indef. MIRL Rwy 08-26 and REIL Rwy 08 and Rwy 26 preset low ints dusk to dawn, to incr ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.7


Ⓡ POLK APP/DEP CON 125.4

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.**SAWMILL (H) VOR/DME** 113.75 SWB Chan 84(Y) N31°58.39' W92°40.63' at fld. 164/2E.**WINNFIELD NDB (MHW)** 402 IFJ N31°57.78' W92°39.43' at fld. NOTAM FILE DRI.**WINN PARISH MEDICAL CENTER HELIPORT** (ØL6) 0 W UTC-6(-5DT) N31°55.39' W92°38.74'**HOUSTON**

140 B NOTAM FILE DRI

HELIPAD H1: H50X50 (CONC) Tree.**HELIPORT REMARKS:** Attended continuously. Helipad H1 perimeter lgts.**COMMUNICATIONS:** CTAF 122.9**WINNFIELD** N31°57.78' W92°39.43' NOTAM FILE DRI.**HOUSTON**
L-22E**NDB (MHW)** 402 IFJ at David G. Joyce.**WINN PARISH MEDICAL CENTER HELIPORT** (See WINNFIELD)**WINNSBORO MUNI** (F89) 1 E UTC-6(-5DT) N32°09.18' W91°41.91'**MEMPHIS**
L-18F

76 B S2 FUEL 100LL NOTAM FILE DRI

RWY 18-36: H3000X75 (ASPH) S-11 MIRL**RWY 18:** SAVASI(S2L)—GA 4.0° TCH 20'. Trees.**RWY 36:** REIL. SAVASI(S2L)—GA 4.0° TCH 20'.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z†. Arpt attended Sat-Sun on call. Fuel avbl 24 hrs self serve with credit card. Heavy agricultural aircraft opr June-Oct. Rwy 18-36 trees W of rwy obstruct view of opr acft. Rwy 36 REIL OTS indef. Rotating bcn OTS indef. Rwy 36 SAVASI OTS indef. ACTIVATE MIRL Rwy 18-36 and REIL Rwy 36—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLU.**MONROE (L) VORTAC** 117.2 MLU Chan 119 N32°31.01' W92°02.16' 139° 27.7 NM to fld. 80/3E. **HIWAS.**

WOODWORTH (1R4) 2 S UTC-6(-5DT) N31°07.58' W92°30.08'

HOUSTON

140 B S4 NOTAM FILE DRI

L-21B, 22E

RWY 01-19: H3100X75 (ASPH) S-12 MIRL

RWY 01: SAVASI(S2R)—GA 4.0° TCH 20'. Trees. **RWY 19:** SAVASI(S2R)—GA 4.0° TCH 20'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z†. Windsock lghts OTS indef. ACTIVATE MIRL Rwy 01-19—122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AEX.

ALEXANDRIA (H) VORTACW 116.1 AEX Chan 108 N31°15.40' W92°30.06' 177° 7.8 NM to fld.

80/3E. **HIWAS.**

ABERDEEN/AMORY**MONROE CO** (M40) 4 NE UTC-6(-5DT) N33°52.43' W88°29.38'**MEMPHIS**


226 B S2 FUEL 100LL, JET A NOTAM FILE GWO

L-18H**RWY 18-36:** H4999X75 (ASPH) S-21 MIRL**IAP****RWY 18:** REIL. VASI(V4L). Trees.**RWY 36:** Trees.**AIRPORT REMARKS:** Attended 1400-2300Z†. For fuel after hrs call:


662-369-7610/369-7523. Major powerplant repairs avbl. Free

phone avbl outside 662-369-4800. Arpt lgts opr 0400-1200Z†.

ACTIVATE MIRL Rwy 18-36 and REIL Rwy 18—CTAF. VASI Rwy 18 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.475 (662) 369-3498.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) COLUMBUS APP/DEP CON** 126.075 (1300-0100Z† Mon-Fri, 1600-2300Z† Sun, clsd Sat and holidays. Other times ctc**MEMPHIS CENTER APP/DEP CON** 127.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**BIGBEE (L) VORTACW** 116.2 IGB Chan 109 N33°29.13'W88°30.82' 359° 23.3 to fld. 240/04E. **HIWAS.****ACKERMAN CHOCTAW CO** (9M4) 3 W UTC-6(-5DT) N33°18.21' W89°13.70'**MEMPHIS**

552 B NOTAM FILE GWO

L-18G**RWY 01-19:** H3000X75(ASPH) S-19.5 MIRL**RWY 01:** PAPI(P2L)—GA 3.0° TCH 42'.**RWY 19:** PAPI(P2L)—GA 3.0° TCH 34'. Trees.**AIRPORT REMARKS:** Unattended. Wildlife on and invof arpt. Rwy 01-19 pavement has cracks and loose rocks on rwy. Rotating bcn OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**BIGBEE (L) VORTACW** 116.2 IGB Chan 109 N33°29.13'W88°30.82' 249° 37.5 NM to fld. 240/04E. **HIWAS.****ALLEN** N32°24.75' W90°07.17' NOTAM FILE JAN.**MEMPHIS****NDB (LOM)** 365 JA 157° 6.5 NM to Jackson-Evers Intl. Unmonitored 0500-1200Z†.**L-18G****BATESVILLE****PANOLA CO** (PMU) 4 NE UTC-6(-5DT) N34°21.81' W89°53.57'**MEMPHIS**

221 B S4 FUEL 100LL, JET A NOTAM FILE GWO

H-6J, L-18G**RWY 01-19:** H5000X75 (ASPH) S-30 MIRL**IAP****RWY 01:** PAPI(P2L)—GA 4.0° TCH 39'. Thld dspld 590'. Trees.**RWY 19:** PAPI(P2L)—GA 4.0° TCH 39'. Trees.**AIRPORT REMARKS:** Attended dalgt hrs. Self-service on 100LL with credit card. For attendant after hrs call

662-487-2609 or 662-563-5700. Parachute Jumping. Ultralight activity on and invof arpt. Rwy 01-19 lgts OTS indef. PAPI Rwy 01 and Rwy 19 opr dusk to 0400Z†. After 0400Z† ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.225 (662) 563-6267.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) MEMPHIS APP/DEP CON** 128.5**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**HOLLY SPRINGS (L) VORTAC** 112.4 HLI Chan 71 N34°46.22' W89°29.79' 216° 31.3 NM to fld. 630/03E.**ILS/DME** 110.35 I-PMU Chan 40(Y) Rwy 19. LOC only.

BAYOU N30°29.13' W89°09.73' NOTAM FILE GPT.
NDB (LOM) 360 GP 132° 6.7 NM to Gulfport-Biloxi Intl.

NEW ORLEANS
 L-21C, 22G

BAY ST LOUIS

STENNIS INTL (HSA) 8 NW UTC-6(-5DT) N30°22.07' W89°27.28'

NEW ORLEANS

23 B S4 **FUEL** 100LL JET A Class IV, ARFF Index A. NOTAM FILE HSA

H-7E, 8F, L-21B, 22G

Rwy 18-36: H8497X150 (ASPH-GRVD) S-120, D-170, ST-175, DT-270 HIRL

IAP

Rwy 18: MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Tree.

Rwy 36: REIL. PAPI(P4L)—GA 3.0° TCH 55'. Trees.

AIRPORT REMARKS: Attended 1230-0130Z†. For fuel after hrs call 228-463-0404 or 228-467-7070. For major and minor repairs after hrs call 228-467-3222. CLOSED to air carrier ops with more than 30 passenger seats except 48 hr PPR call arpt manager 228-467-7070. Numerous flocks of birds AER 36. Numerous low flying fish spotter acft ops near shoreline between Gulfport and Bay St Louis SR-SS. ACTIVATE HIRL Rwy 18-36, REIL Rwy 36—CTAF. ACTIVATE MALSR Rwy 18 127.15.

WEATHER DATA SOURCES: AWOS-3 118.375 (228) 466-9320. OTS indef.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ **GULFPORT APP/DEP CON** 124.6 (130°-309°) 127.5 (310°-129°)
 (1200-0500Z‡)

Ⓡ **HOUSTON CENTER APP/DEP CON** 132.6 (0500-1200Z‡)

TOWER 127.15 (1300-0300Z‡) **GND CON** 121.725

AIRSPACE: CLASS D svc 1300-0300Z‡ other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE GPT.

GULFPORT (L) VORTAC 109.0 GPT Chan 27 N30°24.41'

W89°04.61' 263° 19.7 NM to fld. 23/02E. **HIWAS.**

HANCO NDB (MHW/LOM) 221 HS N30°27.06' W89°27.32' 179° 5 NM to fld.

ILS 110.35 I-HSA Rwy 18. LOM Hanco NDB.



BAY SPRINGS

THIGPEN FLD (ØØM) 3 SE UTC-6(-5DT) N31°57.23' W89°14.07'

NEW ORLEANS

351 B NOTAM FILE GWO

L-18G

Rwy 16-34: H3000X50 (ASPH) S-8 MIRL

Rwy 16: Trees. **Rwy 34:** Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z‡.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBY Chan 43 N31°25.12' W89°20.26' 004° 32.5 NM to fld. 290/05E.

BELMONT

TISHOMINGO CO (Ø1M) 2 S UTC-6(-5DT) N34°29.50' W88°12.07'

MEMPHIS

578 B S4 **FUEL** 100LL, JET A NOTAM FILE GWO

L-18H

Rwy 17-35: H4000X60 (ASPH) S-20 MIRL

Rwy 17: Thld dspcd 500'. Trees.

Rwy 35: Thld dspcd 977'. Trees.


AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z‡. For fuel and svc after hrs call 662-454-9989 or 662-424-0846. Rwy 17 dspcd thld not lighted. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ANB.

HAMILTON (L) VORTACW 110.4 HAB Chan 41 N34°11.71'

W88°00.75' 330° 20.1 NM to fld. 810/02E. **HIWAS.**



BELZONI MUNI (1M2) 3 SW UTC-6(-5DT) N33°08.71' W90°30.92'

MEMPHIS

110 B TPA-1210(1100) NOTAM FILE GWO

L-186

RWY 03-21: H3000X50 (ASPH) S-24 MIRL


RWY 03: P-line.

RWY 21: Twr.

AIRPORT REMARKS: Unattended. Arpt CLOSED at ngt. Rwy 21 has 4' ditch 130' from thld. MIRL Rwy 03-21 Preset low ints; higher ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83' W90°16.64' 209° 22.5 NM to fld. 125/03E.

**BIGBEE** N33°29.13' W88°30.82' NOTAM FILE GWO.

MEMPHIS

(L) VORTACW 116.2 IGB Chan 109 238° 4.4 NM to Golden Triangle Rgnl. 240/04E. HIWAS.

H-6J, L-186

VOR portion unusable: 200°-260° blo 5000'.

RCO 123.65 (GREENWOOD RADIO)

BOONEVILLE/BALDWIN (8M1) 6 SW UTC-6(-5DT) N34°35.51' W88°38.91'

MEMPHIS

384 B S2 FUEL 100LL, JET A NOTAM FILE GWO

H-6J, L-186

RWY 15-33: H5000X75 (ASPH-GRVD) S-20 MIRL

IAP

RWY 15: REIL. Trees.

RWY 33: REIL. Trees.


AIRPORT REMARKS: Attended 1400-0030Z+. Fuel 24 hr credit card svc avbl. Minor airframe and power plant svc upon request. ACTIVATE MIRL Rwy 15-33—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE TUP.

TUPELO (L) VORW/DME 109.8 OTB Chan 35 N34°13.43' W88°47.84' 015° 23.2 NM to fld. 360/04E.

**BRENZ** N32°24.78' W90°15.68' NOTAM FILE HKS.

MEMPHIS

NDB (MHW/LOM) 260 JH 155° 5.1 NM to Hawkins Fld. NDB unmonitored 0300-1300Z+.

L-186

BROOKHAVEN—LINCOLN CO (1R7) 3 NE UTC-6(-5DT) N31°36.35' W90°24.56'

NEW ORLEANS

489 B FUEL 100LL, JET A NOTAM FILE GWO

H-6J, L-22F

RWY 04-22: H5000X75 (ASPH) S-27 MIRL

IAP

RWY 04: PAPI(P2L)—GA 3.0° TCH 40'. Thld dsplcd 632'. Trees.


RWY 22: PAPI(P2L)—GA 3.0° TCH 40'. Thld dsplcd 1000'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-1800Z. For attendant after hours call 601-918-3671. Fuel svc avbl 24 hrs with credit card. Tall trees on AER 22. MIRL Rwy 04-22 preset low ints dusk-dawn, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.125 (601) 833-3209.**COMMUNICATIONS:** CTAF/UNICOM 122.8① **HOUSTON CENTER APP/DEP CON** 126.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE MCB.

McCOMB (H) VORTAC 116.7 MCB Chan 114 N31°18.27'

W90°15.49' 334° 19.6 NM to fld. 440/03E. HIWAS.

**BRUCE CAMPBELL FLD** (See MADISON)**BRYAN** N33°25.92' W88°51.02' NOTAM FILE GWO.

MEMPHIS

NDB (MHW) 281 STF at George M. Bryan. NDB unmonitored.

L-18G

CALEDONIA N33°38.49' W88°26.31' NOTAM FILE CBM.

MEMPHIS

(T) VORTAC 115.2 CBM Chan 99 at Columbus AFB. 220/0E. Monitored Mon-Fri 1300-0100Z.

L-18H

Sun 1600-2300Z. No NOTAM MP Mon-Fri 0300-1030Z. Sun 1300-1500Z.

CALHOUN CO (See PITTSBORO)**C. A. MOORE** (See LEXINGTON)**CARTHAGE—LEAKE CO** (Ø8M) 2 N UTC-6(-5DT) N32°45.67' W89°31.80'

MEMPHIS

454 B S4 FUEL 100LL NOTAM FILE GWO

L-18G

RWY 17-35: H3000X50 (ASPH) S-20 MIRL

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Unattended. For fuel call 601-267-7717. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE JAN.

JACKSON (H) VORTAC 112.6 JAN Chan 73 N32°30.45' W90°10.06' 060° 35.7 NM to fld. 360/05E.

CHARLESTON MUNI (Ø9M) 2 S UTC-6(-5DT) N33°59.49' W90°04.69'

MEMPHIS

175 B NOTAM FILE GWO

L-18G

RWY 18-36: H3000X50 (ASPH) S-18 MIRL

RWY 18: Trees. RWY 36: Poles.

AIRPORT REMARKS: Unattended. Public phone avbl 662-647-9484.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83' W90°16.64' 016° 32.9 NM to fld. 125/03E.

CLARKE CO (See QUITMAN)**CLARKSDALE** N34°17.58' W90°30.94' NOTAM FILE GWO.

MEMPHIS

NDB (MHW) 341 CKM at Fletcher Fld. Unmonitored Mon-Fri 0100-1300Z, Sat-Sun 2300-1400Z.

L-18G

CLARKSDALE**FLETCHER FLD** (CKM) 7 NE UTC-6(-5DT) N34°17.98' W90°30.74'

173 B FUEL 100LL, JET A NOTAM FILE GWO

RWY 18-36: H5404X100 (ASPH) S-25, D-32 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 27'.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 27. Trees.

AIRPORT REMARKS: Attended daltg hrs. Numerous agricultural acft opr W of North/South twy. Acft dep N; land S. Rwy 18-36 1 hr PPR for acft over 30,000 lbs, call 662-624-5554. Public phone avbl 662-624-9231. REIL Rwy 18 OTS indef. REIL Rwy 36 OTS indef.


ACTIVATE MIRL Rwy 18-36; PAPI and REIL Rwy 18 and 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.675 (662) 624-9777. OTS indef.**COMMUNICATIONS:** CTAF/UNICOM 122.8① **MEMPHIS CENTER APP/DEP CON** 135.3**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83' W90°16.64' 344° 51.3 NM to fld. 125/03E.

CLARKSDALE NDB (MHW) 341 CKM N34°17.58' W90°30.94' at fld. Unmonitored Mon-Fri 0100-1300Z†, Sat-Sun 2300-1400Z†.

MEMPHIS
H-6J, L-186
IAP

**CLEVELAND MUNI** (RNV) 2 NW UTC-6(-5DT) N33°45.67' W90°45.47'

139 B S4 FUEL 100LL, JET A NOTAM FILE GWO

RWY 17-35: H4002X75 (ASPH) S-26 MIRL

RWY 17: PAPI(P4L)—GA 3.0° TCH 63'. Tree.

RWY 35: PAPI(P4L)—GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1400-0000Z†, Sun 1900-2300Z†. Heavy concentration of student activity on and invof arpt—please check fld. PAEW invof Rwy 17-35 and twy indef. Rwy 17-35 thld lgts 93 ft from thld. Public telephone avbl in pre-flight room 662-843-8016. ACTIVATE MIRL Rwy 17-35—CTAF.


WEATHER DATA SOURCES: AWOS-3 124.175 (662) 843-3021.**COMMUNICATIONS:** CTAF/UNICOM 122.725**MEMPHIS CENTER APP/DEP CON** 135.875**RADIO AIDS TO NAVIGATION:** NOTAM FILE GLH.

GREENVILLE (L) VOR/DME 110.2 GLH Chan 39 N33°31.41' W90°58.98' 034° 18.2 NM to fld. 130/04E.

RENOVA NDB (MHW) 272 RNV N33°48.42' W90°45.76' 171° 2.8 NM to fld. NOTAM FILE GWO.

NDB unmonitored. NDB unusable byd 20 NM.

MEMPHIS
L-18F
IAP



COLUMBIA-MARION CO (ØRØ) 3 N UTC-6(-5DT) N31°17.82' W89°48.77'

NEW ORLEANS

265 B S4 FUEL 100LL NOTAM FILE GWO

L-21B, 22F

RWY 05-23: H4460X70 (ASPH) S-30 MIRL 0.5% up NE

IAP

RWY 05: Trees.

RWY 23: REIL. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±, Sat-Sun on call.

For attendant after hrs call 601-517-4042. Fuel svc avbl 24 hrs with credit card. Rwy 23 REIL OTS indef.


COMMUNICATIONS: CTAF/UNICOM 122.8

® HOUSTON CENTER APP/DEP CON 126.8

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBY Chan 43 N31°25.12'

W89°20.26' 249° 25.5 NM to fld. 290/05E.



COLUMBUS AFB (CBM)(KCBM) AF 9 N UTC-6(-5DT) N33°38.71' W88°26.76' **MEMPHIS**
 219 B TPA—See Remarks Class I, ARFF Index A NOTAM FILE CBM Not insp. **H-6J, L-18H**
RWY 13C-31C: H12004X300 (ASPH-CONC) PCN 52 F/A/W/T HIRL **DIAP, AD**
RWY 13C: ALSF1. PAPI(P2L)—GA 3.0° TCH 40'. **RWY 31C:** ALSF1. PAPI(P2L)—GA 3.0° TCH 48'.
RWY 13L-31R: H8001X150 (ASPH-CONC) PCN 35 R/B/W/T HIRL
RWY 13L: PAPI(P2L)—GA 3.5°. **RWY 31R:** PAPI(P2L)—GA 3.5°.
RWY 13R-31L: H6315X175 (CONC-GRVD) PCN 69 R/B/W/T MIRL
RWY 13R: PAPI(P2L). **RWY 31L:** PAPI(P2L).
ARRESTING GEAR/SYSTEM
RWY 13C MA-1A CHAG (101' OVRN) MA-1A CHAG (103') **RWY 31C**
RWY 13L BAK-15 CHAG (120' OVRN) MA-1A CHAG (120' OVRN) **RWY 31R**
MILITARY SERVICE: A-GEAR MA-1A continue raised position on dep end of center rwy, down and disconnected on apch end. **JASU** 1(MD-3) 2(A/M32A-86) 3(MA-1A) **FUEL** J8 **FLUID** LPOX LOX **OIL** 0-148-156; SOAP—results avbl Mon-Fri. **TRAN ALERT** Limited fleet svc avbl.
MILITARY REMARKS: Tran opr weekdays 1300-0100Z, Sun 1800-2300Z, CLOSED holidays. See FLIP AP/1
 Supplementary Arpt Remarks. **RSTD** PPR, ctc Base OPS DSN 742-2998, C662-434-2998/2861 PPR ltd during student training. Overhead apch not authorized during student training opr. All tran aircrews check in with Base OPS. Expect radar vector for full stop ldg during student training. Altitude restricted for VMC dep acft. PPR, only 4 acft per hr during student training. **CAUTION** Uncontrolled vehicle t/c on twy and ramps. Do not mistake parallel twy to Rwy 13R-31L for rwy. Rwy 13R-31L additional markings for base assign T-38 emergency lndg only. Rwy 13R overrun 1000' full strength pavement, Rwy 31L overrun 1635' full strength pavement. Exercise caution braking when wet, ponding conditions exist. Braking action less than expected, reduced rwy skid resistance and high potential for hydroplaning all rwys when wet. T-1 Ramp E of control twr is located in Rwy 31L clear zone. Acft within Rwy Supervisory Unit (RSU) practice area are not Class C participants. RSU practice areas are defined in FLIP AP/1 Supplementary Arpt Remark. **TFC PAT** TPA—Overhead 1700(1481), Rectangular 1200(981), Helicopter 700(481). **NS ABTMT** Quiet hr daily 0400-1200Z. **MISC** Call Base OPS to determine available tran parking space and status of student training on weekend. Base OPS DSN 742-2861/2998, C662-434-2998/2861. Limited hangar space avbl Apr-Dec. First 3500' Rwy 13C and first 3525' Rwy 31C is grooved concrete, middle 4975' is asphalt. First 1000' Rwy 13L-31R is concrete, mid 6000' is asphalt. Augmented wx observation view limited, restricted from 140°-320° by flightline facilities and trees. Standard USAF RSRs applied. ATC personnel in accordance with the cooperative wx watch will alert wx personnel on any unreported wx condition that could affect flt safety. Auto AN/FMQ-19 ASOS in use located near GS Rwy 13C-31C. Augmented/backed up AN/FMQ-19 ASOS in use when requested during opr hr and for resource protection. Opr hr may vary with local flying schedule. ASOS obsn avbl at DSN 742-1281.
COMMUNICATIONS: ATIS 115.2 273.5 (Mon-Fri 1300-0100Z, 1600-2300Z Sun, clsd Sat and holidays.)
PTD 142.3 376.0
(R) APP CON 126.075 239.25 (310°-090°) 132.025 135.05 291.65 (090°-165°) 323.275 135.6 133.25 307.8 (Arr)
TOWER 126.65 379.925 (Mon-Fri 1300-0100Z, 1600-2300Z Sun, clsd Sat and holidays.)
GND CON 121.9 275.8 **CLNC DEL** 269.55
(R) DEP CON 132.05 135.6 291.65 323.275 **PMSV METRO** 354.6 (Full svc weekdays 1000-0100Z; Sun 1400-2300Z, C800-982-4257 Option 6; no service other times, and hol. Opr hr may vary with local flying schedule. Remote briefing svc avbl Barksdale AFB from 26 OWS DSN 781-4775, C866-223-9328. ASOS obsn avbl at DSN 742-1281.) **SOF** 252.1
AIRSPACE: CLASS C svc Mon-Fri 1300-0100Z, Sat, Sun and holidays 1600-2300Z, other times CLASS G. Class E airspace 700' AGL and above.
RADIO AIDS TO NAVIGATION: NOTAM FILE CBM.
CALEDONIA (T) VORTAC 115.2 CBM Chan 99 N33°38.49' W88°26.31' at fld. 220/OE. Monitored Mon-Fri 1300-0100Z, Sun 1600-2300Z. No NOTAM MP Mon-Fri 0300-1030Z, Sun 1300-1500Z.
BIGBEE (L) VORTACW 116.2 IGB Chan 109 N33°29.13' W88°30.82' 016° 10.1 NM to fld. 240/4E. HIWAS.
ILS 109.3 I-CBM Rwy 13C. Monitored Mon-Fri 1300-0100Z, Sun 1600-2300Z. No NOTAM MP Mon-Fri 0300-1030Z, Sun 1200-1400Z.
ILS 108.7 I-TBB Rwy 31C.

COLUMBUS—LOWNDES CO (UBS) 3 SE UTC-6(-5DT)

MEMPHIS

N33°27.92' W88°22.82'

L-18H

188 B S4 FUEL 100LL, JET A NOTAM FILE GWO

IAP

RWY 18-36: H4500X100 (ASPH) S-40, D-70, ST-89, DT-120
MIRL

RWY 18: VASI(V2L)—GA 3.0°TCH 25'. Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z, Sun

1600-2300Z. For fuel service after hrs, call 662-242-8120.

Public phone avbl outside terminal building 662-327-9852. MRL

Rwy 18-36 ops dusk-0400Z, after 0400Z, activate—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

① COLUMBUS APP/DEP CON 135.6 (1300-0100Z Mon-Fri;


1600-2300Z Sun, clsd Sat and holidays. Other times ctc

① MEMPHIS CENTER APP/DEP CON 127.1

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

BIGBEE (L) VORTACW 116.2 IGB Chan 109 N33°29.13'

W88°30.82' 096° 6.8 NM to fld. 240/04E. HIWAS.

**COLUMBUS/W POINT/STARKVILLE****GOLDEN TRIANGLE RGNL** (GTR) 10 W UTC-6(-5DT) N33°27.02' W88°35.48'

MEMPHIS

264 B S2 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE GTR

H-6J, L-18H

RWY 18-36: H6497X150 (ASPH) S-133, D-200, DT-300

IAP, AD

PCN 30 F/B/Y/T HIRL

RWY 18: MALSR. VASI(V4L)—GA 3.0°TCH 56'.

RWY 36: REIL. VASI(V4L)—GA 3.0°TCH 56'.

AIRPORT REMARKS: Attended continuously. Birds and wildlife invov arpt.

When twr clsd, all acct opr locally at GTR arpt must have a two way radio capable of transmitting/receiving CTAF and maintain radio contact. One stop transient acct exempt from requirement.

ACTIVATE HIRL Rwy 18-36; MALSR Rwy 18; REIL Rwy 36 and twy lgts—118.2.

WEATHER DATA SOURCES: AWOS-3 126.375 (662) 328-7798.

COMMUNICATIONS: CTAF 118.2 ATIS 126.375 UNICOM 122.95

① COLUMBUS APP/DEP CON 135.6 (1300-0100Z Mon-Fri,

1600-2300Z Sun, clsd Sat and holidays. Other times ctc

MEMPHIS CENTER APP/DEP CON 127.1

COLUMBUS CLNC DEL 126.25

TOWER 118.2 (1200-0200Z) GND CON/CLNC DEL 135.375


AIRSPACE: CLASS D svc (1200-0200Z) other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

BIGBEE (L) VORTACW 116.2 IGB Chan 109 N33°29.13'

W88°30.82' 238°4.4 NM to fld. 240/04E. HIWAS.

ILS 110.7 I-GTR Rwy 18. (Unmonitored 0500-1130Z).

**COPIAH CO** (See CRYSTAL SPRINGS)

CORINTH**ROSCOE TURNER** (CRX) 4 SW UTC-6(-5DT) N34°54.90' W88°36.21'**MEMPHIS**
H-6J, L-186
IAP

425 B S4 FUEL 100LL JET A NOTAM FILE GWO

RWY 18-36: H6500X100 (ASPH) S-30 MIRL 0.3% up S

RWY 18: MALSR: PAPI(P2L)—GA 3.0° TCH 45'.

RWY 36: PAPI(P2L)—GA 3.0° TCH 54'.

AIRPORT REMARKS: Attended Mon-Sat daltg, Sun 1400Z±-Dusk.

ACTIVATE MIRL Rwy 18-36, MALSR Rwy 18—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.675 (662) 287-5103.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ MEMPHIS CENTER APP/DEP CON 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MKL.

JACKS CREEK (L) VOR/DME 109.4 JKS Chan 31 N35°35.94'
W88°21.54' 194° 42.7 NM to fld. 630/02E.SEYER NDB(LOM) 334 UU N35°00.93' W88°36.94' 173° 6.1
NM to fld.

ILS 111.1 I-UUR Rwy 18 Class IA. LOM SEYER NDB.

**CROSBY MUNI** (C71) 1 NE UTC-6(-5DT) N31°17.76' W91°03.17'**HOUSTON**
L-21B, 22F

336 NOTAM FILE GWO

Not insp.

RWY 17-35: H3127X60(ASPH) S-16

RWY 17: Trees.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. Deer on and invof arpt.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HEZ.

NATCHEZ (L) VOR/DME 110.0 HEZ Chan 37 N31°37.09' W91°17.98' 147° 20.7 NM to fld. 280/03E.
(DME unmonitored).**CRYSTAL SPRINGS****COPIAH CO** (M11) 4 S UTC-6(-5DT) N31°54.18' W90°22.12'**NEW ORLEANS**
L-22F

443 B S4 FUEL 100LL NOTAM FILE GWO

RWY 17-35: H3000X75 (ASPH) S-10 MIRL

RWY 17: REIL. Trees.

RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 30'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z±. For svc after hrs call 601-754-0500. Livestock on and invof rwy. Rwy 17-35 cracks in pavement and loose gravel all sfcs. Terrain drops off abruptly 100' from both ends of rwy.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.

McCOMB (H) VORTAC 116.7 MCB Chan 114 N31°18.27' W90°15.49' 348° 36.3 NM to fld. 440/03E.
HIWAS**DEAN GRIFFIN MEML** (See WIGGINS)**DIAMONDHEAD** (66Y) 0 SW UTC-6(-5DT) N30°21.78' W89°23.26'**NEW ORLEANS**
L-21C, 22G

14 Fuel 100LL NOTAM FILE GWO

RWY 18-36: H3800X75 (ASPH) S-12 LIRL

RWY 18: Thld dsplcd 613'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Sat 1330-2230Z±. Fuel avbl 24 hrs with credit card. Rwy 18-36 LIRL OTS indef. ACTIVATE LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

RADIO AIDS TO NAVIGATION: NOTAM FILE GPT.

GULFPORT (L) VORTAC 109.0 GPT Chan 27 N30°24.41' W89°04.61' 261° 16.3 NM to fld. 23/02E. HIWAS.

DREW**RULEVILLE—DREW** (M37) 2 S UTC-6(-5DT) N33°46.58' W90°31.50'

MEMPHIS

137 B NOTAM FILE GWO

L-18G

RWY 18-36: H3000X60 (ASPH) S-16 MIRL


IAP

RWY 18: PAPI(P2L)—GA 3.0° TCH 40'.**RWY 36:** PAPI(P2L)—GA 3.0° TCH 40'.**AIRPORT REMARKS:** Attended irregularly. MIRL Rwy 18-36 ops

dusk-0400Z†; after 0400Z† ACTIVATE—CTAF. PAPI Rwy 18 and Rwy 36 on continuously. Rwy 18-36 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.875**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**SIDON (H) VORTAC** 114.7 SQS Chan 94 N33°27.83'

W90°16.64' 324° 22.5 NM to fld. 125/03E.

**EATON** N31°25.12' W89°20.26' NOTAM FILE GWO.

NEW ORLEANS

(L) VORTAC 110.6 LBY Chan 43 356° 2.9 NM to Hattiesburg-Laurel Rgnl. 290/05E.

L-22G

Unusable 300°-000° byd 30 NM. VOR portion unusable 241°-251°.

RCO 122.1R 110.6T (GREENWOOD RADIO)**EUPORA** (Ø6M) 2 W UTC-6(-5DT) N33°32.07' W89°18.75'

MEMPHIS

450 B NOTAM FILE GWO

L-18G

RWY 14-32: H3000X60 (ASPH) S-20 MIRL**RWY 14:** PAPI(P2L)—GA 3.0° TCH 35'. Trees.**RWY 32:** PAPI(P2L)—GA 3.0° TCH 42'. Tree.**AIRPORT REMARKS:** Unattended. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 14-32 and PAPI Rwy 14 and Rwy 32—CTAF.**COMMUNICATIONS:** CTAF 122.9.**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**BIGBEE (L) VORTACW** 116.2 IGB Chan 109 N33°29.13' W88°30.82' 270° 40.2 NM to fld. 240/04E. HIWAS.**FERNI** N31°15.27' W90°30.63' NOTAM FILE MCB.

NEW ORLEANS

NDB (MHW/LOM) 413 MC 153° 5 NM to Mc Comb-Pike Co—John E Lewis Fld.

L-21B, 22F

FLETCHER FLD (See CLARKSDALE)**FOREST****G. V. MONTGOMERY** (2M4) 1 S UTC-6(-5DT) N32°21.21' W89°29.32'

MEMPHIS

517 B NOTAM FILE GWO

L-18G

RWY 16-34: H3600X75 (ASPH) S-25 MIRL**RWY 16:** Trees. **RWY 34:** Trees.**AIRPORT REMARKS:** Unattended. For arpt attendant Mon-Fri 1400-2200Z†, Sat 1400-1700Z† call 601-469-4141.

Rwy 16-34 uneven pavement. MIRL Rwy 16-34 present med ints dusk-dawn, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MEI.**MERIDIAN (H) VORTAC** 117.0 MEI Chan 117 N32°22.71' W88°48.26' 263° 34.8 NM to fld. 580/05E.

HIWAS.

FULTON-ITAWAMBA CO (11M) 5 NE UTC-6(-5DT) N34°21.12' W88°22.64'

MEMPHIS
L-18H

450 NOTAM FILE GWO

RWY 17-35: H3000X60 (ASPH) S-24

RWY 17: Trees.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. CLOSED indef. Rwy 17-35 cracking on all pavement areas are numerous and wide.

COMMUNICATIONS: CTAF 122.9

MEMPHIS CENTER APP/DEP CON 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ANB.

HAMILTON (L) VORTACW 110.4 HAB Chan 41 N34°11.71' W88°00.75' 295° 20.5 NM to fld. 810/02E.
HIWAS.

GEORGE M. BRYAN (See STARKVILLE)

GOLDEN TRIANGLE RGNL (See COLUMBUS/W POINT/STARKVILLE)

GREENE CO N31°05.88' W88°29.17' NOTAM FILE GWO.

NEW ORLEANS

(H) VORTACW 115.7 GCV Chan 104 030° 26 NM to Roy Wilcox. 300/05E.

H-6J, L-21C, 22G

VOR portion unusable: 138°-238° blo 5000'; 291°-339° blo 4000'.

GREENEVILLE N33°31.41' W90°58.98' NOTAM FILE GLH.

MEMPHIS

(L) VOR/DME 110.2 GLH Chan 39 179° 2.4 NM to Mid Delta Rgnl. 130/4E.

L-18F

RCD 122.1R 110.2T (GREENWOOD RADIO)

GREENVILLE

MID DELTA RGNL (GLH) 5 NE UTC-6(-5DT) N33°28.97' W90°59.14'

MEMPHIS

131 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE GLH

H-6J, L-18F

RWY 18L-36R: H8001X150 (ASPH-GRVD) S-75, D-112, ST-142, DT-182, DDT-540 HIRL

IAP, AD

RWY 18L: MALSR.

RWY 36R: REIL VASI (V4L)—GA 3.0° TCH 51'. Tree. Rgt tfc.

RWY 18R-36L: H7019X150 (ASPH-CONC) S-29, D-47, DT-78
MIRL

RWY 18R: VASI(V4L)—GA 3.0° TCH 52'. Rgt tfc.

RWY 36L: VASI(V4L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended 1200-0400Z†. Rwy 18R-36L no tkf or Indg authorized for air carrier aircraft. Rwy 18R-36L surface is rough and has several large bumps or heaves. Rwy 18L-36R center 50' of pavement is fair. Outer edges of Rwy 18L-36R are in poor condition producing foreign object debris. Rwy 18R-36L MIRL OTS indef. VASI Rwy 36R opr continuously. When twr clsd HIRL Rwy 18L-36R preset med ints, to increase ints and ACTIVATE MALSR Rwy 18L—CTAF.

WEATHER DATA SOURCES: ASOS 125.525 (662) 332-0863. LAWRS.

COMMUNICATIONS: CTAF 119.0 UNICOM 122.95

MEMPHIS CENTER APP/DEP CON 135.875

GREENVILLE TOWER 119.0 (1300-0100Z†) GND CON 121.8


AIRSPACE: CLASS D svc 1300-0100Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.

GREENVILLE (L) VOR/DME 110.2 GLH Chan 39 N33°31.41' W90°58.98' 179° 2.4 NM to fld. 130/04E.

METCALF NDB (MHW) 359 MTQ N33°25.52' W90°58.93' 354° 3.5 NM to fld.

ILS 109.1 I-GLH Rwy 18L. Class IE. (Unmonitored when twr clsd). LOC Backcourse unusable. MM OTS indef.



GREENWOOD—LEFLORE (GWO) 6 E UTC-6(-5DT) N33°29.66' W90°05.08'
 162 B S4 FUEL 100LL, JET A, JET A1+ TPA—See Remarks NOTAM FILE GWO
RWY 18-36: H6503X150 (ASPH) S-100, D-176, ST-175, DT-300, DDT-560 HIRL IAP
RWY 18: MALSR. Trees.
RWY 05-23: H5005X150 (ASPH) S-30 MIRL 0.3% up NE
RWY 05: VASI(V4L)—GA 3.0° TCH 34'.
RWY 23: Trees.
RWY 09-27: H2689X60 (ASPH) S-30 0.4% up E
RWY 27: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z. CLOSED 2 days each at Thanksgiving and Christmas and one day for New Years. Fuel avbl Mon-Fri 1300-0100Z, Sat-Sun 1400-2300Z. Fee for fuel after hrs call 662-453-5756 or 662-299-5616 or 662-455-5530 by appointment after hrs. Powerplant and airframe repairs in emergency or by appt. Migratory birds and deer invof arpt. PAEW invof Rwy 18-36. Rwy 09 and 27 rapidly rising terrain. Rwy 09-27 not controlled by twr. Rwy 09 restricted to tkf; Rwy 27 restricted to ldg. Ctc twr or AFSS for ARFF assistance. Arpt mgr limits gross weight Rwy 05-23 to S-42, D-60 in unusual situations. Operator using Rwy 09-27 must be familiar with Greenwood twr Letter to Airmen 97-1. Rwy 09-27 no centerline. Rwy 05-23 has minor cracking and is rough and uneven. Rwy 09-27 has major cracking and is rough and uneven. Wind indicator lgt OTS indef. TPA for lgt acft 1000(838); TPA for turboprop and jet acft 1500(1338). When twr clsd ACTIVATE MIRL Rwy 05-23, HIRL Rwy 18-36 and MALSR Rwy 18—CTAF. VASI Rwy 05 opr continuously.

WEATHER DATA SOURCES: ASOS 119.975 (662) 453-3304.

COMMUNICATIONS: CTAF 118.35 UNICOM 122.95
 RCO 122.55 122.2 122.1R (GREENWOOD RADIO)

Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5

TOWER 118.35 (1400-0000Z) **GND CON** 125.55 **CLNC DEL** 125.55

AIRSPACE: CLASS D svc 1400-0000Z other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83' W90°16.64' 076° 9.8 NM to fld. 125/03E.

TEOCK NDB (LOM) 349 GW N33°35.52' W90°05.06' 178° 5.8 NM to fld.

ILS 111.3 I-GWO Rwy 18. **LOM TEOCK NDB.**

COMM/NAV/WEATHER REMARKS: Ctc Greenwood Radio for airport advisory service on 118.35 when twr is closed.



MEMPHIS
 H-6J, L-186
 IAP

GRENADA MUNI (GNF) 3 N UTC-6(-5DT) N33°49.95' W89°47.89'

208 B FUEL 100LL, JET A NOTAM FILE GWO

RWY 13-31: H7000X150 (ASPH) S-60, D-200, ST-175, DT-300 MIRL

RWY 13: MALSR VASI(V4L)—GA 3.0° TCH 52'.

RWY 31: VASI(V4L)—GA 3.0° TCH 56'. Trees.

RWY 04-22: H5000X100 (ASPH) S-60, D-200, ST-175, DT-300

RWY 04: Trees. **RWY 22:** Thld displcd 225'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z, Sat 1400-0000Z. For fuel, after hrs call 662-226-7330, 662-307-0892, 662-809-1550 or 662-417-0880. Aerobatic acft 4,500' and below within 3 NM of arpt, daltg hrs. Extensive agriculture ops invof arpt SR-SS between Mar-Oct annually.

WEATHER DATA SOURCES: AWOS-3 118.025 (662) 227-3407.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 128.5

GCO 121.72 (GREENWOOD FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.


SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83'

W90°16.64' 044° 32.6 NM to fld. 125/03E.

SCOBEE NDB (MHW) 245 SBQ N33°53.47' W89°52.47' 132°

5.2 NM to fld. Unusable byd 20 NM.

ILS/DME 110.9 I-GNF Chan 46 Rwy 13.



MEMPHIS
 H-6J, L-186
 IAP

GULFPORT-BILOXI INTL (GPT) 3 NE UTC-6(-5DT) N30°24.44' W89°04.21'

NEW ORLEANS

28 B S4 FUEL 100LL, JET A TPA—See Remarks LRA Class I, ARFF Index B

H-7E, 8F, L-21C, 22G

NOTAM FILE GPT

IAP, AD

RWY 14-32: H9002X150 (ASPH-CONC) S-60, D-155, ST-175, DT-265 HIRL**RWY 14:** MALSR. PAPI(P4R)—GA 3.0° TCH 60' Trees.**RWY 32:** MALSR. VASI(V4L)—GA 3.0° TCH 47'. Tower.**RWY 18-36:** H4935X150 (ASPH) S-20, DT-115 MIRL**RWY 18:** PAPI(P4R)—GA 3.0° TCH 47'. Tree.**RWY 36:** VASI(V4L)—GA 3.0° TCH 34'. Trees.**ARRESTING GEAR/SYSTEMS****RWY 14** ←BAK-14 BAK-12B (B) (1800')BAK-14 BAK-12B (B) (1300') →**RWY 32****AIRPORT REMARKS:** Attended 1200-0500Z†. After hrs call

228-864-2576. 150' AGL crane 4600' N of Rwy 18 thld.

Numerous low flying fish spotter acft opr near shoreline between

Pascagoula and Gulfport SR-SS. Maverick pad apron area on N

end of Twy C restricted to military acft use only. TPA—jets

1528(1500) conventional 1228(1200) light single-engine

828(800). Arresting gear avbl during ANG ops with 30 min prior

notice. Acft over 115,000 lbs are restricted from 180° turns on

asph portion of Rwy 18-36. Acft with wing span greater than 223'

are restricted from opr on Twy C between Twy A and AER 32. Civil acft with wing span of 132' or greater and all

air carrier acft must be escorted along Twy A north of Twy C by gnd handling agent. Military acft or acft

supporting mil mission with wing span of 132' or greater must have escort or coordinate taxi procedures with

gnd handling agent prior to taxiing on Twy A. Acft opr as scheduled or charter passenger svc shall not taxi on Twy

A north of Twy B intersection without escort from gnd handling agent or arpt authority. Twy F clsd indef. Acft over

155,000 lbs are restricted from using the N part of Twy A at Rwy 18-36. Acft over 316,000 lbs are restricted

from using the S part of Twy A between Twy C and Rwy 14-32. Due to apron activity acft with wingspan greater

than 170' should be alert on Twy A between Twy C and Twy B. Rwy 14 and Rwy 32 touchdown, runway visual

range avbl. When twr clsd ACTIVATE HIRL Rwy 14-32, PAPI Rwy 18, VASI Rwy 36, MALSR Rwy 14 and Rwy

32—CTAF. MIRL Rwy 18-36 not avbl when twr clsd. PAPI Rwy 14 and VASI Rwy 32 on continuously. Flight

Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (228) 867-9937. HIWAS 109.0 GPT. LAWRS.**COMMUNICATIONS:** CTAF 123.7 ATIS 119.45 UNICOM 122.95

RCO 122.1R 109.0T (GREENWOOD RADIO)

Ⓡ **GULFPORT APP/DEP CON** 124.6 (130°-309°) 127.5 (310°-129°) (1200-0500Z†)Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 (0500-1200Z†)**TOWER** 123.7 (1200-0500Z†) **GND CON** 120.4**AIRSPACE:** CLASS D svc 1200-0500Z† other times CLASS G.**TRSA** svc ctc **APP CON****RADIO AIDS TO NAVIGATION:** NOTAM FILE GPT.


(L) VORTAC 109.0 GPT Chan 27 N30°24.41' W89°04.61' at fld. 23/02E. HIWAS.

BAYOU NDB (LOM) 360 GP N30°29.13' W89°09.73' 132° 6.7 NM to fld.

ILS 110.9 I-GPT Rwy 14. LOM BAYOU NDB. ILS unmonitored when twr closed.

ILS 108.3 I-UXI Rwy 32. Class IA. Unmonitored when twr clsd.

ASR (1200-0500Z†)

**G. V. MONTGOMERY** (See FOREST)**HANCO** N30°27.06' W89°27.32' NOTAM FILE HSA.

NEW ORLEANS

NDB (MHW/LOM) 221 HS 179° 5 NM to Stennis Intl.

L-21B, 22G

HARDY-ANDERS FLD NATCHEZ-ADAMS CO (See NATCHEZ)

HATTIESBURG**HATTIESBURG BOBBY L CHAIN MUNI**

(HBG) 4 SE UTC-6(-5DT) N31°15.90' W90°15.17'

NEW ORLEANS

151 B S4 FUEL 100LL, JET A NOTAM FILE HBG

H-6J, L-21C, 22G

RWY 13-31: H6094X150 (ASPH-GRVD) S-48, D-68, ST-114, DT-145 HIRL IAP

RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dsplcd 996'.

Trees.

RWY 31: PAPI(P4L)—GA 3.0° TCH 40'.

AIRPORT REMARKS: Attended dalgt hrs. For fuel after hrs page

601-271-6919, also, fuel avbl 24 hrs self serve with credit card.

ACTIVATE HIRL Rwy 13-31; PAPI Rwy 13 and 31 and REIL Rwy 13—CTAF.


WEATHER DATA SOURCES: ASOS 135.425 (601) 544-2185.**COMMUNICATIONS:** CTAF/UNICOM 122.8

HOUSTON CENTER APP/DEP CON 126.8

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBV Chan 43 N31°25.12'

W89°20.26' 150° 10.2 NM to fld. 290/05E.

**HATTIESBURG—LAUREL RGNL**

(PIB) 9 N UTC-6(-5DT) N31°28.03' W89°20.22'

NEW ORLEANS

298 B S2 FUEL 100, JET A, Class I, ARFF Index A NOTAM FILE PIB

H-6J, L-22G

RWY 18-36: H6501X150 (ASPH-GRVD) S-125, D-225, ST-175, DT-275 HIRL IAP

RWY 18: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 60'.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 59'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 18: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

RWY 36: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

AIRPORT REMARKS: Attended 1100-0500Z. CLOSED to air carrier ops with more than 30 passenger seats except 24 hr PPR, call arpt manager 601-545-3111. HIRL Rwy 18-36 preset on med ints; to increase ints and ACTIVATE PAPI Rwy 18 and 36, MALSR Rwy 18 and REILS Rwy 18 and Rwy 36—CTAF.**WEATHER DATA SOURCES:** AWOS-3 128.325 (601) 584-6701. LAWRS.**COMMUNICATIONS:** CTAF/UNICOM 123.0


HOUSTON CENTER APP/DEP CON 126.8

AIRSPACE: CLASS E svc 1200-0400Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBV Chan 43 N31°25.12'

W89°20.26' 356° 2.9 NM to fld. 290/05E.

ILS 109.5 I-PIB Rwy 18. Class IB. Back Course Unusable.

**HAWKINS FLD**

(See JACKSON)

HERNANDO VILLAGE AIRPARK, INC

(H75) 2SW UTC-6(-5DT) N34°47.89' W90°02.22'

MEMPHIS

242 FUEL 100LL NOTAM FILE GWO

Not insp.

RWY 14-32: 3340X65 (TURF) S-12 LIRL

RWY 14: Trees.

RWY 32: Tower.

AIRPORT REMARKS: Attended dalgt hrs. Rwy 14-32 LIRL OTS indef. ACTIVATE LIRL Rwy 14-32—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**HESLER—NOBLE FLD**

(See LAUREL)

HOLLANDALE MUNI (14M) 2 NE UTC-6(-5DT) N33°10.96' W90°49.84'

MEMPHIS

114 B NOTAM FILE GWO

L-18F

RWY 08-26: H3000X50 (ASPH) S-21 MIRL

AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Rotating bcn OTS indef. MIRL Rwy 08-26 opr 2300-0400Z†; after 0400Z† ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.7

RADIO AIDS TO NAVIGATION: NOTAM FILE GLH.

GREENVILLE (L) VOR/DME 110.2 GLH Chan 39 N33°31.41' W90°58.98' 155° 21.9 NM to fld. 130/04E.

HOLLY SPRINGS-MARSHALL CO (M41) 4 W UTC-6(-5DT) N34°48.26' W89°31.27'

MEMPHIS

553 B S4 FUEL 100LL NOTAM FILE GWO

L-18G

RWY 18-36: H3201X60 (ASPH) S-15 MIRL 1.1% up S

IAP

RWY 18: PAPI(P2L)—GA 2.75° TCH 86'.

RWY 36: PAPI(P2L)—GA 3.25° TCH 65'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Fuel 24 hr self-service with card.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 112.4T (GREENWOOD RADIO)

RCO 122.3 (GREENWOOD RADIO)


Ⓜ MEMPHIS APP CON 125.8 120.07

Ⓜ MEMPHIS DEP CON 124.15

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

(L) VORTAC 112.4 HLI Chan 71 N34°46.22'

W89°29.79' 326° 2.4 NM to fld. 630/03E.



HOUSTON MUNI (M44) 2 SW UTC-6(-5DT) N33°53.51' W89°01.42'

MEMPHIS

337 B S2 NOTAM FILE GWO

L-18G

RWY 03-21: H3800X75 (ASPH) S-26 MIRL

RWY 03: PAPI(P2L)—GA 3.92° TCH 52'. Trees.

RWY 21: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended Mon-Fri continuously, Sat-Sun on call. For arpt attendant Sat-Sun call 662-456-2554/2861. Fuel avbl in emergency only; fuel tanks privately owned. Power plant repairs avbl in emergencies only; call attendant. PAEW on and invof rwy. MIRL Rwy 03-21 preset low ints 2300-0400Z† after 0400Z† to increase ints ACTIVATE—CTAF. PAPI Rwy 03 and Rwy 21 operate continuously.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CBM.

CALEDONIA (T) VORTAC 115.2 CBM Chan 99 N33°38.49' W88°26.31' 297° 32.9 NM to fld. 220/00E.

Monitored Mon-Fri 1300-0100Z†, Sun 1600-2300Z†. No NOTAM MP Mon-Fri 0300-1030Z†,

Sun 1300-1500Z†.

I H BASS JR MEML (See LUMBERTON)

INDIANOLA MUNI (IDL) 2 NW UTC-6(-5DT) N33°29.14' W90°40.73'

126 B S4 FUEL 100LL NOTAM FILE GWO

RWY 17-35: H7004X150 (CONC) S-20 MIRL

RWY 17: Trees.

RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. For svc after hours call 662-887-2580. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 135.875

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83'


W90°16.64' 271° 20.2 NM to fld. 125/03E.

NDB (MHW) 284 IDL N33°28.81' W90°40.54' at fld. NDB unmonitored.

MEMPHIS

H-6J, L-18F

IAP



IUKA (15M) 3 SE UTC-6(-5DT) N34°46.34' W88°09.95'

630 B FUEL 100LL NOTAM FILE GWO

RWY 18-36: H4000X75 (ASPH-GRVD) S-30 MIRL

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended dalgt hours. Fuel 24 hr credit card svc avbl. For after hrs svc ctc arpt manager 662-423-3427 or 662-432-6699. ACTIVATE MIRL Rwy 18-36—CTAF. Rwy lgts ints cannot be changed.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MSL.

MUSCLE SHOALS (L) VORTACW 116.5 MSL Chan 112 N34°42.41' W87°29.49' 276° 33.6 NM to fld. 580/01E.

MEMPHIS

L-18H

JACKSON

HAWKINS FLD (HKS) 3 NW UTC-6(-5DT) N32°20.09' W90°13.35'

341 B S4 FUEL 100LL, JET A1 + NOTAM FILE HKS

RWY 16-34: H5387X150 (ASPH-GRVD) S-30, D-40, DT-80 HIRL 0.7% up NW

RWY 16: MALSR. PAPI(P4L).

RWY 34: REIL. Trees.

RWY 11-29: H3431X150 (CONC) S-30, D-40, DT-80

MIRL 0.3% up SE

RWY 11: P-line.

RWY 29: Trees.

AIRPORT REMARKS: Attended 1300-0300Z. Landing fee. Fee for acft over 25,500 lbs without purchase of fuel. When twr is clsd Rwy 11-29 MIRL unavailable, Rwy 34 REIL left on. Rwy 16-34 lgts on continuous step 3-PCL OTS indef. ACTIVATE HIRL Rwy 16-34 and MALSR Rwy 16—CTAF.

WEATHER DATA SOURCES: ASOS 120.625 (601) 354-4037.

COMMUNICATIONS: CTAF 119.65 UNICOM 122.95

Ⓡ JACKSON APP/DEP CON 123.9 (333°-152°) 125.25

(153°-332°)(1200-0500Z)

Ⓡ MEMPHIS CENTER APP/DEP CON 132.5 (0500-1200Z)

TOWER 119.65 (1300-0300Z) GND CON 121.9

JACKSON CLNC DEL 121.9

AIRSPACE: CLASS D svc 1300-0300Z other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE JAN.

JACKSON (H) VORTAC 112.6 JAN Chan 73 N32°30.45' W90°10.06' 190° 10.7 NM to fld. 360/05E.

BRENZ NDB (MHW/LOM) 260 JH N32°24.78' W90°15.68' 155° 5.1 NM to fld. NDB unmonitored


0300-1300Z. NOTAM FILE HKS.

ILS 111.7 I-JHF Rwy 16. LOM BRENZ NDB. BRENZ NDB unmonitored 0300-1300Z. (ILS Unmonitored when Jackson twr closed)

MEMPHIS

H-6J, L-18G

IAP, AD



JACKSON-EVERS INTL (JAN)(KJAN) CIV/MIL/P/ANG 5 E UTC-6(-5DT) N32°18.67' W90°04.55' **MEMPHIS**

346 B S4 FUEL 100, 100 LL, JET A, JET A+ OX 3 LRA Class I, ARFF Index C

H-6J, L-186

NOTAM FILE JAN

IAP, DIAP, AD

RWY 16R-34L: H8500X150 (ASPH-GRVD) S-130, D-140, ST-175, DT-250, DDT 720 HIRL CL

RWY 16R: REIL. PAPI(P4L)—GA 3.0° TCH 80'. 0.4% up.

RWY 34L: MALSR. TDZL. Trees.

RWY 16L-34R: H8500X150 (ASPH-GRVD) S-75, D-200, ST-175, DT-390, DDT 850 HIRL CL

RWY 16L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 71'. Trees. 0.3% up.

RWY 34R: REIL. PAPI(P4R)—GA 3.0° TCH 52'. Trees. 0.7% down.

MILITARY SERVICES: JASU 8(A/M32A-86D) 3(MC-1A) FUEL (NC-100, JET A). JET A+ (C601-939-9366.)

AIRPORT REMARKS: Attended continuously. Rwy 16L +8' stop sign at end of rwy 160' from thld 280' right. Weight bearing capacity for Rwy 16L-34R and Rwy 16R-34L is TRT 585 to accommodate C-17 acft. Be alert when crossing AER 16R. Rwy 16L and Rwy 34R rwy visual range touchdown, midpoint and rollout avbl. Rwy 34L rwy visual range touchdown avbl. When twr clsd HIRL Rwy 16L-34R and HIRL Rwy 16R-34L on continuously step 3. ACTIVATE MALSR Rwy 34L, HIRL Rwy 16L-34R HIRL Rwy 16R-34L, REIL Rwy 34R—CTAF. ACTIVATE REIL Rwy 16R—120.7. Rwy 16L ALSF—2 preset on med ints. Ldg fee for non-commercial acft over 25,500 pounds, fee waived for larger non-scheduled acft with sufficient fuel purchase. U.S. Customs user fee arpt.

MILITARY REMARKS: See FLIP AP/1 supplementary arpt remark. ANG Official business only. All tran acft 48 hr PPR, ctc Base Ops. Tran acft use FBO for svc. Base Ops opr weekdays 1300-2230Z†, DSN 828-8372, C601-405-8372, fax DSN 828-8100, C601-405-8100. Command Post opr 24 hr., DSN 828-8350, C601-405-8350.

WEATHER DATA SOURCES: ASOS (601)932-2822. LLWAS.

COMMUNICATIONS: CTAF 120.9 ATIS 121.05 UNICOM 122.95

RCO 122.65 122.2 (GREENWOOD RADIO) RCO 122.1R 112.6T (GREENWOOD RADIO)

Ⓡ APP/DEP CON 123.9 317.7 (333°-152°) 125.25 319.2 (153°-332°)(1200-0500Z‡)

Ⓡ MEMPHIS CENTER APP/DEP CON 132.5 259.1 (0500-1200Z‡)

TOWER 120.9 352.0 (1200-0500Z‡) GND CON 121.7 348.6

ANG COMD POST 264.6 (172nd AW CP)

AIRSPACE: CLASS C svc 1200-0500Z‡ ctc APP CON other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE JAN.

(H) VORTAC 112.6 JAN Chan 73 N32°30.45' W90°10.06' 153° 12.6 NM to fld. 360/05E.


ALLEN NDB (LOM) 365 JA N32°24.75' W90°07.17' 157° 6.5 NM to fld. Unmonitored 0500-1200Z‡.

ILS 109.3 I-FRL Rwy 34L. Class IB. Unmonitored 0500-1200Z‡.

ILS 110.5 I-JAN Rwy 16L. Class IIIE. LOM ALLEN NDB. Unmonitored 0500-1200Z‡.

ASR (1200-0500Z‡)

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.



JAMES H EASOM FLD (See NEWTON)

JOE WILLIAMS NOLF (NJW) N32°47.77' W88°49.90'

AIRSPACE: CLASS D svc Mon-Fri 1400-2330Z‡ other times CLASS G.

MEMPHIS

H-6J, L-186

JOHN BELL WILLIAMS (See RAYMOND)

KEESLER AFB (BIX)(KBIX) AF (AFRC) O W UTC-6(-5DT) N30°24.63' W88°55.47' **NEW ORLEANS**
 33 B TPA—See Remarks Class I, ARFF Index Ltd. NOTAM FILE BIX Not insp. H-7E, 8F, L-21C, 22G
RWY 03-21: H7630X150 (PEM) PCN 35 F/B/W/T HIRL 0.3% up SW **DIAP, AD**
RWY 03: REIL. PAPI(P4L). Thld dsplcd 1599'. **RWY 21:** ALSF1. VASI(V4R). Thld dsplcd 1000'. Rgt tfc.
MILITARY SERVICE: LGT RWY 03 PAPI runway point of intercept not coincidental with ILS runway point of intercept.
JASU 1(MA-1A) 3(A/M32A-86A) FUEL J8 FLUID SP PRESAIR LPOX LOX OIL 0-148-156
TRAN ALERT Opr Mon-Thu 1400-2100Z, Fri 1400-0200Z, Sat 1700-2300Z clsd Sun and hol.
MILITARY REMARKS: Opr Mon-Fri 1400-0500Z, Sat and Sun 1500-2300Z closed holidays. Unit training assemblies Sun 1900-0500Z. See FLIP AP/1 Supplementary Arpt Remark. **RSTD** Aircrews ctc GND prior to acft engine start. PPR for all acft ctc Army mobilization and Operations Planning System at DSN 579-2120 or C228-377-2120. Pilots will avoid flying over the USAF Medical Center located on the Back Bay 1 NM E of rwy, and the VA Hospital on the Back Bay 1 NM W of rwy. Twy E rstd to small acft. Acft rinse facility (Bird Bath) Twy C avbl to C-130 and larger acft. Outside of published opr hour, coordinate mission essential (EVAC, Storm Tracking and High HQ (JSC) Mission) acft arr/dep with Base OPS when open or Command Post. All C130 or larger must face N on Twy B for maintenance runs or engine run-ups. **CAUTION** Rwy hazard men or equipment opr randomly to include within 100' of rwy daily. Lgted trees pent 50:1 plane on Rwy 03-21. Lgted water tower located 1775' rgt of Rwy 03 centerline and 2900' left of Rwy 21 centerline. Glide slope antenna 250' W of centerline and 1050' from apch end Rwy 21. 300' tall crane 3089' SE of Rwy centerline. 220' crane 1450' ESE Rwy 03. Bird Alert—Concentration of birds in vicinity of airfield during inclement weather. Large frame and heavy acft will make 180° turns on concrete portion of rwy. Weather forecast: Marina trees hinder wind, low wind speed on Rwy 21 apch when wind direction from 280°-340°. During augmenation/backup, ltd wx obsn to E and visibility marker byd 1 statute mile only avbl in the W to N sector, night flood lgt hinder cloud and visibility observation and ceilings frequently 100'-200' lower than observation on Rwy 21 apch from Nov-Mar. Rwy edge lghts past thresholds greater than 10' from full strength pavement. Spot 24/25 (Twy B and Twy F) light—alls used when C-5 or C-17 parked during hrs of darkness and inclement wx. Night vision devices training Tue and Thu 0200-0400Z. Obstacle erected, 300' crane 3039' SE rwy cntrl. **TFC PAT** TPA—Overhead 1500(1467), Conventional 1000(967), Helicopter 500(467). Rwy 03 precision instrument apch not avbl. **MISC** Winds are estimated due to FMQ-13 wind sensors being accurate to within only +/- 4 knots. ATC/Wx will not include/relay wind correction into forecast/phraseology. Therefore, aircrews will incorporate a +/- 4 knot accuracy into their decision making process for flying opr. Rwy 03 avbl tkf 6632' from key-hole. Rwy 21 avbl tkf 6034' from key-hole. See US Terminal Low Arpt Sketch for NSTD Rwy 03-21 configuration. Rwy 03 dsplcd thld dimensions and surface—1st 200X150 is concrete, next 800X75 is concrete with 37.5' non-weight bearing asph edge each side, and remaining 598X150 is concrete. Rwy 21 dsplcd thld dimensions and surface—1st 200X150 is concrete, next 800X75 is concrete with 37.5' non-weight bearing asph edge each side. VIP acft ctc PTD 372.2 15 minutes prior to ldg with firm chock time. During opr hours, LIFE GUARD/MEDEVAC/SAR/mission essential acft ctc Base OPS DSN 597-2120, C228-377-2120 1 hour prior to arr for proper coordination, during non-opr hours, ctc Command Post DSN 597-4330, C228-377-4330 1 hour prior to req airfield be opened. Hanger space not avbl for severe weather. COMSEC materials are not avbl. Dsplcd thld may be used for tkf and ldg rollout, ctc twr with req to back taxi. Assault Zone marker on rwy. Rwy Surface Condition/Rwy Condition Reading not reported during published afld clsd times. **403 WG AFRC** C130/WC130 acft opr weekdays.
COMMUNICATIONS: ATIS 281.55 (Mon-Fri 1400-0300Z) **PTD** 372.2
(R) GULFPORT APP/DEP CON 124.6 354.1 (130°-309°) 127.5 254.25 (310°-129°) (1200-0500Z)
(R) HOUSTON CENTER APP/DEP CON 132.6 387.05 (0500-1200Z)
TOWER 120.75 269.075 Opr Mon-Fri 1400-0500Z, Sat and Sun 1700-2300Z, clsd hol. Unit training assemblies Sun 1900-0500Z **GND CON** 121.8 275.8 **CLNC DEL** 121.8 275.8
403 WG AFRC COMD 252.8 (Call ACCOUNTANT) **PMSV METRO** 267.4 Full svc during afld opr hrs, extd as required, clsd holidays. Remote briefing svc avbl from 26 OWS Barksdale AFB, LA, DSN 781-4775, C1-866-223-9328. Automatic FMQ-19 in use 24 hrs. Augmented/backed up FMQ-19 in use when required during opr hrs and for resource protection. ASOS obsn avbl at DSN 597-0438 or C228-377-0438.
AEROMEDICAL EVAC 236.6
AIRSPACE: CLASS D svc Opr Mon-Fri 1400-0500Z, Sat and Sun 1700-2300Z clsd Hol. Unit Training Assemblies Sun 1900-0500Z other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE GPT.
GULFPORT (L) VORTAC 109.0 GPT Chan 27 N30°24.41' W89°04.61' 086° 7.9 NM to fld. 23/2E. **HIWAS.** TACAN azimuth OTS infed.
(T) TACAN Chan 55 BIX (111.8) N30°24.41' W88°55.80' at fld. 10/1E. NOTAM FILE BIX. Monitored during published opr hours only. No NOTAM MP Wed 1200-1400Z (1000/2+1).
ILS 109.7 I-BIX Rwy 21. Monitored during published opr hr only. No NOTAM MP Tue and Thu 1200-1400Z (1000/2+1). Critical area not protected.

KEWANEE N32°22.01' W88°27.50' NOTAM FILE GWO. **MEMPHIS**
(L) VORTAC 113.8 EWA Chan 85 047° 12.4 NM to Mallard. 300/04E. VORTAC unusable **L-18H**
 250°-290° byd 30 NM blo 3000'.
RCO 122.1R 113.8T (GREENWOOD RADIO)

KEY FLD (See MERIDIAN)**KOSCIUSKO—ATTALA CO** (OSX) 3 NE UTC-6(-5DT) N33°05.42' W89°32.52'**MEMPHIS**
H-6J, L-186
IAP

480 B FUEL 100LL, JET A NOTAM FILE GWO

RWY 14-32: H5000X75 (ASPH) S-18 MIRL

RWY 14: PAPI(P2L)—GA 3.50° TCH 52'. Trees.

RWY 32: PAPI(P2L)—GA 3.50° TCH 49'. Trees.

AIRPORT REMARKS: Attended continuously. Wildlife on and invof rwy.

Remote control model acft flying off end of Rwy 14. ACTIVATE

MIRL Rwy 14-32—CTAF. PAPI Rwy 14 and Rwy 32 opr continuously.


COMMUNICATIONS: CTAF 122.9® **MEMPHIS CENTER APP/DEP CON** 132.75**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83'

W90°16.64' 118° 43.2 NM to fld. 125/03E.

NDB (MHW) 269 OSX N33°05.46' W89°32.42' at fld.

SHUTDOWN

**LAUREL** N31°40.21' W89°10.44'**NEW ORLEANS**
L-226

RCO 122.3 (GREENWOOD RADIO) at Hesler-Noble Fld.

LAUREL**HESLER—NOBLE FLD** (LUL) 3 SW UTC-6(-5DT) N31°40.38' W89°10.37'**NEW ORLEANS**
H-6J, L-226
IAP

238 B S2 FUEL 100LL, JET A1 + NOTAM FILE GWO

RWY 13-31: H5513X150 (ASPH) S-41, D-65, ST-83, DT-110 HIRL

RWY 13: REIL. VASI(V2L)—GA 3.0° TCH 54'.

RWY 31: VASI(V4L)—GA 3.0° TCH 29'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1330-0000Z±, Sat

1500-0000Z±, Sun 1900-0000Z±. For svc after hrs call

601-426-2626. Trucks near AER 13 creating dust/haze. Crop

duster activity invof arpt. Ultralight activity on and invof arpt.

ACTIVATE HIRL Rwy 13-31 and REIL Rwy 13—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.275 (601) 425-9792.**COMMUNICATIONS:** CTAF/UNICOM 123.05

LAUREL RCO 122.3 (GREENWOOD RADIO)

HOUSTON CENTER APP/DEP CON 126.8


RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBY Chan 43 N31°25.12'

W89°20.26' 024° 17.4 NM to fld. 290/05E.

TALLAHALA NDB (MHW) 346 THJ N31°41.25' W89°11.39'

135° 1.2 NM to fld.

**LEXINGTON****C. A. MOORE** (19M) 2 NE UTC-6(-5DT) N33°07.53' W90°01.53'**MEMPHIS**
L-186
IAP

340 B NOTAM FILE GWO

RWY 01-19: H3199X60 (ASPH) S-20 MIRL 0.5% up NE

RWY 01: Trees. RWY 19: Tree.

AIRPORT REMARKS: Unattended. Arpt rotating bcn OTS indef.**COMMUNICATIONS:** CTAF 122.9

MEMPHIS CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83' W90°16.64' 145° 23.9 NM to fld. 125/03E.

LONG BEACH**VORTEX HELIPORT** (35M) 4 N UTC-6(-5DT) N30°23.32' W89°09.92'

NEW ORLEANS

24 B NOTAM FILE GWO

Not insp.

HELIPAD H1: 75X75 (TURF)

AIRPORT REMARKS: Attended 1400-2300Z±. 30' p-line west, 45' trees and 30' p-line south of helipad. Maintain tfc patterns east of helipad. High volume student training on and invof heliport.**COMMUNICATIONS:** CTAF 122.9**LOUISVILLE WINSTON CO** (LMS) 1 N UTC-6(-5DT) N33°08.77' W89°03.75'

MEMPHIS

575 B FUEL 100LL, JET A NOTAM FILE GWO

L-18G

RWY 17-35: H4519X75 (ASPH) S-12 MIRL 0.3% up S


IAP

RWY 17: PAPI(P2L)—GA 3.25° TCH 48'. Trees.**RWY 35:** PAPI(P2L)—GA 3.75° TCH 52'. Trees.**AIRPORT REMARKS:** Unattended. For fuel and other svcs call 601-773-8304. Deer on and invof arpt. PAEW adjacent Rwy 17-35. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ MEMPHIS CENTER APP/DEP CON 132.75

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.**BIGBEE (L) VORTACW** 116.2 IGB Chan 109 N33°29.13'

W88°30.82' 230° 34.3 NM to fld. 240/04E. HIWAS.

NDB (MHW) 212 LMS N33°08.63' W89°03.65' at fld.**LUMBERTON****I H BASS JR MEML** (4R1) 2 NW UTC-6(-5DT) N31°00.93' W89°28.95'

NEW ORLEANS

310 B NOTAM FILE GWO

L-21B, 22G

RWY 14-32: H3000X75 (ASPH) S-22 MIRL**RWY 14:** PAPI(P2L). Trees.**RWY 32:** PAPI(P2L). Trees.**AIRPORT REMARKS:** Unattended. Skydiving activity on weekend. ACTIVATE MIRL Rwy 14-32 and PAPI Rwy 14 and Rwy 32—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**EATON (L) VORTAC** 110.6 LBY Chan 43 N31°25.12' W89°20.26' 192° 25.3 NM to fld. 290/05E.**MACON MUNI** (20M) 2 E UTC-6(-5DT) N33°08.01' W88°32.14'

MEMPHIS

238 B NOTAM FILE GWO

L-18H

RWY 18-36: H3000X50 (ASPH) S-28 MIRL**RWY 36:** Trees.**AIRPORT REMARKS:** Unattended. Due to limited line of sight all acft are required to announce txf and ldg CTAF—122.7. MIRL Rwy 18-36 ops dusk-0400Z±, after 0400Z± ACTIVATE MIRL Rwy 18-36—122.7.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**BIGBEE (L) VORTACW** 116.2 IGB Chan 109 N33°29.13' W88°30.82' 179° 21.1 NM to fld. 240/04E. HIWAS.

MADISON**BRUCE CAMPBELL FLD** (MBO) 2 SE UTC-6(-5DT) N32°26.32' W90°06.19'**MEMPHIS**

326 B S2 FUEL 100LL, JET A1 + NOTAM FILE GWO

L-186

RWY 17-35: H4444X75 (ASPH) S-25 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: PAPI(P2L)—GA 4.0° TCH 50'. Trees.


AIRPORT REMARKS: Attended 1200-0100Z†. ACTIVATE MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35—CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.125 (601) 605-8137.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **JACKSON APP/DEP CON** 123.9 (333°-152°) 125.25 (153°-332°)
(1200-0500Z†). **CLNC DEL** 125.9

Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.5 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE JAN.

JACKSON (H) VORTAC 112.6 JAN Chan 73 N32°30.45'
W90°10.06' 137° 5.3 NM to fld. 360/05E.

**MAGEE MUNI** (17M) 3 W UTC-6(-5DT) N31°51.77' W89°48.04'**NEW ORLEANS**

555 B FUEL 100LL NOTAM FILE GWO

L-22F

RWY 18-36: H3104X50 (ASPH) S-19 MIRL

RWY 18: Thld dsplcd 165'. Tree. RWY 36: Trees.

AIRPORT REMARKS: Attended continuously. Rwy 36 4' deep ditch 350' from thld. ACTIVATE MIRL Rwy 18-36—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8.**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBY Chan 43 N31°25.12' W89°20.26' 313° 35.6 NM to fld. 290/05E.

MARKS**SELFS** (MMS) 2 SW UTC-6(-5DT) N34°13.89' W90°17.37'**MEMPHIS**

162 S4 FUEL 100LL NOTAM FILE GWO

L-186

RWY 02-20: H3348X70 (ASPH) S-10 MIRL

IAP

RWY 20: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat and Sun irregularly. For attendance hrs Sat and Sun call 662-444-4736. Public phone avbl 662-326-9404.


Fuel avbl 24 hr self service with credit card.

COMMUNICATIONS: CTAF 122.9

Ⓡ **MEMPHIS CENTER APP/DEP CON** 135.3

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

SIDON (H) VORTAC 114.7 SQS Chan 94 N33°27.83'
W90°16.64' 356° 46.0 NM to fld. 125/03E.

**MC CAIN FLD** (See MERIDIAN NAS)**McCHAREN FLD** (See WEST POINT)

Mc COMB—PIKE CO—JOHN E LEWIS FLD (MCB) 4 S UTC-6(-5DT)

NEW ORLEANS

H-6J, L-21B, 22F

IAP

N31°10.71' W90°28.31'

413 B S4 FUEL 100LL, JET A1+ NOTAM FILE MCB

RWY 15-33: H5000X100 (ASPH-GRVD) S-25, D-30, DT-60

MIRL 0.5% up NW

RWY 15: MALSF. PAPI(P2L)—GA 3.0° TCH 38'. Trees.

RWY 33: PAPI(P2L)—GA 3.0° TCH 46'. Trees.

AIRPORT REMARKS: Attended 1400Z†-dusk. For attendant and fuel after hrs call 601-684-8950. MIRL Rwy 15-33 preset low ints dusk-0600Z†, after 0600Z† increase ints, ACTIVATE MALSF—CTAF.

WEATHER DATA SOURCES: ASOS 119.025 (601) 249-3223. HIWAS 116.7 MCB.

COMMUNICATIONS: CTAF/UNICOM 123.05

RCO 122.4 122.2 (GREENWOOD RADIO)

RCO 122.1R 116.7T (GREENWOOD RADIO)


® HOUSTON CENTER APP/DEP CON 126.8

AIRSPACE: CLASS E svc continuously.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MCB.

(H) VORTAC 116.7 MCB Chan 114 N31°18.26' W90°15.49'
233° 13.3 NM to fld. 440/03E. HIWAS

FERNI NDB (MHW/LOM) 413 MC N31°15.27' W90°30.63'
153° 5 NM to fld.

ILS 109.1 I-MCB Rwy 15. Class IA. LOM FERNI NDB. LOC unusable byd 0.5 NM. GS unusable byd 5 degrees left of course.

**MERIDIAN** N32°22.71' W88°48.26' NOTAM FILE MEI.

MEMPHIS

H-6J, L-18G

(H) VORTAC 117.0 MEI Chan 117 131° 3.8 NM to Key Fld. 580/5E. HIWAS.

RCO 122.1R 117.0T (GREENWOOD RADIO)

RCO 122.6 122.2 (GREENWOOD RADIO).

MERIDIAN**KEY FLD** (MEI) 3 SW UTC-6(-5DT) N32°19.96' W88°45.11'297 B S4 **FUEL** 100, JET A OX 1, 2 Class I, ARFF Index A NOTAM FILE MEI**RWY 01-19:** H10003X150 (ASPH-CONC) S-105, D-175, ST-175, DT-325 HIRL**RWY 01:** MALSR. VASI(V4L)—GA 3.0°TCH 54'. Thld dsplcd 1000'.

Tree.

RWY 19: MALSR. PAPI(P4L)—GA 3.0° TCH 54'. Thld dsplcd 1000'.

Tree.

RWY 04-22: H4599X150 (ASPH) S-15, D-35, DT-60 MIRL**RWY 04:** PAPI(P2L)—GA 3.13° TCH 19'. Trees.**RWY 22:** PAPI(P2L)—GA 3.59° TCH 20'. Pole.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 01:** TORA-10003 TODA-10003 ASDA-10003 LDA-9003**RWY 19:** TORA-10003 TODA-10003 ASDA-10003 LDA-9003**RWY 04:** TORA-4599 TODA-4599 ASDA-4599 LDA-4599**RWY 22:** TORA-4599 TODA-4599 ASDA-4599 LDA-4599

AIRPORT REMARKS: Attended 1200-0400Z†. For attendant after hrs call 601-693-7282. Air National Guard ramp clsd exc PPR, 601-484-9734/9714. Rwy 01-19 dsplcd thlds are concrete. ACTIVATE HIRL Rwy 01-19, MIRL Rwy 04-22, MALSR Rwy 01 and Rwy 19, twy lgts—CTAF.


WEATHER DATA SOURCES: ASOS (601) 693-5650. HIWAS 117.0 MEI.**COMMUNICATIONS:** CTAF 119.8 ATIS 126.475 UNICOM 122.95**MERIDIAN RCO** 122.6 122.2 (GREENWOOD RADIO)Ⓡ **MERIDIAN APP/DEP CON** 120.5 (1300-0500Z†)Ⓡ **MEMPHIS CENTER APP/DEP CON** 124.4 (0500-1300Z†)**TOWER** 119.8 (1200-0400Z†), other times by NOTAM.**GND CON** 121.9**AIRSPACE:** CLASS D svc 1200-0400Z†, other times by NOTAM.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MEI.

MERIDIAN (H) VORTAC 117.0 MEI Chan 117 N32°22.71' W88°48.26' 131° 3.8 NM to fld. 580/05E. HIWAS.

SAVOY NDB (MHW/LOM) 356 ME N32°14.84' W88°46.30' 010° 5.2 NM to fld.**ILS** 110.1 I-MEI Rwy 01. Class IA. LOM SAVOY NDB. (Unmonitored when twr clsd).**ILS/DME** 111.35 I-IKQ Chan 50(Y) Rwy 19.**MEMPHIS**

H-6J, L-186

IAP, AD



MERIDIAN NAS (MC CAIN FLD) (NMM)(KNMM) N 11 NE UTC-6(-5DT) **MEMPHIS**
 N32°33.21' W88°33.32'
 316 B TPA—See Remarks NOTAM FILE NMM Not insp.
RWY 01L-19R: H8002X200 (CONC) PCN 64 R/C/W/T HIRL CL
RWY 01L: ALSF1. OLS. WAVE-OFF. 0.5% up.
RWY 01R-19L: H8002X200 (CONC) PCN 68 R/C/W/T HIRL CL
RWY 19L: SSALR. OLS. WAVE-OFF. 0.6% down.
RWY 10-28: H6401X200 (CONC) PCN 30 R/C/W/T HIRL
RWY 28: OLS. WAVE-OFF.
ARRESTING GEAR/SYSTEM
RWY 01L HOOK E28(B) (1750') **HOOK E28(B) (1250') RWY 19R**
RWY 01R HOOK E28(B) (1250') **HOOK E28(B) (1750') RWY 19L**
RWY 10 HOOK E28(B) (1250') **HOOK E28(B) (1250') RWY 28**
MILITARY SERVICE: LGT Portable OLS avbl Rwy 01L, Rwy 01R, Rwy 19L, Rwy 19R and Rwy 28. **JASU 2(NC-8A)**
 (GTC-85) 1(NCPP-105) **FUEL J8.** Exp 1 hr refuel delays. **TRAN ALERT** Svc avbl Mon-Thu 1300-0500Z, Fri 1300-2300Z. Drag chute repack unavbl.
MILITARY REMARKS: Opr Mon-Thu 1300-0500Z, Fri 1300-2300Z, CLOSED Sat, Sun and holidays except by NOTAM, hr subject to change in support CTW-1 flt opr. **RSTD** PPR all acft expect JOSAC Mission etc Base OPS DSN 637-2470/2505, C601-679-2470/2505. PPR good for +/- 1 hr PPR time. Coord of PPR outside of block time by telephone is rqr or PPR Nr will be cancelled. Arpt subject to no notice closure. PPR civilian acft Official Business. **CAUTION** Rwy 19L, 19R have 1 percent down gradient first 6000'. Wildlife in vicinity all rwy. Mat and twy south of hangar not visible from twr. Ints student jet training during flt opr hr. **TFC PAT** Jet break 1400', TPA-(1216)900. Tran acft expect visual apch when WX 2000-3 SM or abv. High altitude apch not normally avbl when Meridian-1 West active. VFR acft etc Meridian APP within 25 NM. **MISC** Ramp elev 283'. Expect arr/dep delay during student flying periods. Extensive student jet training.
COMMUNICATIONS: SFA **ATIS** 273.2 (Mon-Fri 1300-0500Z, clsd holidays).
 (R) **APP CON** 119.2 374.9 (E) 120.5 269.6 (S) 120.95 276.4 (W) 314.8 (N) (Mon-Fri 1300-0500Z), other times etc
 (R) **MEMPHIS CENTER APP CON** 124.4 323.0
MC CAIN TOWER 126.2 340.2 (Rwy 01L, Rwy 19L and Rwy 28) 360.2 (Rwy 01R, Rwy 19R and Rwy 10) (Mon-Thu 1300-0500Z, Fri 1300-2300Z, clsd Sat, Sun and holidays exc by NOTAM. **MC CAIN GND CON** 336.4
CLNC DEL 301.0
 (R) **DEP CON** 124.8 (S) 343.7 (E) (Mon-Fri 1300-0500Z), other times etc (R) **MEMPHIS CENTER DEP CON** 124.4 323.0
PMSV METRO 312.4 (Avbl 1200-0500Z.) **BASE OPS** 352.2
AIRSPACE: CLASS D svc Mon-Thu 1300-0500Z, Fri 1300-2300Z clsd Sat, Sun and holidays exc by NOTAM other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.
 (L) **TACAN** Chan 56 NMM (111.9) N32°34.70' W88°32.71' 198° 1.6 NM to fld. 309/1E. Opr during flt opr hr only.
TACAN unusable:
 010°-085° byd 21 NM blo 3,000' 105°-110°
ILS 109.7 I-NMM Rwy 19L. GS unusable byd 3° right of course. GS unusable byd 7° left of course.
ASR/PAR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

METCALF N33°25.52' W90°58.93' NOTAM FILE GLH. **MEMPHIS**
NDB (MHW) 359 MTQ 354° 3.5 NM to Mid Delta Rgnl. **L-18F**

MID DELTA RGNL (See GREENVILLE)

MONROE CO (See ABERDEEN/AMORY)

NATCHEZ N31°37.09' W91°17.98' NOTAM FILE HEZ. **HOUSTON**
 (L) **VOR/DME** 110.0 HEZ Chan 37 at Hardy-Anders Fld/Natchez-Adams Co. 280/03E. **L-22F**
 DME unmonitored. DME portion unusable byd 25 NM blo 3000'.
RCO 122.1R 110.0T (GREENWOOD RADIO)

NATCHEZ

HARDY-ANDERS FLD NATCHEZ-ADAMS CO (HEZ) 6 NE UTC-6(-5DT)

HOUSTON
H-6J, L-22F
IAP

N31°36.82' W91°17.84'

272 B S4 FUEL 100LL, JET A Class IV, ARFF Index A. NOTAM FILE HEZ

RWY 13-31: H6500X150 (ASPH-GRVD) S-50, D-78, ST-100,

DT-172 HIRL

RWY 13: MALSR. PAPI(P4L)—GA 3.0° TCH 54'.

RWY 31: PAPI(P4L)—GA 3.0° TCH 42'. Trees.

RWY 18-36: H5000X150 (ASPH) S-83, D-113, ST-143, DT-65
MIRL

RWY 18: VASI(V2L)—GA 3.0° TCH 37'. RWY 36: Trees.

AIRPORT REMARKS: Attended continuously. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 24 hrs PPR call arpt manager 601-442-5171. Deer on and invof rwys.

ACTIVATE MIRL Rwy 18-36, MALSR Rwy 13, VASI Rwy 18 and PAPI Rwy 13 and Rwy 31—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.675 (601) 446-8022 LAWRS.

COMMUNICATIONS: CTAF/UNICOM 122.8

NATCHEZ RCO 122.1R 110.0T (GREENWOOD RADIO)


Ⓡ HOUSTON CENTER APP/DEP CON 120.97

RADIO AIDS TO NAVIGATION: NOTAM FILE HEZ.

NATCHEZ (L) VOR/DME 110.0 HEZ Chan 37 N31°37.09'
W91°17.98' at fld. 280/03E, DME unmonitored.

NATCHEZ-ADAMS CO NDB (MHW) 388 HAH N31°41.41' W91°17.60' 180° 4.6 NM to fld.

ILS 111.35 I-HEZ Rwy 13. Class IB. GS unmonitored.



NATCHEZ-ADAMS CO N31°41.41' W91°17.60' NOTAM FILE HEZ.

HOUSTON
L-22F

NDB (MHW) 388 HAH 180° 4.6 NM to Hardy-Anders Fld Natchez-Adams Co.

NEW ALBANY-UNION CO (M72) 3 N UTC-6(-5DT) N34°32.94' W89°01.47'

MEMPHIS
L-18G
IAP

413 B S4 FUEL 100LL NOTAM FILE GWO

RWY 18-36: H3903X75 (ASPH) S-20 MIRL

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended Mon-Fri dalgt hrs, Sat 1400-1800Z. Fuel 24 hr credit card svc avbl. MIRL Rwy 18-36 opr dusk-0400Z. After 0400Z ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ MEMPHIS CENTER APP/DEP CON 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

HOLLY SPRINGS (L) VORTAC 112.4 HLI Chan 71 N34°46.22' W89°29.79' 116° 26.9 NM to fld. 630/03E.

NEWTON

JAMES H EASOM FLD (M23) 1 SE UTC-6(-5DT) N32°18.71' W89°08.15'

MEMPHIS
L-18G

369 B S4 FUEL 100LL NOTAM FILE GWO

RWY 13-31: H3000X75 (ASPH) S-21 MIRL

RWY 13: Tree. RWY 31: PVASI(P5IL)—GA 7.0° TCH 26'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z. For attendant after hrs and emergencies only call 601-416-4981. 24 hr fuel avbl with credit card. Public phone avbl 601-683-2664. ACTIVATE MIRL Rwy 13-31—CTAF. PAPI Rwy 31 opr continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE MEI.

MERIDIAN (H) VORTAC 117.0 MEI Chan 117 N32°22.71' W88°48.26' 252° 17.3 NM to fld. 580/05E.
HIWAS.

OCEAN SPRINGS (5R2) 3 E UTC-6(-5DT) N30°23.37' W88°45.21'

NEW ORLEANS

20 B S6 FUEL 100LL NOTAM FILE GWO

L-21C, 22G

RWY 18-36: H3500X50 (ASPH) S-10 MIRL

RWY 18: Tree.

AIRPORT REMARKS: Attended 1500-2300Z†. Arpt rotating bcn OTS indef. ACTIVATE rotating bcn and lgtd windsock—CTAF. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

SEMMES (H) VORTAC 115.3 SJI Chan 100 N30°43.56' W88°21.56' 220° 28.7 NM to fld. 190/05E.

OKOLONA MUNI-RICHARD STOVALL FLD (5A4) 2 NE UTC-6(-5DT)

MEMPHIS

N34°00.95' W88°43.57'

L-18G

335 B NOTAM FILE GWO

IAP

RWY 18-36: H3200X60 (ASPH) S-12.5 MIRL

RWY 18: Tree.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 terrain drops off abruptly 200' from both ends. PAEW on and invof Rwy 18-36. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9


Ⓡ COLUMBUS APP/DEP CON 126.075 (1300-0100Z† Mon-Fri, 1600-2300Z† Sun, clsd Sat and holidays, other times etc.

MEMPHIS CENTER APP/DEP CON 128.5

RADIO AIDS TO NAVIGATION: NOTAM FILE TUP.

TUPELO (L) VORW/DME 109.8 OTB Chan 35 N34°13.43'

W88°47.84' 160° 13 NM to fld. 360/04E.

**OKTIBBEHA** (See STARKVILLE)**OLIVE BRANCH** (OLV) 3 NE UTC-6(-5DT) N34°58.73' W89°47.21'

MEMPHIS

402 B S4 FUEL 100LL, JET A OX 3 TPA-1202(800) NOTAM FILE OLV

H-6J, L-18G

RWY 18-36: H6000X100 (ASPH-GRVD) S-50 HIRL

IAP

RWY 18: MALSR. VASI(V4L)—GA 3.0° TCH 31'.

RWY 36: VASI(V4L)—GA 3.0° TCH 31'. Tree.

AIRPORT REMARKS: Attended 1300-0200Z†. Bottle oxygen avbl on request call 662-895-2978. Read back required of all hold back instructions. Public phone avbl 662-895-9975 or 662-895-9978. Twy H clsd except to single and light twin acft only. Fixed distance markers. ACTIVATE MALSR Rwy 18—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (662) 893-5906. LAWRS.**COMMUNICATIONS:** CTAF 125.275 ATIS 119.925 UNICOM 122.7

Ⓡ MEMPHIS APP CON 125.8 120.07

Ⓡ MEMPHIS DEP CON 124.15 CLNC DEL 121.3 (When twr clsd)

TOWER 125.275 (1300-0300Z†) GND CON 121.2 CLNC DEL 121.2

AIRSPACE: CLASS D svc 1300-0300Z†.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MEM.

MEMPHIS (H) VORTAC 117.5 MEM Chan 122 N35°00.91' W89°58.99' 102° 9.9 NM to fld. 360/01E.

ILS/DME 109.3 I-OLV Chan 30 Rwy 18. Class IB. Unmonitored when twr clsd.

OXFORD**UNIVERSITY—OXFORD**

(UOX) 2 NW UTC-6(-5DT) N34°23.06' W89°32.21'

452 B S1 FUEL JET A TPA—See Remarks Class IV, ARFF Index A NOTAM FILE GWO

MEMPHIS

RWY 09-27: H5600X100 (ASPH) S-38, D-55, DT-90 MIRL 0.7% up E

H-6J, L-186

RWY 09: PAPI(P4L)—GA 3.0° TCH 40'.

IAP

RWY 27: REIL. Tree.

AIRPORT REMARKS: Attended 1300-0000Z+. For arpt attendant ngts call 662-234-2036. Deer invof Rwy 09-27. CLOSED to air carrier ops with more than 30 passenger seats except PPR call arpt manager 662-234-2036. TPA—1252(800), High speed—1652(1200).

MIRL Rwy 09-27 opr dusk-0400Z+, after 0400Z+, ACTIVATE MIRL

Rwy 09-27—CTAF. ACTIVATE PAPI Rwy 09—CTAF.


WEATHER DATA SOURCES: AWOS-3 132.725 (662) 234-9751.**COMMUNICATIONS:** CTAF/UNICOM 123.0① **MEMPHIS CENTER APP/DEP CON** 128.5**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**HOLLY SPRINGS (L) VORTAC** 112.4 HLI Chan 71 N34°46.22'

W89°29.79' 182° 23.2 NM to fld. 630/03E.

TUNNG NDB (LOM) 426 UV N34°23.11' W89°37.56' 089°
4.4 NM to fld.

ILS 111.7 I-UV D Rwy 09. LOM TUNNG NDB. (Loc Only)

Unmonitored 2300-1400Z+.

**PANOLA CO** (See BATESVILLE)**PASCAGOULA****TRENT LOTT INTL**

(PQL) 6N UTC-6(-5DT) N30°27.77' W88°31.75'

NEW ORLEANS

17 B S4 FUEL 100LL, JET A NOTAM FILE PQL

H-7E, 8F, L-21C, 22G

RWY 17-35: H6500X100 (ASPH-GRVD) D-60 MIRL

IAP

RWY 17: MALSR.

RWY 35: PAPI(P4L)—GA 3.03° TCH 40'.

AIRPORT REMARKS: Attended continuously. Military contract fuel unavailable. Numerous low flying fish spotter acft opr near shoreline between Bay St Louis and Pascagoula SR-SS. ACTIVATE MIRL Rwy 17-35, PAPI Rwy 35 and MALSR Rwy 17—CTAF.


WEATHER DATA SOURCES: ASOS 135.175 (228) 474-2836.**COMMUNICATIONS:** CTAF 118.575 ATIS 135.175 UNICOM 122.8**MOBILE APP/DEP CON** 121.0 (1200-0500Z+)**HOUSTON CENTER APP/DEP CON** 127.65 (0500-1200Z+)**TOWER** 118.575 (Mon-Fri 1100-0200Z+, Sat-Sun1400-0000Z+) **GND CON** 121.725**CLNC DEL** 121.725**AIRSPACE:** CLASS D svc Mon-Fri 1100-0200Z+, Sat-Sun

1400-0000Z+, other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE ANB.**SEMMES (H) VORTACW** 115.3 SJI Chan 100 N30°43.56'

W88°21.56' 204° 18.1 NM to fld. 190/05E.

TLOTT NDB (LOM) 209 PQ N30°32.89' W88°33.19' 165° 5.3
NM to fld. NOTAM FILE PQL.

ILS 110.1 I-PQL Rwy 17. Class IB. LOM TLOTT NDB.**PAUL PITTMAN MEML** (See TYLERTOWN)

PHILADELPHIA MUNI (MPE) 2 NW UTC-6(-5DT) N32°47.95' W89°07.56'

MEMPHIS

458 B FUEL 100LL, JET A NOTAM FILE GWO

H-6J, L-18G

RWY 18-36: H5001X75 (ASPH) S-30 MIRL 0.4% up S

IAP

RWY 18: PAPI(P2L)—GA 3.0° TCH 42'. Bldg.

RWY 36: PAPI(P2L)—GA 3.0° TCH 42'. Trees.

AIRPORT REMARKS: Attended Mon-Sun 1300-2300Z†. After hrs svc call 601-416-1721. ACTIVATE MIRL Rwy 18-36 and PAPI Rwy 18 and Rwy 36—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.725 (601) 663-0040.**COMMUNICATIONS:** CTAF/UNICOM 123.0Ⓡ **MEMPHIS CENTER APP/DEP CON** 132.75**RADIO AIDS TO NAVIGATION:** NOTAM FILE MEI.**MERIDIAN (H) VORTAC** 117.0 MEI Chan 117 N32°22.71'

W88°48.26' 322° 30.0 NM to fld. 580/05E.

HIWAS.

NDB (MHW) 219 MPE N32°47.89' W89°07.49' at fld. NOTAM

FILE GWO. NDB unusable byd 15 NM.

**PICAYUNE MUNI** (MJD) 2 SE UTC-6(-5DT) N30°29.25' W89°39.07'

NEW ORLEANS

55 B S4 FUEL 100LL, JET A NOTAM FILE GWO

H-7E, 8F, L-21B, 22G

RWY 18-36: H5000X75 (ASPH) S-30 MIRL

IAP

RWY 18: PAPI(P2L)—GA 3.0° TCH 36'. Trees.

RWY 36: PAPI(P2L)—GA 3.0° TCH 43'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Fuel avbl 24 hrs with credit card. Birds and geese invof arpt. ACTIVATE MIRL Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (601) 798-4136.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.1R 112.2T (GREENWOOD RADIO)

Ⓡ **GULFPORT APP/DEP CON** 124.6 (1200-0500Z†)Ⓡ **HOUSTON CENTER APP/DEP CON** 127.65 (0500-1200Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

(L) VOR/DME 112.2 PCU Chan 59 N30°33.67' W89°43.83' 132° 6.0 NM to fld. 70/05E.

PITTSBORO**CALHOUN CO** (Ø4M) 1 SW UTC-6(-5DT) N33°55.81' W89°20.57'

MEMPHIS

383 B NOTAM FILE GWO

L-18G

RWY 15-33: H3200X60 (ASPH) S-15 MIRL

RWY 15: PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 33: PAPI(P4L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended dalgt hours Mon-Sat, Apr-Oct. PAEW adjacent Rwy 15-33. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 15-33—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CBM.**CALEDONIA (T) VORTAC** 115.2 CBM Chan 99 N33°38.49' W88°26.31' 291° 48.4 NM to fld. 220/00E.

Monitored Mon-Fri 1300-0100Z†, Sun 1600-2300Z†. No NOTAM MP Mon-Fri 0300-1030Z†,

Sun 1300-1500Z†.

PONTOTOC CO (22M) 2 NW UTC-6(-5DT) N34°16.56' W89°02.30'

MEMPHIS

440 S4 FUEL 100LL NOTAM FILE GWO

L-18G

RWY 11-29: H3000X50 (ASPH) S-16 MIRL

RWY 11: Trees. RWY 29: Trees.

AIRPORT REMARKS: Attended Mon-Fri dalgt hours. For attendant after hours and emerg svc call 662-489-8187/3950.

COMMUNICATIONS: CTAF/UNICOM 122.8 (unicom out of svc indefinitely)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**HOLLY SPRINGS (L) VORTAC** 112.4 HLI Chan 71 N34°46.22' W89°29.79' 139° 37.3 NM to fld. 630/03E.

POPLARVILLE—PEARL RIVER CO (M13) 3 SE UTC-6(-5DT) N30°47.16' W89°30.27'

NEW ORLEANS

320 B FUEL 100LL NOTAM FILE GWO

L-21B, 22G

RWY 16-34: H4000X100 (ASPH) S-25.2 MIRL

RWY 16: PAPI(P2L). Trees.

RWY 34: PAPI(P2L). Trees.

AIRPORT REMARKS: Unattended. Fuel 24 hr self-serve with credit card. Ultralight activity on and in vicinity of arpt. Rwy 34 terrain drops off abruptly 200' from thld. Rotating bcn OTS indef. MIRL Rwy 16-34 and PAPI Rwy 16 and Rwy 34 operate dusk-0300Z, after 0300Z ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

PICAYUNE (L) VOR/DME 112.2 PCU Chan 59 N30°33.67' W89°43.83' 036° 17.8 NM to fld. 70/05E.

PRENTISS—JEFFERSON DAVIS CO (M43) 2 W UTC-6(-5DT) N31°35.72' W89°54.39'

NEW ORLEANS

455 B FUEL 100LL NOTAM FILE GWO

L-22F

RWY 12-30: H3197X60 (ASPH) S-20 MIRL

IAP


RWY 12: PAPI(P2L). Trees.

RWY 30: PAPI(P2L). Tree.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card. For emergency call police department 601-792-5198. For rwy lgts after 0500Z key 121.9 5 times. Ultralight activity on and in vicinity of arpt.

COMMUNICATIONS: CTAF/UNICOM 122.8**HOUSTON CENTER APP/DEP CON** 126.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE MCB.

McCOMB (H) VORTAC 116.7 MCB Chan 114 N31°18.27' W90°15.49' 043° 25.1 NM to fld. 440/03E. HIWAS

**QUITMAN****CLARKE CO** (23M) 3 N UTC-6(-5DT) N32°05.09' W88°44.34'

MEMPHIS

320 B FUEL 100LL NOTAM FILE GWO

L-17D, 18G

RWY 16-34: H3200X60 (ASPH) S-12.5 MIRL

RWY 16: PAPI (P2L). Thld dspcd 245'. Trees.

RWY 34: Thld dspcd 245'. Trees.

AIRPORT REMARKS: Attended continuously. Ultralight activity on and in vicinity of arpt. Rwy 16 ground drops abruptly 200' from thld. Ground drops abruptly from Rwy 34 thld. Rwy 16 PAPI unusable byd 5° left of course. After 0400Z ACTIVATE MIRL Rwy 16-34 and PAPI Rwy 16—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE MEI.

MERIDIAN (H) VORTAC 117.0 MEI Chan 117 N32°22.71' W88°48.26' 164° 17.9 NM to fld. 580/05E. HIWAS.

RAYMOND**JOHN BELL WILLIAMS** (M16) 3 NE UTC-6(-5DT) N32°18.27' W90°24.63'

MEMPHIS

247 B S3 FUEL 100LL, JET A NOTAM FILE GWO

H-6J, L-186

RWY 12-30: H5501X100 (ASPH-RFSC) S-60, D-75 MIRL

IAP

RWY 12: PAPI(P2L)—GA 3.0° TCH 38'.

RWY 30: PAPI(P2L)—GA 3.0° TCH 39'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z, Sat

1400-1800Z. Fuel avbl 24 hrs with card. ACTIVATE MIRL Rwy

12-30—CTAF. PAPI Rwy 12 and Rwy 30 operate continuously.

WEATHER DATA SOURCES: AWOS-3 118.675 (601) 857-3887.**COMMUNICATIONS:** CTAF/UNICOM 122.8

JACKSON APP/DEP CON 125.25 (153°-332°) (1200-0500Z)


⑧ MEMPHIS CENTER APP/DEP CON 132.5 (0500-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE JAN.

JACKSON (H) VORTAC 112.6 JAN Chan 73 N32°30.45'

W90°10.06' 220° 17.3 NM to fld. 360/05E.

RAYMOND NDB (MHW) 375 RYB N32°18.09' W90°24.69' at fld. NOTAM FILE GWO.

**RAYMOND** N32°18.09' W90°24.69' NOTAM FILE GWO.

MEMPHIS

NDB (MHW) 375 RYB at John Bell Williams.

L-186

RENOVA N33°48.42' W90°45.76' NOTAM FILE GWO.

MEMPHIS

NDB (MHW) 272 RNV 171° 2.8 NM to Cleveland Muni. NDB unmonitored. NDB unusable byd 20 NM.

L-18F

RICHTON-PERRY CO (M59) 2 S UTC-6(-5DT) N31°19.04' W88°56.10'

NEW ORLEANS

167 B NOTAM FILE GWO

L-21C, 22G

RWY 18-36: H3000X60 (ASPH) S-20. MIRL

RWY 18: PAPI(P2L). Trees.

RWY 36: PAPI(P2L). Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 MIRL OTS indef. PAPI Rwy 18 OTS indef. PAPI Rwy 36 OTS indef. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 18-36 and PAPI Rwy 18 and Rwy 36—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.

EATON (L) VORTAC 110.6 LBY Chan 43 N31°25.12' W89°20.26' 101° 21.6 NM to fld. 290/05E.

RIPLEY (25M) 3 W UTC-6(-5DT) N34°43.34' W89°00.90'

MEMPHIS

465 B FUEL 100LL NOTAM FILE GWO

L-186

RWY 03-21: H4400X75 (ASPH) S-20 MIRL 0.6% up NE

IAP

RWY 03: PAPI(P2L)—GA 3.25° TCH 15'. Tree.


RWY 21: PAPI(P2L)—GA 3.5° TCH 16'. Tree.

AIRPORT REMARKS: Unattended. Self-service credit card fuel avbl 24 hrs. After 0400Z, ACTIVATE MIRL Rwy 03-21 and PAPI Rwy 03 and 21—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8

⑧ MEMPHIS CENTER APP/DEP CON 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

HOLLY SPRINGS (L) VORTAC 112.4 HLI Chan 71 N34°46.22' W89°29.79' 094° 24 NM to fld. 630/03E.

**ROSCOE TURNER** (See CORINTH)

RULEVILLE—DREW (See DREW)

SAVOY N32°14.84' W88°46.30' NOTAM FILE MEI.
NDB (MHW/LDM) 356 ME 010° 5.2 NM to Key Fld.

MEMPHIS
L-186

SCOBEY N33°53.47' W89°52.47' NOTAM FILE GWO.
NDB (MHW) 245° SBQ 132° 5.2 NM to Grenada Muni. NDB unusable byd 20 NM.

MEMPHIS
L-186

SELFS (See MARKS)

SEYER N35°00.93' W88°36.94' NOTAM FILE GWO.
NDB (LOM) 334° UU 173° 6.1 NM to Roscoe Turner.

MEMPHIS

SIDON N33°27.83' W90°16.64' NOTAM FILE GWO.
(H) VORTAC 114.7 SQS Chan 94 076° 9.8 NM to Greenwood-Leflore. 125/03E.
RCO 122.1R 114.7T (GREENWOOD RADIO)

MEMPHIS
H-6J, 5C, L-186

STARKVILLE

GEORGE M BRYAN (STF) 3 SW UTC-6(-5DT) N33°25.99' W88°50.92'

MEMPHIS
H-6J, L-186
IAP

333 B S4 FUEL 100LL, JET A NOTAM FILE GWO

RWY 18-36: H550X150 (ASPH-CONC) S-25, D-30 HIRL

RWY 18: PAPI(P2L)—GA 3.0°TCH 24'. Thld displcd 1380'. Trees.

RWY 36: PAPI(P2L)—GA 3.0°TCH 26'.

AIRPORT REMARKS: Attended Mon-Sat 1400-0100Z†, Sun 1400-2300Z†. Fuel 24 hr credit card svc avbl. Rwy 18-36 HIRL opr 1400-2230Z†, after 2230Z† ACTIVATE HIRL Rwy 18-36—CTAF. PAPI Rwy 18 and PAPI Rwy 36 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.975 (662) 323-4966.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300-0100Z† Mon-Fri, 1600-2300Z† Sun, clsd Sat and holidays. Other times ctc
MEMPHIS CENTER APP/DEP CON 127.1

COLUMBUS CLNC DEL 126.25

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.


BIGBEE (L) VORTACW 116.2 IGB Chan 109 N33°29.13'

W88°30.82' 256° 17.1 NM to fld. 240/04E. **HIWAS.**

BRYAN NDB (MHW) 281 STF N33°25.92' W88°51.02' at fld.

NDB unmonitored.

ILS/DME 109.9 I-STF Chan 36 Rwy 36. (LOC only)



OKTIBBEHA (M51) 7 NE UTC-6(-5DT) N33°29.85' W88°40.88'

MEMPHIS
L-186
IAP

250 S4 NOTAM FILE GWO

RWY 13-31: 2700X150 (TURF)

RWY 13: Trees RWY 31: Trees

RWY 18-36: 2200X150 (TURF)

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended continuously. Rwy 13-31 marked by mowing and white jugs 75' apart. Rwy 18-36 marked by mowing and white jugs 75' apart. UNICOM OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8


Ⓡ **COLUMBUS APP/DEP CON** 135.6 (1300-0100Z† Mon-Fri, 1600-2300Z† Sun, clsd Sat and holidays. Other times ctc
MEMPHIS CENTER APP/DEP CON 127.1

COLUMBUS CLNC DEL 126.25

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

BIGBEE (L) VORTACW 116.2 IGB Chan 109 N33°29.13'

W88°30.82' 271°8.5 NM to fld. 240/04E. **HIWAS.**



STENNIS INTL (See BAY ST LOUIS)

TALLAHALA N31°41.25' W89°11.39' NOTAM FILE GWO.
 NDB (MHW) 346 THJ 135° 1.2 NM to Hesler-Noble Fld.

NEW ORLEANS
 L-226

TEOCK N33°35.52' W90°05.06' NOTAM FILE GWO.
 NDB (LOM) 349 GW 178° 5.8 NM to Greenwood-Leflore.

MEMPHIS
 L-186

THIGPEN FLD (See BAY SPRINGS)**TISHOMINGO CO** (See BELMONT)

TLOTT N30°32.89' W88°33.19' NOTAM FILE PQL.
 NDB (LOM) 209 PQ 165° 5.3 NM to Trent Lott Intl.

NEW ORLEANS

TRENT LOTT INTL (See PASCAGOULA)**TUNICA**

TUNICA (3ØM) 2 S UTC-6(-5DT) N34°40.01' W90°22.01'

MEMPHIS

195 S2 FUEL 100LL, JET A NOTAM FILE GWO

RWY 01-19: 2508X80 (ASPH-TURF)

RWY 01: Thld dsplcd 108'.

AIRPORT REMARKS: Attended dalgt hrs. Telephone, taxi and courtesy car avbl. Rwy 01-19 southern 1800 ft X 14 ft center portion of rwy is asph. Apron areas deteriorating.

COMMUNICATIONS: CTAF/UNICOM 122.8

TUNICA MUNI (UTA) 1 E UTC-6(-5DT) N34°41.10' W90°20.87'

MEMPHIS

194 B S4 FUEL 100LL, JET A OX 1,3 Class I, ARFF Index B NOTAM FILE GWO

H-6J, L-186

RWY 17-35: H8500X150 (ASPH-GRVD) S-94, D-215, DT-460, TRT-510, DDT-720 HIRL

IAP

RWY 17: ODALS.

RWY 35: MALSR. PAPI(P4L)—GA 3.0° TCH 50'. Rgt tfc.

AIRPORT REMARKS: Attended continuously. Public phone 662-363-9956. Large flocks of geese invof arpt Nov-Feb. Agricultural acft activity invof the arpt during daylight hours all days. 24 hr PPR for commercial flts over 60 seats. Rwy 35 designated calm wind rwy. Twy N clsd indef. ACTIVATE HIRL Rwy 17-35 and MALSR Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.075 (662) 363-1652.

COMMUNICATIONS: CTAF/UNICOM 123.0

MEMPHIS APP/DEP 119.1

RADIO AIDS TO NAVIGATION: NOTAM FILE MEM.

MEMPHIS (H) VORTAC 117.5 MEM Chan 122 N35°00.91' W89°58.99' 221° 26.7 NM to fld. 360/01E.

ILS/DME 110.95 I-UTA Chan 46(Y) Rwy 35. Class IE.

TUNNG N34°23.11' W89°37.56' NOTAM FILE GWO.

MEMPHIS

NDB (LOM) 426 UV 089° 4.4 NM to University-Oxford.

L-186

TUPELO RGNL (TUP)(KTUP) CIV/MIL/P/ANG 3 W UTC-6(-5DT) N34°16.09' W88°46.19'

MEMPHIS

346 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE TUP

H-6J, L-186

RWY 18-36: H6500X150 (ASPH-GRVD) S-90, D-135, DT-150 HIRL

DIAP, AD

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 36: MALSR.

MILITARY SERVICE: FUEL A+ (NC-100, 100LL, A1+) (Weekdays

1200-0200Z, weekends 1400-0200Z, C662-842-6918 other times C662-841-0658 or C662-678-4914).

AIRPORT REMARKS: Attended 1200-0400Z. Helicopter ops all hrs 700'

AGL East of Rwy 18-36 contact CTAF for advisories. Helicopter parking and refueling—ctc FBO on 128.85. Air carrier ramp restricted to air carrier ops except with PPR call arpt manager Mon-Fri 1400-2300Z; 662-841-6570 ext. 8. PPR for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 662-841-6570 ext. 8. **ACTIVATE HIRL** Rwy 18-36, MALSR Rwy 36, and REIL Rwy 18—CTAF. PAPI Rwy 18 opr continuously.

MILITARY REMARKS: RSTD Helicopter parking and refueling rstd to east end of clsd rwy, ctc FBO on 128.85. Acft ramp rstd to acft ops except

with PPR call arpt manager C662-841-6570 extension 8. **CAUTION** Helicopter ops all hours 700' AGL east of Rwy 18-36, ctc CTAF. **ANG** Support facility ops Mon-Fri 1300-2200Z except holidays. Limited parking avbl. No tran fuel. DSN 293-3400, C662-891-4400.

WEATHER DATA SOURCES: ASOS 133.525 (662) 840-8528.

COMMUNICATIONS: CTAF 118.775

RCO 122.5 (GREENWOOD RADIO)

MEMPHIS CENTER APP/DEP CON 128.5 279.55

TOWER 118.775 254.275 (1200-0400Z) GND CON 121.825 254.275 ARNG OPS 33.50 241.0


AIRSPACE: CLASS D 1200-0400Z. Other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE TUP.

(L) VORW/DME 109.8 OTB Chan 35 N34°13.43' W88°47.84' 023° 3 NM to fld. 360/04E. VOR portion unusable 190°-220°.

VERON NDB (LOM) 420 TU N34°10.82' W88°46.13' 358° 5.3 NM to fld.

ILS/DME 108.5 I-TUP Chan 22 Rwy 36. Class IA. LOM VERON NDB. ILS unmonitored 0500-1100Z. ILS unusable 25° right of course.



TYLERTOWN

PAUL PITTMAN MEML (T36) 3 NW UTC-6(-5DT) N31°08.76' W90°10.09'

NEW ORLEANS

384 B FUEL 100 NOTAM FILE GWO

L-21B, 22F

RWY 18-36: H3000X60 (ASPH) S-20 MIRL

RWY 18: PAPI(P2L)—GA 3.0°.

RWY 36: PAPI(P2L)—GA 3.0°. Trees.

AIRPORT REMARKS: Attended continuously. Fuel avbl 24 hrs with credit card. MIRL Rwy 18-36 preset low ints dusk-dawn; to increase ints **ACTIVATE**—CTAF. PAPI Rwy 18 and Rwy 36 opr continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE MCB.

McCOMB (H) VORTAC 116.7 MCB Chan 114 N31°18.27' W90°15.49' 151°10.6 NM to fld. 440/03E.

HIWAS

UNIVERSITY-OXFORD (See OXFORD)

VERON N34°10.82' W88°46.13' NOTAM FILE TUP.

MEMPHIS

NDB (LOM) 420 TU 358° 5.3 NM to Tupelo Rgnl.

L-186

VICKSBURG MUNI (VKS) 7 SW UTC-6(-5DT) N32°14.36' W90°55.71'

MEMPHIS

106 B S4 FUEL 100LL JET A LRA NOTAM FILE GWO

H-6J, L-18F

RWY 01-19: H5000X100 (ASPH) S-30, D-50, DT-90 MIRL

IAP

RWY 01: Thld dsplcd 300'. Trees. RWY 19: Thld dsplcd 480'. Tree.

AIRPORT REMARKS: Attended 1300-2300Z+. ACTIVATE MIRL Rwy 01-19—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MEMPHIS CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE JAN.

JACKSON (H) VORTAC 112.6 JAN Chan 73 N32°30.45' W90°10.06' 243° 41.9 NM to fld. 360/05E.

NDB (MHW) 382 VKS N32°13.98' W90°55.59' at fld. NOTAM FILE GWO. NDB OTS indef.

VICKSBURG TALLULAH RGNL (See TALLULAH/VICKSBURG, LA)

VORTEX HELIPORT (See LONG BEACH)

WATER VALLEY MUNI (33M) 3 NW UTC-6(-5DT) N34°10.01' W89°41.17'

MEMPHIS

270 B NOTAM FILE GWO

L-18G

RWY 15-33: H3000X50 (ASPH) S-20 LIRL

RWY 15: Trees. RWY 33: Trees.

AIRPORT REMARKS: Attended on call. For part time attendant call 662-473-7676. Large flocks of ducks over lake.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

HOLLY SPRINGS (L) VORTAC 112.4 HLI Chan 71 N34°46.22' W89°29.79' 192° 37.3 NM to fld. 630/03E.

WAYNESBORO MUNI (2RØ) 2 S UTC-6(-5DT) N31°38.76' W88°38.09'

NEW ORLEANS

164 B FUEL 100LL NOTAM FILE GWO

H-6J, L-22G

RWY 02-20: H5000X75 (ASPH) S-15 MIRL

RWY 02: PAPI (P2L). Trees. RWY 20: PAPI (P2L). Thld dsplcd 665'. Railroad.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z+. For arpt attendant after hrs call 601-735-9282, cell number 601-381-5038/5039. Fuel 24 hr credit card svc avbl. ACTIVATE MIRL Rwy 02-20 and PAPI Rwy 02 and 20—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

GREENE CO (H) VORTACW 115.7 GCV Chan 104 N31°05.88' W88°29.17' 342° 33.7 NM to fld. 300/05E.

WEST POINT

McCHAREN FLD (M83) 2 S UTC-6(-5DT) N33°35.04' W88°40.00'

MEMPHIS

205 B NOTAM FILE GWO

L-18G

RWY 18-36: H3850X75 (ASPH) S-30, D-36 MIRL

IAP

RWY 18: Thld dsplcd 392'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Public phone avbl 662-494-9854.

MIRL Rwy 18-36 opr dusk-0400Z+, after 0400Z+

ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9


® COLUMBUS APP/DEP CON 135.6 (1300-0100Z+ Mon-Fri, 1600-2300Z+ Sun, clsd Sat and holidays. Other times ctc

MEMPHIS CENTER APP/DEP CON 127.1

RADIO AIDS TO NAVIGATION: NOTAM FILE GWO.

BIGBEE (L) VORTACW 116.2 IGB Chan 109 N33°29.13'

W88°30.82' 304° 9.7 NM to fld. 240/04E. HIWAS.



WIGGINS**DEAN GRIFFIN MEML** (M24) 1 W UTC-6(-5DT) N30°50.59' W89°09.59'**NEW ORLEANS**

270 B FUEL 100LL NOTAM FILE GWO

L-21C, 226**RWY 17-35:** H3000X50 (ASPH) S-20 MIRL**RWY 17:** PAPI(P2L) Tree. **RWY 35:** PAPI(P2L). Tree.**AIRPORT REMARKS:** Attended 1400-2300Z†. Fuel avbl call (601) 766-5341. ACTIVATE MIRL Rwy 17- 35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE GPT.**PICAYUNE (L) VOR/DME** 112.2 PCU Chan 59 N30°33.67' W89°43.83' 055° 34 NM to fld. 70/05E.**WINONA-MONTGOMERY CO** (5A6) 1 S UTC-6(-5DT) N33°27.90' W89°43.81'**MEMPHIS**

363 B S2 FUEL 100LL NOTAM FILE GWO

L-18G**RWY 03-21:** H4000X60 (ASPH) S-18 MIRL 0.4% up NE**IAP****RWY 03:** PAPI(P2L)—GA 3.0° TCH 30'. Tree.**RWY 21:** PAPI(P2L)—GA 3.0° TCH 30'. Trees.**AIRPORT REMARKS:** Attended continuously. Fuel 24 hr credit card svc avbl. Powerplant and airframe repairs avbl in emergency or with prior notice. PAEW adjacent Rwy 03-21 and associated twys. Arpt rotating bcn OTS indef. MIRL opr dusk-0400Z†. After 0400Z† ACTIVATE—CTAF. PAPI Rwy 03 and Rwy 21 opr continuously.**COMMUNICATIONS:** CTAF 122.9**MEMPHIS CENTER APP/DEP CON** 128.5**RADIO AIDS TO NAVIGATION:** NOTAM FILE GWO.**SIDON (H) VORTAC** 114.7 SQS Chan 94 N33°27.83' W90°16.64' 087° 27.5 NM to fld. 125/03E.**YAZOO CITY****YAZOO CO** (87I) 4 NW UTC-6(-5DT) N32°52.99' W90°27.82'**MEMPHIS**


104 B S2 FUEL 100LL NOTAM FILE GWO

H-6J, L-18G**RWY 17-35:** H5000X100 (ASPH) S-30 DT-64 MIRL**IAP****RWY 17:** PAPI(P2L)—GA 3.0° TCH 35'**RWY 35:** PAPI(P2L)—GA 3.0° TCH 35'. Trees.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z†, Sat 1400-1800†.

Fuel 24 hr credit card svc avbl. Parachute Jumping. MIRL Rwy 17-35 preset low ints; dusk-0400Z†, after 0400Z† to incr intst ACTIVATE—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8**MEMPHIS CENTER APP/DEP CON** 132.5**RADIO AIDS TO NAVIGATION:** NOTAM FILE JAN.**JACKSON (H) VORTAC** 112.6 JAN Chan 73 N32°30.45'

W90°10.06' 321° 27 NM to fld. 360/05E.

**YAZOO CO** (See YAZOO CITY)

ADA MUNI (ADH) 2 N UTC-6(-5DT) N34°48.25' W96°40.27'

1016 B S4 FUEL 100LL, JET A TPA-1808(792) NOTAM FILE ADH

RWY 17-35: H6203X100 (ASPH) S-50, D-140, ST-175, DT-224 MIRL 0.6% up N

RWY 17: ODALS. PAPI(P4L)—GA 3.0° TCH 44'. P-line.

RWY 35: REIL. PAPI(P4L)—GA 2.0° TCH 19'. Thld dsplcd 100'.

Trees.

RWY 13-31: H2100X50 (ASPH) S-50, D-171, ST-175, DT-280

0.8% up NW

RWY 31: Antenna.

AIRPORT REMARKS: Attended Mon-Fri 1330-0000Z, Sat

1300-2300Z, Sun 1700-2200Z. For fuel after hours call

580-235-5279. Twy A3 clsd indef. MIRL Rwy 17-35 preset low

ints, to increase ints and ACTIVATE REIL Rwy 35 and ODALS Rwy

17—CTAF. Landing fee for acft weight 50,000 lbs or greater.

WEATHER DATA SOURCES: AWOS-3 118.725 (580) 332-6222.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.45 (MC ALESTER RADIO)

® FORT WORTH CENTER APP/DEP CON 128.1

RADIO AIDS TO NAVIGATION: NOTAM FILE ADH.

(T) VOR/DME 117.8 ADH Chan 125 N34°48.15'

W96°40.21' at fld. 987/6E.


VOR/DME unusable 125°-145°.

VOR portion unusable 291°-324° byd 15 NM blo 5000', 325°-348°.

DALLAS-FT. WORTH

H-6H, L-17C

IAP

**ARDMO** N34°13.94' W96°55.99' NOTAM FILE ADM.

DALLAS-FT WORTH

NDB (LOM) 400 AI 309° 6.1 NM to Ardmore Muni. Unmonitored when twr clsd.

AFTON**CHEROKEE SPB** (406) 7 SW UTC-6(-5DT) N36°35.00' W94°55.01'

KANSAS CITY

739 TPA-1239(500) NOTAM FILE MLC

WATERWAY ALL WAY: 10000X800 (WATER)**WATERWAY NE-SW:** 4000X200 (WATER)**SEAPLANE REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9**GRAND LAKE RGNL** (309) 9 SE UTC-6(-5DT) N36°34.66' W94°51.71'

KANSAS CITY

L-16F

792 FUEL 100LL, JET A NOTAM FILE MLC

RWY 17-35: H3925X60 (CONC) S-30, D-60, DT-80 MIRL

RWY 17: REIL. VASI(V2L)—GA 4.25° TCH 35'. Dsplcd thld 230'.

Trees.

RWY 35: VASI(V2L)—GA 3.75° TCH 29'. Dsplcd thld 230'.

AIRPORT REMARKS: Attended 1200-0300Z. +130' twr 1,200' E of Rwy

17. Rwy 17 end is 30' higher than Rwy 35 end. Rwy 17-35 230'

safety zone on either end of rwy marked as dsplcd thld. Birds on

and infov arpt. Rwy 35 VASI OTS indef. Rwy 17 REIL OTS indef.


ACTIVATE MIRL Rwy 17-35, REIL Rwy 17, VASI Rwy 17 and Rwy

35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55'

W94°26.14' 225° 26.0 NM to fld. 1200/7E.



TERAMIRANDA (79F) 7 SE UTC-6(-5DT) N36°36.50' W94°52.35'

KANSAS CITY

793 NOTAM FILE MLC

RWY 18-36: 2580X35 (TURF)

RWY 18: Road.

RWY 36: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

ALTUS AFB (LTS)(KLTS) AF 3 E UTC-6(-5DT) N34°39.99' W99°16.09'

DALLAS-FT WORTH

1382 B TPA—See Remarks NOTAM FILE LTS Not insp.

H-6H, L-17B

RWY 17R-35L: H13440X150 (CONC) PCN 50 R/C/W/T HIRL (NSTD)

DIAP, AD

RWY 17R: ALSF1. PAPI(P4L).

RWY 35L: ALSF1. PAPI(P4L).

RWY 17L-35R: H9001X150 (ASPH) PCN 69 R/B/W/T HIRL

RWY 17L: ALSF1. PAPI(P4L).

0.3% down.

RWY 35R: ALSF1. PAPI(P4L).

RWY 17A-35A: H3501X94 (ASPH) PCN 59 F/A/W/T MIRL 0.4% up N

MILITARY SERVICE: LGT: Rwy 35R and 35L SFL OTS indef. Reduced primary sfc obstruction lgts for Rwy 17L-35 during night vision device ops.

JASU (A/M32A-86) (AM32A-95) (MXU-4A-A)

FUEL J8

FLUID W SP PRESAIR

LHOX LOX

OIL O-133-148-156

SOAP (24 hr prior notice) **TRAN ALERT** Svc avbl Mon-Fri 1500-0001Z† clsd Sat, Sun and holidays. Tran

maintenance and parts support extremely limited. No maintenance avbl for magnetic chip indicator inspection on F16 acft with GE F110 engines.

MILITARY REMARKS: Opr Mon-Fri 1430-0830Z†, clsd weekends and holidays. Aflid Management Ops opr weekdays 1245-0830Z†, clsd weekends and federal holidays. See FLIP AP/1 Supplementary Arpt Info. **RSTD** PPR rqr 48 hr prior notice rqr. Ctc Aflid Management Ops DSN 866-6200/6415, C 580-481-6200/6415. PPR valid +/- 30 min prior/after ETA. Early/late arrival/ departure must re-coordinate with aflid management ops. Transient aircrews must contact aflid management ops for pattern work request. Limited to one apch Mon-Fri. Altus acft take priority over tran acft. Rwy 17A-35A for assault strip training only. Transient acft ctc Current Ops for scheduling/approval, DSN 866-6544. Due to unscheduled aflid closings, aircrews utilizing Altus AFB as an alternate must advise their dep Aflid Management Ops or local FSS to include KLTSYXX as an addressee on the orig DD 175 Flight Plan and on any change, delay, dep and cancel message. All inbound passenger/cargo acft ctc command post (Geronimo 349.4) no later than 30 min prior to ldg. All acft with haz cargo (including MJU7 and MJU10 flares) notify Aflid Management Ops (PTD 372.2) and Command Post no later than 30 min prior to ldg. Minimum Communications Security aids and overnight storage avbl for transient aircrews only. Parking spot 47 rstd to push back/taxi off only, engine runs cannot exceed minimum power. All eng runs must be coord thru aflid mgr dur nml duty hr, after nml hr ctc Cmd Post. Eng runs not authorized in front of the asphalt vehicle access road to the compass rose. Aircrews advised not to exceed min power to taxi off parking spots 1-8, no engine runs. All Taxiway VFR holding positions correct, but do not coincide with rwy hold position signs. Movement area thru wash rack clsd. All acft must use minimum taxi power on Twy C. **CAUTION** Heavy/jumbo jet training surface to 9000' within 25 NM radius. NSTD twy widths: Twy C, south of Twy G to Twy D 50'. Rwy 17L-35R NSTD assault strip marked from thld to approximately 3500' each end. Exercise extreme caution for acft (1428†) taxiing 350' east of dep end Rwy 17A. Ngt Vision Devices Trng Tue-Sat 0230-0630Z, tran acft will ctc Aflid Management Ops (372.2) or Comd Post (Geronimo 349.4) 30 min prior to arrival. No twy edge lgt: on Twy H, Twy J, Twy M, from midpoint of Twy D southside to Twy B turnoff on Twy C abeam closed Twy F westside, retro-reflective twy edge stripes in place those locations. Altus AFB has the following NSTD markings: wingtip clnc lines in the Mass Acft Park Area, driving lane lines located on Twy B and Twy A, and C17 star turn markings located on the North Ramp, Twy J and Twy L/M ground ops area. **TFC PAT** TPA—East, overhead 3400(2018), rectangular 2900(1518), helicopter 1900(518). West (fighter acft only) overhead Rwy 17R 3400(2018). **MISC** Trw visibility obstruction of Rwy 35L apch end and Twy C, south of Twy E-1 intersection.

COMMUNICATIONS: ATIS 109.8 273.5 PTD 372.2

① **APP CON** 125.1 257.725, other times ctc

FORT WORTH CENTER APP CON 128.4 269.375 133.5 350.35

TOWER 119.65 255.6 (Mon-Fri 1430-0830Z†) **GND CON** 121.85 275.8 **CLNC DEL** 120.65 284.7

① **DEP CON** 125.1 290.9, other times ctc

FORT WORTH CENTER DEP CON 128.4 290.2 133.5 350.35

COMD POST (Call GERONIMO) 311.0 321.0 349.4 6761 **SOF** 349.4 **PMSV METRO** 239.8. Opr weekdays 24 hrs.

Clcd weekends and holidays. Forecast svc avbl 1800Z† Mon-end of flying day Fri. Remote briefing svc avbl Barksdale AFB. DSN 781-4775 C318-456-4775. AN/FMQ-19 in use and augmented as required. Auto obsn when aflid closed.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

(L) **VORTAC** 109.8 LTS Chan 35 N34°39.78' W99°16.27' at fld. 1370/8E. No NOTAM MP Mon, Wed 1100-1400Z†.

ILS 110.55 I-RUK Rwy 17L. No NOTAM MP Tue-Thu 1100-1400Z†.

ILS 110.55 I-FNM Rwy 35R. No NOTAM MP Tue-Thu 1100-1400Z†.

ASR/PAR Radar see Terminal FLIP for Radar Minima.

ALTUS/QUARTZ MOUNTAIN RGNL (AXS) 3 N UTC-6(-5DT) N34°41.93' W99°20.31'

DALLAS-FT. WORTH

1433 B S4 FUEL 100LL, JET A TPA-2433(1000) NOTAM FILE AXS

H-6H, L-17B

RWY 17-35: H5501X75 (CONC) S-30, D-48, DT-90 MIRL 0.3% up N

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 50'.

RWY 35: PAPI(P4L)—GA 3.0° TCH 50'.

AIRPORT REMARKS: Attended 1300-0300Z†. For svc after hrs call 580-471-0992. Do not mistake Altus AFB 4 miles southeast of arpt. 320' tower 2.6 miles south of arpt. Numerous agricultural acft ops invov arpt. Numerous heavy military jet acft ops invov arpt. Ultralight activity on and invov arpt. MIRL Rwy 17-35 preset med ints, to incr ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.825 (580) 477-1745.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal hols)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri

0830-1430Z†, Sat-Sun and Federal hols 24 hrs)


RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBART (L) VORTACW 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 224° 16.9 NM to fld. 1472/10E.

(L) **VORTAC** 109.8 LTS Chan 35 N34°39.77'

W99°16.26' 295° 4.0 NM to fld. 1370/8E. NOTAM FILE MLC.



ALVA RGNL (AVK) 2 S UTC-6(-5DT) N36°46.39' W98°40.20'

WICHITA

1474 B S2 FUEL 100LL, JET A NOTAM FILE AVK

L-15D

RWY 17-35: H4386X75 (ASPH) S-15 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 52'. Building.

RWY 35: PAPI(P2L) Thld displcd 145'.

RWY 08-26: 1850X170 (TURF)

RWY 26: P-line.

AIRPORT REMARKS: Attended Oct-Mar 1400-2300Z†, Apr-Sep 1400-0000Z†. Fuel 24 hr automated credit card system. Rwy 08-26 gopher holes in rwy.

WEATHER DATA SOURCES: AWOS-3 121.125 (580) 327-6778.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **VANCE APP/DEP CON** 119.775 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†,

(1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun

2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat

and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8. (1 Mar-31 Oct) Mon-Fri

0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†,


(1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun

2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

ANTHONY (L) VORTAC 112.9 ANY Chan 76 N37°09.54'

W98°10.24' 219° 33.3 NM to fld. 1390/7E.



ANADARKO MUNI (F68) 2 SW UTC-6(-5DT) N35°03.13' W98°15.86'

DALLAS-FT. WORTH


1286 B FUEL 100LL NOTAM FILE MLC

L-17C

RWY 17-35: H3100X50 (ASPH) S-12.5 LIRL

AIRPORT REMARKS: Unattended. Fuel avbl by phone req 405-247-2481 between 1400-2300Z+. After hours call police 405-247-2411.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 234° 37.1 NM to fld. 1237/7E. HIWAS.

**ANTLERS MUNI** (80F) 1 SW UTC-6(-5DT) N34°11.56' W95°38.99'

DALLAS-FT. WORTH

575 B FUEL 100LL NOTAM FILE MLC

L-17D

RWY 17-35: H3299X60 (ASPH) S-12 MIRL

IAP

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Fuel avbl 24 hr with automated credit card system. Rwy has moderate to severe cracking. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 124.875

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 162° 39.9 NM to fld. 820/8E. HIWAS.

NDB (MHW) 391 AEE N34°11.51' W95°39.12' at fld.



ARDMORE**ARDMORE DOWNTOWN EXECUTIVE** (1F0) 1 SE UTC-6(-5DT) N34°08.82' W97°07.36'**DALLAS-WORTH**

844 B FUEL 100LL, JET A TPA-1800(956) NOTAM FILE 1F0

H-6H, L-17C

RWY 17-35: H5000X75 (ASPH) S-20 MIRL

IAP

RWY 17: REIL. PAPI(P4L)—GA 4.0° TCH 30'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300, Sun 1800-2300Z†.


Fuel avbl 24 hrs with credit card. Ultralights on and invof arpt.

Rotating bcn OTS indef. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.15 (580) 226-1536.**COMMUNICATIONS:** CTAF/UNICOM 122.7® **FORT WORTH CENTER APP/DEP CON** 128.1**GCO** 121.725 (FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.(H) **VORTACW** 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 144° 4.5 NM to fld. 925/6E. Unusable

316°-326° blo 4,000'.

**ARDMORE MUNI** (ADM) 10 NE UTC-6(-5DT) N34°18.18' W97°01.18'**DALLAS-FT. WORTH**

762 B S2 FUEL 100LL, JET A NOTAM FILE ADM

H-6H, L-17C

RWY 13-31: H7220X150 (CONC) S-24 HIRL 0.5% up NW

IAP, AD

RWY 13: PAPI(P4L). Gnd.


RWY 31: MALSR. VASI(V4L)—GA 3.0° TCH 52'. Trees.

RWY 17-35: H5350X100 (ASPH) S-36 MIRL 0.5% up N

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z†. Deer on and invof arpt. Twr 37' AGL 800' east of Rwy 31. Rwy 31 thld dspcd 300' indef. ACTIVATE HIRL Rwy 13-31, MIRL Rwy 17-35 and MALSR Rwy 31—CTAF.**WEATHER DATA SOURCES:** AWOS-3 (580) 389-5078. LAWRS.**COMMUNICATIONS:** CTAF 118.5 ATIS 125.6 UNICOM 122.95**RCO** 122.55 (MCALISTER RADIO)**FORT WORTH CENTER APP/DEP CON** 128.1**TOWER** 118.5 (Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z†)**GND CON** 121.8**AIRSPACE:** CLASS D svc Mon-Fri 1300-0500Z†, Sat-Sun 1300-2300Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.(H) **VORTACW** 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 047° 9.2 NM to fld. 925/6E.

ADDMO NDB (LOM) 400 AI N34°13.94' W96°55.99' 309° 6.0 NM to fld. Unmonitored when twr clsd.**ILS** 108.9 I-AIW Rwy 31. LOM **ADDMO NDB**. Unmonitored when twr clsd.**ARROWHEAD** (See CANADIAN)**ATOKA MUNI** (AQR) 1 NW UTC-6(-5DT) N34°23.90' W96°08.88'**DALLAS-FT. WORTH**

590 B FUEL 100LL NOTAM FILE AQR

L-17D

RWY 18-36: H3015X40 (ASPH) S-4 MIRL

RWY 18: Thld dspcd 197'. Trees. RWY 36: Thld dspcd 233'. Trees.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with automated credit card system.**WEATHER DATA SOURCES:** AWOS-3 121.125 (580) 889-6924.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**MC ALESTER (L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 206° 32.5 NM to fld. 820/8E.

HIWAS.

BARTLESVILLE MUNI (BVO) 1 NW UTC-6(-5DT) N36°45.85' W96°00.67'

KANSAS CITY

711 B S2 FUEL 100LL, JET A TPA-1795(1084) NOTAM FILE BVO

H-6I, L-15E

RWY 17-35: H6200X100 (ASPH-CONC-GRVD) S-50, D-100, ST-127, DT-170 MIRL 0.4% up S IAP

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Rgt tfc.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

AIRPORT REMARKS: Attended Oct-Mar 1300-0100Z†, Apr-Sep 1300-0300Z†. PAEW on Rwy 17 end. ACTIVATE MIRL Rwy 17-35 and REIL Rwy 35-120.0 ACTIVATE PAPI Rwy 17 and Rwy 35 and MALSR Rwy 17-123.0.

WEATHER DATA SOURCES: ASOS 132.675 (918)336-2070.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 123.6 (MC ALESTER RADIO)

® KANSAS CITY CENTER APP/DEP CON 128.8

BARTLESVILLE ADVISORY 122.825 (1200-0000Z†)

AIRSPACE: CLASS E svc 1200-0000Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE BVO.


(L) VORW/DME 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 167° 4.2 NM to fld. 940/8E.

DEWIE NDB (LOM) 201 BV N36°50.37' W96°00.84' 171° 4.5 NM to fld.

ILS 111.3 I-BVO Rwy 17. LOM DEWIE NDB. LOC only.

LOC unusable byd 20° right of course. LOC unmonitored.

**BEAVER MUNI** (K44) 1 SW UTC-6(-5DT) N36°47.93' W100°31.79'

WICHITA

2491 B NOTAM FILE MLC

L-15C

RWY 17-35: H3030X43 (ASPH) S-4

RWY 17: Tower. RWY 35: Road.

RWY 04-22: 3025X95 (TURF)

RWY 22: P-line.

AIRPORT REMARKS: Unattended. Rwy 17-35 CLOSED indef for reconstruction. Rwy 17-35 surface rough.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LBL.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66' W100°58.27' 114° 25.8 NM to fld. 2981/11E.

HIWAS.

BIG CREEK (See BOKCHITO)**BLACKWELL-TONKAWA MUNI** (BKN) 5 SW UTC-6(-5DT) N36°44.71' W97°20.98'

WICHITA

1030 B S2 FUEL 100LL NOTAM FILE MLC

L-15D

RWY 17-35: H3501X60 (ASPH) S-30, D-48, DT-98 MIRL 0.6% up N IAP

RWY 17: VASI(V2L)—GA 3.0° TCH 26'.

RWY 35: VASI(V2L)—GA 3.0° TCH 26'.

AIRPORT REMARKS: Attended Sun-Fri 1400-0000Z†.

WEATHER DATA SOURCES: AWOS-3 120.575 (580) 363-0688.


COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 127.8

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79'

W97°09.61' 264° 9.1 NM to fld. 1054/6E.

**BLAKI** N36°14.17' W97°05.24' NOTAM FILE SWO

WICHITA

NDB (LOM) 255 SW 174° 4.5 NM to Stillwater Rgnl.

BOISE CITY (17K) 3 N UTC-6(-5DT) N36°46.46' W102°30.63'

4178 B NOTAM FILE MLC

RWY 04-22: H4210X60 (ASPH) S-4 MIRL

Rwy 04: Trees.

Rwy 22: Road.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 04-22—CTAF.

COMMUNICATIONS: CTAF 122.9

⑧ ALBUQUERQUE CENTER APP/DEP CON 127.85

RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.


DALHART (L) VORTACW 112.0 DHT Chan 57 N36°05.49'

W102°32.68' 350° 41.0 NM to fld. 4020/12E. HIWAS.

WICHITA

L-15B

IAP



BRISTOW

JONES MEM (3F7) 3 SW UTC-6(-5DT) N35°48.41' W96°25.31'

851 B FUEL 100LL NOTAM FILE MLC

RWY 17-35: H3400X45 (ASPH) S-4 MIRL 1.4% up S

RWY 17: Trees. RWY 35: P-line.

AIRPORT REMARKS: Unattended. 24 hr automated fuel service system.

ACTIVATE MIRL Rwy 17-35—CTAF. NOTE: See Special Notices
Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

⑧ KANSAS CITY CENTER APP/DEP CON 128.8

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 225° 38.7 NM to fld. 770/8E.

DALLAS-FT. WORTH

L-15E

IAP



BROKEN BOW (90F) 2 SW UTC-6(-5DT) N34°00.84' W94°45.51'**MEMPHIS**

404 B NOTAM FILE MLC

L-17D

RWY 17-35: H3200X50 (ASPH) S-17 MIRL

RWY 17: PAPI(P2L)—GA 2.0° TCH 26'. Trees.


RWY 35: PAPI(P2L)—GA 2.0° TCH 26'. Trees.

AIRPORT REMARKS: Unattended. High speed, low altitude military activity in vicinity of Broken Bow Lake. Ultralights on and invof arpt.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83'

W94°36.54' 187° 40.6 NM to fld. 2700/4E.

**BUFFALO MUNI** (BFK) 2 N UTC-6(-5DT) N36°51.80' W99°37.12'**WICHITA**

1822 B NOTAM FILE MLC

L-15C

RWY 17-35: H4000X60 (ASPH) S-4 MIRL 0.7% up N

IAP

RWY 17: Road. RWY 35: Trees.


AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 012° 33.6 NM to fld. 2430/10E. HIWAS.

NDB (MHW) 215 BFK N36°51.85' W99°37.21' at fld.

NOTAM FILE MLC.




BURNEYVILLE**FALCONHEAD** (37K) 2 NW UTC-6(-5DT) N33°55.56' W97°17.78'DALLAS-FT. WORTH
L-17C

690 NOTAM FILE MLC

RWY 18-36: H4400X75 (ASPH)

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 asph has weak spots through base.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ADM.ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'
W97°10.10' 195° 18.3 NM to fld. 930/6E.**BURNS FLAT** N35°14.22' W99°12.37' NOTAM FILE CSM.DALLAS-FT. WORTH
L-15C

(L) VORTACW 110.0 BFV Chan 37 355° 6.2 NM to Clinton-Sherman. 1780/08E.


BUZZARD'S ROOST (See INOLA)**CANADIAN****ARROWHEAD** (91F) 3 E UTC-6(-5DT) N35°09.38' W95°37.28'DALLAS-FT. WORTH
L-17D

851 B NOTAM FILE MLC

RWY 15-33: H3500X60 (ASPH) S-19

RWY 15: Trees.

RWY 33: Thld dspcd 125'. P-line.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Deer on and invof of rwy. Rotating bcn OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'
W95°46.94' 015° 20.0 NM to fld. 820/8E. HIWAS.

CARNEGIE MUNI (86F) 2 NE UTC-6(-5DT) N35°07.42' W98°34.51'

DALLAS-FT. WORTH

1354 NOTAM FILE MLC

L-15D


RWY 17-35: H3000X50 (ASPH) S-11 LIRL

RWY 35: P-line.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBART (L) VORTACW 111.8 HBR Chan 55 N34°51.99'
W99°03.80' 047° 28.6 NM to fld. 1472/10E.**CATOOSA****MOLLY'S LANDING HELIPORT** (034) 2NE UTC-6(-5DT) N36°12.44' W95° 43.55'

KANSAS CITY

5754 NOTAM FILE MLC

HELIPAD H1: 45X40 (TURF)

HELIPAD REMARKS: Unattended. Helipad H1 +40' trees on north and east sides, +42' wires along highway, +4' rock fence along entrance on west side of helipad and +35' trees invof helipad. Helipad H1 ingress/egress routes are limited to south of helipad. Heliport for use by small helicopters only. Helipad H1 perimeter lgts.

COMMUNICATIONS: CTAF 122.9

PORT OF CATOOSA HELIPORT (064) 3 N UTC-6(-5DT) N36°13.89' W95° 44.35'

KANSAS CITY

601 NOTAM FILE MLC

HELIPAD H1: H50X50 (CONC)

HELIPORT REMARKS: Attended irregularly. Helipad H1 perimeter lgts. Helipad H1 ingress/egress 030°-210°.

COMMUNICATIONS: CTAF 122.9

CHANDLER RGNL (CQB) 3 NE UTC-6(-5DT) N35°43.43' W96°49.22'

DALLAS-FT. WORTH

984 B NOTAM FILE CQB

L-15E

RWY 17-35: H4000X60 (ASPH) S-12.5 MIRL 0.6% up N

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P2L)—GA 2.5° TCH 30'. Trees.

AIRPORT REMARKS: Unattended.

WEATHER DATA SOURCES: AWOS-3 119.275 (405) 258-6724.


COMMUNICATIONS: CTAF 122.9

Ⓡ KANSAS CITY CENTER APP/DEP CON 128.3

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 053° 44.4 NM to fld. 1230/7E. HIWAS.

TILGHMAN NDB (MHW) 396 CQB N35°43.34' W96°49.12' at
fld. NOTAM FILE CQB.

CHATTANOOGA SKY HARBOR (92F) 3 SW UTC-6(-5DT) N34°22.12' W98°40.92'

DALLAS-FT. WORTH

1135 B NOTAM FILE MLC

RWY 17-35: H3400X60 (ASPH) S-7 MIRL

RWY 17: Road. RWY 35: Road.


AIRPORT REMARKS: Attended irregularly. Ultralights on and invof arpt.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24'
W98°35.61' 339° 23.3 NM to fld. 1100/10E.

L-17B

**CHEROKEE MUNI** (405) 3 N UTC-6(-5DT) N36°47.28' W98°21.51'

WICHITA

1177 B NOTAM FILE MLC

RWY 17-35: H3570X50 (ASPH) S-4 MIRL

RWY 17: APAP(PNIL)—GA 4.0° TCH 9'. Fence.

RWY 35: Thld displcd 180'. P-line.

AIRPORT REMARKS: Unattended. Rwy 17 APAP OTS indef. ACTIVATE


MIRL Rwy 17—35—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

ANTHONY (L) VORTAC 112.9 ANY Chan 76 N37°09.54'
W98°10.24' 195° 24.0 NM to fld. 1390/7E.

L-15D

**CHEROKEE SPB** (See AFTON)

CHEYENNE**MIGNON LAIRD MUNI** (93F) 2 W UTC-6(-5DT) N35°36.27' W99°42.17'

DALLAS-FT. WORTH

2084 B NOTAM FILE MLC

L-15C

RWY 18-36: H4036X60 (ASPH) S-4 MIRL

RWY 18: Tree.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

SAYRE (L) VORTAC 115.2 SYO Chan 99 N35°20.71'

W99°38.12' 338° 15.9 NM to fld. 1990/10E.

**CHICKASHA MUNI** (CHK) 3 NW UTC-6(-5DT) N35°05.84' W97°58.06'

DALLAS-FT. WORTH

1152 B S4 FUEL 100LL, JET A TPA-1952(800) NOTAM FILE CHK

H-6H, L-17C

RWY 17-35: H5101X100 (CONC) S-40, D-52 MIRL 0.4% up N

IAP

RWY 17: PAPI(P4L)-GA 3.0° TCH 44'.

RWY 35: PAPI(P4L)-GA 3.0° TCH 44'. Trees.

RWY 18-36: 2840X145 (TURF)

RWY 18: Fence. RWY 36: Building.

RWY 02-20: 2525X100 (TURF)

RWY 20: Trees.

AIRPORT REMARKS: Attended 1400-2300Z+. Fuel avbl 24 hrs self serve with credit card. PAPI Rwy 17 OTS indef. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (405) 574-1016.


COMMUNICATIONS: CTAF/UNICOM 123.0

OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 221° 23.6 NM to fld. 1230/7E. HIWAS.

**CHRISTMAN AIRFIELD** (See OKEENE)**CITY OF COALGATE** (See COALGATE)

CLAREMORE**CLAREMORE RGNL** (GCM) 7E UTC-6(-5DT) N36°17.56' W95°28.78'

733 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE GCM

RWY 17-35: H5200X75 (ASPH-PFC) S-30, D-58.5, DT-119.5

MIRL 0.7% up S

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 26'. Hill.

AIRPORT REMARKS: Attended 1430-2300Z+. 24 hr automatic fuel svc system. Rwy 35 thld displcd 250' indef. ACTIVATE MIRL Rwy 17-35—CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.925 (918) 343-0184.**COMMUNICATIONS:** CTAF/UNICOM 122.7

TULSA APP/DEP CON 119.1

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 061° 16.0 NM to fld. 770/8E.

KANSAS CITY

H-6I, L-15E

IAP

**SAM RIGGS AIRPARK** (K11) 7 S UTC-6(-5DT) N36°13.09' W95°39.11'

KANSAS CITY

580 NOTAM FILE MLC

RWY 04-22: 2760X35 (TURF)

RWY 04: Trees. Rgt tfc.

RWY 22: Trees.

RWY 18-36: 1550X110 (TURF)

RWY 18: Tree.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Parachute Jumping. Rwy 04-22 CLOSED indef. Rwy 18-36

CLOSED indef. Rwy 04-22 covered in tall grass and weeds. Surface rough. Rwy 18-36 covered in tall grass and weeds. Surface rough.

COMMUNICATIONS: CTAF 122.9**CLARENCE E PAGE MUNI** (See OKLAHOMA CITY)**CLEVELAND MUNI** (95F) 2 S UTC-6(-5DT) N36°17.03' W96°27.80'

KANSAS CITY

L-15E

912 B S2 NOTAM FILE MLC

RWY 18-36: H4000X60 (ASPH) S-4 MIRL


RWY 18: VASI(V2L)—GA 2.75°. Trees.

RWY 36: VASI(V2L)—GA 2.75°. Trees.

AIRPORT REMARKS: Attended irregularly. Golfers on and invof arpt. PAEW adjacent Rwy 18-36. Rotating bcn OTS indef. Rwy 18 VASI OTS indef. Rwy 36 VASI OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 271° 33.2 NM to fld. 770/8E.



CLINTON**CLINTON RGNL** (CLK) 3 NE UTC-6(-5DT) N35°32.30' W98°55.97'

DALLAS-FT. WORTH

1616 B FUEL 100LL NOTAM FILE CLK

L-15C

RWY 17-35: H4306X75 (ASPH) S-7 MIRL 0.3% up N

IAP

RWY 17: Tree.

RWY 35: VASI(V4L)—GA 3.0° TCH 24'.

RWY 13-31: 1348X245 (TURF)


AIRPORT REMARKS: Attended 1400-2300Z†. Rwy 13-31 rough. MIRL Rwy 17-35 and taxiway lgts preset med ints, to increase ints and ACTIVATE VASI Rwy 35—CTAF. Rwy 13-31 boundaries marked by orange barrels.

WEATHER DATA SOURCES: AWOS-3 119.225 (580) 323-8477.**COMMUNICATIONS:** CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CSM.

BURNS FLAT (L) VORTACW 110.0 BFV Chan 37 N35°14.22' W99°12.37' 029° 22.5 NM to fld. 1780/8E.

**CLINTON-SHERMAN** (CSM) 15 SW UTC-6(-5DT) N35°20.39' W99°12.03'

DALLAS-FT. WORTH

1922 B FUEL 100LL, JET A TPA-2699(777) NOTAM FILE CSM

H-6H, L-15C

RWY 17R-35L: H13503X150 (CONC) S-50, D-200, ST-175, DT-390 HIRL (NSTD)

IAP, AD

RWY 17R: Rgt tfc.

RWY 35L: VASI(V4L)—GA 3.0° TCH 52'.

RWY 17L-35R: H5193X75 (CONC) S-50, D-200, ST-175, DT-390

RWY 17L: Antenna.

RWY 35R: Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1500-0600Z†, except holidays. For arpt attendant after hours call 580-562-4713. Rwy 17L-35R is laid out on parallel twy to Rwy 17R-35L. Rwy 17L-35R VFR dalgt use only. Military jet training, heavy jets surface to 5000' within 25 NM radius. Extensive student pilot training from surface to 5000' within 10 NM radius between 1500-1800†. Military jet ngt vision training, etc twr 10 minutes prior to ldg after SS to adjust fld lighting. VFR acft advised to ctc twr 15 NM out for sequencing. Rwy 17R-35L NSTD HIRL. Rwy lgts located 75' off each side of rwy. Rotating bcn OTS indef. ACTIVATE HIRL Rwy 17R-35L, taxiway lgts and windsock—119.6.

WEATHER DATA SOURCES: ASOS 135.225 (580) 562-4811. LAWRS.**COMMUNICATIONS:** CTAF 119.6 UNICOM 122.95

FORT WORTH CENTER APP/DEP CON 128.4.

TOWER 119.6 (Mon-Fri 1500-0600Z† except Federal holidays.)


GND CON 121.7

AIRSPACE: CLASS D svc (Mon-Fri 1500-0600Z† except Federal holidays.) other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CSM.

BURNS FLAT (L) VORTACW 110.0 BFV Chan 37 N35°14.22' W99°12.37' 355° 6.2 NM to fld. 1780/8E.

FOSSI NDB (MHW/LOM) 393 BZ N35°27.04' W99°12.09' 172° 6.6 NM to fld. Unmonitored when twr clsd.

ILS 109.5 I-BZF Rwy 17R. LOM FOSSI NDB. Unmonitored when twr clsd.

**COALGATE****CITY OF COALGATE** (Ø8F) 1 W UTC-6(-5DT) N34°31.91' W96°13.98'

DALLAS-FT. WORTH

615 NOTAM FILE MLC

RWY 17-35: 2584X80 (TURF)

RWY 17: Thld dspld 250'. Road.

RWY 35: Thld dspld 275'. Fence.

AIRPORT REMARKS: Unattended. Rwy 17 thld dspld dalgt ops only. Rwy 35 thld dspld dalgt ops only. Rwy 17-35 thlds marked by flush mounted conc slabs painted white. Two 185' water towers 1320' from Rwy 17 end and 350' left of centerline.



COMMUNICATIONS: CTAF 122.9

COOKSON**TENKILLER LAKE AIRPARK** (44M) 1 SW UTC-6(-5DT) N35°42.30' W94°56.16'**MEMPHIS**877 B **FUEL** 100LL NOTAM FILE MLC**RWY 05-23:** 2600X75 (TURF) LIRL**RWY 05:** VASI(V2L)—GA 3.0°TCH 31'.**RWY 23:** VASI(V2L)—GA 3.5°TCH 33'. Trees.**AIRPORT REMARKS:** Attended continuously. For fuel call 918-457-5444. Deer on and invof rwy. Rwy 05-23 CLOSED to acft over 6,000 lbs. VASI Rwy 05 OTS indef. VASI Rwy 23 OTS indef. ACTIVATE LIRL Rwy 05-23—CTAF. NOTE:

See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF/UNICOM 122.8**CORDELL MUNI** (F36) 1 E UTC-6(-5DT) N35°17.85' W98°58.05'**DALLAS-FT. WORTH**

1589 B NOTAM FILE MLC

L-15C**RWY 17-35:** H3650X60 (ASPH) S-12.6 MIRL**RWY 17:** PVASI(P5IL).**RWY 35:** Road.**RWY 04-22:** 2000X100 (TURF)**RWY 04:** P-line.**RWY 22:** Ground.**AIRPORT REMARKS:** Attended Mon-Fri 1300-2200Z†. For attendant after hrs call 580-832-3046. Ultralights on and invof arpt. PVASI Rwy 17 OTS indef.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CSM.**BURNS FLAT (L) VORTACW** 110.0 BFV Chan 37 N35°14.22' W99°12.37' 065° 12.3 NM to fld. 1780/8E.**CRAZY HORSE MUNI** (See DAVIS)**CUSHING MUNI** (CUH) 2 S UTC-6(-5DT) N35°57.00' W96°46.38'**DALLAS-FT. WORTH**916 B **FUEL** 100LL, JET A NOTAM FILE CUH**H-6H, L-15E****RWY 18-36:** H5201X100 (CONC-GRVD) S-30 PCN 4 R/B/X/T MIRL 0.7% up N**IAP****RWY 18:** PAPI(P4L). Trees.**RWY 36:** PAPI(P4L). Trees.**RWY 08-26:** 2700X55 (TURF)**RWY 08:** Trees.**RWY 02-20:** 2860X80 (TURF)**RWY 02:** Trees.**RWY 20:** Pole.**RWY 11-29:** 2500X75 (TURF)**RWY 11:** Trees.**RWY 29:** Tree.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 18:** TORA-5201 TODA-5201 ASDA-4986 LDA-4986**RWY 36:** TORA-5201 TODA-5201 ASDA-5201 LDA-4986**AIRPORT REMARKS:** Attended 1400-2300Z†. Arpt unattended Christmas, New Years and Thanksgiving. Fuel avbl 24 hr with automated credit card system. Parachute Jumping. Rwy 02-20, Rwy 08-26 and Rwy 11-29 soft when wet. Rwy 02-20, Rwy 08-26 and Rwy 11-29 CLOSED to acft over 5,000 lbs. MIRL Rwy 18-36 preset medium ints, to increase ints ACTIVATE—CTAF. PAPI Rwy 18 and Rwy 36 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.25.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **KANSAS CITY CENTER APP/DEP CON** 128.3**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78' W95°47.29' 245° 50.1 NM to fld. 770/8E.**NDB (MHW)** 242 CUH N35°53.40' W96°46.52' 357° 3.6 NM to fld. NOTAM FILE CUH. Unmonitored.**DAVID JAY PERRY** (See GOLDSBY)

DAVIS**CRAZY HORSE MUNI** (97F) 3 NE UTC-6(-5DT) N34°32.79' W97°06.50'

DALLAS-FT. WORTH

940 NOTAM FILE MLC

RWY 17-35: H2600X34 (ASPH)

RWY 17: Road. RWY 35: Road.

AIRPORT REMARKS: Unattended. Rwy 17-35 has moderate to severe cracking and severe grass encroachment.

COMMUNICATIONS: CTAF 122.9

DAVIS FLD (See MUSKOGEE)**DECKER FLD** (See MENO)**DEWIE** N36°50.37' W96°00.84' NOTAM FILE BVO.

KANSAS CITY

NDB (LOM) 201 BV 171° 4.6 NM to Bartlesville Muni.

DOBIE'S (See INOLA)**DUNCAN****HALLIBURTON FLD** (DUC) 2 S UTC-6(-5DT) N34°28.28' W97°57.59'

DALLAS-FT. WORTH

1114 B S4 FUEL 100LL, JET A NOTAM FILE DUC

H-6H, L-17C

RWY 17-35: H6326X100 (CONC) S-44, D-56, DDT-101 MRL 0.4% up N

IAP

RWY 17: REIL VASI(V4L)—GA 3.0° TCH 43'. Trees.

RWY 35: REIL VASI(V4L)—GA 3.0° TCH 44'.

AIRPORT REMARKS: Attended 1300-0000Z. REIL Rwy 17 OTS indef.

VASI Rwy 35 OTS indef. Rwy 17 VASI unusable byd 5° right of centerline. ACTIVATE MRL Rwy 17-35, REIL Rwy 17 and Rwy 35 and VASI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (580) 252-4547.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT SILL APP/DEP CON 118.6 CLNC DEL 118.4


RADIO AIDS TO NAVIGATION: NOTAM FILE DUC.

DUNCAN (L) VORW/DME 111.0 DUC Chan 47 N34°23.07'

W97°55.01' 329° 5.6 NM to fld. 1090/9E.

ILS 111.5 I-DUC Rwy 35. LOC only. LOC unmonitored

Mon-Fri 0500-1300Z, Sat-Sun unmonitored.

**DUNCAN** N34°23.07' W97°55.01' NOTAM FILE DUC.

DALLAS-FT. WORTH

(L) VORW/DME 111.0 DUC Chan 47 329° 5.6 NM to Halliburton Fld. 1090/9E.

H-6H, L-17C

VOR/DME unusable:

030°-044° byd 10 NM blo 9000'

030°-044° byd 35 NM

044°-076° byd 10 NM

076°-086° byd 10 NM blo 9000'

086°-188° byd 10 NM

188°-204° byd 10 NM blo 9000'

188°-204° byd 32 NM

204°-316° byd 10 NM

316°-336° byd 10 NM blo 7600'

316°-336° byd 25 NM

336°-030° byd 10 NM

DURANT**EAKER FLD** (DUA) 3 SW UTC-6(-5DT) N33°56.54' W96°23.67'


699 B S4 FUEL 100LL, JET A TPA—See remarks. NOTAM FILE DUA

RWY 17-35: H5001X100 (ASPH) S-35, D-50 MIRL (NSTD)**RWY 17:** REIL. PAPI(P4L)—GA 3.0° TCH 49'. Trees.**RWY 35:** REIL. PAPI(P4L)—GA 3.0° TCH 48'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat-Sun 1500-2300Z†. 100LL avbl 24 hrs with automated credit card system. For fuel after hrs call 580-230-1188. PAEW adjacent Rwy 17-35. Large flocks of birds invof arpt. 372' tower 2.5 miles north of arpt. Extensive student training invof arpt and over Lake Texoma. Rwy 17 REIL OTS indef. PAPI Rwy 35 OTS indef. Rwy 17-35 NSTD MIRL. MIRL located 37' from rwy edges. TPA for light aircraft 1701(1002) and for large aircraft 2201(1502). ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.175 (580) 931-3790.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **FORT WORTH CENTER APP/DEP CON** 124.75**RADIO AIDS TO NAVIGATION:** NOTAM FILE DUA.

TEXOMA (L) VORW/DME 114.3 URH Chan 90 N33°56.65' W96°23.51' at fld. 681/5E.

DALLAS-FT. WORTH**H-6H, L-17C****IAP****EAKER FLD** (See DURANT)**ELK CITY RGNL BUSINESS** (ELK) 1 NE UTC-6(-5DT) N35°25.85' W99°23.66'


2013 B S4 FUEL 100LL, JET A TPA—3013(1000) NOTAM FILE MLC

RWY 17-35: H5399X75 (CONC) S-30 MIRL 0.5% up N**RWY 17:** REIL. PAPI(P2L)—GA 3.0° TCH 19'.**RWY 35:** PAPI(P2L)—GA 3.5° TCH 19'. Pole.

AIRPORT REMARKS: Attended Mon-Sat 1430-2330Z†, Sun 1600-2300Z†. Ultralight activity on and invof of airport. Ditch located off the NW side of parallel twy. Arpt bcn OTS indef. ACTIVATE MIRL Rwy 17-35 and REIL Rwy 17—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.225 (580) 303-9147.**COMMUNICATIONS:** CTAF/UNICOM 122.8**FORT WORTH CENTER APP/DEP CON** 128.4.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**SAYRE (L) VORTAC** 115.2 SYO Chan 99 N35°20.71'

W99°38.12' 057° 12.9 NM to fld. 1990/10E.


DALLAS-FT. WORTH**H-6H, L-15C****IAP**

EL RENO**EL RENO** (99F) 2 SW UTC-6(-5DT) N35°31.00' W97°58.77'

1395 NOTAM FILE MLC

RWY 17-35: 2600X100 (TURF)**RWY 17:** Tree. Rgt tfc. **RWY 35:** Pole.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. E/W Twy marked with orange 'L' shaped markers, do not land on twy.**COMMUNICATIONS:** CTAF 122.9

DALLAS-FT. WORTH

**EL RENO RGNL** (RQO) 4 SW UTC-6(-5DT) N35°28.36' W98°00.35'1420 B S4 **FUEL** 100LL, JET A TPA-2220(800) NOTAM FILE RQO**RWY 17-35:** H5600X75 (CONC-GRVD) S-12 MIRL**RWY 17:** REIL. PAPI(P4L)—GA 2.0° TCH 34'. P-line.**RWY 35:** REIL. PAPI(P4L)—GA 2.0° TCH 34'. Road. Rgt tfc.**RWY 18-36:** 4630X190 (TURF)**RWY 18:** Road. Rgt tfc. **RWY 36:** P-line.**AIRPORT REMARKS:** Attended 1400-0000Z±. 24 hr. automated credit card system. ACTIVATE MIRL Rwy 17-35, REIL Rwy 17 and Rwy 35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.475 (405) 262-0087.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 282° 20.6 NM to fld. 1230/7E. HIWAS.**NDB (MHW)** 335 RQO N35°28.72' W98°00.54' at fld. NOTAM FILE MLC.

DALLAS-FT. WORTH

H-6H, L-15D

IAP

ENID WOODRING RGNL (WDG) 4 SE UTC-6(-5DT) N36°22.70' W97°47.34'
 1167 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE WDG
RWY 17-35: H6249X100 (CONC-GRVD) S-50, D-88, ST-111, DT-140 PCN 5 R/A/X/T

WICHITA

H-6H, L-15D

IAP, AD

MIRL 0.3% up N
RWY 17: REIL. Thld dsplcd 611'. Road.
RWY 35: MALSR. VASI(V4L)—GA 3.0° TCH 54'. Rgt tfc.
RWY 13-31: H3149X108 (ASPH) S-42, D-55, DT-80
 PCN 2 F/O/Z/T MIRL

RWY 12: Thld dsplcd 112'. Pole. **RWY 30:** Fence. Rgt tfc.
AIRPORT REMARKS: Attended 1200-0330Z. Fuel avbl 24 hrs with automated credit card system. TPA—2000(833) light aircraft, 2500(1333) heavy aircraft 3000(1833) jet aircraft. Military jet training dalgt 3 nautical mile radius. Rwy 13-31 has severe cracking, raveling and deterioration. PCL OTS indef. Rwy 35 MALSR OTS indef. Rwy 17 REIL OTS indef. ACTIVATE MALSR Rwy 35—CTAF. When twr clsd ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.625 (580) 237-1475. LAWRS.

COMMUNICATIONS: CTAF 118.9 UNICOM 122.95

WOODRING RCO 122.6 (MC ALESTER RADIO)

Ⓡ **VANCE APP/DEP CON** 119.775 (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 127.8 (1 Mar-31 Oct) Mon-Fri 0200-1300Z, (1 Nov-28 Feb) Mon-Fri 0100-1300Z, (1 Mar-31 Oct) Sun 0100-2100Z, (1 Nov-28 Feb) Sun 2300-1900Z, 24 hrs Sat and Federal holidays.

WOODRING TOWER 118.9 (1230-0300Z). **GND CON** 121.925


AIRSPACE: CLASS D svc 1230-0300Z, other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE WDG.

WOODRING (T) VORW/DME 109.0 ODG Chan 27 N36°22.43' W97°47.29' at fld. 1149/8E.

GARFY NDB (LOM) 341 EI N36°16.50' W97°47.45' 353° 6.2 NM to fld. Unmonitored when twr closed.

ILS 108.3 I-EIU Rwy 35. LOM GARFY NDB. ILS unmonitored when tower closed.



ERICK

HADDOCK FLD (O13) 1 SW UTC-6(-5DT) N35°12.03' W99°53.86'

DALLAS-FT. WORTH

2097 NOTAM FILE MLC

RWY 17-35: H2650X35 (ASPH) S-4

AIRPORT REMARKS: Unattended. Rwy surface eroding and rough.

COMMUNICATIONS: CTAF 122.9

EUFULA

EUFULA MUNI (F08) 2 W UTC-6(-5DT) N35°17.76' W95°37.52'

DALLAS-FT. WORTH

L-15E

635 B NOTAM FILE MLC

RWY 17-35: H3000X60 (ASPH) S-4 MIRL


RWY 17: Trees. **RWY 35:** Trees.

AIRPORT REMARKS: Unattended. Ultralghts on and invof arpt. Rotating bcn OTS indef. Rwy 17-35 has loose aggregate, heavy grass encroachment, and severe spalling. MIRL Rwy 17-35 preset low ints, to incr ints, ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 008° 27.8 NM to fld. 820/8E. **HIWAS.**



FOUNTAINHEAD LODGE AIRPARK (ØF7) 6 N UTC-6(-5DT) N35°23.32' W95°36.00'

DALLAS-FT. WORTH

670 B NOTAM FILE MLC

RWY 18-36: H3000X50 (ASPH) S-8 MIRL


RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Unattended. Deer on and invof rwy. Rotating bcn
OTS indef. ACTIVATE MIRL Rwy 18-36—122.8.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'
W95°46.94' 007° 33.5 NM to fld. 820/8E. HIWAS.

L-15E

**FAIRVIEW MUNI** (6K4) 1 N UTC-6(-5DT) N36°17.41' W98°28.55'

WICHITA

1272 B S2 FUEL 100LL NOTAM FILE MLC

L-15D

RWY 17-35: H3620X60 (ASPH) S-4 MIRL

IAP

RWY 35: Trees.


AIRPORT REMARKS: Attended Mon-Sat dalgt hours.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ VANCE APP/DEP CON 120.525 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†,
(1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun
2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat
and Federal holidays. Other times by NOTAM.

Ⓡ KANSAS CITY CENTER APP/DEP CON 127.8 (1 Mar-31 Oct) Mon-Fri
0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†,
(1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun
2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'
W98°00.24' 313° 37.0 NM to fld. 1110/9E.

**FALCONHEAD** (See BURNEYVILLE)**FORT SILL** (See HENRY POST AAF)**FOSSI** N35°27.04' W99°12.09' NOTAM FILE CSM.

DALLAS-FT. WORTH

NDB (MHW/LOM) 393 BZ 172° 6.6 NM to Clinton-Sherman.

L-15C

Unmonitored when Clinton-Sherman tower clsd.

FOUNTAINHEAD LODGE AIRPARK (See EUFAULA)

FREDERICK RGNL (FDR) 3 SE UTC-6(-5DT) N34°21.13' W98°59.03'**DALLAS-FT. WORTH**

1258 B FUEL 100LL, JET A NOTAM FILE FDR

H-6H, L-17B

RWY 17-35: H6099X150 (ASPH) S-35, D-50, DT-100 MIRL 0.3% up N

IAP

RWY 17: PAPI(P4L). TCH 40'. Road. **RWY 35:** PAPI(P4L). TCH 40'.**RWY 03-21:** H4812X60 (CONC) S-30 0.4% up NE**RWY 21:** Road.**RWY 12-30:** H4578X75 (CONC) S-30**RWY 30:** Road.**RWY 17L-35R:** H3180X50 (CONC) 0.6% up N**RWY 17L:** Tower.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z, Sun 1900-2300Z. For fuel after hrs call 580-335-1948. Rwy 17L-35R CLOSED indef. Rwy 12-30 marked to 75' wide, pavement 150' wide. Rwy 12-30 moderate cracking and deterioration. Rwy 03-21 marked to 60' wide, pavement 150' wide. Rwy 03-21 moderate cracking and deterioration. Arpt used as Sheppard AFB auxiliary; military tfc dalgt Mon-Fri. Ctc UNICOM for advisory. Military tfc will use rgt 360° overhead apchs to Rwy 17. ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: ASOS 132.675 (580) 335-7591.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ **ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z except Federal hols)


FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri 0830-1430Z, Sat-Sun and Federal hols 24 hrs)**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPS.**WICHITA FALLS (H) VORTACW** 112.7 SPS Chan 74 N33°59.24' W98°35.61' 308° 29.2 NM to fld. 1100/10E.**FREEDOM MUNI** (K77) 1 SE UTC-6(-5DT) N36°45.51' W99°06.12'**WICHITA**

1517 NOTAM FILE MLC

L-15C

RWY 12-30: H3000X35 (ASPH)**RWY 12:** Trees. **RWY 30:** Trees.

AIRPORT REMARKS: Unattended. Rwy 12-30 edges/thlds unstable. First 300' of Rwy 30 end covered in grass. Broken asph chunks, rocks, and tall grass on entire surface.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 046° 45.1 NM to fld. 2430/10E. **HIWAS.****GAGE** (GAG) 2 SW UTC-6(-5DT) N36°17.73' W99°46.59'**WICHITA**


2223 B NOTAM FILE GAG

H-6H, L-15C

RWY 17-35: H5415X100 (ASPH-PFC) S-4 LIRL (NSTD)

AIRPORT REMARKS: Unattended. Arpt CLOSED to jet acft over 12,500 lbs. Ultralight activity on and invof arpt. Rwy 17-35, Severe block and alligator cracking with potholes and severe grass encroachment. Rwy 17-35 NSTD LIRL, lgts +30' from edge of rwy. ACTIVATE NSTD LIRL Rwy 17-35—123.0.

WEATHER DATA SOURCES: ASOS 128.625 (580) 923-7581. **HIWAS** 115.6 GAG.

COMMUNICATIONS: CTAF 122.9**RCO** 122.55 (MC ALESTER RADIO)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**(H) VORTACW** 115.6 GAG Chan 103 N36°20.62'W99°52.81' 110° 5.8 NM to fld. 2430/10E. **HIWAS.**

GALLY N35°17.70' W97°35.32' NOTAM FILE OKC.
NDB (LOM) 350 RG 347° 5.9 NM to Will Rogers World.

DALLAS—FT. WORTH

GARFY N36°16.50' W97°47.45' NOTAM FILE WDG.
NDB (LOM) 341 EI 352° 6.2 NM to Enid Woodring Rgnl. Unmonitored when twr closed.

WICHITA

GLENPOOL N35°55.25' W95°58.12' NOTAM FILE RVS.
(T) VORW/DME 110.6 GNP Chan 43 348° 7.2 NM to Richard Lloyd Jones Jr. 810/6E.

DALLAS—FT. WORTH
L-15E**GOLDSBY**

DAVID JAY PERRY (1K4) 1 NE UTC-6(-5DT) N35°09.30' W97°28.22'

DALLAS—FT. WORTH

1168 B S2 FUEL 100LL NOTAM FILE MLC

L-15D

RWY 13-31: H3006X60 (CONC-GRVD) S-30 MIRL 0.4% up NW

IAP

RWY 13: Trees. RWY 31: Trees.

RWY 17-35: H1803X60 (ASPH) S-4 0.4% up N

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Attended Tue-Sun 1400-2200Z±. 24 hour automated fuel servicing system. Coyotes on and in/ov rwy. Ultralight activity on and in/ov arpt. Intensive student training dalgt hrs.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ OKE CITY APP/DEP CON 120.45

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 144° 14 NM to fld. 1230/7E. HIWAS.



GRANDFIELD MUNI (101) 3 W UTC-6(-5DT) N34°14.26' W98°44.52'

DALLAS—FT. WORTH

1128 B S4 FUEL 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H3100X75 (ASPH) S-11 MIRL

RWY 17: Fence. RWY 35: Fence.

RWY 08-26: H1540X75 (ASPH)


RWY 08: Fence. RWY 26: Fence.

AIRPORT REMARKS: Unattended. Parachute Jumping. For fuel call 580-479-5215 Mon-Fri 1400-2230Z±, 580-479-5274 nights and weekends. Tower 1073' AGL 12,000' south southeast of arpt. Tower 1059' AGL 8,500' southeast of arpt. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef. ACTIVATE MIRL RWY 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 324° 16.7 NM to fld. 1100/10E.



GRAND LAKE RGNL (See AFTON)

GROVE MUNI (GMJ) 2 NE UTC-6(-5DT) N36°36.41' W94°44.31'

831 B S4 FUEL 100LL, JET A NOTAM FILE GMJ

RWY 18-36: H5200X75 (ASPH) S-30 MIRL

RWY 18: PAPI(P4L)—GA 2.75° TCH 26'. Trees.

RWY 36: PAPI(P4L)—GA 2.75° TCH 28'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z. Arpt unattended Thanksgiving, Christmas and New Years. Rwy 18 PAPI OTS indef.

WEATHER DATA SOURCES: AWOS-3 119.025 (918) 786-8350. Dewpoint unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 128.8


RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 E05 Chan 120 N36°50.55'
W94°26.14' 219° 20.3 NM to fld. 1200/7E.

KANSAS CITY

H-61, L-16F

IAP



GUNDYS (See OWASSO)

GUTHRIE-EDMUND RGNL (GOK) 2 S UTC-6(-5DT) N35°51.08' W97°24.97'

1069 B S4 FUEL 100LL, JET A TPA-1895(826) NOTAM FILE GOK

RWY 16-34: H5001X75 (CONC) S-30, D-48, DT-78 MIRL

RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Dsplcd thld 200'.

AIRPORT REMARKS: Attended 1200-0000Z. Ultralight activity on and invof arpt. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 133.975 (405) 282-0478.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **OKC CITY APP/DEP CON** 124.2


RADIO AIDS TO NAVIGATION: NOTAM FILE MLC

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'
W98°00.24' 075° 28.8 NM to fld. 1110/9E.

DALLAS-FT. WORTH

H-6H, L-15D

IAP



GUYMON MUNI (GUY) 2 W UTC-6(-5DT) N36°41.11' W101°30.47'
 3123 B S4 FUEL 100LL, JET A TPA-4123(1000) NOTAM FILE GUY
RWY 18-36: H5900X100 (ASPH) S-10 MIRL
RWY 18: VASI(V4L)—GA 3.0° TCH 25'. Rgt tfc.
RWY 36: PAPI(P4L)—GA 3.0° TCH 35'. Road.

RWY 06-24: 1795X200 (TURF)

AIRPORT REMARKS: Attended Mon-Fri 1300-0030Z†, Sat 1300-0000Z†. Sun 1400-2300Z†. For attendant after hours call 580-338-0481/7700. Ultralights on and invof arpt. Numerous waterfowl invof arpt SR and SS. No tkof on Rwy 06. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (580) 468-1476.


COMMUNICATIONS: CTAF/UNICOM 122.7

KANSAS CITY CENTER APP/DEP CON 134.0

RADIO AIDS TO NAVIGATION: NOTAM FILE LBL.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66' W100°58.27' 219° 33.6 NM to fld. 2891/11E. **HIWAS.**

NDB (MHW) 275 GUY N36°42.32' W101°30.31' 175° 1.3 NM to fld. NOTAM FILE GUY.



HADDOCK FLD (See ERICK)

HALLIBURTON FLD (See DUNCAN)

HARVEY YOUNG (See TULSA)

HASKELL (2K9) 1 NE UTC-6(-5DT) N35°49.97' W95°40.04'

DALLAS-FT. WORTH

588 FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3710X30 (ASPH)


RWY 17: Trees.

AIRPORT REMARKS: Attended irregularly. Dalgst ops only. Ultralight activity on and invof arpt. Rwy 17 and Rwy 35 ultralights use rgt tfc. Rwy 17 and Rwy 35 small numbers, centerline missing. NOTE: See Special Notices Section—Model Aircraft Activity.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 157° 22.6 NM to fld. 770/8E.



HATBOX FLD (See MUSKOGEE)

HEALDTON MUNI (F32) 2 NE UTC-6(-5DT) N34°14.96' W97°28.43'

DALLAS-FT. WORTH

956 NOTAM FILE MLC

L-17C

RWY 17-35: H3000X50 (ASPH) S-12.5


RWY 17: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'
W97°10.10' 273° 15.4 NM to fld. 925/6E.



HEFNER-EASLEY (See WAGONER)

HENRYETTA MUNI (F10) 3 SW UTC-6(-5DT) N35°24.41' W96°00.95'

DALLAS-FT. WORTH

849 B FUEL 100LL NOTAM FILE MLC

L-6H, 15E

RWY 18-36: H3501X50 (ASPH) S-12 MIRL 0.5% up S

RWY 18: PVASI(PSIL)—GA 3.1° TCH 32'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended Tue-Sun 1400-2300Z+. Arpt unattended Thanksgiving and Christmas day. Rwy 18 PVASI OTS indef.

ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 132.2


RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 333° 35.3 NM to fld. 820/8E. **HIWAS.**

NDB (MHW) 267 HET N35°24.27' W96°00.83' at fld.

Unmonitored.



HENRY POST AAF (FORT SILL) (FSI)(KFSI) A 1 SE UTC-6(-5DT) N34°38.99' W98°24.13' **DALLAS-FT. WORTH**
 1189 B TPA—See Remarks NOTAM FILE FSI Not insp. **H-6H, L-17C**
RWY 17-35: H5001X200 (CONC) PCN 61 R/B/W/T HIRL **DIAP**
RWY 17: PVAIS(P SIL)—GA 3.0° TCH 42'. **RWY 35:** SALS.
MILITARY SERVICE: LGT ACTIVATE PVASI Rwy 17—124.95. Apch and rwy lgt opr on req to twr or app con. **FUEL J8.**
 Refuel svc avbl 24 hr, ctc Base OPS DSN 639-5808/6160 or C580-442-5808/6160. Other times
 C580-695-1403. 45 min delay without prior notice. **OIL O-156** **TRAN ALERT** Limited tran svc during normal
 Base OPS hr, hangar, towing and tie down equipment avbl for acft under 18,000 lbs.
MILITARY REMARKS: RSTD 24 hr PPR all full stop acft. DSN 639-5808/6160 or C580-442-5808/6160. **TFC PAT**
 TPA—rotary wing 1898(709), fixed wing 2698(1509). **CAUTION** Diagonal Twy C lgts OTS between rwy and parallel
 twys. **MISC** Base OPS opr Mon-Fri except holidays 1300-0400Z†, DSN 639-5808/6160,
 C580-442-5808/6160. Wx DSN 639-4000/4887, C580-442-4000/4887. Weather forecast avbl Mon-Fri
 1200-0600Z† except holidays. Remote briefing svc avbl 26 OWS Barksdale AFB DSN 781-4775,
 C318-456-4775, Toll Free 1-866-223-2398, [HTTPS://260WS.Barksdale.AF.MIL/](https://260WS.Barksdale.AF.MIL/). Wx obsn automated
 continuously. Wx obsn avbl 1300-0400Z† Mon-Fri except holidays. Wx obsn augmented/edited or manual (as
 required) during hrs Wx observer avail. Wx obsn visibility ltd to 0.25 NM N and NE when wx obsn manual. KFSI
 AUTO Wx Obsn (voice message) 24 hrs DSN 639-7021, C580-442-7021.
COMMUNICATIONS: ATIS 135.425 354.025 **PTD** 123.05 376.7
(R) FORT SILL APP/DEP CON 120.55 322.4 (S Sector) 127.3 307.275 (N Sector) 118.6 290.375 (Duncan Sector VFR flt
 following avbl)
POST TOWER 124.95 229.4 (Mon-Fri 1300-0400Z†, except holidays) **POST GND CON/CLNC DEL** 121.7 279.575
PMSV METRO 306.5 (Svc avbl Mon-Fri 1200-0400Z†, except holidays)
AIRSPACE: CLASS D svc Mon-Fri 1300-0400Z†, except holidays other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE LAW.
LAWTON (L) VORW/DME 109.4 LAW Chan 31 N34°29.77' W98°24.79' 354° 9.2 NM to fld. 1104/9E.
POST NDB (MHW) 425 PFL N34°36.53' W98°24.23' 354° 2.5 NM to fld. NOTAM FILE MLC.
TRAIL NDB (MHW) 388 OFZ N34°46.88' W98°24.14' 171° 7.9 NM to fld. NOTAM FILE MLC.
ASP/PAR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

HINTON MUNI (208) 2 NE UTC-6(-5DT) N35°30.43' W98°20.54' **DALLAS-FT. WORTH**
 1587 B **FUEL** 100LL NOTAM FILE MLC **L-150**
RWY 17-35: H4000X60 (ASPH) MIRL **IAP**
RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. **RWY 35:** PAPI(P2L)—GA 3.0° TCH 40'.
AIRPORT REMARKS: Attended May-Sep 1400-2300Z†, Oct-Apr 1500-0000Z†. Fuel avbl 24 hrs with automated credit
 card system. Parachute Jumping. Parachute jumping and glider activity on and invof arpt. Rwy 17 and Rwy 35
 PAPI OTS indef.
COMMUNICATIONS: CTAF/UNICOM 123.05
FORT WORTH CENTER APP/DEP CON 128.4
RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.
WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 284° 37.0 NM to fld.
 1230/7E. **HIWAS.**

HOBART RGNL (HBR) 3 SE UTC-6(-5DT) N34°59.48' W99°03.08'

1563 B S4 **FUEL** 100LL, JET A+ NOTAM FILE HBR

RWY 17-35: H5507X100 (ASPH) S-20 MIRL 0.4% up S

RWY 17: PAPI(P4L)—GA 3.0° TCH 35'. Road.

RWY 35: PAPI(P4L)—GA 3.0° TCH 42'.

RWY 03-21: H5297X150 (ASPH) S-9.4 0.4% up SW

RWY 12-30: H5295X150 (ASPH) S-9.4

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. Jet A+ fuel avbl 24 hr self svc with major credit card. For arpt attendant after hrs call 580-471-0964. Fuel avbl 24 hr self service with major credit card. Rwy 03-21 CLOSED indef. Rwy 12-30 CLOSED indef. Rwy 03-21 and Rwy 12-30 rough due to severe cracking and grass encroachment on sfc. ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: ASOS 133.325 (580) 726-6651.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.2 (MCALESTER RADIO)

® **ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z except Federal holidays)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri 0830-1430Z, Sat-Sun and Federal holidays 24 hrs)

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.


(L) **VORTACW** 111.8 HBR Chan 55 N34°51.99' W99°03.80' 355° 7.5 NM to fld. 1472/10E.

VOR portion unusable 080°-120° byd 30 NM blo 4,000'. DME unusable 080°-090° byd 25 NM blo 4,500', 100°-112° byd 25 NM blo 4,500', 240°-270° byd 25 NM blo 4,500'.

DALLAS-FT. WORTH

H-6H, L-17B

IAP



HOLDENVILLE MUNI (F99) 1 NW UTC-6(-5DT) N35°05.15' W96°25.00'

861 B NOTAM FILE MLC

RWY 17-35: H3251X100 (CONC) S-30, D-42 MIRL

RWY 17: Trees.

RWY 35: P-line.

AIRPORT REMARKS: Attended 1400-2300Z. Ultralights on and invof arpt. 125' AGL silo, .3 NM west Rwy 35 thld. Rwy 17-35 surface severe cracking, spalling and deterioration.

COMMUNICATIONS: CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97' W95°46.94' 287° 34.3 NM to fld. 820/8E. **HIWAS.**


NDB (MHW) 411 HDL N35°05.12' W96°24.82' at fld.

Unmonitored.

DALLAS-FT. WORTH

L-17D

IAP



HOLLIS MUNI (O35) 2 N UTC-6(-5DT) N34°42.50' W99°54.52'

DALLAS-FT. WORTH

1658 B FUEL 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H3000X60 (ASPH) S-4 MIRL


RWY 17: Road.

AIRPORT REMARKS: Attended 1400-2300Z. For fuel call Police

580-688-9216. ACTIVATE MIRL Rwy 17-35-122.8.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CDS.**CHILDRESS (L) VORTAC** 117.6 CDS Chan 123 N34°22.14'

W100°17.34' 033° 27.7 NM to fld. 1920/10E. HIWAS.

**HOMESTEAD FARMS** (See POND CREEK)**HOMINY MUNI** (H92) 2 N UTC-6(-5DT) N36°26.57' W96°23.23'

KANSAS CITY

825 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3210X60 (ASPH) S-8 MIRL

RWY 17: Thld dspcd 180'. Trees.


RWY 35: Thld dspcd 180'. Trees.

AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt.

Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BVO.**BARTLESVILLE (L) VORW/DME** 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 209° 29.5 NM to fld. 940/8E.



HOOVER MUNI (O45) 0 W UTC-6(-5DT) N36°51.43' W101°13.63'

WICHITA

2998 B TPA-4000(1002) NOTAM FILE MLC

L-15B

RWY 17-35: H3312X60 (ASPH) MIRL

RWY 17: Road. Rgt t/c.

RWY 35: Pole.

AIRPORT REMARKS: Unattended. Twr 336' AGL 2160' northeast.


ACTIVATE MIRL Rwy 17-35-CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GCK.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66'

W100°58.27' 217° 16.7 NM to fld. 2891/11E. **HIWAS.**



HUGO N34°02.38' W95°32.36' NOTAM FILE MLC

MEMPHIS

NDB (MHW) 323 HHW at Stan Stamper Muni.

L-17D

HUGO

STAN STAMPER MUNI (HHW) 2 NW UTC-6(-5DT) N34°02.09' W95°32.51'

DALLAS-FT. WORTH

572 B FUEL 100LL, JET A NOTAM FILE MLC

L-17D

RWY 17-35: H4007X75 (ASPH) S-12.5 MIRL

IAP

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. MIRL Rwy 17-35 preset low ints to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.025 (580) 326-2134).

COMMUNICATIONS: CTAF/UNICOM 122.8


FORT WORTH CENTER APP/DEP CON 124.875

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 158° 50.2 NM to fld. 820/8E. **HIWAS.**

HUGO NDB (MHW) 323 HHW N34°02.38' W95°32.36' at fld.



IDABEL

MCCURTAIN CO RGNL (404) 2 NW UTC-6(-5DT) N33°54.56' W94°51.56'

MEMPHIS

472 B FUEL 100LL, JET A NOTAM FILE 404

H-6I, L-17D

RWY 02-20: H5000X75 (ASPH) S-30 MIRL

IAP

RWY 02: REIL. PAPI(P4L)-GA 3.0° TCH 40'.

RWY 20: REIL. PAPI(P4L)-GA 3.0° TCH 41'. Trees. Rgt t/c.

AIRPORT REMARKS: Attended Mon-Fri 1500-2200Z. Fuel avbl 24 hrs self service with major credit card. Rotating bcn OTS indef. Rwy 02 and Rwy 20 west side REIL lgts OTS indef. ACTIVATE MIRL Rwy 02-20 REIL and PAPI Rwy 02 and Rwy 20-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.0 (580) 286-2217.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 123.925

RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.

TEXARKANA (H) VORTACW 116.3 TXK Chan 110 N33°30.83' W94°04.39' 294° 45.9 NM to fld. 270/7E.

INOLA**BUZZARD'S ROOST** (018) 4 E UTC-6(-5DT) N36°08.64' W95°25.06'

KANSAS CITY

661 NOTAM FILE MLC

RWY 17-35: 2555X80 (TURF)

RWY 17: Road. Rgt tfc.

RWY 35: Fence. Rgt tfc.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

DOBIE'S (ØK6) 5 NW UTC-6(-5DT) N36°09.59' W95°34.81'

KANSAS CITY

610 NOTAM FILE MLC

RWY 17-35: 1575X150 (TURF)

RWY 17: Trees.

RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Attended irregularly.

COMMUNICATIONS: CTAF/UNICOM 122.9

JONES MEM (See BRISTOW)**KETCHUM****SOUTH GRAND LAKE RGNL** (1K8) 1 NE UTC-6(-5DT) N36°32.50' W95°01.26'

KANSAS CITY

L-15E

775 FUEL 100LL, JET A NOTAM FILE MLC

RWY 18-36: H4744X60 (ASPH) S-30, D-60

RWY 18: Trees

RWY 36: Thld dsplcd 437'. Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card. Parachute Jumping. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55' W94°26.14' 231° 33.5 NM to fld.1200/7E.

KINGFISHER (F92) 1 NW UTC-6(-5DT) N35°52.51' W97°57.15'

DALLAS-FT. WORTH

1067 FUEL 100LL NOTAM FILE MLC

RWY 17-35: 2580X375 (TURF) PCN 4 F/D/Z/U

RWY 17: Fence.

RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Automated credit card fuel system. Rwy 17-35 centerline marked by amber strobe lgt on Rwy 17 end and red strobe lgt on Rwy 35 end.

COMMUNICATIONS: CTAF 122.9

KINGFISHER N35°48.32' W98°00.24' NOTAM FILE MLC

DALLAS-FT. WORTH

(H) VORTACW 114.7 IFI Chan 94 271° 20.6 NM to Watonga Rgnl. 1110/9E.

H-6H, L-15D

KINGSTON**LAKE TEXOMA STATE PARK** (F31) 4 E UTC-6(-5DT) N33°59.46' W96°38.57'

DALLAS-FT. WORTH

L-17C

693 B NOTAM FILE MLC

RWY 18-36: H3000X50 (ASPH) S-4 MIRL

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 severe cracking and raveling. Exercise CAUTION—for deer on runway. Rotating bcn OTS indef. MIRL Rwy 18-36 preset low ints, to increase ints


ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'


W97°10.10' 111° 29.3 NM to fld. 925/6E.



LAKE MURRAY STATE PARK (See OVERBROOK)**LAKE TEXOMA STATE PARK** (See KINGSTON)**LAVERNE MUNI** (051) 3 NW UTC-6(-5DT) N36°44.67' W99°54.52'

WICHITA

2112 NOTAM FILE MLC

RWY 17-35: H3950X50 (ASPH) S-4 LIRL (NSTD)**RWY 17:** Thld dsplcd 144'. **RWY 35:** Thld dsplcd 353'. P-line.**AIRPORT REMARKS:** Unattended. Rwy 17-35 NSTD LIRL. Thld lgts all green lenses, NSTD location.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE GAG.**GAGE (H) VORTACW** 115.6 GAG Chan 103 N36°20.62' W99°52.81' 347° 24.1 NM to fld. 2430/10E. **HIWAS.****LAWTON-FORT SILL RGNL** (LAW) 2 S UTC-6(-5DT) N34°34.06' W98°25.00'

DALLAS-FT. WORTH

1110 B S4 **FUEL** 100LL, JET A1 + OX 1, 2 Class I, ARFF Index A NOTAM FILE LAW

H-6H, L-17C

RWY 17-35: H8599X150 (CONC-WC) S-45, D-179, ST-175, DT-344 HIRL


IAP, AD

RWY 17: REIL. VASI(V4L)—GA 3.0° TCH 46'. Pole. 0.3% down.**RWY 35:** MALSR. 0.6% up.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 17:** TORA-8599 TODA-8599 ASDA-8599 LDA-8599**RWY 35:** TORA-8599 TODA-8599 ASDA-8599 LDA-8599**AIRPORT REMARKS:** Attended Mon-Fri 1130-0200Z± Sat-Sun

1130-0100Z±. Birds on and invof arpt. When twr clsd ARFF avbl through Fort Sill apch control. PPR for unscheduled Part 121 acft ops with over 30 passenger seats, ctc arpt manager 580-353-4869. When twr clsd HIRL Rwy 17-35 preset med ints, to increase ints and ACTIVATE MALSR Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS (580) 581-1351.**COMMUNICATIONS:** CTAF 119.9 ATIS 120.75 UNICOM 122.95® **FORT SILL APP/DEP CON** 120.55**TOWER** 119.9 (1400-0100Z±) **GND CON** 121.9**AIRSPACE:** CLASS D svc 1400-0100Z± other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAW.(L) **VORW/DME** 109.4 LAW Chan 31 N34°29.77'

W98°24.79' 349° 4.3 NM to fld. 1104/9E.

ILS 109.1 I-LAW Rwy 35. Class IB. Unmonitored when twr clsd. GS unusable for coupled apchs blo 2000' MSL.**ASR****COMM/NAV/WEATHER REMARKS:** When twr clsd weather avbl through Fort Sill apch control.**LEXINGTON****Mc CASLIN** (044) 4 N UTC-6(-5DT) N35°05.54' W97°20.19'

DALLAS-FT. WORTH

1135 NOTAM FILE MLC

RWY 17-35: 2135X80 (TURF)**RWY 17:** Fence. **RWY 35:** P-line.**AIRPORT REMARKS:** Unattended. Rwy 17-35 marked by white cones on east side only. Rwy 17 and Rwy 35 ends marked by white cones.**COMMUNICATIONS:** CTAF 122.9

LINDSAY MUNI (1K2) 2 NE UTC-6(-5DT) N34°50.97' W97°35.12'

DALLAS-FT. WORTH

968 B NOTAM FILE MLC

L-17C

RWY 01-19: H3010X60 (ASPH) S-4 MIRL


RWY 01: Fence. **RWY 19:** Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED SS-SR. Rwy 01-19 surface deteriorating. MIRL Rwy 01-19 Preset low ints, to increase ints ACTIVATE-CTAF. 660' AGL antenna 3.2 miles north.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 171° 30.5 NM to fld. 1230/7E. **HIWAS.**



MADILL MUNI (1F4) 3 NW UTC-6(-5DT) N34°08.42' W96°48.72'

DALLAS-FT. WORTH

890 B NOTAM FILE MLC

L-17C

RWY 18-36: H3005X50 (ASPH) S-8 MIRL 0.6% up S

IAP

RWY 18: REIL. PAPI(P2L)-GA 4.0° TCH 47'. Trees.

RWY 36: REIL. PAPI(P2L)-GA 4.0° TCH 60'. Trees.


AIRPORT REMARKS: Unattended. Rwy 18-36 severe cracking and spalling. Rwy 18 left side REIL OTS indef. Rwy 18 PAPI OTS indef. +1694' twr 6.2 miles south of Rwy 36 end. ACTIVATE MIRL Rwy 18-36-CTAF.

COMMUNICATIONS: CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 128.1

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69' W97°10.10' 097° 18.2 NM to fld. 925/6E.




MANGUM**SCOTT FLD** (2K4) 2 NW UTC-6(-5DT) N34°53.56' W99°31.69'**DALLAS-FT. WORTH**1643 B **FUEL** 100LL NOTAM FILE MLC

L-17B

RWY 17-35: H4200X75 (ASPH) S-12.5 MIRL 0.6% up S.

IAP

RWY 17: Road. **RWY 35:** P-line.**AIRPORT REMARKS:** Unattended. Fuel available 24 hrs automated credit card system. Ultralights on and in vicinity of arpt. Drainage ditch adjacent Rwy 17 75' west. 30' p-line 500' east end Rwy 35.**COMMUNICATIONS:** CTAF 122.9**ALTUS APP/DEP CON** 125.1 (Mon-Fri 1430-0830Z† except Federal hols)**FORT WORTH CENTER APP/DEP CON** 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal hols 24 hrs)**RADIO AIDS TO NAVIGATION:** NOTAM FILE HBR.**HOBART (L) VORTACW** 111.8 HBR Chan 55 N34°51.99' W99°03.80' 264° 23.0 NM to fld. 1472/10E.**MARIETTA****McGEHEE CATFISH RESTAURANT** (T40) 5 SW UTC-6(-5DT) N33°53.94' W97°10.23'**DALLAS-FT. WORTH**

760 NOTAM FILE MLC

RWY 17-35: 2450X55 (TURF)**RWY 17:** Trees. **RWY 35:** Trees.**AIRPORT REMARKS:** Attended. Mar-Nov 2300-0230Z† except Wed. Dec-Feb Thu-Sun 2300-0230Z†. Dalgt ops only.

Rwy 17-35 CLOSED indef. Livestock and wildlife on and invof rwy. Rwy surrounded by tall trees. Rwy 17-35 steep terrain drop (-80') on all sides with areas of 120' rising terrain. Service road crosses 910' from Rwy 35 end. Rwy 17-35 slippery and soft when wet, rolling and uneven.

COMMUNICATIONS: CTAF 122.9**MC ALESTER RGNL** (MLC) 3 SW UTC-6(-5DT) N34°52.94' W95°47.01'**DALLAS-FT. WORTH**770 B S4 **FUEL** 100LL, JET A NOTAM FILE MLC


H-6I, L-17D

RWY 02-20: H5602X100 (CONC) S-52, D-70, ST-89, DT-120 MIRL 0.5% up NE

IAP

RWY 02: MALS. PVASI(P SIL)—GA 3.0° TCH 39'. Trees.**RWY 20:** REIL. PVASI(P SIL)—GA 2.5° TCH 45'. Road.**AIRPORT REMARKS:** Attended 1130Z†-dusk. After hrs call

918-426-1216. Deer and coyotes on and invof rwy. Rwy 20 PVASI OTS indef. MIRL Rwy 02-20 preset low ints, to increase ints and ACTIVATE MALS Rwy 02—CTAF.

WEATHER DATA SOURCES: ASOS 135.125 (918) 426-1601. HIWAS 112.0 MLC.**COMMUNICATIONS:** CTAF/UNICOM 122.95**RCO** 123.6 122.65 (MC ALESTER RADIO)® **FORT WORTH CENTER APP/DEP CON** 132.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**(L) VORTACW** 112.0 MLC Chan 57 N34°50.97' W95°46.94' 350° 2.0 NM to fld. 820/8E. HIWAS.**WAMPA NDB (LOM)** 344 ML N34°47.87' W95°49.24' 014° 5.4 NM to fld.**ILS** 108.3 I-MLC Rwy 02. LOM WAMPA NDB. LOC only.**Mc CASLIN** (See LEXINGTON)

MEDFORD MUNI (053) 1 SW UTC-6(-5DT) N36°47.44' W97°44.94'

WICHITA

1092 B NOTAM FILE MLC

L-15D

RWY 17-35 H3007X60 (ASPH) S-13 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.51° TCH 31'. Road.

RWY 35: PAPI(P2L)—GA 3.51° TCH 33'. Fence.

AIRPORT REMARKS: Attended Mon-Fri 1430-2300Z†, 100' refinery 3300' southwest of arpt. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

- Ⓡ **VANCE APP/DEP CON** 118.075 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

KANSAS CITY CENTER APP/DEP CON 127.8 (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.

PIONEER (H) VORTACW 113.2 PER Chan 79 N36°44.79' W97°09.61' 269° 28.5 NM to fld. 1054/6E.

**MENO****DECKER FLD** (407) 1 S UTC-6(-5DT) N36°22.32' W98°10.71'

WICHITA

1330 S4 NOTAM FILE MLC

RWY 03-21: 2215X75 (TURF)

RWY 21: Road.

AIRPORT REMARKS: Attended 1300-0100Z†. Rwy 21 has 50' p-line 900' from thld.

COMMUNICATIONS: CTAF 122.9**MIAMI MUNI** (MIO) 2 NW UTC-6(-5DT) N36°54.55' W94°53.25'

KANSAS CITY

808 B S4 FUEL 100LL, JET A NOTAM FILE MLC

H-6I, L-16F

RWY 17-35: H5020X100 (ASPH) S-23 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 30'. Trees. Rgt tfc.

RWY 35: PAPI(P2L)—GA 4.0° TCH 40'. Stack.

AIRPORT REMARKS: Attended 1400-2300Z†. Arpt unattended Thanksgiving and Christmas. Parachute Jumping. Rwy 35 +7' fence 855' from end of rwy. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

OSWEGO RCO 122.1R 117.6T (WICHITA RADIO)

- Ⓡ **KANSAS CITY CENTER APP/DEP CON** 132.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ICT.

OSWEGO (L) VORTAC 117.6 OSW Chan 123 N37°09.45' W95°12.22' 126° 21.3 NM to fld. 930/8E. HIWAS.

**MID-AMERICA INDUSTRIAL** (See PRYOR)**MIGNON LAIRD MUNI** (See CHEYENNE)**MOLLY'S LANDING HELIPORT** (See CATOOSA)

MOORELAND MUNI (MDF) 3 N UTC-6(-5DT) N36°29.09' W99°11.65'

1970 B S2 FUEL 100LL, MOGAS NOTAM FILE MLC

Rwy 17-35: H3500X60 (ASPH) S-4 MIRL

Rwy 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1500-2300Z†. Sat-Sun on call.

For arpt attendant weekend and holidays call (580) 994-9305 or (580) 216-0014. PPR for fuel call 580-994-2427. ACTIVATE MIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8.

KANSAS CITY CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 066° 34.3 NM to fld. 2430/10E. HIWAS.



WICHITA

L-15C

IAP

MULDROW AHP (HMY) A (NG) 4 E UTC-6(-5DT) N35°01.58' W97°13.90'

1091 B

Not insp.

DALLAS-FT WORTH

L-17C

IAP

Rwy 17-35: H2005X75 (ASPH) LIRL

MILITARY SERVICE: LGT Rotating bcn phone req. FUEL J4

MILITARY REMARKS: Attended Mon 1300-2200Z†, Tue-Fri 1330-0600Z†. RSTD PPR for all tran fuel, park and night opr DSN 628-8101, C405-217-8101. CAUTION Helicopter park ramp has perimeter fence.

COMMUNICATIONS:

® FORT WORTH CENTER APP/DEP CON 128.1 322.4 MULDROW OPS 142.45 387.9 46.9 (Advisory svc only)

RADIO AIDS TO NAVIGATION:

MULDROW NDB (MHW) 512 HMY N35°01.74' W97°13.83' at fld. NOTAM FILE MLC.

MUNICIPAL (See TEXHOMA)

MUSKOGEE

DAVIS FLD (MKO) 6 S UTC-6(-5DT) N35°39.46' W95°21.70'

611 B S2 FUEL 100LL, JET A NOTAM FILE MKO

Rwy 13-31: H7201X150 (ASPH) S-59, D-78, ST-99, DT-131 MIRL 0.4% up NW

Rwy 13: PAPI(P4L)—GA 3.0° TCH 50'. Trees.

Rwy 31: MALS. PAPI(P4L)—GA 3.0° TCH 53'.

Rwy 04-22: H4498X75 (ASPH-CONC) 0.3% up SW

Rwy 04: Trees.

Rwy 22: Road.

Rwy 18-36: H1900X60 (ASPH)

Rwy 18: Road.

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z†, Sun 1400-2300Z†. Bird activity on and invof arpt. Occasional deer and coyotes on and invof rwy. Ultralights on and invof arpt. Twy B clsd to acct over 25,000 lbs. MIRL Rwy 13-31 preset low ints dusk-0600Z†, after 0600Z† ACTIVATE—CTAF. To increase ints and ACTIVATE MALS Rwy 31—CTAF. PAPI Rwy 13 and Rwy 31 opr continuously. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: ASOS 135.025 (918) 683-6987.


COMMUNICATIONS: CTAF/UNICOM 122.8

MUSKOGEE RCO 122.5 (MC ALESTER RADIO)

® FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 139° 38.4 NM to fld. 770/8E.



DALLAS-FT. WORTH

H-61, L-15E

IAP

HATBOX FLD (HAX) 2 W UTC-6(-5DT) N35°44.76' W95°24.76'
DALLAS-FT. WORTH
L-15E

627 NOTAM FILE MLC


RWY 11-29: H3800X50 (ASPH)

RWY 11: Trees. Rgt tfc.

RWY 29: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED indef. Rwy 11-29
CLOSED indef.
COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 138° 32.6 NM to fld. 770/8E.



NEIL'S SKY RANCH (See NINNEKAH)

NINNEKAH
NEIL'S SKY RANCH (O14) 9 SW UTC-6(-5DT) N34°53.45' W97°59.90'

DALLAS-FT. WORTH

1200 S4 NOTAM FILE MLC

RWY 17-35: 3000X150 (TURF)

RWY 35: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Glider activity on and in vol of arpt. 255' twr 1.5 NM
north-northwest and 350' twr 2.4 NM east. Rwy 17-35 south 600' clsd indef.
COMMUNICATIONS: CTAF 122.9

NORMAN**UNIVERSITY OF OKLAHOMA WESTHEIMER**

(OUN) 3 NW UTC-6(-5DT)

DALLAS-FT. WORTH

H-6H, L-15D

IAP, AD

N35°14.73' W97°28.33'

1182 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE OUN

RWY 17-35: H5199X100 (ASPH) S-30, D-50, DT-100 MIRL

RWY 17: MALS. VASI(V2L)—GA 3.5° TCH 33'. Rgt tfc.

RWY 35: REIL. VASI(V2L)—GA 3.5° TCH 47'.

RWY 03-21: H4748X100 (ASPH) S-30, D-50, DT-100 MIRL

RWY 03: MALS. VASI(V2L)—GA 3.5° TCH 30'. Pole.

RWY 21: VASI(V2L)—GA 3.5° TCH 32'. Bldg. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0400Z+. Use extreme care coyotes and deer on and in vicinity of rwys. High density student ops invof arpt and 5 miles south. Preferred calm wind rwy: arr Rwy 03 and Rwy 17 dep Rwy 21 and Rwy 35. 180° turns prohibited on runways for all other than single engine light aircraft. TPA—1682(500) for helicopters, 2182(1000) for single-engine, 2682(1500) for multi-engine and jet acft. VASI Rwy 03 OTS indef. Rwy 17 VASI OTS indef. Rwy 21 VASI OTS indef. Rwy 35 VASI OTS indef. When twr clsd, ACTIVATE MIRL Rwy 03-21 and Rwy 17-35, MALS Rwy 17, and MALS Rwy 03—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.55 (405) 325-7302.**COMMUNICATIONS:** CTAF 118.0 UNICOM 122.95

NORMAN RCO 122.15 (MC ALESTER RADIO)

① OKE CITY APP/DEP CON 120.45

WESTHEIMER TOWER 118.0 (1400-0400Z) GND CON 121.6

AIRSPACE: CLASS D svc (1400-0400Z) other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.


WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 128° 9.6 NM to fld. 1230/7E.

HIWAS.

NORMAN NDB (MHW) 260 OUN N35°14.90' W97°28.20' at fld. NOTAM FILE OUN. NDB unmonitored when twr clsd.

ILS/DME 111.1 I-PHY Chan 48 Rwy 03. LOC only. LOC/DME unmonitored when twr clsd.

ILS/DME 111.95 I-BWM Chan 56(Y) Rwy 17. Class IE.

**NORMAN** N35°14.90' W97°28.20' NOTAM FILE OUN.**DALLAS-FT. WORTH**

NDB (MHW) 260 OUN at University of Oklahoma Westheimer. Unmonitored when twr clsd.

L-15D

NORMAN N35°14.50' W97°28.02'**DALLAS-FT. WORTH**

RCO 122.15 (MC ALESTER RADIO)

H-6H, L-15D

NOWATA MUNI (H66) 2 NE UTC-6(-5DT) N36°43.26' W95°37.52'**KANSAS CITY**

679 NOTAM FILE MLC

RWY 17-35: H2500X45 (ASPH) S-4

RWY 17: P-line. RWY 35: Trees.

RWY 05-23: 2440X45 (TURF)

RWY 05: P-line. RWY 23: Trees.

AIRPORT REMARKS: Unattended. Rwy 05-23 CLOSED indef. -2' ditch at Rwy 23 thld, -12' ditch 220' from Rwy 35 thld. Rwy 17-35 surface rough and uneven. Rwy 05-23 extremely rough and covered with tall grass. Rwy 35 end markings deteriorated or partially covered by asphalt patching. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9**OILLR** N36°05.84' W95°53.33' NOTAM FILE TUL.**KANSAS CITY**

NDB (LOM) 338 TU 353° 6.1 NM to Tulsa Intl.

OKEENE**CHRISTMAN AIRFIELD** (O65) 1 SE UTC-6(-5DT) N36°06.75' W98°18.52'**WICHITA**
L-150

1205 NOTAM FILE MLC

RWY 17-35: H3000X60 (ASPH) S-12**RWY 17:** P-line.**AIRPORT REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLC.**KINGFISHER (H) VORTACW** 114.7 IFI Chan 94 N35°48.32' W98°00.24' 312° 23.6 NM to fld. 1110/9E.**OKEMAH FLYING FLD** (F81) 1 E UTC-6(-5DT) N35°25.85' W96°17.03'**DALLAS-FT. WORTH**


867 TPA-1800(933) NOTAM FILE MLC

RWY 17-35: 2585X100 (TURF)**RWY 17:** Tree. **RWY 35:** Tree.**RWY 02-20:** 2375X80 (TURF)**RWY 02:** Trees. **RWY 20:** Tree.**AIRPORT REMARKS:** Unattended. Numerous golf trails cross the rwy. Rwy 02-20 lined with +30' trees. +4' mound in center of Rwy 02-20 360' from Rwy 02 end. Trees, broken light fixtures, old tires, golf driving range, golf tees, all within primary surface and safety areas of both rwys. Water hole and drain on east side of Rwy 17-35 at twy intersection. +4' dirt mound in center of stub twy.**COMMUNICATIONS:** CTAF 122.9**OKLAHOMA CITY****CLARENCE E PAGE MUNI** (RCE) 15 W UTC-6(-5DT) N35°29.28' W97°49.41'**DALLAS-FT. WORTH**
H-6H, L-150
IAP, AD

1354 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE MLC

RWY 17R-35L: H6014X100 (CONC) S-40, D-60 HIRL**RWY 17R:** PAPI(P4L)—GA 3.0° TCH 42'. Fence. Rgt tfc.**RWY 35L:** PAPI(P4L)—GA 3.0° TCH 42'.**RWY 17L-35R:** H3502X75 (CONC) S-17 MIRL**RWY 17L:** Trees. **RWY 35R:** Trees. Rgt tfc.**AIRPORT REMARKS:** Attended Mon-Sat 1330-2330Z†. Ultralights on and invof arpt. Deer on and invof rwy. Aerobatic acft blo 6400' 1NM radius of arpt. ACTIVATE HIRL Rwy 17R-35L and MIRL Rwy 17L-35R—CTAF.**WEATHER DATA SOURCES:** AWOS-3 125.05 (405) 354-2617.**COMMUNICATIONS:** CTAF/UNICOM 123.0 Unicom unmonitored.

® OKE CITY APP/DEP CON 124.6

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 300° 13.1 NM to fld. 1230/7E. HIWAS.

SUNDANCE AIRPARK (HSD) 11 NW UTC-6(-5DT) N35°36.11' W97°42.37'

DALLAS-FT. WORTH

1193 B FUEL 100LL, JET A NOTAM FILE MLC

H-6H, L-15D

RWY 17-35: H5001X100 (CONC) MIRL 0.8% up S

IAP

RWY 17: VASI(V2L)—GA 2.25° TCH 24'. Rgt tfc.

RWY 35: VASI(V2L)—GA 2.50° TCH 21'.

AIRPORT REMARKS: Attended 1400-0000Z+. Fuel avbl 24 hrs self-service with credit card. ACTIVATE MIRL Rwy 17-35 and VASI Rwy 17 and Rwy 35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7


® **OKE CITY APP/DEP CON** 124.6 **CLNC DEL** 123.7

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 335° 15.3 NM to fld. 1230/7E. **HIWAS.**

ILS 109.9 I-HSD Rwy 17. LOC only.

**WILEY POST** (PWA) 7 NW UTC-6(-5DT) N35°32.05' W97°38.82'

DALLAS-FT. WORTH

1300 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks NOTAM FILE PWA

H-6H, L-15D

RWY 17L-35R: H7199X150 (CONC) S-35, D-50, DT-90 HIRL

IAP, AD

RWY 17L: MALSR. PAPI(P4L)—GA 3.0° TCH 54'. Rgt tfc.

RWY 35R: PAPI(P4L)—GA 3.0° TCH 45'. Thld dspcd 355'.

RWY 17R-35L: H5002X75 (ASPH-CONC) S-26 MIRL

RWY 17R: PAPI(P4L)—GA 3.0° TCH 25'. Rgt tfc.

RWY 35L: PAPI(P4L)—GA 3.0° TCH 31'.

RWY 13-31: H4214X100 (CONC) S-35, D-50, DT-90

MIRL 0.6% up SE

RWY 13: Pole. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-4214 TODA-4214 ASDA-4214 LDA-4214

RWY 31: TORA-4214 TODA-4214 ASDA-4214 LDA-4214

RWY 17L: TORA-7199 TODA-7199 ASDA-6844 LDA-6844

RWY 35R: TORA-7199 TODA-7199 ASDA-7199 LDA-6844

RWY 17R: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 35L: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

AIRPORT REMARKS: Attended continuously. Fuel avbl 24 hrs self serve with credit card. Rwy 13-31 CLOSED 0400-1300Z+. Rwy 13-31 CLOSED to jets. Rwy 13 CLOSED to t/kf and Rwy 31 CLOSED to l/dg for acft over 12,500 lbs gross weight. Flocks of birds on and in/ovf arpt all quadrants. Noise abatement procedure: Acft in excess of 12,500 pounds departing Rwy 17L-35R climb at a maximum rate consistent with safety to an altitude of 1500' AGL then reduce power setting and climb rate to 3000' AGL or 2 NM from arpt depending on air traffic control and safety conditions. TPA for Rwy 17R/35L 1900(600) 2300(1000) all other rwys. Rwy 13-31 and Rwy 17R-35L unlighted 0400-1300Z+. Rwy 17R-35L south and north 1000' conc. Touch & go or stop & go l/dgs not authorized Rwy 13-31. Twy C1 north of Rwy 31 thld and Twy C from 100' east of Twy A eastbound designated nonmovement area. Numerous acft under the ctl of Oklahoma City apch operating in Wiley Post CLASS D airspace abv 3000' MSL and 1 mile east of Wiley Post arpt abv 2500' MSL. When twr clsd ACTIVATE HIRL Rwy 17L-35R and MALSR Rwy 17L—CTAF.

WEATHER DATA SOURCES: ASOS (405) 495-7192.**COMMUNICATIONS:** CTAF 126.9 ATIS 128.725 (405) 495-4063 UNICOM 122.95


RCO 122.4 122.65 (MC ALESTER RADIO)

® **OKE CITY APP/DEP CON** 124.6 (171°-360°) 120.45 (081°-170°) 124.2 (001°-080°)

TOWER 126.9 (1300-0400Z+) **GND CON** 121.7**AIRSPACE:** CLASS D svc 1300-0400Z+ other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PWA.

(T) **VORW/DME** 113.4 PWA Chan 81 N35°31.98' W97°38.83' at fld. 1271/8E.

ILS 110.15 I-PWA Rwy 17L. GS unusable blo 1610'. Unmonitored when twr clsd.

ASR

WILL ROGERS WORLD (OKC) 6 SW UTC-6(-5DT) N35°23.59' W97°36.04'
 1295 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index C
 NOTAM FILE OKC

DALLAS-FT. WORTH
 H-6H, L-15D
 IAP, AD

RWY 17L-35R: H9802X150 (CONC-GRVD) S-50, D-200, ST-175,
 DT-400 HIRL CL

RWY 17L: MALSR. **RWY 35R:** ALSF2. TDZL. Rgt tfc.

RWY 17R-35L: H9800X150 (CONC-GRVD) S-50, D-200, ST-175,
 DT-400 HIRL CL

RWY 17R: MALSR. PAPI(P4L)—GA 3.0° TCH 60'. Rgt tfc.

RWY 35L: MALSR. 0.3% up.

RWY 13-31: H7800X150 (ASPH-CONC-GRVD) S-50, D-200,
 ST-175, DT-400 MIRL

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 52'. Rgt tfc.

RWY 31: REIL. VASI(V4L)—GA 3.0° TCH 52'.

RWY 18-36: H3078X75 (ASPH) S-50, D-150, ST-175, DT-240

RWY 18: Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-7800 TODA-7800 ASDA-7800 LDA-7800

RWY 31: TORA-7800 TODA-7800 ASDA-7800 LDA-7800

RWY 17L: TORA-9802 TODA-9802 ASDA-9802 LDA-9802


RWY 35R: TORA-9802 TODA-9802 ASDA-9802 LDA-9802

RWY 17R: TORA-9800 TODA-9800 ASDA-9800 LDA-9800

RWY 35L: TORA-9800 TODA-9800 ASDA-9800 LDA-9800

RWY 18: TORA-3079 TODA-3079 ASDA-3079 LDA-3079

RWY 36: TORA-3079 TODA-3079 ASDA-3079 LDA-3079



AIRPORT REMARKS: Attended continuously. PPR for parking on FAA Aeronautical Center ramp phone 405-954-4137.

Pilots of acft with wing spans greater than 118' must use judgement over steering at all twy intersections. Rwy 18-36 600' W of Rwy 17R-35L on existing twy. Construction fence on terminal ramp north of west concourse.

Rwy 17R and Rwy 35L runway visual range touchdown and rollout avbl. Rwy 18-36 VFR dalgt operations only except for Air National Guard. Rwy 18-36 used as taxiway when not used as rwy. Rwy 18-36, Twy G west of Rwy 17R-35L, Twy A2 east of Twy A, Twy D southwest of Rwy 13-31, Twy A1, Twy A3, Twy A4, Twy A6, Twy B, and C2, not avbl for air carrier ops with over 9 passenger seats. Twy G west of Twy B clsd to all except U.S.

Marshals Service acft. U.S. Marshals svc ramp PPR phone 405-680-3468. Twy C2 clsd to all ops except Metro Tech tfc. Twys H1, H2 and G east of Twy H clsd indef. Compass rose restricted to acft under 95,000 lbs except ANG C-130. Twy B N of compass rose restricted to acft under 120,000 lbs except ANG C-130. All ramps are uncontrolled. Rwy 17R NSTD MALSR, no thld lgts. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (405) 682-4871. **HIWAS** 114.1 IRW. TDWR.

COMMUNICATIONS: D-ATIS 125.85 (405) 681-9853

① **OKC CITY APP/DEP CON** 124.6 (171°-360°) 120.45 (081°-170°) 124.2 (001°-080°)

ROGERS TOWER 119.35 120.25 **GND CON** 121.9 **CLNC DEL** 124.35 **PRE-TAXI CLNC** 124.35

AIRSPACE: CLASS C svc continuous ctc **APP CON**

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

(H) **VORTACW** 114.1 IRW Chan 88 N35°21.52' W97°36.55' 004° 2.1 NM to fld. 1230/7E. **HIWAS**.

TULOO NDB (MHW/LOM) 406 OK N35°28.29' W97°36.33' 170° 4.7 NM to fld.

GALLY NDB (LOM) 350 RG N35°17.70' W97°35.32' 347° 5.9 NM to fld.

ILS/DME 110.9 I-RGR Chan 46 Rwy 35R. Class IIE. LOM **GALLY NDB**. DME unusable 15° right of course.

ILS/DME 110.7 I-OKC Chan 44 Rwy 17R. Class IE. LOM **TULOO NDB**. LOC BC unusable byd 10 NM blo 3300'. DME also serves Rwy 35L.

ILS/DME 110.7 I-LIK Chan 44 Rwy 35L. Class IE. DME also serves Rwy 17R. LOC unusable byd 30° rgt of course.

ILS/DME 110.9 I-EXR Chan 46 Rwy 17L. Class IE.

ASR

OKMULGEE RGNL (OKM) 3 N UTC-6(-5DT) N35°40.09' W95°56.92'

DALLAS-FT. WORTH

720 B FUEL 100LL, JET A NOTAM FILE OKM

H-61, L-15E

RWY 18-36: H5150X100 (CONC) S-30, D-48, DT-78 MIRL 0.7% up N

IAP

RWY 18: MALSR.

RWY 36: Trees.

AIRPORT REMARKS: Attended 1400-2300Z+. 24 hr fuel automated credit card system. Parachute Jumping. Flocks of migratory birds and deer on and in/ov arpt. ACTIVATE MIRL Rwy 18-36 and MALSR Rwy 18-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.225 (918) 756-9502.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ TULSA APP/DEP CON 119.85

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 186° 32.6 NM to fld. 770/8E.

(H) VORW/DME 114.9 OKM Chan 96 N35°41.59' W95°51.96'


242° 4.3 NM to fld. 766/8E. NOTAM FILE OKM.

PRESO NDB (LOM) 388 OK N35°45.32' W95°56.92' 176°

5.2 NM to fld.

ILS 109.1 I-OKM Rwy 18. LOM PRESO NDB. ILS

unmonitored.



OLUSTEE MUNI (F09) 3 S UTC-6(-5DT) N34°30.75' W99°25.77'

DALLAS-FT. WORTH

1346 NOTAM FILE MLC

RWY 17-35: H2000X50 (ASPH) S-12

RWY 17: Fence.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

OVERBROOK

LAKE MURRAY STATE PARK (1F1) 2 E UTC-6(-5DT) N34°04.51' W97°06.40'

DALLAS-FT. WORTH

817 B NOTAM FILE MLC

RWY 14-32: H2500X48 (ASPH) S-4 LIRL (NSTD)

RWY 14: Thld dsplcd 120'. Trees. RWY 32: Trees.

AIRPORT REMARKS: Unattended. Occasional deer and birds on or near rwy. Rwy 14-32 NSTD LIRL due to thld placement. Windsock OTS indef. Rotating bcn OTS indef. LIRL Rwy 14-32 OTS indef. Dalglt use only.

COMMUNICATIONS: CTAF 122.9

OWASSO N36°18.44' W95°52.52' NOTAM FILE TUL.

KANSAS CITY

NDB (LOM) 375 DW 180° 6.6 NM to Tulsa Intl.

OWASSO

GUNDYS (O38) 3 E UTC-6(-5DT) N36°16.01' W95°47.02'

KANSAS CITY

720 FUEL 100LL NOTAM FILE MLC

RWY 17L-35R: H2600X26 (ASPH) MIRL (NSTD)

RWY 17L: Building.

RWY 17R-35L: 1760X100 (TURF)

RWY 17R: Trees. RWY 35L: Trees.

AIRPORT REMARKS: Attended irregularly. For fuel call 918-272-1523. Ultralight activity on and in/ov arpt. Rwy 17R thld marked with white tires only. Rwy 17L-35R NSTD small numbers located 50' from rwy end. Rwy 17L-35R NSTD MIRL, lgts located 35' from rwy edge, thld lights missing. Rwy 17L-35R surface cracking and uneven.

COMMUNICATIONS: CTAF 122.9

PAULS VALLEY MUNI (PVJ) 2 S UTC-6(-5DT) N34°42.57' W97°13.40'

DALLAS-FT. WORTH

971 B S4 FUEL 100LL, JET A NOTAM FILE PVJ

H-6H, L-17C

RWY 17-35: H5001X100 (CONC) S-42, D-55, DT-110 MIRL 0.4% up N

IAP

RWY 17: REIL. PAPI (P4L)—GA 3.0 TCH 55'. Trees.

RWY 35: REIL. PAPI (P4L)—GA 3.0 TCH 42'. Trees.

RWY 12-30: H3500X150 (CONC) S-42, D-55, DT-110

PCN 3 R/B/X/T 0.5% up NW

RWY 12: Trees.

RWY 30: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. For attendant after hours call 405-207-6610. Fuel avbl 24 hrs with automated credit card system. Ultralights on and in vof arpt. ACTIVATE MIRL Rwy 17-35, PAPI and REIL Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.675 (405) 238-4452.**COMMUNICATIONS:** CTAF/UNICOM 122.8.

® FORT WORTH CENTER APP/DEP CON 128.1


RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 349° 30.0 NM to fld. 925/6E.

NDB (MHW) 384 PVJ N34°42.93' W97°13.74' at fld.

NOTAM FILE PVJ.

**PAWHUSKA MUNI** (H76) 4 W UTC-6(-5DT) N36°40.30' W96°24.33'

KANSAS CITY

1000 B NOTAM FILE MLC

L-15E


RWY 17-35: H3200X60 (ASPH) S-12.5 MIRL

RWY 17: P-line. RWY 35: P-line.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 17-35—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BVO.

BARTLESVILLE (L) VORW/DME 117.9 BVO Chan 126 N36°50.06'

W96°01.10' 235° 21.1 NM to fld. 940/8E.

**PAWNEE MUNI** (H97) 0 NE UTC-6(-5DT) N36°23.00' W96°48.62'

KANSAS CITY

875 NOTAM FILE MLC

RWY 18-36: 2130X100 (TURF)

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 south 300' muddy and soft when wet.**COMMUNICATIONS:** CTAF 122.9

PERRY MUNI (F22) 5 N UTC-6(-5DT) N36°23.14' W97°16.63'

1002 B S4 FUEL 100LL, JET A NOTAM FILE MLC

RWY 17-35: H5110X75 (ASPH) S-75, D-130 MIRL 0.5% up S

RWY 17: REIL. PAPI(P2L).

RWY 35: REIL. PAPI(P2L). Road.

AIRPORT REMARKS: Attended 1400-2300Z±. Heavy mil jet t/c dalgt.

Ultralight activity on and invof arpt. ACTIVATE MIRL Rwy

17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 127.8.


RADIO AIDS TO NAVIGATION: NOTAM FILE PNC.**PIONEER (H) VORTACW** 113.2 PER Chan 79 N36°44.79'

W97°09.61' 189° 22.4 NM to fld. 1054/6E.

WICHITA

H-6H, L-15D

IAP

**PIONEER** N36°44.79' W97°09.61'. NOTAM FILE PNC.

(H) VORTACW 113.2 PER Chan 79 101° 3.0 NM to Ponca City Rgnl. 1054/6E.

WICHITA

H-6H, L-15D

PONCA CITY RGNL (PNC) 2 NW UTC-6(-5DT) N36°43.92' W97°05.99'

1008 B S4 FUEL 100LL, JET A OX 4 TPA-2001(993) NOTAM FILE PNC

RWY 17-35: H7201X150 (CONC-GRVD) S-51, D-65, ST-83, DT-122 HIRL

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 49'. Rgt t/c.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Building.

AIRPORT REMARKS: Attended 1300-0300Z±. Jet A fuel and service avbl

1300Z±—dusk, other times call 580-762-8647. 100LL fuel avbl

24 hrs. Ultralights on and invof arpt. N 2400' rwy NSTD plastic

grooving entire width and 25' each edge at remainder of rwy

4801'. ACTIVATE HIRL Rwy 17-35, MALSR Rwy 17, PAPI Rwy 17,

PAPI Rwy 35, and REIL Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 134.075 (580) 765-0049.**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.25 (MCALSTER RADIO)

KANSAS CITY CENTER APP/DEP CON 127.8

AIRSPACE: CLASS E svc continuous.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PNC.**PIONEER (H) VORTACW** 113.2 PER Chan 79 N36°44.79'


W97°09.61' 101° 3.0 NM to fld. 1054/6E.

NDB (MHW/LOM) 515 PN N36°49.50' W97°06.03' 175° 5.6

NM to fld.

ILS/DME 111.9 I-PNC Chan 56 Rwy 17. LOM PONCA

NDB. LOC unmonitored. ILS unmonitored.

**POND CREEK****HOMESTEAD FARMS** (O66) 4 E UTC-6(-5DT) N36°41.50' W97°43.60'

1030 NOTAM FILE MLC

RWY 17-35: 2870X21 (ASPH-TURF)

RWY 17: Fence.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. Rwy 17-35 ASPH strip 1659'X21' middle of rwy. 546' on north end and 665' on south end turf. Both turf rwy ends muddy when wet. Parts of asphalt portion broken and deteriorated.**COMMUNICATIONS:** CTAF 122.9

WICHITA

POND CREEK MUNI (2K1) 0 SW UTC-6(-5DT) N36°39.75' W97°48.52'

WICHITA

1061 NOTAM FILE MLC

RWY 17-35: 2320X430 (TURF)

RWY 17: Pole.

RWY 15-33: H1220X30 (ASPH) PCN 2 F/D/Z/U

RWY 15: Trees.

AIRPORT REMARKS: Unattended. Rwy 17-35 full width of rwy not maintained, use middle of rwy surface. Rwy 15-33 surface severe cracking and deterioration. Loose rock on rwy. Thld lghts NSTD all green lenses.

COMMUNICATIONS: CTAF 122.9

PORT OF CATOOSA HELIPORT (See CATOOSA)

POST N34°36.53' W98°24.23' NOTAM FILE MLC

DALLAS-FT WORTH

NDB (MHW) 425 PFL 354° 2.5 NM to Henry Post AAF (Fort Sill).

L-17C

POTEAU

ROBERT S. KERR (RKR) 2 S UTC-6(-5DT) N35°01.30' W94°37.28'

MEMPHIS

451 B S4 FUEL 100LL, JET A NOTAM FILE RKR

L-17D

RWY 18-36: H4006X75 (ASPH) S-27 MIRL

IAP

RWY 18: PAPI(P2L)-GA 2.75° TCH 38'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Fuel avbl 24 hrs with credit card. Ultralight activity on and infov arpt. Arpt bcn OTS indef.

ACTIVATE MIRL Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.625 (918) 647-4063.

COMMUNICATIONS: CTAF/UNICOM 122.8


RICH MOUNTAIN RCO 122.6 (MC ALESTER RADIO)

Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130-0500Z†)

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83' W94°36.54' 354° 20.4 NM to fld. 2700/4E.



PRAGUE MUNI (047) 2 W UTC-6(-5DT) N35°28.94' W96°43.12'

DALLAS-FT. WORTH

1042 B NOTAM FILE MLC

L-15E

RWY 17-35: H2757X60 (ASPH) S-4 MIRL 0.9% up N

RWY 17: PAPI(P2L). Road. RWY 35: PAPI(P2L)

IAP

AIRPORT REMARKS: Unattended. PAEW 200' south of AER 35. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF. Rotating bcn OTS indef.


COMMUNICATIONS: CTAF 122.9 CTAF OTS indef.

Ⓡ **FORT WORTH APP/DEP CON** 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52' W97°36.55' 073° 44.3 NM to fld. 1230/7E. HIWAS.

NDB (MHW) 314 GGU N35°31.00' W96°43.12' 174° 2.1 NM to fld. NOTAM FILE MLC.



PRESO N35°45.32' W95°56.92' NOTAM FILE OKM.

DALLAS-FT WORTH

NDB (LOM) 388 OK 176° 5.2 NM to Okmulgee Rgnl.

PRYOR**MID-AMERICA INDUSTRIAL** (H71) 4 S UTC-6(-5DT) N36°13.52' W95°19.80'**KANSAS CITY**

622 B FUEL 100LL, JET A NOTAM FILE MLC

H-61, L-15E

RWY 18-36: H5000X75 (ASPH) S-30 MIRL 0.4% up N

IAP


RWY 18: PAPI(P4L)—GA 3.0° TCH 32'. Trees.

RWY 36: PAPI(P4L)—GA 3.5° TCH 40'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Glider ops on and in vof arpt on weekends. Fuel avbl 24 hrs with credit card. PAPI Rwy 36 OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8Ⓡ **TULSA APP/DEP CON** 119.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE TUL.**TULSA (H) VORTACW** 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 077° 22.3 NM to fld. 770/8E.

**PURCELL MUNI-STEVEN E. SHEPARD FLD** (303) 2 SW UTC-6(-5DT)**DALLAS-FT. WORTH**

N34°59.00' W97°22.96'

L-17C

1143 B NOTAM FILE MLC


RWY 17-35: H3003X60 (ASPH) S-9.5 MIRL

RWY 35: Trees.

AIRPORT REMARKS: Unattended. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKC.**WILL ROGERS (H) VORTACW** 114.1 IRW Chan 88 N35°21.52'

W97°36.55' 147° 25.1 NM to fld. 1230/7E. HIWAS.

**RICHARD LLOYD JONES JR** (See TULSA)**RICH MOUNTAIN** N34°40.83' W94°36.54' NOTAM FILE MLC**MEMPHIS**(L) **VORTACW** 113.5 PGO Chan 82 354° 20.4 NM to Robert S. Kerr. 2700/4E.

H-61, L-17D

RCO 122.6 (MC ALESTER RADIO)

ROBERTS S. KERR (See POTEAU)

SALLISAW MUNI (JSV) 1 SW UTC-6(-5DT) N35°26.30' W94°48.18'

527 B S4 FUEL 100LL NOTAM FILE JSV

RWY 17-35: H4006X75 (ASPH) MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 46'. Tree.

RWY 35: PAPI(P2L)—GA 2.5° TCH 40'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Arpt unattended federal holidays. Fuel avbl 24 hrs with major credit card. For additional svcs call 918-571-8772. Authorized access to terminal avbl after hrs call 918-571-8772. +200' tower/antenna 2.2 miles north on extended centerline. Cracking and spalling on twys and apron parking.

WEATHER DATA SOURCES: AWOS-3 118.475 (918) 775-4136.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **RAZORBACK APP/DEP CON** 120.9 (1130-0500Z†).

MEMPHIS CENTER APP/DEP CON 126.1 (0500-1130Z†).

RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.

FORT SMITH (L) VORTAC 110.4 FSM Chan 41 N35°23.31'


W94°16.29' 270° 26.2 NM to fld. 430/7E. **HIWAS.**

NDB (MHW) 520 IQS N35°23.92' W94°47.65' 345° 2.4 NM to fld. NOTAM FILE JSV.

MEMPHIS

L-16F

IAP



SAM RIGGS AIRPARK (See CLAREMORE)

SAND SPRINGS

WILLIAM R. POGUE MUNI (OWP) 3 NW UTC-6(-5DT) N36°10.52' W96°09.11'

892 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE MLC

RWY 17-35: H5799X100 (ASPH-PFC) S-30, D-58 MIRL

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 31'.

AIRPORT REMARKS: Attended Mon-Sat 1300-0100Z†, Sun 1500-0000Z†. Deer invof arpt. Calm wind Rwy 17. Rwy 17 rgt tfc for helicopters. Helicopter training west twy and west ramp. TPA fixed wing light acft 1901 (1009), turboprop and jet acft 2401(1509) and helicopters 1401(509).

WEATHER DATA SOURCES: AWOS-3 118.325 (918) 246-2635.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **TULSA APP/DEP CON** 124.0

RADIO AIDS TO NAVIGATION: NOTAM FILE RVS.

GLENPOOL (T) VOR/DME 110.6 GNP Chan 43 N35°55.25'

W95°58.12' 324° 17.7 NM to fld. 810/6E.


WILLIAM POGUE NDB (MHW) 362 OWP N36°10.38'

W96°09.25' at fld. NOTAM FILE MLC. Unmonitored.

KANSAS CITY

H-6H, L-15E

IAP



SAYRE MUNI (304) 7 S UTC-6(-5DT) N35°10.05' W99°39.47'

DALLAS-FT. WORTH

H-6H, L-15C

1937 B NOTAM FILE MLC

RWY 17-35: H5017X130 (CONC) S-30 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 54'. Thld dsplcd 351'. Fence.

RWY 35: Thld dsplcd 374'.


AIRPORT REMARKS: Unattended. Rwy 17 thld dsplcd day VFR only. Rwy 35 thld dsplcd day VFR only. Rotating bcn OTS indef. Windsock lgt OTS indef. MIRL Rwy 17-35 preset low ints dusk-0430Z† after 0430Z† ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

RCO 122.1R 115.2T (MC ALESTER RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

(L) **VORTAC** 115.2 SYO Chan 99 N35°20.71' W99°38.12'
176° 10.7 NM to fld. 1990/10E.

**SCOTT FLD** (See MANGUM)**SEILING** (1S4) 0 NW UTC-6(-5DT) N36°09.30' W98°56.02'

WICHITA

1746 NOTAM FILE MLC

RWY 17-35: H2435X38 (ASPH) LIRL

RWY 17: TRCV(TRIL)—GA 4.50° TCH 16'.

RWY 35: TRCV(TRIL)—GA 6.50° TCH 23'. Bldg.

AIRPORT REMARKS: Unattended. 496' AGL unlighted tower 18 NM south of arpt. Single wheel gross weight less than 4000 lbs. Rwy 17-35 rough and bumpy with moderate grass encroachment on sfc. Rwy 17 TRIL OTS indef. Rwy 35 TRIL OTS indef. Rwy 17-35 LIRL OTS indef. ACTIVATE LIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9**SEMINOLE MUNI** (SRE) 3 N UTC-6(-5DT) N35°16.48' W96°40.51'

DALLAS-FT. WORTH

H-6H, L-15E

IAP

1024 B S4 FUEL 100LL, JET A NOTAM FILE SRE

RWY 16-34: H5000X75 (ASPH) S-16 MIRL 0.5% up NW

RWY 16: REIL. PAPI (P4L)—GA 3.0° TCH 47'. Trees.

RWY 34: REIL. PAPI (P4L)—GA 3.0° TCH 31'. P-line. Rgt tfc.

RWY 05-23: 2000X150 (TURF) 0.9% up NE

RWY 05: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†. Rwy 05-23 extremely rough. Gopher holes, mounds and tall grass on surface. Rwy 16-34 numbers and centerline not visible. Rotating bcn OTS indef. PAPI Rwy 16 OTS indef. PAPI Rwy 34 OTS indef. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.625 (405) 382-0111.**COMMUNICATIONS:** CTAF/UNICOM 122.8


® FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) **VORTACW** 112.0 MLC Chan 57 N34°50.97'
W95°46.94' 292° 50.8 NM to fld. 820/8E. **HIWAS.**

NDB (MHW) 278 SRE N35°16.31' W96°40.49' at fld.

NOTAM FILE SRE. Monitored dalgt hrs.



SHAWNEE RGNL (SNL) 2 NW UTC-6(-5DT) N35°21.47' W96°56.57'

DALLAS-FT. WORTH

1073 B S2 FUEL 100LL, JET A NOTAM FILE SNL

H-6H, L-15D

RWY 17-35: H5600X100 (ASPH) S-30, D-40, DT-60 MIRL

IAP

RWY 17: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 47'. Rgt tfc.
RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 47'. Thld dsplcd 408'.
Trees.

AIRPORT REMARKS: Attended 1400-0000Z†. Fuel avbl 24 hrs with credit card. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE MALSR Rwy 17—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.275 (405) 878-1745.

COMMUNICATIONS: CTAF/UNICOM 122.7

® OKE CITY APP/DEP CON 120.45


GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE OKC.

WILL ROGERS (H) VORTACW 114.1 IRW Chan 88 N35°21.52'
W97°36.55' 083° 32.7 NM to fld. 1230/7E. HIWAS.

SUYBE NDB (LOM) 264 HN N35°26.99' W96°56.58'. 174° 5.5
NM to fld. NOTAM FILE SNL.

ILS 108.75 I-HNQ Rwy 17. LOM SUYBE NDB. ILS and LOM
unmonitored.



SKIATOOK MUNI (2F6) 1 SW UTC-6(-5DT) N36°21.31' W96°00.66'

KANSAS CITY

670 B FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2900X60 (ASPH) S-4 MIRL

RWY 17: PAPI(P2L)—GA 3.25° TCH 35'.

RWY 35: PAPI(P2L)—GA 3.25° TCH 35'. Tree.

RWY N-S: 2600X40 (TURF)

AIRPORT REMARKS: Attended 1500-0100Z†. Parachute Jumping. Fuel avbl 24 hrs with credit card. Rwy N-S CLOSED indef. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8

SNYDER (401) 4 SW UTC-6(-5DT) N34°37.66' W99°00.84'

DALLAS-FT. WORTH

1325 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2125X30 (ASPH)

RWY 35: Trees.

AIRPORT REMARKS: Attended irregularly. Fuel on request 580-569-2153/2222.

COMMUNICATIONS: CTAF 122.9

SOUTH GRAND LAKE RGNL (See KETCHUM)

STAN STAMPER MUNI (See HUGO)

STIGLER RGNL (GZL) 3 NE UTC-6(-5DT) N35°17.35' W95°05.63'

DALLAS-FT. WORTH

599 B FUEL 100LL NOTAM FILE MLC

L-15E

RWY 17-35: H3606X60 (ASPH) S-12.5 LIRL

IAP

RWY 17: VASI(V2L). Thld dspcd. 95'. P-line.

RWY 35: VASI(V2L). Trees.

AIRPORT REMARKS Unattended. For fuel contact police 918-967-3377.

ACTIVATE LIRL Rwy 17-35 and VASI Rwy 17 and Rwy 35—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.575 (918) 967-8982.**COMMUNICATIONS:** CTAF 122.9

FORT WORTH CENTER APP/DEP CON 132.2

RADIO AIDS TO NAVIGATION: NOTAM FILE FSM.

FORT SMITH (L) VORTACW 110.4 FSM Chan 41 N35°23.31'

W94°16.29' 255° 40.8 NM to fld. 430/7E.

**STILLWATER RGNL** (SWO) 3 NW UTC-6(-5DT) N36°09.67' W97°05.14'

WICHITA

1000 B S4 FUEL 100LL, JET A TPA—See Remarks ARFF Index—See Remarks

H-6H, L-15D

NOTAM FILE SWO

IAP, AD

RWY 17-35: H7401X100 (ASPH-GRVD) S-100, D-157, ST-175, DT-310 MIRL 0.5% up N

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 48'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 26'.

RWY 04-22: H5002X75 (ASPH) S-34, D-50 MIRL 0.5% up NE

RWY 04: PAPI(P4L)—GA 3.0° TCH 35'. Ground.

RWY 22: VASI(V4L)—GA 3.0° TCH 35'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 22: TORA-5002 TODA-5002 ASDA-5002 LDA-5002

RWY 17: TORA-7401 TODA-7401 ASDA-7401 LDA-7401

RWY 35: TORA-7401 TODA-7401 ASDA-7401 LDA-7401

AIRPORT REMARKS: Attended 1300-0400Z+. For fuel after hrs ctc 405-377-5326. 24 hrs PPR for unscheduled air carrier ops with more than 9 passenger seats call arpt manager 405-372-7881/6760. Class IV, ARFF Index A. ARFF Index C avbl by prior arrangement. ARFF Index B maintained. TPA 1800(800) for light acft, 2500(1500) for turbo prop and jets. REIL. MIRL Rwy 04-22 and Rwy 17-35 preset low ints; to increase ints and ACTIVATE MALSR Rwy 17 and REIL Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 135.725 (405) 743-8150.**COMMUNICATIONS:** CTAF 125.35 UNICOM 122.95

RCO 122.3 (MC ALESTER RADIO)

RCO 122.1R 108.4T (MC ALESTER RADIO)

① KANSAS CITY CENTER APP/DEP CON 128.3

TOWER 125.35 (1400-0200Z+) GND CON 121.6

AIRSPACE: CLASS D svc 1400-0200Z+ other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SWO.

(T) VORW/DME 108.4 SWO Chan 21 N36°13.46' W97°04.88' 176° 3.8 NM to fld. 1020/7E.

BLAKI NDB (LOM) 255 SW N36°14.17' W97°05.24' 174° 4.5 NM to fld.

ILS/DME 109.15 I-SWO Chan 28(Y) Rwy 17. Class IE. LOM BLAKI NDB. ILS unmonitored when twr clsd.

STROUD MUNI (SUD) 3 N UTC-6(-5DT) N35°47.38' W96°39.34'

DALLAS-FT. WORTH

900 NOTAM FILE MLC

L-15E

RWY 18-36: H3000X60 (ASPH) S-12.5 MIRL

RWY 18: PAPI(P2L) Trees.

RWY 36: PAPI(P2L). Trees.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKM.

OKMULGEE (H) VORW/DME 114.9 OKM Chan 96 N35°41.59' W95°51.96' 271° 39 NM to fld. 766/8E.

SUNDANCE AIRPARK (See OKLAHOMA CITY)

SUYBE N35°26.99' W96°56.58' NOTAM FILE SNL
NDB (LOM) 264 HN 174° 5.5 NM to Shawnee Rgnl.

SULPHUR MUNI (F3Ø) 2 NW UTC-6(-5DT) N34°31.47' W96°59.38'

DALLAS-FT. WORTH

1051 NOTAM FILE MLC

L-17C

RWY 17-35: H3500X60 (ASPH) S-12.5 MIRL

RWY 17: Trees. Rgt tfc. RWY 35: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69' W97°10.10' 019° 20.7 NM to fld. 925/6E.

TAHLEQUAH MUNI (TQH) 2 NW UTC-6(-5DT) N35°55.82' W95°00.27'

DALLAS-FT. WORTH

874 B FUEL 100LL, JET A NOTAM FILE TQH

H-6I, L-15E

RWY 17-35: H5001X75 (ASPH) S-26 MIRL 0.4% up N

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 31'. Trees.

RWY 35: PAPI(P4L)—GA 3.0° TCH 31'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. For emergency call 918-931-0469. Parachute Jumping. Rwy 17 thld displcd 357' indef. ACTIVATE MIRL Rwy 17-35—CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.425 (918) 453-2729.

COMMUNICATIONS: CTAF/UNICOM 122.8

MEMPHIS CENTER APP/DEP CON 126.1


RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78'

W95°47.29' 104° 41.3 NM to fld. 770/8E.

NDB (MHW) 215 TQH N35°55.63' W95°00.40' at fld.

NOTAM FILE TQH. Unmonitored.



TALIHINA MUNI (6F1) 3 SW UTC-6(-5DT) N34°42.47' W95°04.43'

DALLAS-FT. WORTH

687 NOTAM FILE MLC

L-17D

RWY 01-19: H3300X60 (ASPH) S-12 MIRL

RWY 01: Trees. RWY 19: Trees.


AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

RICH MOUNTAIN (L) VORTACW 113.5 PGO Chan 82 N34°40.83'

W94°36.54' 270° 23.1 NM to fld. 2700/4E.



TENKILLER LAKE AIRPARK (See COOKSON)

TERAMIRANDA (See AFTON)

TEXOMA N33°56.65' W96°23.51'. NOTAM FILE DUA.
 (L) **VORW/DME** 114.3 URH Chan 90 at Eaker Fld. 681/5E.
 VOR portion unusable:
 340°-010° byd 10 NM blo 2500'.
 340°-010° byd 20 NM blo 3500'.
 DME portion unusable:
 270°-240° byd 35 NM blo 2500'.
 335°-350° byd 35 NM blo 2500'.


DALLAS-FT. WORTH
 H-6H, L-17D

340°-010° byd 25 NM blo 4500'
 340°-010° byd 30 NM

TEXHOMA


MUNICIPAL (K49) 2 W UTC-6(-5DT) N36°30.34' W101°48.82'
 3462 FUEL 100LL NOTAM FILE MLC
RWY 03-21: H3564X48 (ASPH) MIRL
RWY 03: Thld dsplcd 590'. **RWY 21:** Thld dsplcd 340'.
RWY 17-35: 2340X75 (TURF)
RWY 17: Fence. **RWY 35:** Road.
AIRPORT REMARKS: Unattended. For fuel call 580-423-4293. Rwy 17-35 very rough. Ultralight activity on and invov arpt. Rwy 03-21 has severe spalling, deterioration, and base failure. Small rock on rwy. ACTIVATE MIRL Rwy 03-21-CTAF.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.
DALHART (L) VORTACW 112.0 DHT Chan 57 N36°05.49'
 W102°32.68' 043° 43.3 NM to fld. 4020/12E. **HIWAS.**

WICHITA
 L-15B



THOMAS MUNI (104) 1 SE UTC-6(-5DT) N35°44.06' W98°43.81'
 1731 B NOTAM FILE MLC
RWY 17-35: H3100X50 (ASPH) S-4 LIRL
RWY 17: Road. **RWY 35:** Rgt tfc.
AIRPORT REMARKS: Attended Mon-Fri 1500-2300Z+. Rwy 17-35 LIRL
 OTS indef.
COMMUNICATIONS: CTAF 122.9.
RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.
KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'
 W98°00.24' 254° 35.7 NM to fld. 1110/9E.

DALLAS-FT. WORTH
 L-15D



THOMAS P. STAFFORD (See WEATHERFORD)

TILGHMAN N35°43.34' W96°49.12'. NOTAM FILE CQB.
 NDB (MHW) 396 CQB at Chandler Rgnl.

DALLAS-FT. WORTH
 L-15E

TINKER AFB (TIK)(KTIK) AF 8 SE UTC-6(-5DT) N35°24.88' W97°23.20'

DALLAS-FT. WORTH

1291 B TPA—See Remarks NOTAM FILE MLC Not insp.

H-6H, L-15D

RWY 17-35: H11101X200 (PEM) PCN 62 R/C/W/T HIRL

DIAP, AD

RWY 17: SALS. PAPI(P4L). 0.3% up. **RWY 35:** ALSF1. PAPI(P4L). Rgt tfc.

RWY 12-30: H10000X200 (PEM) PCN 31 R/C/W/T HIRL

RWY 12: SALS. PAPI(P4L). Rgt tfc. 0.5% up. **RWY 30:** SALS. PAPI(P4L).

RUNWAY DECLARED DISTANCE INFORMATION

RWY 12: TORA-10000 TODA-10000

RWY 17: TORA-11101 TODA-11101

RWY 30: TORA-10000 TODA-10000

ARRESTING GEAR/SYSTEMS

RWY 17 ← HOOK E5 (92' OVRN)

HOOK E5 (70' OVRN) → **RWY 35**

RWY 12 ← HOOK BAK-12B(B) (1000')

HOOK BAK-12B(B) (3208') → **RWY 30**

MILITARY SERVICE: LGT ALS Rwy 17 NSTD for Category 1 ILS. ALS Rwy 12-30 NSTD. Rwy 17 SFL unavbl. Rwy 12

windsock unlgtd. **A GEAR** Unless safe landing distance dictates otherwise plan landing to touchdown past Rwy

12 apch end BAK-12 located 1000' from thld. **JASU** 1(MC-1A) 1(MC-2A) 10(A/M32A-86) 6(A/M32A-95)

8(AM32A-60) **FUEL** J8 **FLUID** PRESAIR LHOX LOX LHNIT **OIL** 7808, 23699 hyd fluid-5606, 83282

SOAP—Results avbl weekdays 1345-1730Z, 1830-0600Z except holidays, results not avbl other times.

TRAN ALERT Opr 1400-0530Z. F4 drag chutes extremely limited. Limited Fleet Svc (lavatory and water only).

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. **RSTD** All B1 acft ctc PTD 30 minutes prior to arr/dep.

PPR tran acft. No tran acft arrive/dep 0530-1400Z. Tran acft may expect only one apch during periods of

intense local training. No 180° turns on apch end Rwy 12 except B52/B1/E3/KC135/E6 acft in concrete

portion of 1st 500'. Notify base ops of 1 hour or more ETA change and PPR cancellations. **CAUTION** Exercise

caution while taxiing portion of ramp not visible from twr. Hold short of ramp for individual acft follow-me

assistance. Use caution Rwy 12-30, N-S VFR corridor surface -3000' 1 NM off dep end Rwy 30. Unlgtd

security fences surround airfield. Unlighted bldgs NW, W, SW and E of Rwy 17-35. **TFC PAT** TPA—Rectangular and

clsd tfc pat 3000(1709) (includes fighter/trainer acft), overhead tfc pat on req 3500(2209). Use 124.45 while

in tfc pat, monitor 251.05 to maximum extent possible. **NS ABTMT** Practice circling apch to Rwy 17 prohibited.

Night quiet hr in effect 0430-1200Z, practice apch are restricted. **CSTMS/AG/IMG:** See foreign clearance guide

KTIK entry. **MISC** VIP acft ctc Base OPS 30 minutes prior to ETA with firm chock time. Base OPS DSN 884-2191,

C405-734-2191. Rwy 17-35 apch ends 1000' conc, remaining rwy keel 75' conc, non-keel asph; mid 8100'

rwy grooved. Rwy 12 apch end 521' conc, Rwy 30 apch end 1000' conc, remaining rwy keel 50' conc, non-keel

asphalt. Hangar space for tran acft during inclement wx extremely ltd. Tran svc for B52, B1, C5, C17, C130,

C135, and DC10 extremely ltd, acft should have crew chief on board. Acft with cargo req Air Freight assistance

ATOC A/G or DSN 339-5553, weekdays 1300-2200Z. Standard USAF RSRs applied. Twy M NSTD width. Twy C

NSTD shoulders btn trim pad and Rwy 12-30. Twy A CLOSED E side of Rwy 17-35.

COMMUNICATIONS: SFA 354.125 (Sooner Con/Okie Ops 228.45 311.0) **ATIS** 270.1 (1100-0400Z) DSN 884-5152,

C405-734-5152. **PTD** 134.1 372.2

① **OKC CITY APP/DEP CON** 120.45 288.325 (081°-170°) 124.2 336.4 (001°-080°) 124.6 266.8 (261°-360°) 126.65 263.075 (171°-260°)

TOWER 124.45 251.05 **GND CON** 121.8 275.8 **CLNC DEL** 119.7 335.8

TIK COMD POST (Raymond 24) 139.95 141.65 225.875 305.6

PMSV METRO 261.025 (Forecast svc avbl during afld opr hr.) Acft ctc 26 OWS, DSN 781-4775, C318-456-4775

for phone patches, all tran wx briefings and updates. Svc for tran acft ltd on weekends and during inclement

wx. Trans RON call 26 OWS minimum 2 hrs prior to requested brief time. **TINKER AOTC** 119.15

AFMC FLT TEST 382.6 (OC-ALC PDM input acft ctc Sabre Control 30 min prior arrival.)

AIRSPACE: CLASS C svc continuous ctc **APP CON.**

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

WILL ROGERS (H) VORTAC 114.1 IRW Chan 88 N35°21.52' W97°36.55' 066° 11.4 NM to fld. 1237/7E.

HIWAS.

WILEY POST (T) VORW/DME 113.4 PWA Chan 81 N35°31.98' W97°38.83' 111° 14.6 NM to fld. 1271/8E.

(T) TACAN Chan 105 TIK (115.8) N35°26.19' W97°22.78' 188° 1.4 NM to fld. 1251/7E. TACAN unusable

050°-055° and 150°-170° byd 15 NM blo 3000'.

ILS 111.7 I-EVG Rwy 12. LOC only.

ILS 111.3 I-FRJ Rwy 17. LOC unusable from TIK .1 DME to rwy thld. ILS glide slope signal not protected from possible reflective interference caused by vehicle ttc.

ILS 109.5 I-TIK Rwy 35.

ILS 111.7 I-PLH Rwy 30. LOC only. LOC unusable from .3 NM to rwy thld.

ASR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. Acft with AN/ARN-58 localizer receiver may experience course deviations due to interference.

TIPTON MUNI (108) 3 SW UTC-6(-5DT) N34°27.52' W99°10.28'

DALLAS-FT. WORTH

1248 B NOTAM FILE MLC

L-17B

RWY 17-35: H3062X50 (ASPH) S-12 MIRL

IAP

RWY 17: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

Ⓡ ALTUS APP/DEP CON 125.1 (Mon-Fri 1430-0830Z except Federal hols)


FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri

0830-1430Z, Sat-Sun and Federal hols 24 hrs)

RADIO AIDS TO NAVIGATION: NOTAM FILE HBR.

HOBERT (L) VORTACW 111.8 HBR Chan 55 N34°51.99'

W99°03.80' 182° 25.0 NM to fld. 1472/10E.



TISHOMINGO AIRPARK (ØF9) 2 S UTC-6(-5DT) N34°11.91' W96°40.47'

DALLAS-FT. WORTH

647 B NOTAM FILE MLC

L-17C

RWY 17-35: H3100X60 (ASPH) S-12 MIRL

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Severe cracking and grass encroachment. Rotating bcn OTS indef. Rwy 17-35 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ADM.

ARDMORE (H) VORTACW 116.7 ADM Chan 114 N34°12.69'

W97°10.10' 086° 24.6 NM to fld. 925/6E.



TRAIL N34°46.88' W98°24.14' NOTAM FILE MLC.

DALLAS-FT. WORTH

NDB (MHW) 388 OFZ 171° 7.9 NM to Henry Post AAF (Fort Sill).

L-17C

TULOO N35°28.29' W97°36.33' NOTAM FILE OKC.

DALLAS-FT. WORTH

NDB (MHW/LOM) 406 OK 170° 4.7 NM to Will Rogers World.

L-15D

TULSA

HARVEY YOUNG (1H6) 7 E UTC-6(-5DT) N36°08.34' W95°49.50'

KANSAS CITY

750 B S4 FUEL 100LL NOTAM FILE MLC

RWY 17-35: H2580X40 (ASPH)

RWY 17: Trees. RWY 35: Trees.

RWY N-S: 2580X80 (TURF)

RWY N: Trees. RWY S: Trees.

AIRPORT REMARKS: Attended 1500-0000Z. Rwy 17 rgt tfc for helicopters. Ultralights on and invof arpt. Rwy N-S thld marked by 3' red/white markers.

COMMUNICATIONS: CTAF/UNICOM 122.8

RICHARD LLOYD JONES JR. (RVS) 5 S UTC-6(-5DT) N36°02.38' W95°59.08'

KANSAS CITY

638 B S4 FUEL 100LL, JET A OX 4 TPA-1713(1075) NOTAM FILE RVS

H-6I, L-15E

RWY 01L-19R: H5102X100 (ASPH) S-30, D-60 HIRL 0.3% up N

IAP, AD

RWY 01L: PAPI(P4L)—GA 3.0° TCH 21'.

RWY 19R: PAPI(P4L)—GA 3.2° TCH 22'. Trees. Rgt tfc.

RWY 01R-19L: H4208X100 (ASPH) S-30, D-60 MIRL
0.3% up NE

RWY 01R: VASI(V2L)—GA 3.0° TCH 21'. Rgt tfc

RWY 19L: VASI(V2L)—GA 3.0° TCH 20'. Thld dsplcd 142'. Road.

RWY 13-31: H2641X50 (ASPH) S-30 MIRL
0.3% up NW

RWY 13: VASI(V2L)—GA 4.0° TCH 52'. Trees.

RWY 31: VASI(V2L)—GA 3.0° TCH 24'. Trees. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0400Z†. After hrs by prior arrangement. Fuel avbl 24 hrs with credit card. Numerous birds on and in/ovf arpt. The NE, NW and SW ramps and portions of Taxiways C, D, G are not visible from tower. Noise Abatement: No turns on departure prior to 1500' MSL. When twr clsd HIRL Rwy 01L-19R preset med ints, to increase ints
ACTIVATE-120.3, MIRL Rwy 13-31 and Rwy 01R-19L preset medium only.

WEATHER DATA SOURCES: ASOS (918) 299-0740. LAWRS.

COMMUNICATIONS: CTAF 120.3 ATIS 126.5 UNICOM 122.95

® TULSA APP/DEP CON 134.7 (175°-355°) 119.85 (356°-174°)

RIVERSIDE TOWER 120.3 119.2 (1300-0400Z†) GND CON 121.7 PRE TAXI CLNC 124.5

AIRSPACE: CLASS D svc 1300-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.


TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 218° 13.4 NM to fld. 770/8E.

GLENPOOL (T) VORW/DME 110.6 GNP Chan 43 N35°55.25' W95°58.12' 348° 7.2 NM to fld. 810/6E.

NOTAM FILE RVS.

ILS 109.95 I-RVS Rwy 01L.

COMM/NAV/WEATHER REMARKS: Tower frequency 119.2 used only when advertised on ATIS.



TULSA INTL (TUL) 5 NE UTC-6(-5DT) N36°11.90' W95°53.29'

677 B S4 FUEL 100LL, JET A, A1, B OX 1, 2, 3, 4 LRA Class I, ARFF Index D

NOTAM FILE TUL

RWY 18L-36R: H9999X200 (CONC-GRVD) S-75 +, D-200 +, ST-175, DT-400+ HIRL CL

RWY 18L: MALSR. PAPI(P4L)—GA 2.75° TCH 53'. Tree. 0.4% up.

RWY 36R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 57'. Tree.

RWY 08-26: H7376X150 (CONC-GRVD) S-75+, D-200+, ST-175, DT-360 HIRL 0.5% up W

RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 52'. Tree.

RWY 26: REIL. PAPI(P4L)—GA 3.0° TCH 57'.

RWY 18R-36L: H6101X150 (ASPH-GRVD) S-60, D-100, ST-127 HIRL 0.7% up S

RWY 18R: REIL. PAPI(P4L)—GA 2.75° TCH 63'. Tree.

RWY 36L: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08: TORA-7376 TODA-7376 ASDA-7376 LDA-7376

RWY 26: TORA-7376 TODA-7376 ASDA-7376 LDA-7376

RWY 18R: TORA-6101 TODA-6101 ASDA-6101 LDA-6101

RWY 36L: TORA-6101 TODA-6101 ASDA-6101 LDA-6101

RWY 18L: TORA-9999 TODA-9999 ASDA-9999 LDA-9999

RWY 36R: TORA-9999 TODA-9999 ASDA-9999 LDA-9999

ARRESTING GEAR/SYSTEM

RWY 08 BAK-14 BAK-12A (B) (983')

RWY 18L BAK-14 BAK-12A (B) (1546')

BAK-14 BAK-12A (B) (998') **RWY 26**

BAK-14 BAK-12A (B) (1295') **RWY 36R**

AIRPORT REMARKS: Attended continuously. 4000' blacktop track 1.5 NM E Rwy 26; do not mistake for rwy. Rwy 18L-36R center 140' grooved. Irregular wind pattern AER 18R. Noise abatement in effect all rwys, climb to 3000' as soon as possible after tkf. Taxilane QQ not visible from twr. Twy DD clsd indef. Twy CC clsd indef. Taxilanes LZ, LA, and NN not visible from twr. Twy L south of Twy L5 not visible from twr. The following areas are restricted to weights indicated: Twy JJ S-35, Twy M-2 S-35/D-52, Twy HH S-45/D-60, Twy L and Twy L4 S-45/D-60. Twy J2 lead off lgts OTS indef. HIRL Rwy: 08-26 and Rwy 18R-36L turned off 0500-1100Z†. Twy lgts turned off 0500-1100Z† except Twys E, J, H, G and F. Flight Notification Service (ADCUS) available. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: ASOS (918) 838-8437. LLWAS. TDWR.

COMMUNICATIONS: D-ATIS 124.9 (918) 834-3764 UNICOM 122.95

RCO 123.65 122.2 (MC ALESTER RADIO)

® APP/DEP CON 124.0 (175°-354°) 119.1 (355°-174°)

TOWER 118.7 (Rwy 18R-36L) 121.2 (Rwy 18L-36R and Rwy 08-26)

GND CON 121.9 CLNC DEL 134.05

PRE-TAXI CLNC 134.05

AIRSPACE: CLASS C svc continuous etc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

(H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 264° 4.9 NM to fld. 770/8E.

DME unusable 248°-258° byd 23 NM blo 3100'.

OWASO NDB (LOM) 375 DW N36°18.44' W95°52.52' 180° 6.6 NM to fld.


OILRR NDB (LOM) 338 TU N36°05.84' W95°53.33' 353° 6.1 NM to fld.

ILS/DME 109.7 I-DWE Chan 34 Rwy 18L. Class IE. LOM OWASO NDB. GS unusable for coupled apchs blo 1288' MSL. GS unusable blo 1000' MSL.

ILS/DME 110.3 I-TUL Chan 40 Rwy 36R. Class IIE. LOM OILRR NDB.

ILS 111.1 I-TJY Rwy 18R. Class IA.

ASR



UNIVERSITY OF OKLAHOMA WESTHEIMER (See NORMAN)

VANCE AFB (END)(KEND) AF 3 S UTC-6(-5DT) N36°20.37' W97°55.04'

WICHITA

1307 B NOTAM FILE MLC Not insp.

H-6H, L-15D

RWY 17R-35L: H9202X150 (PEM) PCN 27 R/C/W/T HIRL

DIAP, AD

RWY 17R: SALS. PAPI(P4L). **RWY 35L:** SALS. PAPI(P4L).

RWY 17C-35C: H9202X150 (PEM-GRVD) PCN 23 R/C/W/T HIRL

RWY 17C: SALS. PAPI(P4L). **RWY 35C:** SALS. PAPI(P4L).

RWY 17L-35R: H5024X150 (CONC-GRVD) PCN 28 R/C/W/T MIRL

RWY 17L: REIL.

ARRESTING GEAR/SYSTEMS

RWY 17R BAK-15 CHAG (152' OVRN)

BAK-15 CHAG (149' OVRN) RWY 35L

RWY 17C BAK 15 CHAG (154' OVRN)

BAK-15 CHAG (147' OVRN) RWY 35C

MILITARY SERVICE: A-GEAR BAK-15 is in low position unless req by pilot to be raised. BAK-15 is 24' high when raised.

Pilot should confirm with twr that barrier is low prior to opposite direction apch. **JASU 8(A/M32A-86) 10**

(AM32-95) **FUEL** J8, 8+, 100 **FLUID** SP PRESAIR LPOX LOX **OIL** O-148-156 SOAP **TRAN ALERT** No fleet svc avbl.

MILITARY REMARKS: Opr (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM. Apch lighting system Rwy 17-C 35C NSTD (SALS) installed on precision runway. First 3350' Rwy 17C and first 1000' Rwy 35C is grooved concrete, middle 4950' is grooved asphalt. Rwy 17L-35R middle 2000' is grooved. First 1300' Rwy 17R and first 3900' Rwy 35L is concrete, middle 4000' is asphalt. **RSTD** During student training tran acft limited to one full stop ldg. Overhead apch to Rwy 17C-35C not authorized for tran acft during student training opr. During VMC, dep acft must remain blo 2300' until past dep end to ensure separation from VFR overhead tfc pattern unless otherwise cleared by ATC. PPR, ctc base OPS. Only T-37, T-38, T-6, and T-1 acft will use Twy F, east of Rwy 17C-35C when Rwy 17L-35R is in use. All other acft must use Twy A, C, or E. **CAUTION:** BAK-15 barrier lays across the apch ends of Rwy 17C-35C and Rwy 17R-35L underruns. Barriers not connected to energy absorber (chains) at apch end of active rwy. Portion parallel twy, to include Rwy 17L-35R apch end hot brake area not visible from twr. Some obstruction lgts on afld are non-standard and only visible to 3 miles. Acft sunshades 735' east of Rwy 17L-35R. **MISC** Base OPS DSN 448-7425, (165°-003° within 18 DME at or blo 9500') (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

COMMUNICATIONS: SFA 392.1 ATIS 115.4 263.15 (1 May-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-30 Apr) Mon-Fri 1300-0100Z, Sun 2000-0000Z, clsd Sat and federal holidays **PTD 372.2**

- Ⓡ **APP CON 120.525 306.3** (165°-003° 10000' to FL 240, 323°-165° FL 230 to FL 240) 118.075 273.475 (330°-033° to 19 DME at or blo FL 220) 121.3 291.1 (033°-165° at or blo 6500') 125.45 388.2 (7000' to FL 220) 126.75 378.8 (205°-323° to 18 DME at or blo FL 240) 119.775 244.875 (165°-003° within 18 DME at or blo 9500') (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

- Ⓡ **KANSAS CITY CENTER APP CON 127.8 319.1 369.2** (1 Mar-31 Oct) Mon-Fri 0200-1300Z, (1 Nov-28 Feb) Mon-Fri 0100-1300Z, (1 Mar-31 Oct) Sun 0100-2100Z, (1 Nov-28 Feb) Sun 2300-1900Z, 24 hr Sat and Federal holidays.

TOWER 124.05 259.1 (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM. **GND CON 121.8 289.4 CLNC DEL 225.4**

- Ⓡ **DEP CON 120.525 306.3** (1 Mar-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-28 Feb) Mon-Fri 1300-0100Z, (1 Mar-31 Oct) Sun 2100-0100Z, (1 Nov-28 Feb) Sun 1900-2300Z, clsd Sat and Federal holidays. Other times by NOTAM.

- Ⓡ **KANSAS CITY CENTER DEP CON 127.8 319.1 369.2** (1 Mar-31 Oct) Mon-Fri 0200-1300Z, (1 Nov-28 Feb) Mon-Fri 0100-1300Z, (1 Mar-31 Oct) Sun 0100-1300Z, (1 Nov-28 Feb) Sun 2300-1900Z, 24 hrs Sat and Federal holidays.

PMSV METRO 342.55 (PMSV METRO Full svc during published or NOTAMed afld hrs, other times ctc 225 OWS DSN 781-4775 C318-456-4775/3024.

AIRSPACE: Class D svc (1 May-31 Oct) Mon-Fri 1300-0200Z, (1 Nov-30 Apr) Mon-Fri 1300-0100Z, Sun 2000-0000Z, clsd Sat and federal holidays, other times Class E.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

(H) **VORTAC 115.4** END Chan 101 N36°20.70' W97°55.10' at fld. 1315/9E. Monitored during published opr hr only. VOR portion unusable 174°-194° byd 20 NM blo 3,500'. MP Sat 1500-1900Z.

WOODRING (T) VOR/DME 109.0 ODG Chan 27 N36°22.43' W97°47.29' 244° 6.6 NM to fld.

1149/8E. NOTAM FILE WDG.

ILS 108.9 I-LVC Rwy 17C. Monitored during published opr hr only. No NOTAM MP Tue and Wed 1100-1230Z.

ILS 110.1 I-END Rwy 35C. Monitored during published opr hr only. No NOTAM MP Sat 1500-1900Z.

VICI MUNI (501) 1 S UTC-6(-5DT) N36°08.50' W99°18.19'

WICHITA

2268 NOTAM FILE MLC

RWY 16-34: H2565X50 (ASPH) S-8 LIRL

RWY 16: Tree.

AIRPORT REMARKS: Unattended. 145' Grain elevator 3200' NE fm end of Rwy 16.

COMMUNICATIONS: CTAF 122.9

VINITA MUNI (H04) 2 SE UTC-6(-5DT) N36°36.98' W95°09.08'

KANSAS CITY

696 B TPA-1496(800) NOTAM FILE MLC

L-15E

RWY 17-35: H3265X60 (ASPH) MIRL

RWY 17: Thld displcd 110'. Trees. **RWY 35:** Trees.

AIRPORT REMARKS: Unattended. Ultralight activity on and invof arpt. +17' interstate highway 425' north of Rwy 17

AER. ACTIVATE MIRL Rwy 17-35-122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE COU.

NEOSHO (H) VOR/DME 117.3 EOS Chan 120 N36°50.55' W94°26.14' 242° 37.1 NM to fld. 1200/7E.

WAGONER

HEFNER-EASLEY (H68) 2 E UTC-6(-5DT) N35°57.76' W95°20.51'

DALLAS-FT. WORTH

609 B NOTAM FILE MLC

L-15E

RWY 18-36: H3405X60 (ASPH) S-12.5 MIRL 0.4% up S

IAP

RWY 18: PAPI(P2L)-GA 3.0° TCH 31'. Trees.

RWY 36: PAPI(P2L)-GA 3.0° TCH 31'. Trees.


AIRPORT REMARKS: Unattended. N-S turf used for twy only. Ultralights on or invof arpt. Rwy 36 PAPI OTS indef. PAPI Rwy 18 unusable byd 7° left of course and 8° right of course. Rwy 18-36 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

TULSA APP/DEP CON 119.1

RADIO AIDS TO NAVIGATION: NOTAM FILE TUL.

TULSA (H) VORTACW 114.4 TUL Chan 91 N36°11.78' W95°47.29' 115° 25.8 NM to fld. 770/8E.



WALTERS MUNI (305) 4 W UTC-6(-5DT) N34°22.36' W98°24.35'

DALLAS-FT. WORTH

1058 B NOTAM FILE MLC

RWY 16-34: H2900X50 (ASPH) S-7 MIRL

RWY 16: P-line. **RWY 34:** P-line.

AIRPORT REMARKS: Unattended. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

WAMPA N34°47.87' W95°49.24' NOTAM FILE MLC.

DALLAS-FT. WORTH

NDB (LOM) 344 ML 014° 5.4 NM to McAlester Rgnl.

WATONGA RGNL (JWG) 1 NW UTC-6(-5DT) N35°51.88' W98°25.25'**DALLAS-FT. WORTH**

1550 B FUEL 100LL NOTAM FILE JWG

L-15D

RWY 17-35: H4000X60 (ASPH) S-30 MIRL 0.5% up N

IAP

RWY 17: Rgt tfc. RWY 35: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. For arpt attendant after hours call 580-623-5911. Golfers on west side of rwy. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.


WEATHER DATA SOURCES: AWOS-3 134.175 (580) 623-7388.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **VANCE APP/DEP CON** 120.525 (1 Mar-31 Oct) Mon-Fri 1300-0200Z†, (1 Nov-28 Feb) Mon-Fri 1300-0100Z†, (1 Mar-31 Oct) Sun 2100-0100Z†, (1 Nov-28 Feb) Sun 1900-2300Z†, clsd Sat and Federal holidays. Other times by NOTAM.

Ⓡ **KANSAS CITY CENTER APP/DEP CON** 126.95. (1 Mar-31 Oct) Mon-Fri 0200-1300Z†, (1 Nov-28 Feb) Mon-Fri 0100-1300Z†, (1 Mar-31 Oct) Sun 0100-2100Z†, (1 Nov-28 Feb) Sun 2300-1900Z†, 24 hrs Sat and Federal holidays.

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32' W98°00.24' 271° 20.6 NM to fld. 1110/9E.


**WAYNOKA MUNI** (1K5) 2 SE UTC-6(-5DT) N36°34.00' W98°51.14'**WICHITA**

1543 B NOTAM FILE MLC

RWY 17-35: H2507X50 (ASPH) S-8 LIRL

RWY 35: Rgt tfc.

AIRPORT REMARKS: Unattended. Parallel twy clsd indef. LIRL OTS indef. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

WEATHERFORD**THOMAS P. STAFFORD** (OJA) 2 NE UTC-6(-5DT) N35°32.69' W98°40.11'

DALLAS-FT. WORTH

1605 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE MLC

L-15D

RWY 17-35: H4400X75 (CONC) S-30, D-48 MIRL

IAP

RWY 17: PAPI (P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: PAPI (P2L)—GA 3.0° TCH 38'. P-line.

AIRPORT REMARKS: Attended 1400-0000Z†.

WEATHER DATA SOURCES: AWOS-3 118.575 (580) 772-7020.

COMMUNICATIONS: CTAF/UNICOM 122.8


GCO 135.075 (FLIGHT SERVICES)

FORT WORTH CENTER APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

KINGFISHER (H) VORTACW 114.7 IFI Chan 94 N35°48.32'

W98°00.24' 236° 36.0 NM to fld. 1110/9E.

**WESTPORT** (4F1) 2 E UTC-6(-5DT) N36°13.34' W96°20.77'

KANSAS CITY

900 TPA-1500(600) NOTAM FILE MLC

RWY 03-21: H2900X42 (ASPH) S-10, D-12.5 MIRL

AIRPORT REMARKS: Unattended. Rwy 21 steep uphill slope up to 130' at end of rwy. ACTIVATE MIRL Rwy 03-21—CTAF.

COMMUNICATIONS: CTAF 122.9

WEST WOODWARD

(See WOODWARD)

WILBURTON MUNI (H05) 4 W UTC-6(-5DT) N34°55.20' W95°23.64'

DALLAS-FT. WORTH

670 B NOTAM FILE MLC

L-17D

RWY 17-35: H3000X60 (ASPH) S-2 MIRL

RWY 17: Trees. RWY 35: Trees.


AIRPORT REMARKS: Unattended. Deer on and in vof rwy. Parallel twy closed indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

MC ALESTER (L) VORTACW 112.0 MLC Chan 57 N34°50.97'

W95°46.94' 069° 19.6 NM to fld. 820/8E. HIWAS.

**WILEY POST** (See OKLAHOMA CITY)**WILLIAM POGUE** N36°10.38' W96°09.25' NOTAM FILE MLC.

KANSAS CITY

NDB (MHW) 362 OWP at William R. Pogue Muni. Unmonitored.

I-15E

WILLIAM R. POGUE MUNI

(See SAND SPRINGS)

WILL ROGERS WORLD

(See OKLAHOMA CITY)

WOODRING N36°22.43' W97°47.29' NOTAM FILE WDG.
 (T) VORW/DME 109.0 ODG Chan 27 at Enid Woodring Rgnl. 1149/08E.
 RCO 122.6 (MC ALESTER RADIO)

WICHITA
 L-15D

WOODWARD

WEST WOODWARD (WWR) 6 W UTC-6(-5DT) N36°26.28' W99°31.36'

2189 B S2 FUEL 100LL, JET A NOTAM FILE WWR

RWY 17-35: H5502X100 (CONC) S-30, D-60 MIRL 0.5% up S

RWY 17: PAPI(P4L)—GA 3.0° TCH 39'.

RWY 35: PAPI(P4L)—GA 3.0° TCH 40'.

RWY 05-23: H2500X60 (ASPH) MIRL

RWY 05: Trees.

RWY 23: Rgt tfc.

AIRPORT REMARKS: Attended 1400-0200Z+. Ultralight activity on and in/ov arpt. Center twy clsd indef.

WEATHER DATA SOURCES: AWOS-3 118.425 (580) 254-5217. Visibility unreliable.

COMMUNICATIONS: CTAF/UNICOM 122.8


KANSAS CITY CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 61.8° 18.2 NM to fld. 2430/10E. HIWAS.

WICHITA
 H-6H, L-15C
 IAP



ABERNATHY MUNI (F83) 4 E UTC-6(-5DT) N33°50.75' W101°45.78'


DALLAS-FT. WORTH

3327 B NOTAM FILE FTW

L-6H

RWY 17-35: H4000X75 (ASPH) S-8 MIRL

RWY 17: Road. RWY 35: Road. Rgt tfc.

AIRPORT REMARKS: Unattended. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-122.8.**COMMUNICATIONS:** CTAF/UNICOM 122.8 Unicom unmonitored.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LBB.**LUBBOCK (L) VORTACW** 109.2 LBB Chan 29 N33°42.30' W101°54.84' 031° 11.3 NM to fld. 3310/11E. **HIWAS.****ABILENE RGNL** (ABI) 3 SE UTC-6(-5DT) N32°24.68' W99°40.91'

DALLAS-FT. WORTH

1791 B S4 FUEL 100LL, JET A, A1 + OX 1, 2 Class I, ARFF Index A NOTAM FILE ABI

H-6H, L-17B

RWY 17R-35L: H7202X150 (ASPH-GRVD) S-85, D-160, ST-175, DT-160 MIRL 0.4% up S

IAP, AD

RWY 17R: VASI(V4L)—GA 3.0° TCH 58'. Rgt tfc.

RWY 35L: REIL. VASI(V4L)—GA 3.0° TCH 49'.

RWY 17L-35R: H7198X150 (ASPH-GRVD) S-75, D-130, ST-165, DT-160 HIRL

RWY 17L: PAPI(P4L)—GA 3.0° TCH 43'. Ground.

RWY 35R: MALSR. Rgt tfc.

RWY 04-22: H3675X100 (ASPH) S-30, D-60 MIRL

0.3% up NE

RWY 22: Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-3678 TODA-3678 ASDA-3678 LDA-3678

RWY 22: TORA-3678 TODA-3678 ASDA-3678 LDA-3678

RWY 17L: TORA-7198 TODA-7198 ASDA-7198 LDA-7198

RWY 35R: TORA-7198 TODA-7198 ASDA-7198 LDA-7198

RWY 17R: TORA-7202 TODA-7202 ASDA-7202 LDA-7202

RWY 35L: TORA-7202 TODA-7202 ASDA-7202 LDA-7202

AIRPORT REMARKS: Attended continuously. Uncontrolled arpt 2 NM NE

of arpt pattern altitude 2300'. Rwy 04-22 not available for air

carrier ops with over 9 passenger seats. First 250' Rwy 17L and

Rwy 35R ungrooved. Rwy 35L runway visual range touchdown avbl. Twy D between Twy M and Twy D1 not visible

from twr. West terminal ramp at Twy C1 clsd indef. Twy D lgts south of Twy M OTS indef. Windsock lgts OTS

indef.

WEATHER DATA SOURCES: ASOS (325) 676-3524.**COMMUNICATIONS:** ATIS 118.25 (325) 677-1597 UNICOM 122.95


RCO 122.65 (FORT WORTH RADIO)

Ⓡ APP/DEP CON 125.0 (East) 127.2 (West)

TOWER 120.1 GND CON 121.7

AIRSPACE: CLASS C svc continuous ctc APP CON**RADIO AIDS TO NAVIGATION:** NOTAM FILE ABI.(H) **VORTACW** 113.7 ABI Chan 84 N32°28.88' W99°51.81' 104° 10.1 NM to fld. 1810/10E. TACAN azimuth unusable 062°-094° byd 30 NM blo 4,500'.**TUSCOLA (L) VORW/DME** 111.6 TQA Chan 53 N32°14.15' W99°49.01' 023° 12.6 NM to fld. 2018/10E.

NOTAM FILE FTW.

TOMHI NDB (LOM) 353 AB N32°17.93' W99°40.45' 349° 6.8 NM to fld.**ILS/DME** 110.3 I-ABI Chan 40 Rwy 35R. Class IT. LOM TOMHI NDB.**ASR****ADDISON** (See DALLAS)

AERO COUNTRY (See McKinney)

AERO ESTATES (See Frankston)

AIR PARK-DALLAS (See Dallas)

AIRPARK EAST (See Dallas)

ALAMO N29°36.46' W98°34.18' NOTAM FILE SAT.
NDB (LOM) 368 AN 122° 6.9 NM to San Antonio Intl.

SAN ANTONIO
L-19C

ALBANY MUNI (T23) 2 E UTC-6(-5DT) N32°43.28' W99°16.06'

DALLAS-FT. WORTH
H-6H, L-17B

1425 B NOTAM FILE FTW

RWY 17-35: H5000X75 (ASPH) S-30 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 40'.


RWY 35: PAPI(P2L)—GA 3.0° TCH 40'. P-line. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE 123.5. PAPI Rwys 17 and 35 opr continuously.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'
W99°51.81' 054° 33.4 NM to fld. 1810/10E.



ALFRED C 'BUBBA' THOMAS (See Sinton)

ALIBI N30°25.92' W95°28.58' NOTAM FILE CXO.
NDB (LOM) 281 CX 141° 5.8 NM to Lone Star Executive.

HOUSTON

ALICE INTL (ALI) 3 SE UTC-6(-5DT) N27°44.45' W98°01.62'

BROWNSVILLE
H-7B, L-20H
IAP

178 B S4 FUEL 100LL, JET A, B+ NOTAM FILE ALI

RWY 13-31: H5997X100 (ASPH) S-30 MIRL

RWY 13: REIL. Tree.

RWY 31: MALS. PAPI(P4L)—GA 3.0° TCH 47'. Trees.

RWY 17-35: H4490X100 (ASPH) S-23 MIRL

RWY 17: Tree. RWY 35: P-line.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±, Sat 1500-1900Z±. ACTIVATE MALS Rwy 31 and PAPI Rwy 31-CTAF. MIRL Rwy 13-31 and Rwy 17-35 preset low ints dusk-0500Z±, to increase ints ACTIVATE-CTAF. After 0500Z± ACTIVATE-CTAF.

WEATHER DATA SOURCES: ASOS 119.225 (361) 668-0069.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.6 (SAN ANGELO RADIO)


Ⓡ **KINGSVILLE APP/DEP CON** 119.9 (Mon-Thu 1330-0530Z±, Fri 1330-2330Z±, clsd Sat, Sun and holidays by NOTAM) other times ctc Ⓡ **HOUSTON CENTER APP/DEP CON** 128.15

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 244° 32.5 NM to fld. 60/9E. HIWAS.

(L) **VORW** 114.5 ALI N27°44.39' W98°01.28' at fld. NOTAM FILE ALI.

ILS/DME 109.3 I-ALI Chan 30 Rwy 31. LOC only.



ALLEN**KITTYHAWK** (ØT7) 1 NW UTC-6(-5DT) N33°07.57' W96°41.02'**DALLAS-FT WORTH
COPTER**

700 NOTAM FILE FTW

RWY 18-36: 2300X195 (TURF) LIRL (NSTD)**RWY 18:** Thld dsplcd 95'. Road. **RWY 36:** Bldg.**AIRPORT REMARKS:** Attended irregularly. Rwy 18-36 surface soft after rain. Rwy 18 dsplcd thld marked by two green lights on both sides of the rwy. NSTD LIRL, homemade with fruit jar lens and 3 green thld lgts both ends.


ACTIVATE LIRL Rwy 18-36-122.75.

COMMUNICATIONS: CTAF 122.9**A.L. MANGHAM JR. RGNL** (See NACOGDOCHES)**ALPINE****ALPINE-CASPARIS MUNI** (E38) 2 NW UTC-6(-5DT) N30°23.05' W103°41.02'**EL PASO
H-7A, L-6J
IAP**

4515 B S4 FUEL 100LL, JET A NOTAM FILE E38

RWY 01-19: H6003X75 (ASPH) S-12.5 MIRL 1.1% up S**RWY 01:** VASI(V2L)-GA 3.5° TCH 27'. P-line.**RWY 19:** VASI(V2L)-GA 4.0° TCH 27'. Fence.**RWY 05-23:** H5018X60 (ASPH) S-12.5 MIRL 1.2% up SW**RWY 05:** Fence. **RWY 23:** Road.**AIRPORT REMARKS:** Attended Mon-Sat 1400-2300Z†, Sun 1600-2000Z†. MIRL Rwy 01-19 preset low ints, to iner ints and ACTIVATE MIRL Rwy 05-23 CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.025 (432) 837-9613**COMMUNICATIONS:** CTAF/UNICOM 122.8**ALBUQUERQUE CENTER APP/DEP CON** 135.875**RADIO AIDS TO NAVIGATION:** NOTAM FILE FST.**FORT STOCKTON (H) VORTAC** 116.9 FST Chan 116 N30°57.13'W102°58.54' 216° 50.0 NM to fld. 2893/11E. **HIWAS.****BREWSTER CO NDB (MHW)** 412 BWR N30°27.49' W103°38.81'

194° 4.8 NM to fld. NOTAM FILE SJT.

**TERLINGUA RANCH** (1E2) 57 SE UTC-6(-5DT) N29°27.01' W103°23.91'**EL PASO**

3769 NOTAM FILE SJT

RWY 02-20: 4700X80 (GRVL)**RWY 02:** Brush. **RWY 20:** Road.**AIRPORT REMARKS:** Attended Thu-Sat 1500-2300Z†. Rwy 02-20 surface very loose, 1 ft deep rut across rwy approximately 2000 ft from AER 20.**COMMUNICATIONS:** CTAF/UNICOM 122.9**ALVIE COLE RANCH** (See STERLING CITY)**ALVIN AIRPARK** (6R5) 3 W UTC-6(-5DT) N29°24.93' W95°17.35'**HOUSTON
COPTER**

43 NOTAM FILE CX0

RWY 06-24: 1500X80 (TURF)**RWY 06:** P-lines. **RWY 24:** Trees.**RWY 03-21:** 1420X75 (TURF)**RWY 03:** Trees. **RWY 21:** Trees.**RWY 12-30:** 830X60 (TURF)**RWY 12:** P-lines. **RWY 30:** Trees.**AIRPORT REMARKS:** Attended continuously.**COMMUNICATIONS:** CTAF 122.9

AMARILLO**BUFFALO** (1E7) 9 S UTC-6(-5DT) N35°03.90' W101°52.75'**DALLAS-FT. WORTH**

3640 B S2 FUEL 100LL, MOGAS NOTAM FILE FTW

RWY 02-20: 6200X150 (TURF) LIRL (NSTD)

RWY 02: Fence. RWY 20: Road. Rgt t/c.

RWY 08-26: 1600X102 (TURF)

RWY 08: Pline. RWY 26: Sign.

AIRPORT REMARKS: Attended irregularly. Extensive radio controlled model acft activity N end of arpt. Rwy 02-20 NSTD

LIRL, first 3000' north end of rwy lighted. Thld lights at north end only. Rotating bcn OTS indef. Rwy 02-20 LIRL

OTS indef. For rotating bcn after 0700Z† call 806-622-1374. For LIRL after 0700Z† call 806-622-1374.

COMMUNICATIONS: CTAF/UNICOM 122.8**PALO DURO**

(1E4) 3 S UTC-6(-5DT) N35°08.52' W101°50.28'

DALLAS-FT. WORTH

3639 NOTAM FILE FTW

RWY 17-35: 3700X50 (TURF-GRVL)

RWY 17: Fence. RWY 35: Fence.

AIRPORT REMARKS: Unattended. Arpt hazardous for transients; rwy not marked or defined; 60' T-line across thld

Rwy 17. Rwy 17-35 soft when wet on S end, loose gravel on rwy.

COMMUNICATIONS: CTAF 122.9**RICK HUSBAND AMARILLO INTL**

(AMA) 6 E UTC-6(-5DT) N35°13.16' W101°42.36'

DALLAS-FT. WORTH

3607 B S4 FUEL 100LL, JET A1 +, B OX 2, 4

H-66, L-15B

TPA—See Remarks LRA ARFF Index—See Remarks NOTAM FILE AMA

IAP, AD

RWY 04-22: H13502X200 (CONC-GRVD) S-100, D-200, ST-175,

DT-400 HIRL (NSTD)

RWY 04: MALSR. PAPI(P4L)—GA 3.0° TCH 44'.

RWY 22: MALSR. PAPI(P4L)—GA 3.0° TCH 62'.

RWY 13-31: H7901X150 (CONC-GRVD) S-100, D-200, ST-175,

DT-400, HIRL

RWY 13: REIL. PAPI(P4L).

RWY 31: REIL. PAPI(P4L).

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-13502 TODA-13502 ASDA-13502 LDA-13502

RWY 22: TORA-13502 TODA-13502 ASDA-13502 LDA-13502

RWY 13: TORA-7901 TODA-7901 ASDA-7901 LDA-7901

RWY 31: TORA-7901 TODA-7901 ASDA-7901 LDA-7901

AIRPORT REMARKS: Attended continuously. Class I, ARFF Index B. ARFF

Index C Equipment avbl. TPA for propeller acft 4502 (895),

turbojet acft 5002 (1395), overhead 5502 (1895). Rwy 04-22

center 130' grvd full length. Rwy 04 rwy visual range avbl

1100-0600Z† ctc twr. Rwy 22 runway visual range rollout avbl.

NSTD HIRL due to spacing. HIRL 60' from rwy edge, NSTD

distance from centerline—pavement outside rwy edge stripes may

not be full strength and depth perception problems may exist during periods of darkness. When twr clsd HIRL

Rwy 04-22 and Rwy 13-31 preset medium ints only, ACTIVATE REIL Rwy 13 and MALSR Rwy 04 and Rwy

22—118.3. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (806) 335-1060. HIWAS 116.6 PNH.**COMMUNICATIONS:** CTAF 118.3 ATIS 118.85 UNICOM 122.95

RCO 122.65 (FORT WORTH RADIO).

① APP/DEP CON 119.5 (1200-0600Z†)

① ALBUQUERQUE CENTER APP/DEP CON 127.85 (0600-1200Z†)

TOWER 118.3 (1200-0600Z†) GND CON 121.9 CLNC DEL 121.65

AIRSPACE: CLASS C svc 1200-0600Z† ctc APP CON other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

PANHANDLE (H) VORTACW 116.6 PNH Chan 113 N35°14.10' W101°41.94' at fld. 3595/8E. HIWAS.


PANDE NDB (HW/LOM) 251 AM N35°08.79' W101°48.33' 039° 6.6 NM to fld. NOTAM FILE AMA.

Unmonitored when twr clsd.

ILS 110.3 I-AMA Rwy 04. Class IA. LOM PANDE NDB. ILS unmonitored when twr clsd.

LDA/DME 111.1 I-RIQ Chan 48 Rwy 22.

ASR (1200-0600Z†)



TRADEWIND (TDW) 3 SE UTC-6(-5DT) N35°10.19' W101°49.55'

DALLAS-FT. WORTH

3649 B S4 FUEL 100LL, JET A1 + OX 3 TPA-4649(1000) NOTAM FILE FTW

H-66, L-15B

RWY 17-35: H5098X60 (ASPH) S-16 MIRL

IAP

RWY 17: REIL. PVASI(PSIL)—GA 3.0° TCH 25'. Thld dsplcd 290'.

Fence. Rgt tfc.

RWY 35: REIL. Thld dsplcd 289'. Trees.

RWY 05-23: H3000X60 (ASPH) S-20 MIRL 0.5% up SW

RWY 05: Fence. RWY 23: Pole. Rgt tfc.

AIRPORT REMARKS: Attended 1300-0400Z†. For svc after hours call 806-376-1008, call after arrival. Housing and school surrounds Rwy 23 end. ACTIVATE MIRL Rwy 17-35 and Rwy 05-23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ AMARILLO APP/DEP CON 119.5 121.15 (1200-0600Z†)

CLNC DEL 125.4

Ⓡ ALBUQUERQUE CENTER APP/DEP CON 127.85 (0600-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

PANHANDLE (H) VORTACW 116.6 PNH Chan 113 N35°14.10' W101°41.94' 230° 7.4 NM to fld. 3595/8E.

HIWAS.

PANDE NDB (HW/LQM) 251 AM N35°08.79' W101°48.33'

316° 1.7 NM to fld. NOTAM FILE AMA. Unmonitored when twr closed.



HELIPAD H1: H50X50 (ASPH)

HELIPAD REMARKS: Helipad H1 perimeter lights. 35' p-line (marked) 325' south of helipad.

AMASON N31°49.97' W94°09.23' NOTAM FILE CXO.

HOUSTON

NDB (MHW) 341 CZJ at Center Muni

L-19E

AMBASSADOR N32°35.13' W95°06.78'. NOTAM FILE FTW.

DALLAS-FT. WORTH

NDB (MHW) 404 ABG at Ambassador fld. VFR only.

ANAHUAC

CHAMBERS CO (T00) 1 E UTC-6(-5DT) N29°46.19' W94°39.81'

HOUSTON

21 B S4 FUEL 100LL, JET A NOTAM FILE CXO

L-19E, 21A

RWY 12-30: H3005X60 (ASPH) S-13 LIRL

IAP

RWY 12: PAPI(P2L)—GA 4.0° TCH 28'. Trees.

RWY 30: Road. Rgt tfc.

RWY 17-35: 1900X300 (TURF)

RWY 17: Trees. RWY 35: Road. Rgt tfc.


AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Parachute Jumping. Rwy 17-35 use extreme care, PAPI Rwy 12 in rwy. Rwy 17-35 outlined by strip markers. Rwy 17-35 soft when wet. MIRL Rwy 12-30 preset low ints, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

Ⓡ HOUSTON APP/DEP CON 134.45

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

TRINITY (L) VORW/DME 113.6 MHF Chan 83 N29°32.78' W94°44.85' 011° 14.1 NM to fld. 38/7E.



ANDREWS CO (E11) 1 NE UTC-6(-5DT) N32°19.87' W102°31.77'

ALBUQUERQUE

3174 B FUEL 100LL, JET A NOTAM FILE SJT

H-6G, L-6H

RWY 16-34: H5816X75 (ASPH) S-23, D-37 MIRL

IAP

RWY 16: REIL. VASI(V2L)—GA 3.0° TCH 24'. Ground.

RWY 34: REIL. VASI(V2L)—GA 3.0° TCH 24'. Trees. Rgt tfc.

RWY 11-29: H3048X75 (ASPH) S-17

RWY 11: Trees.

RWY 29: Road. Rgt tfc.

RWY 02-20: H2939X75 (ASPH) S-23 MIRL

RWY 02: Trees. Rgt tfc.

RWY 20: PAPI(P2L)—GA 3.0° TCH 26'. Ground.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Rwy 16 VASI OTS indef. Rwy 34 VASI OTS indef. ACTIVATE MIRL Rwy 02-20 and Rwy 16-34—CTAF. VASI Rwy 16 and Rwy 34, PAPI Rwy 20 and REIL Rwy 34 opr continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8

MIDLAND APP/DEP CON 121.1 (1200-0600Z†)

® FORT WORTH CENTER APP/DEP CON 133.1 (0600-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.


MIDLAND (L) VORTACW 114.8 MAF Chan 95 N32°00.56'

W102°11.42' 307° 25.9 NM to fld. 2860/11E.

• • • • •

HELIPAD H1: H25X25 (ASPH)

HELIPORT REMARKS: Helipad H1 + 14' lgt pole 70' NE, + 26' hangar 220' E, +30' tree 250' S, + 54' trees 600' W.



ANGELINA CO (See LUFKIN)

ANGLETON

BAILES (7R9) 2 E UTC-6(-5DT) N29°10.00' W95°24.06'

HOUSTON

21 NOTAM FILE CXO

RWY 17-35: 2060X50 (TURF)

RWY 17: Tree.

RWY 35: Trees. Rgt tfc.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF/UNICOM 122.75

FLYIN TIGER (81D) 6 N UTC-6(-5DT) N29°15.90' W95°24.75'

HOUSTON

30 NOTAM FILE CXO

COPTER

RWY 16-34: 2261X90 (TURF)

RWY 16: Trees.

RWY 34: Trees.

RWY 17-35: 2200X80 (TURF)

RWY 17: Road.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. Power lines buried in Rwy 16 and Rwy 17 apch.

COMMUNICATIONS: CTAF 122.9

ANGLETON/LAKE JACKSON**BRAZORIA CO** (LBX) 4 SW UTC-6(-5DT) N29°06.52' W95°27.73'**HOUSTON**

25 B S6 FUEL 100LL, JET A OX 4 Class IV, ARFF Index A NOTAM FILE LBX

H-7C, L-19D, 21A

RWY 17-35: H7000X100 (ASPH-GRVD) S-60, D-95, ST-120 MIRL

IAP

RWY 17: MALSR. PAPI(P2L)—GA 3.0° TCH 52'. Rgt tfc.

RWY 35: VASI(V2L)—GA 3.5° TCH 40'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 17: TORA-7000 TODA-7000 ASDA-7000 LDA-7000


RWY 35: TORA-7000 TODA-7000 ASDA-7000 LDA-7000

AIRPORT REMARKS: Attended Mon-Fri 1230-0030Z, Sat-Sun

1400-0030Z. 100LL fuel avbl 24 hrs self service. For Jet A fuel after hrs call 979-319-2740. Arpt located 4.6 NM NW of Lake Jackson. PAEW invof rwy and twy 1200-0100Z. Rwy 17-35 rutting and large patches. 24 hrs PPR for air carrier ops with more than 30 passenger seats, ctc arpt manager 979-849-5755. Air carrier ops involving acft with more than 30 passengers are not authorized in excess of 15 min before or after scheduled arrival or departure times without prior coordination with arpt manager and confirmation that ARFF svcs are avbl prior to ldg or txf. MIRL Rwy 17-35 preset low ints, to incr ints and ACTIVATE MALSR Rwy 17—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (979) 849-3319.**COMMUNICATIONS:** CTAF/UNICOM 123.0Ⓡ **HOUSTON APP/DEP CON** 134.45 **CLNC DEL** 125.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE GLS.**SCHOLES (L) VORTACW** 113.0 VUH Chan 77 N29°16.16' W94°52.06' 247° 32.7 NM to fld. 4/6E.

Unmonitored.

FREEP NDB (LOM) 263 LB N29°11.66' W95°27.79' 174° 5.1 NM to fld.**ILS** 109.1 I-LBX Rwy 17. Class IE. LOM **FREEP NDB**.**ARANSAS CO**

(See ROCKPORT)

ARCHER CITY MUNI

(T39) 1 SE UTC-6(-5DT) N33°34.94' W98°37.12'

DALLAS-FT. WORTH

1065 NOTAM FILE FTW

L-17B


RWY 17-35: H3200X60 (ASPH) S-12.5

RWY 17: Road.

AIRPORT REMARKS: Unattended. 70' AGL drilling rig 700' northwest of Rwy 17-35. Rwy 17-35 loose grvl, tall grass and pot holes on rwy.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPS.**WICHITA FALLS (H) VORTACW** 112.7 SPS Chan 74 N33°59.24'

W98°35.61' 173° 24.3 NM to fld. 1100/10E.

**ARLEDGE FLD**

(See STAMFORD)

ARLINGTON MUNI (GKY) 4 S UTC-6(-5DT) N32°39.83' W97°05.66'

628 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE GKY

RWY 16-34: H6080X100 (ASPH) S-60 MIRL 0.5% up NW

RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 42'.

RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 55'.

AIRPORT REMARKS: Attended continuously. Self serve fuel with major credit card. Helicopter test facility at arpt mostly from private helipad adjoining ldg area. Extensive helicopter traffic west of rwy. Rwy 34 PAPI unusable byd 8° right of centerline. MIRL Rwy 16-34 present medium ints, higher ints by twr request. ACTIVATE PAPI Rwy 16 and Rwy 34-CTAF.

WEATHER DATA SOURCES: ASOS 127.375 (817) 557-0251.

COMMUNICATIONS: CTAF 128.625

Ⓡ RGNL APP/DEP CON 135.975

TOWER 128.625 (1300-0300Z†) GND CON 121.875

CLNC DEL 118.85 (RGNL APP CON when twr clsd)


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15'

W97°02.43' 186° 12.6 NM to fld. 540/6E.

ILS/DME 111.55 I-GKY Chan 52(Y) Rwy 34. Class IE.

LOC unusable byd 15° right of course. ILS unmonitored when twr clsd. DME unmonitored.



DALLAS-FT. WORTH
COPTER
H-6H, L-17C, A
IAP, AD

ARVILLA N33°03.98' W96°03.68' NOTAM FILE GVT.

(T) TACAN Chan 33 MJF (109.6) at Majors.

Unusable:

026°-034° byd 18 NM blo 2000'

081°-094° byd 10 NM blo 2000'

DALLAS-FT. WORTH
L-17D

ASPERMONT

STONEWALL CO (T60) 1 NE UTC-6(-5DT) N33°10.34' W100°11.86'

1744 B NOTAM FILE FTW

RWY 17-35: H4000X60 (ASPH) S-12.5 MIRL

RWY 17: Trees.

RWY 35: P-line


AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Rwy 17-35 and parallel twy has 1"-2" longitudinal and transverse cracks. Rwy 17-35 has grass growing through cracks. Agricultural activity May-Sep at arpt. Access key to arpt at county courthouse.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'

W99°51.81' 328° 44.7 NM to fld. 1810/10E.



DALLAS FT-WORTH
L-17B

ATHENS MUNI (F44) 3 SE UTC-6(-5DT) N32°09.83' W95°49.70'

444 B S2 FUEL 100LL, JET A NOTAM FILE FTW

RWY 17-35: H3988X60 (ASPH) S-25 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 31'. Fence.

RWY 35: PAPI(P2L)—GA 4.0° TCH 40'. Rgt tfc. Fence.

AIRPORT REMARKS: Attended 1500Z±-dusk. For fuel after hours call 903-677-1897.

COMMUNICATIONS: CTAF/UNICOM 123.0

® FORT WORTH CENTER APP/DEP CON 135.25

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

FRANKSTON (L) VOR/DME 111.4 FZT Chan 51 N32°04.48'


W95°31.85' 283° 16.1 NM to fld. 305/6E.

NDB (MHW) 269 AHX N32°09.56' W95°49.82' at fld.

DALLAS-FT. WORTH

L-17D

IAP



ATLANTA

HALL-MILLER MUNI (ATA) 2 SW UTC-6(-5DT) N33°06.11' W94°11.72'

280 B S4 NOTAM FILE FTW

RWY 05-23: H3800X60 (ASPH) S-23 MIRL 0.3% up SW

RWY 05: REIL. PAPI(P2L) Trees.

RWY 23: REIL. PAPI(P2L)—GA 4.0° TCH 29'. Trees.

AIRPORT REMARKS: Attended irregularly. Deer on airport. 24' marked powerline 500' from end of Rwy 23.

COMMUNICATIONS: CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 123.925

RADIO AIDS TO NAVIGATION: NOTAM FILE TXK.

TEXARKANA (H) VORTACW 116.3 TXK Chan 110 N33°30.83'

W94°04.40' 187° 25.4 NM to fld. 270/7E. HIWAS.


ATLANTA NDB (MHW) 347 ATA N33°06.23' W94°11.43' at fld.

NOTAM FILE FTW.

MEMPHIS

L-17E

IAP



ATLANTA N33°06.23' W94°11.43' NOTAM FILE FTW.

NDB (MHW) 347 ATA at Hall-Miller Muni.

MEMPHIS

L-17E

AUSTIN**AUSTIN-BERGSTROM INTL** (AUS) 5 SE UTC-6(-5DT) N30°11.67' W97°40.19'

SAN ANTONIO

542 B S2 FUEL 100LL, JET A OX 3, 4 LRA Class I, ARFF Index D NOTAM FILE AUS H-7C, L-19C, 21A
RWY 17R-35L: H12248X150 (CONC-GRVD) S-75, D-210, ST-175, DT-618 HIRL IAP, AD

RWY 17R: MALSR. PAPI(P4L). Rgt. ttc. 0.6% down.

RWY 35L: MALSR. PAPI(P4L). 0.3% up.

RWY 17L-35R: H9000X150 (CONC-GRVD) S-75, D-210, ST-175, DT-618 HIRL CL

RWY 17L: ALSF2. TDZL. PAPI(P4L). GA 3.0° TCH 74'. Tower.

RWY 35R: MALSR. TDZL. PAPI(P4L). Rgt ttc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 17R: TORA-12248 TODA-12248 ASDA-12248 LDA-12248

RWY 35L: TORA-12248 TODA-12248 ASDA-12248 LDA-12248

RWY 17L: TORA-9000 TODA-9000 ASDA-9000 LDA-9000

RWY 35R: TORA-9000 TODA-9000 ASDA-9000 LDA-9000

AIRPORT REMARKS: Attended continuously. Bird activity on and in/ovf arpt. Rwy 17L and Rwy 35R runway visual range touchdown, midfield and rollout avbl. Rwy 17R and 35L runway visual range touchdown and rollout avbl. PPR general aviation acft on the passenger terminal apron, call ops 512-530-7550. During the hrs 0600-1200Z arriving acft will be assigned Rwy 35L or Rwy 35R and departing acft will be assigned Rwy 17R and Rwy 17L to avoid noise sensitive areas. Declared low visibility conditions require twr communication prior to push back. Power backs are prohibited during these periods. PPR engine maintenance run-ops call ops 512-530-7550. Terminal apron outer taxilane clsd 0200-1400Z. Twy G3 clsd north of Twy G 0200-1400Z.

WEATHER DATA SOURCES: ASOS (512) 369-7881. WSP.**COMMUNICATIONS:** UNICOM 122.95 D-ATIS 124.4 (512) 369-7867.

AUSTIN RCO 122.55 (SAN ANGELO RADIO)

① AUSTIN APP/DEP CON 127.225 (355°-175°) 119.0 (176°-354°)

AUSTIN TOWER 121.0 GND CON 121.9 121.7 CLNC DEL 125.5

AIRSPACE: CLASS C svc continuous ctc APP CON.**RADIO AIDS TO NAVIGATION:** NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71' W97°31.79' 207° 13.2 NM to fld. 593/6E.

CREED NDB (LOM) 255 BS N30°05.38' W97°40.56' 357° 6.3 NM to fld.

ILS/DME 110.95 I-GFQ Chan 46(Y) Rwy 17R. Class IE. DME also serves Rwy 35L.

ILS/DME 110.95 I-BSM Chan 46(Y) Rwy 35L. Class IE. LOM CREED NDB. DME also serves Rwy 17R.


ILS/DME 110.5 I-VNK Chan 42 Rwy 17L. Class IIIE. DME also shared with Rwy 35R.

ILS/DME 110.5 I-HCE Chan 42 Rwy 35R. Class IE. DME also shared with Rwy 17L.

• • • • •
HELIPAD H1: H60X60 (CONC)

HELIPAD H2: H60X60 (CONC)

HELIPAD H3: H50X50 (CONC) Cardwell army helipad H3 is rstd to military use only.

**AUSTIN EXECUTIVE** (EDC) 12 NE UTC-6(-5DT) N30°23.85' W97°33.98'

SAN ANTONIO

615 FUEL 100LL NOTAM FILE SJT

H-7C, L-19C, 21A

RWY 13-31: H6025X100 (ASPH) D-90 MIRL

RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Dsplcd thld 600'.

RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 40'.

RWY 16-34: H1550X25 (ASPH) S-8

AIRPORT REMARKS: Attended 1400-2300Z. Fuel avbl 24 hrs with credit card. Acft tiedowns and buildings within Rwy 16-34 primary sfc. Rwy 16-34 twy unmarked. Touch and go landings prohibited. ACTIVATE MIRL Rwy 13-31, REIL Rwy 13 and Rwy 31—CTAF. PAPI Rwy 13 and Rwy 31 opr continuously.

WEATHER DATA SOURCES: AWOS-3 118.825 (512) 616-2967.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:**

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71' W97°31.79' 295° 2.2 NM to fld.

LAKEWAY AIRPARK (3R9) 17 W UTC-6(-5DT) N30°21.45' W97°59.67'

909 FUEL 100LL TPA-1900(991) NOTAM FILE SJT

RWY 16-34: H3930X70 (ASPH) S-9 0.6% up S

RWY 16: Thld dspcd 782'. Tree.

RWY 34: Thld dspcd 624'. Trees.

AIRPORT REMARKS: Unattended. Fuel self-service, with credit card. Ultralight and glider ops prohibited. Deer on and in vicinity of arpt. Buildings, trees and parked acft near rwy. PAEW adjacent Rwy 16. No touch and go landings. No ops SS-SR per city ordinance. Arpt ops limited to acft certified max gross weight 12,500 lbs or less. Maintain rwy heading until 400' AGL (1300' MSL) before turning for noise abatement. Landing fee for turbines and jets. Overnight tiedown fee. Rwy 16-34 marked with numbers, centerline and aiming points only. Rwy 16-34 parallel twy clsd indef.

COMMUNICATIONS: CTAF/UNICOM 123.0


Ⓡ AUSTIN APP/DEP CON 119.0

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71'

W97°31.79' 261° 24.1 NM to fld. 593/6E.

COMM/NAV/WEATHER REMARKS: 2-way radio communications required on UNICOM freq. UNICOM not monitored.



SAN ANTONIO
L-19C, 21A
IAP

AUSTIN N30°17.55' W97°42.07'

RCO 122.55 (SAN ANGELO RADIO)

SAN ANTONIO
L-19C

AVENGER FLD (See SWEETWATER)

BAILES (See ANGLETON)

BALLINGER N31°40.83' W99°58.50' NOTAM FILE SJT.

NDB (MHW) 239 UBC at Bruce Fld.

SAN ANTONIO
L-19B

BALLINGER

BRUCE FLD (E30) 5 SW UTC-6(-5DT) N31°40.47' W99°58.62'

1738 B FUEL 100LL NOTAM FILE SJT

RWY 17-35: H3906X60 (ASPH) S-20 MIRL

RWY 17: PAPI(P2L)-GA 3.0°. TCH 39'. Road.

AIRPORT REMARKS: Attended continuously. For fuel call 325-365-3907/3511/3591/5137. Cash or check only. For arpt attendant call 325-365-3907. Deer on and invof arpt. ACTIVATE PAPI Rwy 17-CTAF.

COMMUNICATIONS: CTAF 122.9

Ⓡ SAN ANGELO APP/DEP CON 125.35 (1200-0300Z)


Ⓡ FORT WORTH CENTER APP/DEP CON 126.15 (0300-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

SAN ANGELO (H) VORTACW 115.1 SJT Chan 98 N31°22.50'

W100°27.29' 044° 30.4 NM to fld. 1890/10E.

BALLINGER NDB (MHW) 239 UBC N31°40.83' W99°58.50' at fld.



SAN ANTONIO
L-19B
IAP

BAY CITY**BAY CITY MUNI** (BYY) 5 E UTC-6(-5DT) N28°58.40' W95°51.81'**HOUSTON**
H-7C, L-19D, 21A
IAP

45 B S4 FUEL 100LL, JET A NOTAM FILE BYY

RWY 13-31: H5107X75 (ASPH) S-30, D-51, DT-82 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.5° TCH 24'. Brush.

AIRPORT REMARKS: Attended 1300-2300Z†. Arpt unattended holidays. Rwy 13 PAPI OTS indef.**WEATHER DATA SOURCES:** AWOS-3 118.075 (979) 323-1801**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **HOUSTON CENTER APP/DEP CON** 128.6**RADIO AIDS TO NAVIGATION:** NOTAM FILE PSX.

PALACIOS (H) VORTACW 117.3 PSX Chan 120 N28°45.87' W96°18.37' 054° 26.5 NM to fld. 6/8E.

HIWAS.

NDB (MHW) 344 BYY N28°58.35' W95°51.55' at fld. NOTAM FILE BYY. NDB unusable beyond 18 NM below 3000'. Unmonitored.

FEHMEI DUSTING SERVICE (T84) 2 S UTC-6(-5DT) N28°57.15' W95°58.41'**HOUSTON**

50 NOTAM FILE CXO

RWY 14-32: H2080X25 (ASPH) S-4

RWY 14: Trees. RWY 32: Trees.

AIRPORT REMARKS: Attended Mar-Sep Mon-Sat dalgt hrs, Oct-Feb Mon-Fri dalgt hrs.**COMMUNICATIONS:** CTAF 122.9**BAY ELECTRIC SUPPLY HELIPORT** (See LEAGUE CITY)**BAYTOWN****BAYTOWN** (HPY) 3N UTC-6(-5DT) N29°47.17' W94°57.16'**HOUSTON**
COPTER
L-19E, 21A

34 B FUEL 100LL, JET A TPA-799(765) NOTAM FILE CXO

RWY 14-32: H4334X50 (ASPH) S-8 LIRL (NSTD)


RWY 14: VASI(V2L). Thld dspcd 317'. Trees.

RWY 32: VASI(V2L). Thld dspcd 370'. P-line.

AIRPORT REMARKS: Attended 1300-2300Z†. PAEW adjacent to Rwy 14-32. Rwy 14-32 NSTD LIRL, lgts 3' off pavement. Incorrect color and spacing. Rwy 14 thld dspcd night only. Rwy 32 thld dspcd 725' at nght. Rwy 14 VASI OTS indef. ACTIVATE LIRL Rwy 14-32—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **HOUSTON APP/DEP CON** 134.45**RADIO AIDS TO NAVIGATION:** NOTAM FILE CXO.

TRINITY (L) VORW/DME 113.6 MHF Chan 83 N29°32.78'

W94°44.85' 316° 17.9 NM to fld. 38/7E.

COMM/NAV/WEATHER REMARKS: For flight plan filing call Montgomery County FSS 1-800-833-5608.

RWJ AIRPARK (54T) 7 E UTC-6(-5DT) N29°45.70' W94°50.79'

HOUSTON

30 B S2 **FUEL** 100LL, JET A NOTAM FILE CXO

COPTER

RWY 08-26: H5035X40 (ASPH) S-6 LIRL

H-7C, L-19E, 21A

RWY 08: P-lines. **RWY 26:** Thld dsplcd 939'. Pole.

IAP

RWY 14-32: 3500X100 (TURF) S-4

RWY 14: Road.

RWY 32: Trees.


AIRPORT REMARKS: Attended 1400-0000Z±. **Rwy 08-26** East 1100' 60' wide. Twy too narrow for some acft, use extreme care. Twin engine acft prohibited on twy. **Rwy 26** thld lgts 940' W of rwy end. For LIRL **Rwy 08-26** after 0400Z± **ACTIVATE**—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

® **HOUSTON APP/DEP CON** 134.45

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

TRINITY (L) VORW/DME 113.6 MHF Chan 83 N29°32.78' W94°44.85' 331° 13.9 NM to fld. 38/7E.



BEASLEY

WARD AIRPARK (5TØ) 1 NW UTC-6(-5DT) N29°30.18' W95°56.10'

HOUSTON

105 NOTAM FILE CXO

RWY 04-22: 3110X100 (TURF)

RWY 04: P-line.

RWY 22: Trees.

AIRPORT REMARKS: Attended continuously.

COMMUNICATIONS: CTAF 122.9

BEAUMONT MUNI (BMT) 6 W UTC-6(-5DT) N30°04.21' W94°12.91'

HOUSTON

32 B S5 **FUEL** 100LL, JET A NOTAM FILE CXO

L-19E, 21A

RWY 13-31: H4001X75 (ASPH) S-17 MIRL

IAP

RWY 13: REIL. PVASI(P SIL)—GA 3.0° TCH 41'. Thld dsplcd 332'. Tree. Rgt tfc.

RWY 31: PVASI(P SIL)—GA 4.0° TCH 30'. Thld dsplcd 67'. Trees.

RWY 16-34: 2050X75 (TURF)

RWY 16: Trees. Rgt tfc.

RWY 34: Trees.

AIRPORT REMARKS: Attended 1400Z±-dusk. Parachute Jumping. 100LL avbl 24 hrs self service with credit card. MIRL **Rwy 13-31** preset low intensity to increase intensity **ACTIVATE**—CTAF. **Rwy 16-34** marked with painted tires and cones.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.2 (MONTGOMERY COUNTY RADIO)

® **HOUSTON APP/DEP CON** 121.3 **CLNC DEL** 121.75

RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.

(L) **VORW/DME** 114.5 BPT Chan 92 N29°56.76' W94°00.97' 306° 12.8 NM to fld. 10/7E. **HIWAS.**

GOODHUE NDB (MHW) 368 GDE N30°04.23' W94°12.66' at fld. NOTAM FILE CXO. VFR only. OTS indef.

BEAUMONT/PORT ARTHUR**SOUTHEAST TEXAS RGNL** (BPT) 9 SE UTC-6(-5DT) N29°57.05' W94°01.24'**HOUSTON**

15 B S2 FUEL 100LL, JET A OX 2 LRA Class I, ARFF Index A NOTAM FILE BPT

H-7D, L-19E, 21A

RWY 12-30: H6750X150 (CONC-GRVD) S-90, D-170, ST-175, DT-230 HIRL

IAP, AD

RWY 12: MALSR. Tree.

RWY 30: REIL. VASI(V4L)—GA 3.0° TCH 54'. Tree.

RWY 16-34: H5070X150 (CONC-ASPH-GRVD) S-70, D-90, ST-114, DT-145 HIRL

RWY 16: REIL. VASI(V4L)—GA 3.0° TCH 52'. Tree.

RWY 34: REIL. VASI(V4L)—GA 3.0° TCH 53'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 12: TORA-6750 TODA-6750 ASDA-6750 LDA-6750

RWY 30: TORA-6750 TODA-6750 ASDA-6750 LDA-6750

RWY 16: TORA-5070 TODA-5070 ASDA-5070 LDA-5070

RWY 34: TORA-5070 TODA-5070 ASDA-5070 LDA-5070

AIRPORT REMARKS: Attended continuously. Bird activity on and in/ovf arpt. Rwy 16-34 first 4271' of Rwy 34 grvd. Rwy 34 windsock OTS indef. When twr clsd HIRL Rwy 12-30, REIL Rwy 30, HIRL Rwy 16-34 and REIL Rwy 16 and Rwy 34 preset med ints. ACTIVATE MALSR Rwy 12—CTAF. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (409) 722-3408.**COMMUNICATIONS:** CTAF 119.5 ATIS 126.3 UNICOM 122.95

BEAUMONT RCO 122.2 (MONTGOMERY COUNTY RADIO)

Ⓡ **HOUSTON APP/DEP CON** 121.3

BEAUMONT TOWER 119.5 (1200-0400Z±) GND CON 121.9 CLNC DEL 118.3

AIRSPACE: CLASS D svc 1200-0400Z± other times CLASS E.

TRSA svc ctc APP CON 25 NM out.

RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.

BEAUMONT (L) VORW/DME 114.5 BPT Chan 92 N29°56.76' W94°00.97' at fld. 10/7E. HIWAS.


SABINE PASS (L) VORW/DME 115.4 SBI Chan 101 N29°41.20' W94°02.28' 356° 15.8 NM to fld. 10/7E.

NOTAM FILE CXO.

KAZOO NDB (LOM) 257 BP N29°59.78' W94°06.38' 116° 5.2 NM to fld.

ILS/DME 110.15 I-BPT Chan 38(Y) Rwy 12. LOM KAZOO NDB. ILS unmonitored when twr closed.

ASR (1200-0400Z±)

**BEEVILLE MUNI** (BEA) 3 SW UTC-6(-5DT) N28°21.71' W97°47.46'**SAN ANTONIO**

268 B FUEL 100LL, JET A NOTAM FILE BEA

L-20H, 21A

RWY 12-30: H4551X75 (ASPH) S-25 MIRL 0.5% up NW

IAP

RWY 12: PAPI(P2L)—GA 3.0° TCH 20'. Road.

RWY 30: PAPI(P2L)—GA 3.0° TCH 26'. Road.

RWY 18-36: 2530X60 (TURF)

RWY 18: P-line. RWY 36: P-line.

AIRPORT REMARKS: Unattended. For svc after hrs call 361-358-0410.

Rwy 18-36 thlds marked with reflective traffic cones. ACTIVATE

MIRL Rwy 12-30—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.675 (361) 362-7627.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **HOUSTON CENTER APP/DEP CON** 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

THREE RIVERS (L) VORTAC 111.4 THX Chan 51 N28°30.30'

W98°09.03' 106° 20.9 NM to fld. 270/8E.



BELLVILLE**GRAWUNDER FLD** (Ø6R) 1 SE UTC-6(-5DT) N29°56.51' W96°14.76'**HOUSTON**

289 NOTAM FILE CXO

RWY 15-33: H2480X30 (ASPH) S-4 LIRL (NSTD)**RWY 15:** Tree. **RWY 33:** Trees. Rgt tfc.

AIRPORT REMARKS: Attended continuously. 2' electric fence around rwys for cattle guard. Rwy 15-33 south end 45' lower than north end. Rwy 15 thld relocated 135' for ngt ops. Rwy 33 thld relocated 126' for ngt ops. 2219' of rwy lgtd at night. Rwy 15-33 unmarked. Primary sfc obstructed by 20-30 ft trees at AER 33, 65 ft west of centerline, from thld to 250 ft and 90 ft east of centerline from thld to 400 ft. Rwy 15-33 NSTD LIRL North 135' and South 126' not lgtd.

COMMUNICATIONS: CTAF/UNICOM 123.0**BENGER AIR PARK** (See FRIONA)**BERCLAIR****GOLIAD CO INDUSTRIAL AIRPARK** (7T3) 5 N UTC-6(-5DT) N28°36.51' W97°36.57'**SAN ANTONIO**
H-7C, L-20H, 21A

324 NOTAM FILE SJT

RWY 10-28: H8000X150 (ASPH)**RWY 10:** Brush. **RWY 28:** Brush.**RWY 16-34:** H8000X150 (ASPH-CONC)**RWY 16:** Brush.

AIRPORT REMARKS: Unattended. Rwy 10-28 CLOSED indef. Rwy 10-28 first 1000' each rwy end conc, middle section asph.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT**THREE RIVERS (L) VORTAC** 111.4 THX Chan 51 N28°30.30' W98°07.03' 070° 29.2 NM to fld. 270/8E.**BIGGS AAF** (FORT BLISS) (BIF)(KBIF) A 5 NE UTC-7(-6DT) N31°50.97' W106°22.80'**EL PASO**

3946 B TPA—See Remarks NOTAM FILE ABQ Not insp.

H-4K, L-6F

RWY 03-21: H13554X150 (PEM) PCN 91 R/C/W/T HIRL

DIAP, AD

RWY 03: REIL. PAPI(P4L)—GA 3.0°. **RWY 21:** ALSF1. REIL. PAPI(P4L)—GA 3.0°. Rgt tfc. 0.3% down.**MILITARY SERVICE:** L&T When unattended ACTIVATE—HIRL, PAPI Rwy 03-21—127.9 **JASU** 4(A/M32A-86)1(A/M32-95). **FUEL** A+ **FLUID** SP **OIL** SOAP

MILITARY REMARKS: Attended Mon-Fri 1300-0500Z, Sat 1500-2300Z, except holidays. See FLIP AP/1
Supplementary Arpt Remark. **RSTD** PPR all acft. TWR, OPS and fuel H24 for military acft with PPR. Civilian acft 24 hr prior notice. **CAUTION** El Paso Intl Rwy 22 2 NM SE can be mistaken for Rwy 21. Coyote hazard. **TFC PAT** Fixed Wing Category CDE turbo prop 5500(1554), Rotary Wing 4500(554), Jet 6000(2054). **NS ABTMT** VFR west arr/dep via mountain pass 15 NM NW of Biggs AAF. Avoid VFR over flight of city. Fly 1500' AGL, 1500' horizontal distance from mountain dwellings. **MISC** Security guard approval rqr for access to ramp. Base OPS DSN 621-8811/8330, C915-744-8811/8330. Wx forecast avbl from Davis Monthan AFB, DSN 228-6598/6599.

COMMUNICATIONS: PTD 122.7**EL PASO APP CON** 119.15 353.5 (South of V16) 124.25 298.85 (North of V16)**TOWER** 127.9 342.25 (Weekdays 1400-0000Z excluding holidays). Advisory svc twr freq other times.**EL PASO DEP CON** 121.3 263.0**EL PASO CLNC DEL** 125.0 379.1 **ANG OPS** 49.95 143.125**AIRSPACE:** CLASS D svc Mon-Fri 1400-0000Z except holidays other times Class E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE ABQ.**NEWMAN (L) VORTACW** 112.4 EWM Chan 71 N31°57.10' W106°16.34' 210° 8.2 NM to fld. 4040/12E.

DME portion unusable 220°-255° byd 25 NM blo 12,000'.


COMM/NAV/WEATHER REMARKS: Radar—See Terminal FLIP for Radar Minima.

BIG LAKE**REAGAN CO** (E41) 1 W UTC-6(-5DT) N31°11.93' W101°28.35'2706 B **FUEL** 100LL NOTAM FILE SJT**RWY 16-34:** H4031X50 (ASPH) S-14 MIRL**RWY 16:** PAPI(P2L)—GA 3.0° TCH 30'. Brush. Rgt tfc.**RWY 34:** PAPI(P2L)—GA 3.5° TCH 40'. Pole.**RWY 09-27:** 3460X80 (DIRT)**RWY 09:** Brush.**RWY 27:** Brush. Rgt tfc.

AIRPORT REMARKS: Unattended. For fuel call 325-884-2576 or 325-650-3133. Deer on and in/ov rwys. Rwy 27 4 ft fence 75 ft from thld with 12 ft trees on fenceline across apch. ACTIVATE MIRL Rwy 16-34 and PAPI Rwy 16, PAPI Rwy 34—CTAF.

COMMUNICATIONS: CTAF 122.9**FORT WORTH CENTER APP/DEP CON** 126.15**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.

SAN ANGELO (H) VORTACW 115.1 SJT Chan 98 N31°22.50' W100°27.29' 249° 53.4 NM to fld. 1890/10E.

SAN ANTONIO**L-19A****IAP****BIG SPRING McMAHON-WRINKLE** (BPG) 2 SW UTC-6(-5DT)

N32°12.76' W101°31.30'

2573 B S4 **FUEL** 100LL, JET A NOTAM FILE BPG


RWY 17-35: H8802X100 (ASPH-CONC) S-44, D-62, DDT-101 MIRL

RWY 17: SSALS. PAPI(P4L)—GA 3.0° TCH 45'. Rgt tfc.**RWY 35:** PAPI(P4L)—GA 3.0° TCH 36'.**RWY 06-24:** H4601X75 (ASPH) MIRL 0.6% up NE**RWY 06:** PVASI(PSIL)—GA 2.97° TCH 31'. Rgt tfc.**RWY 24:** PVASI(PSIL)—GA 3.55° TCH 37'. P-line.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z. For fuel after hours call 432-267-8952 or 432-935-3395. Prairie dogs on rwys and twys. Extensive agricultural ops in/ov arpt. Sandhill Cranes crossing in the spring and fall. MIRL Rwy 06-24 and Rwy 17-35 preset low ints, to increase ints and ACTIVATE SSALS Rwy 17 and PVASI Rwy 06, Rwy 24, and PAPI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.025 (432) 263-3842.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RCO 122.4** (SAN ANGELO RADIO)**FORT WORTH CENTER APP/DEP CON** 133.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE BPG.

(L) VORTACW 114.3 BGS Chan 90 N32°23.14' W101°29.02' 180° 10.5 NM to fld. 2670/11E.

DALLAS-FT WORTH**H-6G, L-6H****IAP****BISHOP'S LANDING** (See CELINA)

BISHOP MUNI (Ø7R) 3 NE UTC-6(-5DT) N27°36.62' W97°45.12'

BROWNSVILLE

55 B NOTAM FILE SJT

L-20H, 21A

RWY 15-33: H3200X50 (ASPH) S-12.5 MIRL


RWY 15: Road. **RWY 33:** P-line.

AIRPORT REMARKS: Unattended. Rwy 15-33 intensive jet t/c 1300' & above, ctc Kingsville NAS app con for instructions. ACTIVATE MIRL Rwy 15-33—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 214° 24.0 NM to fld. 60/9E. **HIWAS.**



BOERNE STAGE FLD (See SAN ANTONIO)

BONHAM N33°32.25' W96°14.05' NOTAM FILE FTW.

DALLAS-FT. WORTH

(H) **VORTACW** 114.6 BYP Chan 93 025° 5.3 NM to Jones Fld. 700/6E. **HIWAS.**

H-6H, L-17D, A

BONHAM

JONES FLD (FØØ) 2 N UTC-6(-5DT) N33°36.79' W96°10.76'

DALLAS-FT WORTH

618 B S2 FUEL 100LL NOTAM FILE FTW

L-17D, A

RWY 17-35: H4000X75 (ASPH) S-12.5 MIRL

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 35'.

RWY 35: PAPI(P2L)—GA 3.0° TCH 35'. Fence.

AIRPORT REMARKS: Attended Tues-Sun dalgt hours. For arpt attendant on Mondays or after hours, call 903-583-2141. Fuel avbl with credit card. ACTIVATE MIRL Rwy 17-35, PAPI Rwy 17 and 35—CTAF.

WEATHER DATA SOURCES: **HIWAS** 114.6 BYP.


COMMUNICATIONS: CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 127.6

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BONHAM (H) VORTACW 114.6 BYP Chan 93 N33°32.25' W96°14.05' 025° 5.3 NM to fld. 700/6E. **HIWAS.**

COMM/NAV/WEATHER REMARKS: UNICOM OTS indef.



BORGER**HUTCHINSON CO** (BGD) 2 N UTC-6(-5DT) N35°42.05' W101°23.62'

DALLAS-FT. WORTH

3055 B FUEL 100LL, JET A NOTAM FILE BGD

H-66, L-15B

RWY 17-35: H6300X100 (ASPH) S-60, D-100 MIRL 0.9% up S

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 36'.

RWY 35: PAPI(P4R)—GA 3.0°.

RWY 03-21: H3898X100 (ASPH) S-60, D-100 MIRL 0.5% up SW

AIRPORT REMARKS: Attended Mon-Fri 1300-0200Z†, Sat-Sun 1400-0100Z†. Wildlife on and in/ovf arpt. PAEW ramp area.

ACTIVATE MIRL Rwy 03-21 and Rwy 17-35, PAPI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 118.325 (806) 274-7318.**COMMUNICATIONS:** CTAF/UNICOM 123.0


Ⓡ AMARILLO APP/DEP CON 119.5 121.15 (1200-0600Z†)

Ⓡ ALBUQUERQUE CENTER APP/DEP CON 127.85 (0600-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.

BORGER (L) VORTACW 108.6 BGD Chan 23 N35°48.43'

W101°22.93' 174° 6.4 NM to fld. 3130/11E.

**BORGER** N35°48.43' W101°22.93' NOTAM FILE BGD.

DALLAS-FT. WORTH

(L) VORTACW 108.6 BGD Chan 23 174° 6.4 NM to Hutchinson Co. 3130/11E.

H-66, L-15B

BOURLAND FLD (See FORT WORTH)**BOWIE** N33°32.15' W97°49.28' NOTAM FILE FTW.

DALLAS-FT. WORTH

(H) VORTACW 112.4 UKW Chan 71 024° 4.6 NM to Bowie Muni. 1100/6E. HIWAS.

H-6H, 5B, L-17C, A

BOWIE MUNI (ØF2) 4 NE UTC-6(-5DT) N33°36.10' W97°46.53'

DALLAS-FT. WORTH

1101 B FUEL 100LL, JET A NOTAM FILE FTW

L-17C, A

RWY 17-35: H3603X60 (ASPH) S-12.5 MIRL 0.5% up N

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 35'. Trees.

RWY 35: PAPI(P2L)—GA 3.0° TCH 45'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z†, Sat 1400-1800Z†. Ultralight activity on and in/ovf arpt. Rwy 17-35 surface adjacent to the pavement is more than 1.5 inches below rwy in various places. ACTIVATE MIRL Rwy 17-35—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.75 (940) 872-2366.

HIWAS 112.4 UKW.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ FORT WORTH CENTER APP/DEP CON 133.25


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

(H) VORTACW 112.4 UKW Chan 71 N33°32.15'

W97°49.28' 024° 4.6 NM to fld. 1100/6E. HIWAS.

GRINDSTONE MOUNTAIN NDB (MHW) 356 GMZ N33°36.32'

W97°46.40' at fld.

**BRADY** N31°10.67' W99°19.36' NOTAM FILE SJT.

SAN ANTONIO

NDB (MHW) 380 BBD at Curtis Fld.

L-19B

BRADY**CURTIS FLD** (BBD) 3 NE UTC-6(-5DT) N31°10.76' W99°19.44'

SAN ANTONIO

1827 B S2 FUEL 100LL, JET A NOTAM FILE SJT

L-19B

RWY 17-35: H4605X75 (ASPH) S-21 MIRL 0.7% up N

IAP

RWY 17: PAPI (P2L)—GA 3.0° TCH 40'.

RWY 35: PAPI (P2L)—GA 3.0° TCH 40'.

RWY 08-26: 3520X110 (TURF) 0.3% up E

RWY 08: Fence. RWY 26: Fence.

AIRPORT REMARKS: Attended dalgst hrs. For fuel or attendant after hours call 325-597-2445. Rwy 08-26 CLOSED except for tailwheel acft and helicopter. Deer on and infov arpt. Rwy 08-26 W end very rough. Rwy 08-26 marked with white tires. Overnight tiedown fee. ACTIVATE MIRL Rwy 17-35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (325) 597-9139 or 1-800-510-1996.

COMMUNICATIONS: CTAF/UNICOM 122.8

HOUSTON CENTER APP/DEP CON 132.35


RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.

LLANO (L) VORTACW 108.2 LLO Chan 19 N30°47.78'

W98°47.24' 302° 35.9 NM to fld. 1200/8E. HIWAS.

BRADY NDB (MHW) 380 BBD N31°10.67' W99°19.36' at fld.

NOTAM FILE SJT.

**BRAZORIA CO**

(See ANGLETON/LAKE JACKSON)

BRAZOS RIVER

N32°57.09' W98°24.79'

DALLAS-FT WORTH

NDB (MHW) 280 GZV 208° 2.1 NM to Possum Kingdom. Unmonitored 2300-1300Z±.

L-17B

BRECKENRIDGE**STEPHENS CO**

(BKD) 2 S UTC-6(-5DT) N32°43.13' W98°53.50'

DALLAS-FT. WORTH

1284 B S4 FUEL 100LL, JET A NOTAM FILE FTW

L-17B

RWY 17-35: H4998X100 (ASPH) S-19 MIRL 0.5% up S

IAP

RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: PAPI(P2L)—GA 3.0° TCH 40'.

RWY 13-31: H2400X50 (ASPH) S-4 1.1% up SE

RWY 13: Road. RWY 31: Fence.

RWY 04-22: H2399X50 (ASPH) S-4 0.4% up SW

RWY 04: Tree. RWY 22: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Rwy 17 PAPI OTS indef. Rwy 35 PAPI OTS indef.

WEATHER DATA SOURCES: AWOS-3 120.175 (254) 559-5525.**COMMUNICATIONS:** CTAF/UNICOM 122.8


BRECKENRIDGE RCO 122.5 (FORT WORTH RADIO).

FORT WORTH CENTER APP/DEP CON 127.0

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.57'

W97°59.85' 261° 45.3 NM to fld. 900/9E.

**BRECKENRIDGE**

N32°43.02' W98°53.59'

DALLAS-FT WORTH

RCO 122.5 (FORT WORTH RADIO)

L-17B

BRENHAM MUNI (11R) 3 NE UTC-6(-5DT) N30°13.14' W96°22.46'

307 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE 11R

RWY 16-34: H5496X75 (ASPH) S-30 MIRL 1.0% up N

RWY 16: REIL. PAPI(P2L)—GA 3.5°.

RWY 34: REIL. PAPI (P4L). Tree.

AIRPORT REMARKS: Attended 1300-0100Z±. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: AWOS-3 121.125 (979) 836-2303.**COMMUNICATIONS:** CTAF/UNICOM 123.075


Ⓡ **HOUSTON CENTER APP/DEP CON** 120.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.

COLLEGE STATION (L) VORTACW 113.3 CLL Chan 80 N30°36.30' W96°25.24' 166° 23.2 NM to fld. 275/8E.

HIWAS.

NDB (MHW) 362 BNH N30°13.34' W96°22.41' at fld.
NOTAM FILE CXO. Unmonitored.



HOUSTON

H-7C, L-19D, 21A

IAP

BREWSTER CO N30°27.49' W103°38.81' NOTAM FILE SJT.**NDB (MHW)** 412 BWR 194° 4.8 NM to Alpine-Casparis Muni.

EL PASO

L-6J

BRIDGEPORT MUNI (XBP) 4 SW UTC-6(-5DT) N33°10.52' W97°49.70'

852 B S4 FUEL 100LL NOTAM FILE XBP

RWY 17-35: H4004X60 (ASPH) S-12.5 MIRL 1.1% up S

RWY 17: Tree.

RWY 35: PAPI(P2L). Trees.


AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Fuel avbl 24 hrs self service with major credit cards.

WEATHER DATA SOURCES: AWOS-3 119.225 (940) 683-8027.**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ **FORT WORTH CENTER APP/DEP CON** 127.0

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BOWIE (H) VORTACW 112.4 UKW Chan 71 N33°32.15' W97°49.28' 175° 21.6 NM to fld. 1100/6E. HIWAS.



DALLAS-FT. WORTH

L-17C, A

IAP

BROOKS CO (See FALFURRIAS)

BROWNWOOD RGNL (BWD) 5 N UTC-6(-5DT) N31°47.62' W98°57.39'

SAN ANTONIO

1387 B S4 FUEL 100LL, JET A NOTAM FILE BWD

H-6H, L-19C

RWY 17-35: H5599X150 (ASPH) S-30 MIRL 0.3% up N

IAP

RWY 17: MALS. PAPI(P4L)—GA 3.0° TCH 52'. Trees.

RWY 35: Trees.

RWY 13-31: H4608X101 (ASPH) S-25 MIRL

RWY 13: Tree.

RWY 31: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-0200Z†, Sat-Sun

1300-2300Z†. For Jet A fuel when arpt unattended call

325-642-0868. 24 hr self service for 100LL. Uneven sfc at intersecting rwys. ACTIVATE MIRL Rwy 13-31 and Rwy 17-35 and MALS Rwy 17—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.325 (888) 297-9399.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.5 (FORT WORTH RADIO)


FORT WORTH CENTER APP/DEP CON 127.45

RADIO AIDS TO NAVIGATION: NOTAM FILE BWD.

(L) VORW/DME 108.6 BWD Chan 23 N31°53.55'

W98°57.45' 172° 5.9 NM to fld. 1574/8E.

ILS 109.1 I-BWD Rwy 17. LOC only. LOC unmonitored.

**BRUCE FLD** (See BALLINGER)**BRYAN****COULTER FLD** (CFD) 3 NE UTC-6(-5DT) N30°42.94' W96°19.88'

HOUSTON

367 B S4 FUEL 100LL, JET A NOTAM FILE CXO

L-19D, 21A

RWY 15-33: H4000X75 (ASPH) MIRL

IAP

RWY 15: REIL. PAPI(P2L)—GA 3.5° TCH 24'. P-line.

RWY 33: REIL. PAPI(P2L)—GA 3.5° TCH 27'. Trees.

AIRPORT REMARKS: Attended 1330-0130Z†. Parachute Jumping.

ACTIVATE MIRL Rwy 15-33—CTAF.


COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ HOUSTON CENTER APP/DEP CON 120.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.

COLLEGE STATION (L) VORTACW 113.3 CLL Chan 80 N30°36.30'

W96°25.24' 027° 8.1 NM to fld. 275/8E. HIWAS.

**BUFFALO** (See AMARILLO)**BULVERDE AIRPARK** (See SAN ANTONIO)

BURNET MUNI KATE CRADDOCK FLD (BMQ) 1 SW UTC-6(-5DT)

SAN ANTONIO

H-7B, L-19C

IAP

N30°44.34' W98°14.32'

1284 B S4 FUEL 100LL, JET A NOTAM FILE BMQ

RWY 01-19: H5000X75 (ASPH) S-30 MIRL 0.5% up N

RWY 01: REIL. PAPI(P4L). P-line. Rgt tfc.

RWY 19: REIL. PAPI(P4L). Trees.

AIRPORT REMARKS: Attended 1400-0000Z+. For arpt attendant call 512-756-6655, after hours call 512-756-6277. MIRL Rwy 01-19 preset low ints, to incr ints and ACTIVATE PAPI and REIL Rwys 01 and 19—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (512) 756-7277.**COMMUNICATIONS:** CTAF/UNICOM 122.8

HOUSTON CENTER APP/DEP CON 132.35


RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

LAMPASAS (H) VORTACW 112.5 LZZ Chan 72 N31°11.13'

W98°08.51' 183° 27.2 NM to fld. 1290/8E.

NDB (MHW) 341 BMQ N30°44.42' W98°14.17' at fld.

NOTAM FILE BMQ.

**C. DAVID CAMPBELL FLD—CORSICANA MUNI** (See CORSICANA)**CABANISS FLD NOLF** (NGW) N27°42.00' W97°26.01' NOTAM FILE SJT.

BROWNSVILLE

L-20H, 21A

AIRSPACE: CLASS D svc Mon-Thu 1330-0400Z, Fri 1300-0200Z Daylight Savings Time

Mon-Thu 1230-0400Z, Fri 1230-0100Z) other times Class G.

CADDO MILLS MUNI (7F3) 2 SW UTC-6(-5DT) N33°02.17' W96°14.59'

DALLAS—FT. WORTH

L-17D, A

IAP

542 B S4 FUEL 100LL NOTAM FILE FTW

RWY 13-31: H4000X150 (CONC) S-26

RWY 31: P-line.

RWY 17R-35L: H4000X75 (CONC) S-26 MIRL

RWY 17R: Tree. RWY 35L: Road.

RWY 17L-35R: 1400X150 (TURF)

RWY 17L: Road.

AIRPORT REMARKS: Attended Wed-Fri 1800-SS, Sat-Sun 1600-SS, Mon-Tue on call. Rwy 17L-35R CLOSED indef. Parachute Jumping. Extensive glider activity on arpt. Rwy 13-31 and Rwy 17R-35L have grass/weeds in pavement. Rwy 17L-35R overgrown and not maintained. Powered acft use right traffic for Rwy 13 and Rwy 17R. Sailplanes use Rwy 17L (left tfc) and Rwy 35R (rgt tfc). Airframe and power plant repairs call 903-527-3124. Training school and glider frequency—123.3. Turf rwy very hard to distinguish. ACTIVATE MIRL Rwy 17R-35L—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


® FORT WORTH CENTER APP/DEP CON 132.85

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BONHAM (H) VORTACW 114.6 BYP Chan 93 N33°32.25'

W96°14.05' 175° 30.0 NM to fld. 700/6E. HIWAS.

NDB (MHW) 316 MII N33°02.42' W96°14.92' at fld.



CALDWELL MUNI (RWV) 1 SW UTC-6(-5DT) N30°30.93' W96°42.25'

HOUSTON
L-190, 21A
IAP

391 B FUEL 100LL NOTAM FILE RWV

RWY 15-33: H3252X50 (ASPH) S-4 MIRL 0.9% up NW

RWY 15: PVASI(P SIL)—GA 3.0°. Tree.

RWY 33: Thld dsplcd 242'. Tree.

AIRPORT REMARKS: Unattended. MIRL Rwy 13-31 preset low ints, to incr ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.35 (979) 567-6784.

COMMUNICATIONS: CTAF 122.9


® HOUSTON CENTER APP/DEP CON 120.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.

COLLEGE STATION (L) VORTACW 113.3 CLL Chan 80 N30°36.30'

W96°25.24' 242° 15.6 NM to fld. 275/8E.

HIWAS.



CALHOUN CO (See PORT LAVACA)

CAMERON MUNI AIRPARK (T35) 2 N UTC-6(-5DT) N30°52.76' W96°58.27'

HOUSTON
L-190, 21A

402 B FUEL 100LL NOTAM FILE FTW

RWY 16-34: H3200X50 (ASPH) S-19 MIRL

RWY 34: Tree.

AIRPORT REMARKS: Unattended. Rwy 16 has a 15' drop 155' byd thld. Rwy 34 has a 8' drop 150' byd thld. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.

COLLEGE STATION (L) VORTACW 113.3 CLL Chan 80 N30°36.30' W96°25.24' 292° 32.9 NM to fld. 275/8E.

HIWAS.

CANADIAN

HEMPHILL CO (HHF) 2 SW UTC-6(-5DT) N35°53.71' W100°24.23'

DALLAS-FT. WORTH
H-66, L-15C
IAP

2396 B FUEL 100LL, JET A TPA-3396(1000) NOTAM FILE HHF

RWY 04-22: H5000X75 (ASPH) S-12.5 MIRL

RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 38'. Fence.

RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Hill. Rgt tfc.

RWY 18-36: H3001X30 (ASPH) S-12.5 1.0% up S

RWY 18: Thld dsplcd 100'. Trees. Rgt tfc. RWY 36: Tree.

AIRPORT REMARKS: Attended continuously. 15' ditch north of Rwy 04 thld extending 1000' along left side of rwy. Windsock lgts OTS indef. MIRL Rwy 04-22 preset low ints, to increase ints ACTIVATE—CTAF.


WEATHER DATA SOURCES: AWOS-3 119.025 (806) 323-8497.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 214° 37.0 NM to fld. 2430/10E. HIWAS.



CANTON—HACKNEY (7F5) 2 N UTC-6(-5DT) N32°35.17' W95°51.76'**DALLAS—FT. WORTH**

500 NOTAM FILE FTW

L-17D

RWY 18-36: H3750X50 (ASPH) S-5.5 LIRL (NSTD)**RWY 18:** Thld dsplcd 103'. Tree.**RWY 36:** Thld dsplcd 70'. P-line.**AIRPORT REMARKS:** Unattended. Arpt CLOSED to acct over 4000 lbs. Rwy 18-36 has ruts, holes, and loose rocks. Rwy 18-36 +2' posts and cable 75' from rwy centerline west side of rwy. Rwy 18-36 no line of sight between thlds.

Rwy 18 and Rwy 36 NSTD small rwy numbers only 35' high. Rwy 18-36 NSTD LIRL, only south 3585' of rwy lgtd.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**CEDAR CREEK (L) VORTACW** 114.8 CQY Chan 95 N32°11.14' W96°13.09' 031° 30.0 NM to fld. 400/6E.**CANYON****MAPLES FLD** (1E9) 6 NW UTC-6(-5DT) N35°03.92' W101°57.68'**DALLAS—FT. WORTH**


3677 B NOTAM FILE FTW

RWY 17-35: 3865X24 (GRVL) S-4 LIRL (NSTD)**RWY 35:** Road.**AIRPORT REMARKS:** Unattended. Rotating bcn OTS indef. Rwy 17-35 loose aggregate on rwy. Rwy 17-35 gravel overgrown with 2' vegetation. Rwy 17-35 NSTD LIRL. South 2957' lgtd. Rwy 17-35 LIRL OTS indef. Rotating bcn and NSTD LIRL oprs dusk-0500Z†.**COMMUNICATIONS:** CTAF 122.9**CARRIZO SPRINGS****DIMITT CO** (CZT) 2 E UTC-6(-5DT) N28°31.34' W99°49.42'**SAN ANTONIO**599 B **FUEL** 100LL, JET A NOTAM FILE SJT

L-20G

RWY 13-31: H4997X75 (ASPH) S-13 MIRL 0.3% up NW**RWY 13:** PAPI(P2L). Tree.**RWY 31:** PAPI(P2L). Pole.**AIRPORT REMARKS:** Attended 1400-2300Z†. Fuel svc avbl on request 24 hrs, call 830-876-9339/2967. Landing fee. PAPI Rwy 13 and Rwy 31 OTS indefinitely.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **HOUSTON CENTER APP/DEP CON** 126.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE COT.**COTULLA (L) VORTACW** 115.8 COT Chan 105 N28°27.72'W99°07.11' 267° 37.5 NM to fld. 520/9E. **HIWAS.****NDB (MHW)** 343 DMD N28°31.35' W99°49.64' at fld.

NOTAM FILE SJT. Unmonitored 0000-1200Z†.

**CARSWELL FLD** (See FORT WORTH NAS JRB)**CARTHAGE** N32°10.81' W94°17.79' NOTAM FILE FTW.**MEMPHIS****NDB (MHW)** 332 RPF at Panola Co-Sharp Fld. Unmonitored.

L-17E

CARTHAGE**PANOLA CO—SHARPE FLD** (4F2) 2 E UTC-6(-5DT) N32°10.57' W94°17.93'**MEMPHIS**

248 B FUEL 100LL NOTAM FILE FTW

L-17E

RWY 17-35: H4000X75 (ASPH) MIRL

IAP

RWY 17: PAPI(P4L)—GA 3.0°. Trees.

RWY 35: PAPI(P4L)—GA 4.0°. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Fuel avbl 24 hrs self-serve with major credit card. Deer on and invof rwy. Rotating bcn OTS indef. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **SHREVEPORT APP/DEP CON** 119.9 (1200-0600Z†) 121.4
(0600-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.

GREGG COUNTY (L) VORTACW 112.3 GGG Chan 70 N32°25.07'
W94°45.19' 115° 27.3 NM to fld. 320/7E.

CARTHAGE NDB (MHW) 332 RPF N32°10.81' W94°17.79' at fld.
NOTAM FILE FTW. Unmonitored.

**CASH** N32°58.91' W96°04.04' NOTAM FILE FTW.**DALLAS—FT WORTH**

NDB (MHW) 428 SYW 356° 5.1 NM to Majors.

L-17D**CASTROVILLE MUNI** (CVB) 2 SE UTC-6(-5DT) N29°20.52' W98°51.05'**SAN ANTONIO**

771 B S7 FUEL 100LL OX 3, 4 TPA-1600(829) NOTAM FILE SJT

L-19C

RWY 15-33: H4600X75 (ASPH) S-15 MIRL

IAP


RWY 15: PVASI(PSIL)—GA 3.0° TCH 40'. Tree.

RWY 33: Tree. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. For fuel after hrs call 830-931-4722, 1 hr notification required. No fee charged. 100LL avbl 24 hr self service. Bright lgts at ball park from Apr-Jun. Rwy 15 PVASI OTS indef. MIRL Rwy 15-33 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.25 (830) 931-0232.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **SAN ANTONIO APP/DEP CON** 118.05**RADIO AIDS TO NAVIGATION:** NOTAM FILE SAT.

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64'
W98°27.68' 221° 27.3 NM to fld. 1160/8E. HIWAS.

**CEDAR CREEK** N32°11.14' W96°13.09' NOTAM FILE FTW.**DALLAS—FT. WORTH**

(L) **VORTACW** 114.8 CQY Chan 95 218° 13.2 NM to C. David Campbell Fld-Corsicana Muni. H-6H, L-13C, 17D, A
400/6E.

CELINA**BISHOP'S LANDING** (T80) 5 NE UTC-6(-5DT) N33°22.64' W096°43.73'**DALLAS—FT. WORTH**

750 NOTAM FILE FTW

RWY 17-35: 1580X80 (TURF)

RWY 17: Pole.

AIRPORT REMARKS: Unattended.**COMMUNICATIONS:** CTAF 122.9

CENTER MUNI (F17) 3 NE UTC-6(-5DT) N31°49.96' W94°09.39'

319 B S6 FUEL 100LL, JET A+ NOTAM FILE CXO
 RWY 17-35: H5501X75 (ASPH) S-30 MIRL 0.5% up N

RWY 17: VASI(V4L)—GA 4.0° TCH 30'. Trees.

RWY 35: VASI(V4L)—GA 3.0° TCH 44'. Trees.

AIRPORT REMARKS: Attended 1200-2130Z. Deer on and in/ov rwy.
 +60' trees 300' left of Rwy 17 centerline.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.6 (MONTGOMERY COUNTY RADIO)

① **FORT WORTH CENTER APP/DEP CON** 126.325

RADIO AIDS TO NAVIGATION: NOTAM FILE DRI.

ELM GROVE (L) VORTAC 111.2 EMG Chan 49 N32°24.01'


W93°35.71' 213° 44.5 NM to fld. 160/7E. HIWAS.

AMASON NDB (MHW) 341 CZJ N31°49.97' W94°09.23' at fld.
 NOTAM FILE CXO.

HOUSTON

H-61, L-19E

IAP

**CENTER POINT** N29°55.34' W99°12.87' NOTAM FILE ERV.

(H) VORTAC 117.5 CSI Chan 122 056° 7.5 NM to Kerrville Muni/Louis Schreiner Fld. 2080/8E.

RCO 122.1R 117.5T (SAN ANGELO RADIO)

SAN ANTONIO

H-7B, L-19B

CENTEX N30°22.71' W97°31.79' NOTAM FILE AUS.

(H) VORTACW 112.8 CWK Chan 75 015° 12.5 NM to Taylor Muni. 593/6E.

SAN ANTONIO

H-7C, L-19C, 21A

CHAMBERS CO (See ANAHUAC)**CHAMBERS CO-WINNIE STOWELL** (See WINNIE/STOWELL)**CHAPARROSA RANCH** N28°54.60' W100°00.34' NOTAM FILE SJT.

NDB (MHW) 385 CPZ 132° 16.1 NM to Crystal City Muni.

SAN ANTONIO

L-19B

CHARLES R. JOHNSON (See PORT MANSFIELD)**CHEROKEE CO** (See JACKSONVILLE)**CHILDRESS MUNI** (CDS) 4 W UTC-6(-5DT) N34°26.03' W100°17.28'

1954 B FUEL 100LL, JET A NOTAM FILE CDS

RWY 17-35: H5949X75 (ASPH-PFC) S-21 MIRL (NSTD)

RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. Pole.

RWY 35: PAPI(P2L)—GA 3.0° TCH 40'.

RWY 04-22: H4425X60 (ASPH) S-21

AIRPORT REMARKS: Attended 1400-2300Z. For fuel after hours call 940-937-2546/2547. Rwy 04-22 not maintained, +2 ft vegetation on rwy. Rwy 17-35 NSTD MIRL. Rwy 35 thld lghts 60 ft south of rwy end. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 135.125 (940) 937-6337. HIWAS 117.6 CDS.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.45 (FORT WORTH RADIO)

FORT WORTH CENTER APP/DEP CON 133.5

AIRSPACE: CLASS E svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.


(L) VORTACW 117.6 CDS Chan 123 N34°22.14'

W100°17.34' 351° 3.9 NM to fld. 1920/10E. HIWAS.

DALLAS-FT. WORTH

H-6G, L-17B

IAP



CHINA SPRING**WILDCAT CANYON** (3T8) 4 NW UTC-6(-5DT) N31°40.73' W97°21.77'

SAN ANTONIO

660 NOTAM FILE FTW

RWY 15-33: 2450X60 (TURF)

RWY 15: Fence. RWY 33: Road.

AIRPORT REMARKS: Unattended. Livestock on and invof rwy. Rwy 15-33 edges marked with yellow cones at 260' spacing.

COMMUNICATIONS: CTAF 122.9

CISCO MUNI (3F2) 3 N UTC-6(-5DT) N32°25.01' W99°00.02'

DALLAS-FT. WORTH

L-17B

1612 B S4 NOTAM FILE FTW


RWY 17-35: H3700X60 (ASPH) S-12 MIRL

RWY 17: Tree. RWY 35: Brush.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'
W99°51.81' 085° 44.0 NM to fld. 1810/10E.**CITY-CO** (See GATESVILLE)**CITY OF TULIA-SWISHER CO MUNI** (See TULIA)**CLARENDON****SMILEY JOHNSON MUNI/ BASS FLD** (E34) 2 SE UTC-6(-5DT) N34°54.69' W100°52.16'

DALLAS-FT. WORTH

L-17A

2833 B NOTAM FILE FTW

RWY 01-19: H4496X60 (ASPH) S-17 MIRL

RWY 01: Brush. RWY 19: P-line.

AIRPORT REMARKS: Unattended. No line of sight between rwy ends. ACTIVATE rotating bcn and MIRL Rwy 01-19-122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.

CHILDRESS (L) VORTACW 117.6 CDS Chan 123 N34°22.14' W100°17.34' 309° 43.4 NM to fld. 1920/10E.
HIWAS.**CLARK FLD MUNI** (See STEPHENVILLE)**CLARKSVILLE/RED RIVER CO—J D TRISSELL FLD** (LBR) 3 SW UTC-6(-5DT)

DALLAS-FT. WORTH

L-17D

N33°35.59' W95°03.81'

440 B NOTAM FILE LBR

RWY 17-35: H3000X50 (ASPH) S-10 MIRL

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Attended irregularly. Airframe and power plant repairs available upon request.

WEATHER DATA SOURCES: AWOS-3 118.925 (903) 427-1367

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

SULPHUR SPRINGS (L) VORW/DME 109.0 SLR Chan 27 N33°11.91' W95°32.56' 037° 33.7 NM to fld.
508/8E.

CLEBURNE MUNI (CPT) 2 NW UTC-6(-5DT) N32°21.23' W97°26.03'

DALLAS-FT. WORTH

854 B S4 FUEL 100LL JET A NOTAM FILE CPT

H-6H, L-17C, A

RWY 15-33: H5697X100 (ASPH) S-30 MIRL

IAP

RWY 15: PAPI(P4L)—GA 3.0° TCH 39'. Thld dsplcd 185'. Tree. Rgt tfc.

RWY 33: Pole.

AIRPORT REMARKS: Attended 1400-2300Z±, Airframe repairs, no fabric or composite work. ACTIVATE MIRL Rwy 15-33 and PAPI

Rwy 15—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.525 (817) 641-4135.

COMMUNICATIONS: CTAF/UNICOM 122.8

⑧ RGNL APP/DEP CON 135.975


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

GLEN ROSE (L) VORTACW 115.0 JEN Chan 97 N32°09.58'

W97°52.65' 057° 25.4 NM to fld. 1300/6E.

ILS/DME 111.15 I-CPT Chan 48(Y) Rwy 15. LOC only.

LOC unmonitored.

**CLEVELAND MUNI** (6R3) 4 NE UTC-6(-5DT) N30°21.39' W95°00.48'

HOUSTON

150 B S2 FUEL 100LL NOTAM FILE CXO

L-19E, 21A

RWY 16-34: H4998X75 (ASPH) S-30 MIRL

IAP

RWY 16: PAPI(P4L)—GA 3.0° TCH 29'. Trees.

RWY 34: PAPI(P4L)—GA 3.0° TCH 34'. Trees.

AIRPORT REMARKS: Attended daigt hours. Airframe and powerplant repairs by prior arrangement. To access arpt security gate use UNICOM freq. +25' trees 260' west of centerline at thld.

ACTIVATE MIRL Rwy 16-34—CTAF.


COMMUNICATIONS: CTAF/UNICOM 123.0

⑧ HOUSTON APP/DEP CON 119.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

DAISETTA (H) VORTACW 116.9 DAS Chan 116 N30°11.38'

W94°38.70' 293° 21.3 NM to fld. 76/5E.

**CLIFTON MUNI/ISENHOWER FLD** (7F7) 2 N UTC-6(-5DT) N31°49.01' W97°34.02'

SAN ANTONIO

760 B S4 FUEL 100LL OX 3 NOTAM FILE FTW

L-19B, A

RWY 14-32: H3000X50 (ASPH) S-13 MIRL

RWY 14: PAPI(P2L)—GA 3.0° TCH 30'. Hill.

RWY 32: PAPI(P2R)—GA 3.0° TCH 30'. Thld dsplcd 140'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1500-2230Z±. Security Gate locked after hrs. For access contact 254-675-6620. For arpt attendant on Sat and Sun-call 254-675-8478, after hrs fee. Rwy 14 has water ponding at end of rwy after heavy rain. MIRL Rwy 14-32 preset low intensity, to increase instst ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

WACO (H) VORTACW 115.3 ACT Chan 100 N31°39.74' W97°16.14' 292° 17.8 NM to fld. 510/9E.

HIWAS.

CLUCK RANCH (See GRUVER)**COCHRAN CO** (See MORTON)**COFFI** N31°41.64' W97°12.23' NOTAM FILE ACT.

SAN ANTONIO

NDB (LOM) 358 AC 186° 4.5 NM to Waco Rgnl.

L-19D, A

COLLIN COUNTY REGIONAL AT MCKINNEY (See MCKINNEY)**COLEMAN MUNI** (COM) 2 NE UTC-6(-5DT) N31°50.47' W99°24.22'

SAN ANTONIO

1697 B S4 FUEL 100LL NOTAM FILE FTW

L-19B

RWY 15-33: H4503X75 (ASPH) S-12.5 MIRL 0.4% up NW

IAP


RWY 15: REIL. Road.

RWY 33: REIL. Trees.

AIRPORT REMARKS: Attended 1400-2300Z \ddagger . Employee lives on premises. Multiple 65' temporary cranes 1300' NW AER 15. REIL Rwy 15 OTS indef. REIL Rwy 33 OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8 UNICOM unmonitored indef.**FORT WORTH CENTER APP/DEP CON** 127.45**RADIO AIDS TO NAVIGATION:** NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88' W99°51.81' 138° 44.9 NM to fld. 1810/10E.

**COLLEGE STATION****EASTERWOOD FLD** (CLL) 3 SW UTC-6(-5DT) N30°35.32' W96°21.83'

HOUSTON

320 B S4 FUEL 100LL JET A Class I, ARFF Index A NOTAM FILE CLL

H-7C, L-19D, 21A

RWY 16-34: H7000X150 (ASPH-CONC-GRVD) S-70, D-90, DT-150 HIRL

IAP, AD

RWY 16: VASI(V4R)—GA 3.0° TCH 51'. Tree. RWY 34: MALSR.

RWY 10-28: H5159X150 (ASPH-GRVD) S-27, D-50, DT-87 MIRL

RWY 10: VASI(V4L)—GA 3.0° TCH 50'. Tree.

RWY 28: REIL. VASI(V4L)—GA 3.0° TCH 54'. Tree.

RWY 04-22: H5149X150 (CONC) S-27, D-50, DT-87

RWY 04: Tree.

RWY 22: Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-5149 TODA-5149 ASDA-5149 LDA-5149

RWY 22: TORA-5149 TODA-5149 ASDA-5149 LDA-5149

RWY 10: TORA-5159 TODA-5159 ASDA-5159 LDA-5159

RWY 28: TORA-5159 TODA-5159 ASDA-5159 LDA-5159

RWY 16: TORA-7000 TODA-7000 ASDA-7000 LDA-7000

RWY 34: TORA-7000 TODA-7000 ASDA-7000 LDA-7000

AIRPORT REMARKS: Attended 1200-0400Z \ddagger . For fuel after hours PPR

call 979-845-4811 or ctc Texas A and M University police

979-845-2345; late ngt fee. Twy H clsd south of Rwy 10-28

indef. Rwy 10-28 safety area reduced to 400'. CLOSED to

unscheduled air carrier ops with more than 30 passenger seats

except 24 hours PPR call arpt manager 979-845-4811. Rwy 04-22 day VFR ops only. Itinerant acft park in front

of twr, overnight parking fee. Ldg fee scheduled FAR 135 and all FAR 121 ops. Rwy 04-22 and Twy E S of Rwy

10-28 not avbl for air carrier acft with over 30 passenger seats. Rwy 16-34 first 1850' Rwy 34 conc. PAEW

adjacent all twys 1200-2200Z \ddagger . When twr clsd ACTIVATE HIRL Rwy 16-34 and MALSR Rwy 34—CTAF. MIRL Rwy


10-28 and REIL Rwy 28 preset low ints only.

WEATHER DATA SOURCES: ASOS (979) 846-1708. HIWAS 113.3 CLL.**COMMUNICATIONS:** CTAF 118.5 ATIS 126.85 UNICOM 122.95**COLLEGE STATION RCO** 122.65 122.2 (MONTGOMERY COUNTY RADIO).® **HOUSTON CENTER APP/DEP CON** 120.4**TOWER** 118.5 (1400-0300Z \ddagger) **GND CON** 128.7**AIRSPACE:** CLASS D svc 1400-0300Z \ddagger other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CLL.

COLLEGE STATION (L) VORTACW 113.3 CLL Chan 80 N30°36.30' W96°25.24' 100° 3.1 NM to fld. 275/8E. HIWAS.

ROWDY NDB (LOM) 260 CL N30°29.62' W96°20.26' 341° 5.8 NM to fld.

ILS/DME 111.7 I-CLL Chan 54 Rwy 34. Class IB. LOM ROWDY NDB. ILS unmonitored when twr closed. DME unmonitored. GS unusable for coupled apchs blo 1050' MSL. GS OTS indef.




COLLEGE STATION N30°36.30' W96°25.24' NOTAM FILE CLL. **HOUSTON**
 (L) VORTACW 113.3 CLL Chan 80 100° 3.1 NM to Easterwood fld. 275/08E. HIWAS. H-7C, L-19D, 21A
 DME unusable:
 101°-130° byd 25 NM blo 2,500' 149°-160° byd 30 NM blo 2,000'
 131°-148° byd 30 NM blo 2,500' 325°-349° byd 30 NM blo 2,500'
 350°-100° byd 25 NM blo 3,500'.
 RC0 122.65 122.2 (MONTGOMERY COUNTY RADIO)

COLLINSVILLE

SUDDEN STOP (T32) 1 NE UTC-6(-5DT) N33°34.29' W96°54.43' **DALLAS-FT. WORTH**
 720 NOTAM FILE FTW
 RWY 17-35: 1550X60 (TURF)
 RWY 17: P-line. RWY 35: Road.
AIRPORT REMARKS: Attended continuously. Student training prohibited.
COMMUNICATIONS: CTAF 122.9

COLORADO CITY (T88) 6 NW UTC-6(-5DT) N32°28.11' W100°55.27' **DALLAS-FT. WORTH**
 2214 B NOTAM FILE FTW **H-6G, L-17A**
 RWY 17-35: H5420X60 (ASPH) S-50 LIRL
 RWY 35: Tree.
AIRPORT REMARKS: Attended irregularly. Rwy 17-35 pavement from Rwy 35 thld lgts southward used as a twy and not maintained.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.
BIG SPRING (L) VORTACW 114.3 BGS Chan 90 N32°23.14' W101°29.02' 069° 29.0 NM to fld. 2670/11E.

**COLUMBUS**

ROBERT R. WELLS JR (66R) 3 S UTC-6(-5DT) N29°38.46' W96°30.95' **HOUSTON**
 242 B FUEL 100LL, JET A NOTAM FILE CXO **L-19D, 21A**
 RWY 15-33: H3800X60 (ASPH) S-12.5 MIRL
 RWY 15: REIL. PAPI(P2L). Thld displcd 305'. Fence. RWY 33: REIL. PAPI(P2L). Thld displcd 177'. Brush.
AIRPORT REMARKS: Attended Mon-Sat 1330-1700Z+. For fuel after hrs call 409-732-6249 or page 1-800-604-9075. Rotating bcn OTS indef. Rwy 33 REIL OTS indef. ACTIVATE MIRL Rwy 15-33-CTAF.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
INDUSTRY (L) VORTACW 110.2 IDU Chan 39 N29°57.36' W96°33.73' 165° 19.0 NM to fld. 419/8E.

COMANCHE CO-CITY (MKN) 2 NE UTC-6(-5DT) N31°55.22' W98°35.95'

SAN ANTONIO

1385 B FUEL 100LL, JET A NOTAM FILE MKN

L-19C

RWY 17-35: H4500X75 (ASPH) S-12.5 MIRL

IAP

RWY 17: PAPI(P2L)—GA 4.0° TCH 33'.

RWY 35: PAPI(P2L)—GA 4.0° TCH 35'. Tree. Rgt tfc.


AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with major credit card. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—122.8.

WEATHER DATA SOURCES: AWOS-3 118.575 (325) 356-7032.**COMMUNICATIONS:** CTAF/UNICOM 123.075

FORT WORTH CENTER APP/DEP CON 135.375

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

LAMPASAS (H) VORTACW 112.5 LZZ Chan 72 N31°11.13'
W98°08.51' 324° 49.9 NM to fld. 1290/8E.

**COMMERCE MUNI** (2F7) 3 N UTC-6(-5DT) N33°17.57' W95°53.79'

DALLAS-FT. WORTH

515 B FUEL 100LL NOTAM FILE MKN

L-17D

RWY 18-36: H3909X60 (ASPH) S-13 MIRL

IAP

RWY 18: Road. RWY 36: Tree.


AIRPORT REMARKS: Unattended. Fuel service avbl with major credit card only. PAEW on arpt. South twy clsd indef.

COMMUNICATIONS: CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 127.6

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

SULPHUR SPRINGS (L) VORW/DME 109.0 SLR Chan 27
N33°11.91' W95°32.56' 280° 18.7 NM to fld. 508/8E.

**CONIS** N32°46.49' W96°46.52' NOTAM FILE DAL.

DALLAS-FT WORTH

NDB (LOM) 275 LV 312° 5.8 NM to Dallas Love Fld.

CONWAY**EAGLES AERODROME** (55T) 2 W UTC-6(-5DT) N35°12.94' W101°24.65'

DALLAS-FORT WORTH

3475 S1 NOTAM FILE FTW

RWY 17-35: H5000X80 (TURF) LIRL (NSTD)

RWY 35: Road.

AIRPORT REMARKS: Attended continuously. Rwy 17-35 surface rough. NSTD LIRL, only center 3500' lgtd. Arpt lgts opr dusk-0700Z+.

COMMUNICATIONS: CTAF/UNICOM 122.8

CORPUS CHRISTI INTL (CRP) 5 W UTC-6(-5DT) N27°46.22' W97°30.07'**BROWNSVILLE**

44 B S4 FUEL 100LL, JET A OX 1, 3 LRA Class I, ARFF Index C

H-7C, L-20H, 21A

NOTAM FILE CRP

IAP, AD

RWY 13-31: H7508X150 (ASPH-GRVD) S-150, D-170, ST-175, DT-245 HIRL**RWY 13:** MALSR. PAPI(P4L)—GA 3.0° TCH 51'. Pole. Rgt tfc.**RWY 31:** MALSR. PAPI(P4L)—GA 3.0° TCH 54'.**RWY 17-35:** H6080X150 (ASPH-GRVD) S-150, D-170, ST-175, DT-245 HIRL**RWY 17:** ODALS. PAPI(P4L)—GA 3.0° TCH 52'. Pole.**RWY 35:** MALSR. Rgt tfc.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 13:** TORA-7508 TODA-7508 ASDA-7508 LDA-7508**RWY 31:** TORA-7508 TODA-7508 ASDA-7508 LDA-7508**RWY 17:** TORA-6080 TODA-6080 ASDA-6080 LDA-6080**RWY 35:** TORA-6080 TODA-6080 ASDA-6080 LDA-6080**AIRPORT REMARKS:** Attended Mon-Fri 1000-0630Z†, Sat

1000-0500Z†, Sun 1030-0630Z†. For svc after hrs call

361-438-1190. Birds on and in vof arpt year round. Cabaniss Fld

located 5 miles southeast of arpt may be mistaken for Corpus

Christi Intl arpt. VFR tfc may be operating in the Cabaniss Fld tfc

pattern. Cuddihy Fld (clsd arpt) is located 4 miles south of arpt

may be mistaken for Corpus Christi Intl arpt. Rwy 35 runway visual range touchdown avbl. Twr will provide

progressive assistance. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (361) 289-0191. HIWAS 115.5 CRP.**COMMUNICATIONS:** ATIS 126.8 UNICOM 122.95

RCO 122.65 (SAN ANGELO RADIO)


Ⓡ **APP CON** 120.9 (Rwy 31-Rwy 35/270°-045°) 120.9 (Rwy 13-Rwy 17/340°-045°) 124.8 (Rwy 31-Rwy 35/150°-269°) 124.8 (Rwy 13-Rwy 17/150°-339°) 125.4 (046°-149°)

TOWER 119.4 **GND CON** 121.9 **CLNC DEL** 118.55

Ⓡ **DEP CON** 120.9 (Rwy 31-Rwy 35/270°-045°) 120.9 (Rwy 13-Rwy 17/340°-045°) 124.8 (Rwy 31-Rwy 35/150°-269°) 124.8 (Rwy 13-Rwy 17/150°-339°)

AIRSPACE: CLASS C svc continuous etc **APP CON****RADIO AIDS TO NAVIGATION:** NOTAM FILE CRP.(H) **VORTACW** 115.5 CRP Chan 102 N27°54.23' W97°26.69' 192° 8.5 NM to fld. 60/9E. **HIWAS.**

DME unusable byd 35 NM below 2,000'. TACAN azimuth unusable 024°-036° byd 35 NM blo 1,700'. TACAN azimuth unusable 037°-023° byd 35 NM blo 2,000'.

ILS/DME 109.5 I-OYC Chan 32 Rwy 35. Class IB. LOC unusable inside 1.6 DME.**ILS/DME** 110.3 I-CRP Chan 40 Rwy 13.**ILS/DME** 110.3 I-EKI Chan 40 Rwy 31. LOC only.

CORPUS CHRISTI NAS (TRUAX FLD) (NGP)(KNGP) NAS (A CG) 6 SE UTC-6(-5DT)**BROWNSVILLE**

N27°41.56' W97°17.42'

H-7C, L-20H, 21A

18 B NOTAM FILE SJT Not insp.

DIAP, AD

RWY 13R-31L: H8002X200 (PEM) PCN 55 R/C/W/T HIRL

RWY 13R: SALS. REIL. Rgt tfc. RWY 31L: REIL.

RWY 04-22: H5004X196 (ASPH) PCN 33 F/B/W/T HIRL

RWY 22: Rgt tfc.

RWY 17-35: H5003X196 (ASPH) PCN 41 F/B/W/T HIRL

RWY 17: Rgt tfc.

RWY 13L-31R: H5000X196 (ASPH) T-140, ST-175, SBT-542, TT-327, TDT-840, TRT-585 PCN 47 F/B/W/T HIRL

RWY 31R: Rgt tfc.

MILITARY SERVICE: LGT When twr closed **ACTIVATE**—3-step apch lgt Rwy 13R, HIRL Rwy 13R-31L and Rwy 04-22—134.85.**JASU** 2(GTC-85) 1(NCNP-105) 2(NC-8) 1(A/U47A-5) 1(NC-10C) 1(AM32A-108). **FUEL** J5 **FLUID** SP PRESAIR LOX LHOXRB **OIL** O-128-156**TRAN ALERT** Svc avbl during ops hrs 1300-0500Z. Tran acft expect delays due limited refueling/svc.

Maintenance extremely limited during non-work hr.

MILITARY REMARKS: Opr Mon-Thu 1300-0400Z, Fri 1300-0200Z, Sat CLOSED, if Mon holiday, Sun CLOSED, Mon 0000-0400Z, during DT Mon-Thu 1200-0400Z, Fri 1200-0100Z, Sat CLOSED, Sun 0000-0400Z; if Mon holiday, Sun CLOSED, Mon 0000-0400Z.) other times check NOTAM. No clsd fld ops 1 hr prior to schedule fld opening, except for USCG, Search and Rescue, and U.S. Custom Service law enforcement. **RSTD** Refueling/tran alert arrangements strongly recommended for all acft to avoid extensive servicing/turnaround delays or parking in high foreign object damage risk areas. PPR all tran acft, DSN 861-2505/2506, C361-961-2505/2506. Clsd Fld Ops prohibited Mon-Fri 1100-1200Z due to afld preparation. Mission critical or other event req ctc Base Ops C361-961-2505/2506/2507, DSN 861-2505/2506/2507 for approval. **CAUTION** High mid-air potential, extreme vigilance rqr. Exercise extreme caution vicinity Waldron Fld NALF located 3 NM S. Bird activity/Bird Aircraft Strike Hazard—See AP-1. See AP-1. Extensive rotary wing test opr conducted Mon-Fri from 5 NM S of the Port of Aransas to 2 NM N of Truax NDB to 1200'. Numerous birds vicinity afld. If equipped, all acft shall utilize UHF ATC frequencies unless assigned VHF. **TFC PAT** All tfc use ldg or taxi lgt while in arpt tfc area. Tran acft expect apch to full stop ldg only when single rwy ops are being conducted, practice apch not authorized. Non-CNATRA tran acft expect one apch to full stop ldg or departure when parallel rwy ops. **CSTMS/AG/IMG** CSTMS, IMG avbl for acft arriving from overseas, plan arrival from between 1400-2100Z. Pilots rqr to provide Identia-Plate number to Inspector for billing. A Avoid fit over populated areas blo 1000' AGL prior to Gulf shore line. Rotary wing acft destined for Corpus Christi Army Depot turn in will remain at least ¼ NM off shore and 500' prior to ctc Navy Corpus Twr. PPR all CCAD tran acft. Turn in will only be accepted during normal duty hr, Mon-Fri 1300-2300Z. All rotary wing and fixed wing acft ldg/taxiing to seawall PPR DSN 861-2006/2007, C361-961-2006/2007. Rotary wing acft make apch to helipad adjacent Hangar 46, ctc Army OPS, X-ray Charlie 49.70, 139.2, 386.6 prior to taxi on Corpus Christi Army Depot ramp. POC Aviation Division, Hangar 44. Avoid overfl of building S of ramp area and ammo dump E of containment area. Tran and parts pickup acft park/fuel at Navy tran ramp (Separate PPR), DSN 861-2505, C361-961-2505. All acft with weapons arriving Corpus Christi Army Depot after normal duty hr notify Corpus Christi Army Depot Security DSN 861-3314, C361-961-3314. Major maintenance avbl. Loading/unloading of air cargo—military/civilian designated for Corpus Christi Army Depot will be scheduled for daylight hr only. During times of national emergency exceptions approved by Director, Supply Corpus Christi Army Depot DSN 861-2557, C361-961-2557. **CG** Search and Rescue unit opr continuously. **MISC** Clsd fld ops: Departing IFR acft shall obtain an IFR clearance and release from San Angelo FSS prior to txf when the fld is IFR via ground link or landline 1-800-WX-BRIEF. If the fld is VFR, a VFR departure is authorized. Key mike quickly 2 times for San Angelo FSS on ground link system. Rwy 13L-31R CLSD Sun 1200-1600Z, Rwy 13R-31L CLSD Mon and Tue 1200-1400Z for sweeper ops.

WEATHER DATA SOURCES: HIWAS 115.5 CRP**COMMUNICATIONS:** ATIS 114.0 127.9 290.9 (Mon-Thu 1300-0400Z, Fri 1300-0200Z, Sat clsd, Sun 0000-0400Z, if Mon holiday, Sun clsd, Mon 0000-0400Z) (during DT Mon-Thu 1200-0400Z, Fri 1200-0100Z, Sat clsd, Sun 0000-0400Z, if Mon holiday, Sun clsd, Mon 0000-0400Z, other times check NOTAM.)**APP CON** 120.9 125.4 307.9 348.725**DEP CON** 125.4 307.9 (120.9 348.725 Rwy 04 13L/R 17, 125.4 307.9 Rwy 22 31L/R 35)**NAVY CORPUS TOWER** 134.85 340.2 (North) 125.525 360.2 (South) (Mon-Thu 1300-0400Z, Fri 1300-0200Z, CLOSED Sat, Sun and holidays. Daltg time (Mon-Thu 1200-0400Z, Fri 1200-0100Z) CLOSED Sat, Sun and holidays, other times check NOTAM)**NAVY CORPUS GND CON** 118.7 257.85 **NAVY CORPUS CLNC DEL** 314.3 **BASE OPS** 346.65 7965 **AIR** 381.8X 3123X 5696X 8984X 11201X **PMSV METRO** 343.5 (Mon-Fri 1200-0400Z, Sun 2200-0400Z.) (Radar weather advisory svc.)**AIRSPACE: CLASS D** svc Mon-Thu 1300-0400Z, Fri 1300-0200Z, Sat clsd, Sun 0000-0400Z, if Mon holiday, Sun clsd, Mon 0000-0400Z, (during DT Mon-Thu 1200-0400Z, Fri 1200-0100Z, clsd Sat, Sun 0000-0400Z, if Mon holiday, Sun clsd, Mon 0000-0400Z). Other times check NOTAMS. Other times CLASS E.**CONTINUED ON NEXT PAGE**

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

TRUAX (L) VORTAC 114.0 NGP Chan 87 N27°41.18' W97°17.68' at fld. 17/6E.

TACAN unusable byd 35 NM blo 1,000'. VOR portion unusable 012°-020°, 200°-220°.

(H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 138° 15.1 NM to fld. 60/9E. HIWAS.

TACAN unusable 024°-036° byd 35 NM blo 1,700'. 037°-023° byd 35 NM blo 2,000'.

ILS 111.3 I-NGP Rwy 13R. Glide Slope unusable byd 4.0° right side of course and byd 6.0° left side of course. GS unusable within .2 NM of thld blo 150' MSL.

ASR/PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

CORSICANA N32°01.71' W96°23.68' NOTAM FILE CRS.

NDB (MHW) 396 CRS at C. David Campbell Fld - Corsicana Muni. Unmonitored.

DALLAS-FT. WORTH

A

CORSICANA

C. DAVID CAMPBELL FLD-CORSICANA MUNI (CRS) 5 SE UTC-6(-5DT)

DALLAS-FT. WORTH

H-6H, L-19D, A

IAP

N32°01.68' W96°24.04'

449 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE CRS

RWY 14-32: H5004X75 (ASPH) S-26 MIRL 0.3% up NW

RWY 14: REIL. VASI(V4R)—GA 3.0° TCH 26.' Road.

RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RWY 02-20: 3200X75 (TURF) 0.3% up NE

RWY 02: Tree. RWY 20: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†, Sun 1600-2100Z. For fuel after hours call 903-654-4847 or 903-326-7451. Rwy 14-32 has 4"-6" drop-off at edge of pavement along both sides. Rwy 14-32 6"-12" conc boxes exposed at rwy light fixtures. Rwy 14-32 parallel twy has 4"-6" drop-off along full length of both sides. MIRL Rwy 14-32 preset med ints to increase ints and ACTIVATE VASI Rwy 14 and PAPI Rwy 32—CTAF.

WEATHER DATA SOURCES: ASOS 120.675 (903) 872-9321.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 135.25

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14'


W96°13.09' 219° 13.3 NM to fld. 400/6E.

CORSICANA NDB (MHW) 396 CRS N32°01.71' W96°23.68'

at fld. Unmonitored. NOTAM FILE CRS.

POWELL NDB (MHW) 344 CGQ N32°03.85' W96°25.58'

143° 2.5 NM to fld. NOTAM FILE CRS. Unmonitored.



COTULLA-LA SALLE CO (COT) 1 NE UTC-6(-5DT) N28°27.40' W99°13.10'

SAN ANTONIO

474 B S3 FUEL 100LL, JET A OX 3 TPA-1474(1000) NOTAM FILE COT

H-7B, L-20G

RWY 13-31: H5005X75 (ASPH) S-25 MIRL 0.5% up NW

IAP

RWY 13: PAPI(P2L)—GA 3.0° TCH 20'.

RWY 31: PAPI(P2L)—GA 3.0° TCH 20'. Rgt tfc.

AIRPORT REMARKS: Attended 1500-0000Z†. Arpt unattended Easter, Christmas and Thanksgiving. Fuel and svc avbl on call after hours 830-879-3858. Occasional military acft operations on and invov arpt. Ramp fee waived with minimum fuel purchase. MIRL Rwy 13-31 preset low ints, to incr ints ACTIVATE—CTAF. Landing fee.

WEATHER DATA SOURCES: ASOS 118.32 (830) 879-2861. HIWAS 115.8 COT.

COMMUNICATIONS: CTAF/UNICOM 122.7


RCO 122.2 (SAN ANGELO RADIO)

® HOUSTON CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE COT.

(L) VORTACW 115.8 COT Chan 105 N28°27.72'

W99°07.11' 258° 5.3 NM to fld. 520/9E. HIWAS.



COULTER FLD (See BRYAN)

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

TRUAX (L) VORTAC 114.0 NGP Chan 87 N27°41.18' W97°17.68' at fld. 17/6E.

TACAN unusable byd 35 NM blo 1,000'. VOR portion unusable 012°-020°, 200°-220°.

(H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 138° 15.1 NM to fld. 60/9E. HIWAS.

TACAN unusable 024°-036° byd 35 NM blo 1,700'. 037°-023° byd 35 NM blo 2,000'.

ILS 111.3 I-NGP Rwy 13R. Glide Slope unusable byd 4.0° right side of course and byd 6.0° left side of course. GS unusable within .2 NM of thld blo 150' MSL.

ASR/PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

CORSICANA N32°01.71' W96°23.68' NOTAM FILE CRS.

DALLAS-FT. WORTH

NDB (MHW) 396 CRS at C. David Campbell Fld - Corsicana Muni. Unmonitored.

A

CORSICANA

C. DAVID CAMPBELL FLD-CORSICANA MUNI (CRS) 5 SE UTC-6(-5DT)

DALLAS-FT. WORTH

H-6H, L-19D, A

IAP

N32°01.68' W96°24.04'

449 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE CRS

RWY 14-32: H5004X75 (ASPH) S-26 MIRL 0.3% up NW

RWY 14: REIL. VASI(V4R)—GA 3.0° TCH 26.' Road.

RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RWY 02-20: 3200X75 (TURF) 0.3% up NE

RWY 02: Tree. RWY 20: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†, Sun 1600-2100Z. For fuel after hours call 903-654-4847 or 903-326-7451. Rwy 14-32 has 4"-6" drop-off at edge of pavement along both sides. Rwy 14-32 6"-12" conc boxes exposed at rwy light fixtures. Rwy 14-32 parallel twy has 4"-6" drop-off along full length of both sides. MIRL Rwy 14-32 preset med ints to increase ints and ACTIVATE VASI Rwy 14 and PAPI Rwy 32—CTAF.

WEATHER DATA SOURCES: ASOS 120.675 (903) 872-9321.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 135.25

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14'


W96°13.09' 219° 13.3 NM to fld. 400/6E.

CORSICANA NDB (MHW) 396 CRS N32°01.71' W96°23.68'

at fld. Unmonitored. NOTAM FILE CRS.

POWELL NDB (MHW) 344 CGQ N32°03.85' W96°25.58'

143° 2.5 NM to fld. NOTAM FILE CRS. Unmonitored.



COTULLA-LA SALLE CO (COT) 1 NE UTC-6(-5DT) N28°27.40' W99°13.10'

SAN ANTONIO

474 B S3 FUEL 100LL, JET A OX 3 TPA-1474(1000) NOTAM FILE COT

H-7B, L-20G

RWY 13-31: H5005X75 (ASPH) S-25 MIRL 0.5% up NW

IAP

RWY 13: PAPI(P2L)—GA 3.0° TCH 20'.

RWY 31: PAPI(P2L)—GA 3.0° TCH 20'. Rgt tfc.

AIRPORT REMARKS: Attended 1500-0000Z†. Arpt unattended Easter, Christmas and Thanksgiving. Fuel and svc avbl on call after hours 830-879-3858. Occasional military acft operations on and invov arpt. Ramp fee waived with minimum fuel purchase. MIRL Rwy 13-31 preset low ints, to incr ints ACTIVATE—CTAF. Landing fee.

WEATHER DATA SOURCES: ASOS 118.32 (830) 879-2861. HIWAS 115.8 COT.

COMMUNICATIONS: CTAF/UNICOM 122.7


RCO 122.2 (SAN ANGELO RADIO)

® HOUSTON CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE COT.

(L) VORTACW 115.8 COT Chan 105 N28°27.72'

W99°07.11' 258° 5.3 NM to fld. 520/9E. HIWAS.



COULTER FLD (See BRYAN)

COVEY TRAILS (See FULSHEAR)

COWBOY N32°53.42' W96°54.24' NOTAM FILE FTW.
(H) VORW/DME 116.2 CVE Chan 109 128° 3.7 NM to Dallas Love Fld. 450/6E.

DALLAS–FT WORTH
COPTER
H–6H, L–17C, A

COX FIELD (See PARIS)

CRANE CO (E13) 1 NW UTC–6(–5DT) N31°24.91' W102°21.78'

SAN ANTONIO
L–19A

2552 B FUEL 100LL TPA—3352(800) NOTAM FILE SJT

RWY 12–30: H4145X70 (ASPH) LIRL

RWY 12: VASI(V2L). RWY 30: Thld dsplcd 449'. P-line.

RWY 15–33: H3395X50 (ASPH)

RWY 15: Tower. RWY 33: Thld dsplcd 176'. P-line.

RWY 08–26: H2290X50 (GRVL)

RWY 08: Brush. RWY 26: P-line.

AIRPORT REMARKS: Unattended. For fuel call 432–558–3572. Rotating bcn OTS indef. LIRL Rwy 12–30 OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.

MIDLAND (L) VORTACW 114.8 MAF Chan 95 N32°00.56' W102°11.42' 183° 36.7 NM to fld. 2860/11E.

CREED N30°05.38' W97°40.56' NOTAM FILE BSM.

SAN ANTONIO

NDB (LOM) 255 BS 353° 6.4 NM to Austin–Bergstrom Intl.

CROCKETT

HOUSTON CO (DKR) 3 SE UTC–6(–5DT) N31°18.42' W95°24.23'

HOUSTON
L–19D, 21A
IAP

348 B NOTAM FILE DKR

RWY 02–20: H4000X75 (ASPH) S–12 MIRL 0.5% up NE

RWY 02: PAPI(P2L)—GA 3.0° TCH 35'. Trees. RWY 20: PAPI(P2L)—GA 3.0° TCH 35'. Trees.

AIRPORT REMARKS: Unattended. PAEW on Rwy 02–20 Rotating bcn OTS indef. Twy A, Twy B and ramp clsd indef.

ACTIVATE MIRL Rwy 02–20—123.5.

WEATHER DATA SOURCES: AWOS–3 118.775 (936) 545–8510. Ceiling unavbl.

COMMUNICATIONS: CTAF 122.9

HOUSTON CENTER APP/DEP CON 134.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

LEONA (L) VORTACW 110.8 LOA Chan 45 N31°07.44' W95°58.08' 061° 31.0 NM to fld. 350/8E.

CROSBYTON MUNI (8F3) 2 S UTC–6(–5DT) N33°37.43' W101°14.45'

DALLAS–FT. WORTH
L–17A
IAP

3018 B FUEL 100LL NOTAM FILE FTW

RWY 17–35: H3600X60 (ASPH) S–12 MIRL

RWY 17: VASI(V2L). P-line.

RWY 35: VASI(V2L)—GA 4.0° TCH 23'. Trees.

AIRPORT REMARKS: Unattended. Rwy 17 VASI OTS indefinitely. Rwy 35

VASI OTS indefinitely. Rotating bcn OTS indef. Windsock OTS

indef. For rwy lights key 122.8 3 times, operates on step 1 only.

COMMUNICATIONS: CTAF/UNICOM 122.8

® LUBBOCK APP/DEP CON 119.2


RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.

LUBBOCK (L) VORTACW 109.2 LBB Chan 29 N33°42.30'

W101°54.84' 087° 34.1 NM to fld. 3310/11E. HIWAS.

NDB (MHW) 332 CZX N33°37.45' W101°14.33' at fld.

NOTAM FILE FTW.



CRYSTAL CITY MUNI (2ØR) 1 NE UTC-6(-5DT) N28°41.87' W99°49.07'

SAN ANTONIO

608 B FUEL 100LL NOTAM FILE SJT

L-206

RWY 13-31: H3550X100 (ASPH) S-21 MIRL

RWY 13: Tree. RWY 31: P-line.

AIRPORT REMARKS: Unattended. Rwy 13-31 apron and twy block cracked with grass and loose grvl. Rotating bcn OTS indef. MIRL Rwy 13-31 OTS indef. ACTIVATE MIRL Rwy 13-31—123.5.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE COT.

COTULLA (L) VORTACW 115.8 COT Chan 105 N28°27.72' W99°07.11' 282° 39.5 NM to fld. 520/9E.
HIWAS.

CUERO MUNI (T71) 1 E UTC-6(-5DT) N29°05.02' W97°16.02'

SAN ANTONIO

214 B NOTAM FILE CXO

L-19C, 21A

RWY 14-32: H2800X60 (ASPH) S-11 LIRL (NSTD)

RWY 14: Thld dsplcd 243'. Pole. RWY 32: Thld dsplcd 192'. Tree.

AIRPORT REMARKS: Attended irregularly. Deer or wild hogs on and invof arpt. Rwy 14-32 has cracks and slight grass encroachment in pavement. Rwy 32 thld dsplcd 202' at ngt. Rwy 14-32 NSTD LIRL. NSTD thld lgts, 1 red and 1 red/green on each side.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE PSX.

PALACIOS (H) VORTACW 117.3 PSX Chan 120 N28°45.87' W96°18.37' 283° 54.1 NM to fld. 6/8E.
HIWAS.

CULBERSON CO (See VAN HORN)**CURTIS FLD** (See BRADY)**CYPRESS RIVER** (See JEFFERSON)**DAINGERFIELD****GREATER MORRIS CO** (8F5) 7 N UTC-6(-5DT) N33°07.61' W94°41.93'

MEMPHIS

402 NOTAM FILE FTW

L-17D


RWY 17-35: H3080X50 (ASPH) S-4

RWY 17: Thld dsplcd 80'. Tree.

AIRPORT REMARKS: Unattended. Rwy 17-35 has loose gravel and grass.
Wind sock missing.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

QUITMAN (L) VORW/DME 114.0 UIM Chan 87 N32°52.82'
W95°22.01' 058° 36.8 NM to fld. 520/8E.

**DAISETTA** N30°11.38' W94°38.70' NOTAM FILE CXO.

HOUSTON

(H) VORTACW 116.9 DAS Chan 116 198° 7.3 NM to Liberty Muni. 76/5E.

H-7C, L-19E, 21A

Unusable beyond 35 NM below 1600'.

DALHART MUNI (DHT) 3 SW UTC-6(-5DT) N36°01.36' W102°32.84'

3991 B S4 FUEL 100LL, JET A1 OX 1 TPA-4991(1000) NOTAM FILE DHT

RWY 17-35: H6400X75 (ASPH) S-20, D-30 MIRL

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 25'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 39'.

RWY 03-21: H5669X75 (ASPH) S-30 MIRL

RWY 21: Thld dsplcd 224'.

AIRPORT REMARKS: Attended dawn-dusk. For fuel after hours call 806-249-4490. Large flocks of waterfowl invof Lake Rita Blanca 2 miles E during fall. Twy A clsd indef. Twy B clsd indef. MIRL Rwy 03-21 and Rwy 17-35 preset low ints, to increase ints and ACTIVATE PAPI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 134.075 (806) 249-5671. HIWAS 112.0 DHT.


COMMUNICATIONS: CTAF/UNICOM 122.95

RCO 122.2 (FORT WORTH RADIO)

Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85

RADIO AIDS TO NAVIGATION: NOTAM FILE DHT.

(L) VORTACW 112.0 DHT Chan 57 N36°05.49' W102°32.68' 170° 4.1 NM to fld. 4020/12E. HIWAS.



WICHITA

H-66, L-15B

IAP

DALLAS

ADDISON (ADS) 9 N UTC-6(-5DT) N32°58.11' W96°50.19'

644 B S4 FUEL 100LL, JET A OX 2 TPA—See Remarks LRA NOTAM FILE ADS

RWY 15-33: H7202X100 (ASPH-GRVD) S-80, D-100, ST-127, DT-160 MIRL

RWY 15: MALSR. VASI(V4R)—GA 3.0° TCH 51'. Thld dsplcd 979'. Ground.

RWY 33: REIL. Thld dsplcd 771'. Road.

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Rwy limited to maximum gross weight 120,000 pounds. Safety areas at both rwy ends NSTD. No touch and go landings without arpt managers approval. Numerous 200' buildings within 1 mile East, and South of arpt, transmission towers and water tanks West of arpt. TPA-1600 (956) for light acft, 2000 (1356) for large acft. ACTIVATE MIRL Rwy 15-33 and MALSR Rwy 15—CTAF. When twr clsd MIRL Rwy 15-33 preset med ints only. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: AWOS-3 (972) 386-4855. LAWRS.

COMMUNICATIONS: CTAF 126.0 ATIS 133.4 (972) 628-2439.

UNICOM 122.95

Ⓡ **RGNL APP/DEP CON** 124.3

TOWER 126.0 (1200-0400Z±) GND CON 121.6 CLNC DEL 119.55

AIRSPACE: CLASS D svc 1200-0400Z± other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15'

W97°02.43' 54° 11.9 NM to fld. 540/6E.

ILS/DME 110.1 I-ADS Chan 38 Rwy 15. Unmonitored when twr clsd.

ILS/DME 110.1 I-TBQ Chan 38 Rwy 33. Class IB. Unmonitored when twr clsd.



DALLAS-FT. WORTH

COPTER

H-6H, L-17C, A

IAP, AD

AIR PARK-DALLAS (F69) 16 NE UTC-6(-5DT) N33°01.41' W96°50.22'

695 S4 FUEL 100LL TPA-1890(1195) NOTAM FILE FTW

RWY 16-34: H3080X30 (ASPH) LIRL (NSTD)

RWY 16: Thld dsplcd 300'. Building. RWY 34: Tree. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. For fuel call 972-248-4265 prior to arrival. Rwy 16-34 NSTD LIRL, south 2780' of rwy lgtd. Rwy 16 and Rwy 34 numbers 25' tall, NSTD thld and centerline markings. School located just north of airfield. ACTIVATE LIRL Rwy 16-34—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15' W97°02.43' 042° 13.8 NM to fld. 540/6E.

DALLAS-FT. WORTH

COPTER

L-17C, A

AIRPARK EAST (1F7) 23 E UTC-6(-5DT) N32°48.84' W96°21.13'

DALLAS-FT WORTH

510 B S2 FUEL 100LL

COPTER

RWY 13-31: H2630X30 (ASPH) LIRL

RWY 13: Trees. Rgt tfc. RWY 31: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. ACTIVATE LIRL Rwy 13-31-122.9.

COMMUNICATIONS: CTAF/UNICOM 122.7

DALLAS CBD VERTIPORT HELIPORT (49T) 0 N UTC-6(-5DT) N32°46.40' W96°48.02'

DALLAS-FT WORTH

480 B NOTAM FILE FTW

COPTER

HELIPAD H1: H60X60 (CONC) S-43

HELIPAD H2: H60X60 (CONC) S-43

HELIPORT REMARKS: Attended 1430-2300Z†. Helipad H1 and H2 900' buildings NW, 500' buildings NE at ½ mile.

ACTIVATE perimeter lgts-CTAF. Helipad H1 perimeter lgts. Helipad H1 rooftop. Ingress/egress SW. Helipad H2 perimeter lgts. Helipad H2 rooftop. Ingress/egress SE.

WEATHER DATA SOURCES: AWOS-3 135.425 (214) 670-1243. Temporarily unreliable. Frequency OTS indef.

COMMUNICATIONS: CTAF/UNICOM 123.05

AIRSPACE: CLASS B See VFR Terminal Area Chart.

DALLAS EXECUTIVE (RBD) 6 SW UTC-6(-5DT) N32°40.85' W96°52.09'

DALLAS-FT. WORTH

660 B S4 FUEL 100LL, JET A OX 1, 2 NOTAM FILE RBD

COPTER

RWY 13-31: H6451X150 (ASPH-CONC) S-35, D-60, DT-110 MIRL

H-6H, L-17C, A

RWY 13: REIL. VASI(V4L)-GA 3.0° TCH 50'. Trees.

IAP, AD

RWY 31: LDIN. VASI(V4L)-GA 3.0° TCH 47'. Road.

RWY 17-35: H3800X150 (ASPH-CONC) S-35, D-60, DT-110 MIRL

RWY 17: REIL. PAPI(P4R)-GA 3.0° TCH 43'. Tree.

RWY 35: REIL. Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. 24 hr FBO. Fuel avbl 24 hr with major credit card. Birds on and invof arpt. Asphalt at rwy intersection. When twr closed ACTIVATE LDIN Rwy 31, VASI Rwy 13 and PAPI Rwy 17-CTAF.

WEATHER DATA SOURCES: ASOS (214) 330-5317. LAWRS.

COMMUNICATIONS: CTAF 127.25 ATIS 126.35 UNICOM 122.95

® RGNL APP/DEP CON 125.2

EXECUTIVE TOWER 127.25 (1300-0300Z†) GND CON 119.475


CLNC DEL 118.625

AIRSPACE: CLASS D svc 1300-0300Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15' W97°02.43' 136° 14.3 NM to fld. 540/6E.

ILS 108.5 I-RBD Rwy 31. Unmonitored when tower closed.



DALLAS/FORT WORTH INTL (DFW) 12 NW UTC-6(-5DT) N32°53.81' W97°02.28' **DALLAS-Ft. WORTH**
 607 B FUEL 100LL, JET A OX 1, 3 AOE Class I, ARFF Index E NOTAM FILE DFW **COPTER**
RWY 17R-35L: H13401X200 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL **H-6H, L-17C, A**
RWY 17R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 68'. **IAP, AD**
RWY 35L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 63'.
RWY 17C-35C: H13401X150 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL
RWY 17C: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 74'. **RWY 35C:** ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 76'.
RWY 18R-36L: H13400X150 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL
RWY 18R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 74'.
RWY 36L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 72'.
RWY 18L-36R: H13400X200 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL
RWY 18L: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 70'.
RWY 36R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 66'.
RWY 13R-31L: H9301X150 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL
RWY 13R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 71'. **RWY 31L:** REIL. PAPI(P4L)—GA 3.1° TCH 72'.
RWY 13L-31R: H9000X200 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL
RWY 13L: REIL. PAPI(P4L)—GA 3.0° TCH 82'. Thld dsplcd 625'. 0.5% down.
RWY 31R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 69'. 0.5% up.
RWY 17L-35R: H8500X150 (CONC-GRVD) S-120, D-200, ST-175, DT-600, DDT-850 HIRL CL
RWY 17L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 77'. Antenna on building. 0.6% up.
RWY 35R: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 73'. 0.6% down.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 17C	Twy B	10460
RWY 18R	Twy B	10100
RWY 35C	Twy EJ	9050
RWY 36L	Twy Z	10650

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13L:	TORA-9000	TODA-9000	ASDA-9000	LDA-8375
RWY 13R:	TORA-9301	TODA-9301	ASDA-9301	LDA-9301
RWY 17L:	TORA-8500	TODA-8500	ASDA-8500	LDA-8500
RWY 17C:	TORA-13401	TODA-13401	ASDA-13401	LDA-13401
RWY 17R:	TORA-13401	TODA-13401	ASDA-13401	LDA-13401
RWY 18L:	TORA-13400	TODA-13400	ASDA-13400	LDA-13400
RWY 18R:	TORA-13400	TODA-13400	ASDA-13400	LDA-13400
RWY 31L:	TORA-9301	TODA-9301	ASDA-9301	LDA-9301
RWY 31R:	TORA-8375	TODA-8375	ASDA-8375	LDA-8375
RWY 35L:	TORA-13401	TODA-13401	ASDA-13401	LDA-13401
RWY 35C:	TORA-13401	TODA-13401	ASDA-13401	LDA-13401
RWY 35R:	TORA-8500	TODA-8500	ASDA-8500	LDA-8500
RWY 36L:	TORA-13400	TODA-13400	ASDA-13400	LDA-13400
RWY 36R:	TORA-13400	TODA-13400	ASDA-13400	LDA-13400

AIRPORT REMARKS: Attended continuously. Rwy 17L-35R CLOSED 0400-1200Z except PPR. Rwy 13R-31L CLOSED 0400-1200Z except PPR. Rwy 13L-31R CLOSED 0400-1200Z except PPR. Rwy 31R last 625' CLOSED indef. Visual screen 20' AGL 1180' south AER 35C. Visual screen 22' AGL 1179' south AER 35L. ASDA-X SURVEILLANCE system in use: Pilots should opr transponders with mode C on all twys and rwys. PPR for acft with wingspan 215' or greater (GROUP VI), call arpt ops 972-973-3112 for follow me services while taxiing to and from ramp and rwys. Rwy 13L, Rwy 17L, Rwy 31R, and Rwy 35R rwy visual range touchdown, midpoint and rollout avbl. Rwy 31L and Rwy 31R runway visual range touchdown and rollout avbl. Arpt under construction, PAEW in movement areas. Birds on and in vicinity of arpt. Tkf distance for Rwy 17L from Twy Q2 is 8196'. Tkf distance for Rwy 35R from Twy Q9 is 8196'. Tkf distance for Rwy 17R from Twy EG is 13082' and from Twy EH is 12816'. Tkf distance for Rwy 35L from Twy EQ is 13084' and from Twy EP is 12811'. Tkf distance for Rwy 36R from Twy WP is 12815', from Twy WQ is 13082'. Tkf distance for Rwy 18L from Twy WG is 13082', from Twy WH is 12815'. Tkf distance for Rwy 17C from Twy EG is 13,082'. Tkf distance for Rwy 18R from Twy WG is 13,082'. Land and hold short signs on Rwy 17C at Twy B 10,460' south of Rwy 17C thld, Rwy 18R at Twy B 10,100' south of Rwy 18R thld, Rwy 35C at Twy EJ 9050' north of Rwy 35C thld, Rwy 36L at Twy Z 10,650' north of Rwy 36L thld, lgtd and marked with in-pavement pulsating white lgts. Twy G11 east of Twy G clsd to acft with wingspan 125' and greater. Acft using gates D6-D17 must obtain approval from DFW ramp twr 129.95 prior to entering ramp and prior to pushback 1130-0430Z. Use extreme care at other times. Apron entrance/exit Points 32, 33, 34, 35, 36, 37, 38 and 39 clsd to acft with wingspan greater than 135'. Apron entrance/exit Point 45 clsd 0400-1400Z. Acft pushing back or powering back on Terminal B Apron have right of way. Frequent ground support equip under escort crossing Twys A and B at Twy HA. Apron entrance/exit points 5, 7, 42 and 44 clsd to acft with wingspan 118' and greater. Terminal B apron taxilane btn apron entrance/exit point

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

taxilanes 110 and 115 clsd to acft with wingspan 118' and greater. Apron entrance/exit points 22, 24, 105, 107 and 122 clsd to acft with wingspan 125' and greater. Apron entrance/exit point 124 clsd to acft with wingspan 200' and greater. Twy A5 clsd to acft with wingspan 171' and greater. Twys may require judgemental oversteering for large acft. Apron entrance/exit points 52 and 53 clsd to acft with wingspan 171' and greater. Acft exiting via apron entrance/exit points 42, 43 and 44 ctc Gnd Con prior to taxiing. PPR general aviation ops 0400-1200Z, call arpt ops 972-973-3112. PPR from arpt ops for general aviation acft to proceed to airline terminal gate except to general aviation facility. Ramp area 1E clsd exc PPR Call 972-973-3121. PPR from the primary tenant airlines to operate within the central terminal area. Proper minimum object free area distances may not be maintained for ramp/apron taxi lanes. Twy edge reflectors along all twys. Landing fee. Flight Notification Service (ADCUS) available. NOTE: See Land and Hold Short Operations Section. NOTE: See Special Notices-Intersection Departures During Periods of Darkness, and Noise Abatement Procedures.

WEATHER DATA SOURCES: ASOS (972) 453-0992. LLWAS.

COMMUNICATIONS: D-ATIS ARR 123.775 (972) 615-2701 D-ATIS DEP 135.925 (972) 615-2701 UNICOM 122.95

® **RGNL APP CON** 125.025 133.525 (E) 119.875 133.625 (W)

DFW TOWER 126.55 127.5 (E) 124.15 134.9 (W) **GND CON** 121.65 121.8 (E) 121.85 (W)

CLNC DEL 128.25

® **RGNL DEP CON** 118.55 (E) 126.475 (W) 124.825 (N) 125.125 (S)

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15' W97°02.43' 358° 1.7 NM to fld. 540/6E.

ILS/DME 109.5 I-LWN Chan 32 Rwy 13R.

ILS/DME 111.75 I-PPZ Chan 54(Y) Rwy 17L. Class IIIE. DME also serves Rwy 35R.

ILS/DME 110.3 I-FLQ Chan 40 Rwy 17C. Class IIIE.

ILS/DME 111.35 I-JHZ Chan 50(Y) Rwy 17R. Class IE. DME also serves Rwy 35L.

ILS/DME 110.55 I-CIX Chan 42(Y) Rwy 18L. Class IE. DME also serves Rwy 36R.

ILS/DME 111.9 I-VYN Chan 56 Rwy 18R. Class IIIE.

ILS/DME 110.9 I-RRA Chan 46 Rwy 31R.

ILS/DME 110.3 I-PKQ Chan 40 Rwy 35C. Class IIIE.

ILS/DME 111.35 I-UWX Chan 50(Y) Rwy 35L. Class IE. LOC unusable byd 14 NM blo 3,400'. DME also serves Rwy 17R.

ILS/DME 111.75 I-AJQ Chan 54(Y) Rwy 35R. Class IIIE. LOC unusable byd 16 NM 5° right of course. DME also serves Rwy 17L.

ILS/DME 111.9 I-BXN Chan 56 Rwy 36L. Class ID. LOC unusable beyond 25° left of course. LOC unusable byd 15 NM 5° right of course. DME also serves Rwy 18R.

ILS/DME 110.55 I-FJN Chan 42(Y) Rwy 36R. Class IE. DME also serves Rwy 18L.

COMM/NAV/WEATHER REMARKS: All acft arriving DFW are requested to turn DME off until dep due to tfc overload of Maverick DME.

• • • • •
HELIPAD H1: H158X158 (CONC)

HELIPORT REMARKS: Rwy H1 final apch tkf area located at Twy G and Twy G11; dalgt VFR.

DALLAS LOVE FLD (DAL) 5 NW UTC-6(-5DT) N32°50.83' W96°51.11'
487 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index B
NOTAM FILE DAL

DALLAS-FT. WORTH
COPTER
H-6H, L-17C, A
IAP, AD

RWY 13R-31L: H8800X150 (CONC-GRVD) S-100, D-200, ST-175, DT-350 HIRL CL

RWY 13R: PAPI(P4R)—GA 3.0° TCH 52'. Thld displcd 490'. Rgt tfc.

RWY 31L: MALSR. TDZL. Building.

RWY 13L-31R: H7752X150 (CONC-GRVD) S-100, D-200, ST-175, DT-350 HIRL CL

RWY 13L: MALSR. TDZL.

RWY 31R: MALSR. PAPI(P4L)—GA 3.0° TCH 49'. Pole. Rgt tfc.

RWY 18-36: H6147X150 (ASPH) S-50, D-74, ST-93, DT-138 HIRL

RWY 18: VASI(V4L)—GA 3.0° TCH 52'. Tree. Rgt tfc.

RWY 36: VASI(V4L)—GA 3.0° TCH 52'. REIL. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13L: TORA-7752 TODA-7752 ASDA-7752 LDA-7752

RWY 31R: TORA-7752 TODA-7752 ASDA-7752 LDA-7752

RWY 13R: TORA-8800 TODA-8800 ASDA-8800 LDA-8310

RWY 31L: TORA-8800 TODA-8800 ASDA-8800 LDA-8800

RWY 18: TORA-6147 TODA-6147 ASDA-6147 LDA-6147

RWY 36: TORA-6147 TODA-6147 ASDA-6147 LDA-6147

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Ldg Rwy 18 & takeoff Rwy 36 not authorized to acft over 60,000 lbs gross weight unless crosswind NW-SE rwys exceed acft safe operating capability. Rwy 13R, 13L, 31L and Rwy 31R runway visual range touchdown avbl. Noise sensitive areas all quadrants, noise abatement procedures in effect for fixed and rotary wing tfc, for information call arpt ops 214-670-6610. Private pilot certificate or better required to takeoff or land. No student solo flights permitted. Twy K clsd thru traffic. PAPI Rwy 31R unusable byd 7° either side of centerline. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (214) 904-0251.

COMMUNICATIONS: D-ATIS 120.15 (214) 358-5355 UNICOM 122.95

DALLAS RCO 122.3 (FORT WORTH RADIO)

Ⓡ **RGNL APP CON** 125.2 (South) 124.3 (North)

LOVE TOWER 123.7 118.7 GND CON 121.75 CLNC DEL 127.9

Ⓡ **RGNL DEP CON** 124.3 (North Props) 125.2 (South Props) 125.125 118.55 (Turbojets)

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.


COWBOY (H) VORW/DME 116.2 CVE Chan 109 N32°53.42' W96°54.24' 128° 3.7 NM to fld. 450/6E.

ILS/DME 111.5 I-DAL Chan 52 Rwy 13L. Class IT. LOC unusable byd 20° right of centerline.

ILS/DME 111.1 I-DPX Chan 48 Rwy 13R. Class IT. LOC unusable beyond 25° right side of course.

ILS/DME 111.1 I-LVF Chan 48 Rwy 31L. Class IB. LOC unusable byd 20° right of course.

ILS/DME 111.5 I-OVW Chan 52 Rwy 31R. Class IE. Glide slope unusable for coupled apchs blo 636' MSL.



DALLAS SOUTH PORT (See PALMER)

DAN E. RICHARDS MUNI (See PADUCAH)

DAN JONES INTL (See HOUSTON)

DAVID HOOKS N30°07.53' W95°33.95' NOTAM FILE DWH.
NDB (MHW) 521 DWH 165° 3.9 NM to David Wayne Hooks Mem. Unmonitored.

HOUSTON
COPTER
L-190, 21A

DAVID WAYNE HOOKS MEM (See HOUSTON)

DECATUR

BISHOP (76T) 6 E UTC-6(-5DT) N33°15.99' W97°27.10'

875 S2 NOTAM FILE FTW

RWY 17-35: 3730X170 (TURF)

RWY 17: Fence. **RWY 35:** Road.

AIRPORT REMARKS: Attended continuously. Rwy may be rough due to drought conditions. Rwy soft after heavy rain.

COMMUNICATIONS: CTAF 122.9

DALLAS-FT. WORTH
COPTER

DECATUR MUNI (LUD) 2 N UTC-6(-5DT) N33°15.26' W97°34.83'

1047 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE LUD

RWY 17-35: H4200X60 (ASPH) S-12.5, D-17 MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.5° TCH 25'.

RWY 35: P-line. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Sat 1400Z±-dusk, Sun

1600-2300Z±. Ground drops sharply 160' north of Rwy 17 thld.

Glider activity on weekends April-October. Glider tfc pattern is on the West side of arpt, right tfc pattern for all powered acft on Rwy

35. MIRL Rwy 17-35 preset low ints; to increase ints

ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.225 (940) 627-2365


COMMUNICATIONS: CTAF/UNICOM 122.8

® **RGNL APP/DEP CON** 118.1

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BOWIE (H) VORTACW 112.4 UKW Chan 71 N33°32.15'

W97°49.28' 138° 20.8 NM to fld. 1100/6E. **HIWAS.**



DALLAS-FT. WORTH

COPTER

L-17C, A

IAP

HERITAGE CREEK (58T) 9 SE UTC-6(-5DT) N33°10.12' W97°29.05'

883 TPA-1683(800) NOTAM FILE FTW

RWY 13-31: 3000X60 (TURF) LIRL

RWY 13: Tree. Rgt tfc.

RWY 31: Tree. Rgt tfc.

AIRPORT REMARKS: Unattended. Bird activity south of arpt. All acft monitor CTAF due to the close proximity of Rhome

Meadows arpt. Rwy 13 rgt tfc for ultralights and helicopters only, remain west of the rwy. Rwy 31 rgt tfc for fixed wing acft only, remain east of the rwy. ACTIVATE LIRL Rwy 13-31—CTAF.

COMMUNICATIONS: CTAF 122.9

DALLAS-FT. WORTH

COPTER

DELL CITY MUNI (2E5) 2 N UTC-7(-6DT) N31°56.86' W105°11.50'

3701 B NOTAM FILE ABQ

RWY 08-26: H4685X60 (ASPH) S-12.5 MIRL

RWY 08: Sign.

RWY 26: Thld dsplcd 400'. Tree.

AIRPORT REMARKS: Unattended. Dsplcd thld bar not painted.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ.

SALT FLAT (L) VORTACW 113.0 SFL Chan 77 N31°44.89' W105°05.21' 324° 13.0 NM to fld. 3730/12E.

HIWAS.

EL PASO

L-6F

DEL RIO INTL (DRT) 2 NW UTC-6(-5DT) N29°22.45' W100°55.63'

SAN ANTONIO

1002 B S4 FUEL 100LL, JET A AOE Class I, ARFF Index A NOTAM FILE DRT

H-7B, L-19B

RWY 13-31: H6300X100 (ASPH) S-35 MIRL

IAP

RWY 13: MALSR. PAPI(P4L)—GA 3.0° TCH 45'. Thld displcd 300'.

Tree. Rgt tfc.

RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-6300 TODA-6300 ASDA-6300 LDA-6000

RWY 31: TORA-6000 TODA-6300 ASDA-6300 LDA-6000

AIRPORT REMARKS: Attended Mon-Sat 1130-0330Z, Sun 1300-0330Z. For svc after hrs call 830-768-0898. Rwy 13 and Rwy 31 PAPI OTS indef. ACTIVATE MALSR Rwy 13—CTAF. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 118.525 (830) 774-6251.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.3 (SAN ANGELO RADIO)

(R) **APP/DEP CON** 119.6 (Mon-Fri 1300-0100Z, clsd Sat, Sun 2000-2300Z except holidays). Other hours ctc

(R) **HOUSTON CENTER APP/DEP CON** 125.75

CLNC DEL 120.5


RADIO AIDS TO NAVIGATION: NOTAM FILE DRT.

LAUGHLIN (H) VORTACW 114.4 DLF Chan 91 N29°21.65'

W100°46.30' 269° 8.2 NM to fld. 1071/7E.

KOTTI NDB (LOM) 335 DR N29°26.56' W100°59.54' 132° 5.3 NM to fld. LOM unmonitored.

ILS/DME 111.9 I-DRT Chan 56 Rwy 13 LOM KOTTI NDB. LOC only. LOC/DME and KOTTI LOM unmonitored.

**DENISON** N33°49.44' W96°40.18' NOTAM FILE GYI.

DALLAS-FT. WORTH

NDB (MHW) 341 DNI 176° 6.6 NM to Grayson Co.

L-17C

DENTON MUNI (DTO) 3 W UTC-6(-5DT) N33°12.04' W97°11.88'

DALLAS-FT. WORTH

642 B S4 FUEL 100LL, JET A TPA-1442(800) NOTAM FILE DTO

COPTER

RWY 17-35: H5999X150 (ASPH) S-70, D-100 MIRL

H-6H, L-17C, A

RWY 17: MALSR. VASI(V4L)—GA 3.0° TCH 53'. Trees.

IAP, AD

RWY 35: VASI(V2L)—GA 4.0° TCH 26'. Trees.

AIRPORT REMARKS: Attended continuously. Arpt CLOSED to ultralights and gliders. Mowing ops on arpt May-Sept. Rwy 17 designated as a calm wind runway. When twr clsd ACTIVATE MALSR Rwy 17—CTAF.

WEATHER DATA SOURCES: ASOS 119.325 (940) 383-8457.**COMMUNICATIONS:** CTAF 119.95 UNICOM 122.95(R) **RGNL APP/DEP CON** 118.1

TOWER 119.95 (1400-0200Z) GND CON/CLNC DEL 123.95


AIRSPACE: CLASS D svc 1400-0200Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37'

W97°10.77' 351° 18.7 NM to fld. 637/6E.

PINCK NDB (LOM) 257 DT N33°16.99' W97°11.78' 174° 4.9 NM to fld.

ILS 109.1 I-DTO Rwy 17. LOM PINCK NDB. ILS unmonitored. LOC unusable byd 20° left of course.



DENVER CITY (E57) 1 NW UTC-6(-5DT) N32°58.51' W102°50.53'

3575 B FUEL 100LL, JET A NOTAM FILE FTW

RWY 04-22: H5780X50 (ASPH) S-13 LIRL

RWY 04: VASI(V2L)—GA 4.5° TCH 64'. Thld dspcd 350'. Road.

RWY 22: VASI(V2L)—GA 4.0° TCH 64'. Thld dspcd 155'. Pump. Rgt tfc.

RWY 08-26: H3960X45 (ASPH) S-13

RWY 08: Thld dspcd 179'. Fence.


RWY 26: Thld dspcd 526'. P-line. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. Lgtd drilling rigs on and in nov arpt. For fuel call 806-592-2232 days, 806-592-2558 ngts and weekends. Entrance road, 20' hangers and 4' fences obstructs primary surface of Rwy 08-26.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE HOB.

HOBBS (L) VORTACW 111.0 HOB Chan 47 N32°38.29' W103°16.16' 036° 29.6 NM to fld. 3660/11E.



ALBUQUERQUE

H-66, L-6H

DEPOO N25°59.02' W97°30.54' NOTAM FILE BRO.

NDB (LOM) 393 BR 129° 6.4 NM to Brownsville/South Padre Island Intl.

BROWNSVILLE

DEVINE MUNI (23R) 2 W UTC-6(-5DT) N29°08.30' W98°56.51'

703 B S4 NOTAM FILE SJT

RWY 17-35: H3400X60 (ASPH) S-18 MIRL 0.8% up S

RWY 17: PAPI(P2L)—GA 3.0° TCH 20'. Road.

RWY 35: PAPI(P2L)—GA 3.0° TCH 20'. Trees.

AIRPORT REMARKS: Attended Mon-Sat dawn-dusk. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.9


SAN ANTONIO APP/DEP CON 118.05

RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64' W98°27.68' 212° 39.4 NM to fld. 1160/8E. HIWAS.

NDB (MHW) 359 HHH N29°08.30' W98°56.36' at fld.

NOTAM FILE SJT.



SAN ANTONIO

L-19C

IAP

DILLEY AIRPARK (24R) 2 NW UTC-6(-5DT) N28°41.13' W99°11.35'

SAN ANTONIO

542 B NOTAM FILE SJT

L-206

RWY 12-30: H3400X60 (ASPH) S-12.5 LIRL

RWY 12: Tree. RWY 30: Sign.


AIRPORT REMARKS: Unattended. Arpt lgts opr dusk-0500Z†.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE COT.

COTULLA (L) VORTACW 115.8 COT Chan 105 N28°27.72'

W99°07.11' 335° 13.9 NM to fld. 520/9E. HIWAS.

**DIMMIT CO** (See CARRIZO SPRINGS)**DIMMIT MUNI** (T55) 2 N UTC-6(-5DT) N34°34.00' W102°19.36'

ALBUQUERQUE

3883 B NOTAM FILE FTW

H-6G, L-6H

RWY 01-19: H5500X60 (ASPH) S-15 MIRL

RWY 01: Tree. RWY 19: Road. Rgt tfc.


AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 01-19—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

TEXICO (H) VORTACW 112.2 TXO Chan 59 N34°29.71'

W102°50.38' 069° 26.0 NM to fld. 4060/11E.

**DRAUGHON-MILLER CENTRAL TEXAS RGNL** (See TEMPLE)**DRYDEN****TERRELL CO** (6R6) 5 W UTC-6(-5DT) N30°02.76' W102°12.77'

SAN ANTONIO

2322 B FUEL 100LL NOTAM FILE SJT

L-19A

RWY 04-22: H4525X75(ASPH) S-30 LIRL

RWY 13-31: H4525X75 (ASPH) S-30 LIRL

RWY 13: P-line.

AIRPORT REMARKS: Attended Thu-Tue 1400-0000Z†. For fuel after hrs call 432-345-6731. ACTIVATE LIRL Rwy 04-22 and RWY 13-31, rotating bcn and lgtd wind cone—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FST.

FORT STOCKTON (H) VORTAC 116.9 FST Chan 116 N30°57.13' W102°58.54' 133° 67.1 NM to fld.

2893/11E. HIWAS.

DUBLIN MUNI (9F0) 2 SE UTC-6(-5DT) N32°04.09' W98°19.52'


1495 B NOTAM FILE FTW

RWY 15-33: H3200X60 (ASPH) S-22 MIRL**RWY 15:** Tree. **RWY 33:** Tree.**AIRPORT REMARKS:** Unattended. Loose rocks and numerous cracks on rwy. ACTIVATE MIRL Rwy 15-33—123.5.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**GLEN ROSE (L) VORTACW** 115.0 JEN Chan 97 N32°09.58'

W97°52.65' 251° 23.5 NM to fld. 1300/6E.

DALLAS-FT. WORTH

L-17B


**DUMAS****MOORE CO** (DUX) 2 W UTC-6(-5DT) N35°51.48' W102°00.79'3705 B **FUEL** 100LL, JET A TPA—4705(1000) NOTAM FILE DUX**RWY 01-19:** H5474X75 (ASPH) S-30, D-45 MIRL**RWY 01:** PVASI(PSIL)—GA 3.0° TCH 26'.**RWY 19:** PVASI(PSIL)—GA 3.0° TCH 26'. Road.**RWY 14-32:** H3100X60 (ASPH) S-21, D-32 MIRL**RWY 14:** P-line.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±. Self-serve fuel avbl 24 hrs with major credit card. For services after hours, call 806-935-6995 or 806-676-6412. Parachute Jumping. Extensive cropdusting in summer. MIRL Rwy 01-19 preset low ints, to increase ints ACTIVATE—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.075 (806) 934-3390.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **ALBUQUERQUE CENTER APP/DEP CON** 127.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE DHT.**DALHART (L) VORTACW** 112.0 DHT Chan 57 N36°05.49'

W102°32.68' 106° 29.4 NM to fld. 4020/12E. HIWAS.

ALBUQUERQUE

H-6G, L-15B

IAP

**DUVAL-FREER** (See FREER)

DYESS AFB (DYS)(KDYS) AF 5 SW UTC-6(-5DT) N32°25.26' W99°51.28' **DALLAS-FORT WORTH**
 1789 B TPA—See Remarks NOTAM FILE FTW Not insp. **H-6H, L-17B**
RWY 16-34: H13500X300 (PEM) PCN 64 R/B/W/T HIRL **DIAP, AD**
RWY 16: ALSF1. PAPI(P4L)—GA 2.5° TCH 54'. **RWY 34:** ALSF1. PAPI(P4L)—GA 2.5° TCH 52'.
RWY 162-342: 3505X60 (ASPH) PCN 37 F/B/W/T
RWY 161-341: 3500X60 (TURF) AUW 155
MILITARY SERVICE: JASU 1(MD-3) 1(MA-1A) 1(AM32A-60A) 1(AM32-86A) **FUEL J8 FLUID LPOX** De-ice
OIL O-133-148-156 TRAN ALERT Svc avbl Mon-Fri 1400-0400Z, clsd weekend and holidays. F16 tran support not avbl.
MILITARY REMARKS: Opr Mon-Fri 1300-0700Z, clsd weekend and hol. See FLIP AP/1 Supplementary Arpt Remark.
RSTD PPR required, ctc afld ops DSN 461-2515/2258. Min 24 hr notice required and no more than 7 days prior.
 Prior to obtaining PPR for Rwy 161-341 and 162-342 OPS, tran acft must receive briefing from 317 AG Tactics DSN 461-2318/5048. Official Business Only 0500-1300Z. Inbound acft with distinguished visitor code 6 or avb ctc afld ops 20 minutes prior to arrival. Mon-Fri, ctc Comd Post on RAYMOND 37 (311.0 or 349.4) or DSN 461-1921, 45 min prior to arrival weekend and holidays. No tran acft launches/recoveries during base acft surges. No arrival/departure when lightning within 5 NM without OG/CC approval. ACC quiet hr policy 0430-1200Z. **CAUTION** Intensive training and formation flight of heavy acft in the immediate vicinity. Extensive VFR assault strip tfc west of Rwy 16-34. Afld signs require B52 acft exit Rwy 16-34 at Twy F. Acft C-130 and larger 180° turns allowed only on conc surface at north and south ends of Rwy 16-34. During bird watch condition moderate and severe, aircrews should comply with owning MAJCOM/Unit guidance, aircrews can obtain current bird watch condition with ATIS/PTD. COMSEC stored at Command Post. No COMSEC storage avbl.
TFC PAT TPA—Rectangular 3000(1211), overhead 3500(1711). During VMC dep acft must remain at or blo 3000' until fld boundary to ensure separation from VFR overhead. RSRs applies to all ACC acft. B-1 8000', C-130, 5000' separation, B-1 acft rqr minimum ceiling/visibility 1500'/3 statute miles and rwy surface dry.
CSTMS/AG/IMG CSTMS avbl, ctc Security Forces DSN 461-2131/2132 24 hr in advance. For Customs refer to FCG or AP-1. **MISC** All AMC acft ctc AMCC prior to arrival DSN 461-1984, C 325-696-1984. Afld designated as orbital ldg site. Wx opr 24 hrs Mon 0600Z thru Sat 0700Z; clsd weekend and holidays DSN 461-2524, C325-696-2524, fax extension 4458. Remote wx briefing avbl ctc 26 OWS Barksdale AFB DSN 781-4775, C818-456-4775, Toll Free 1-866-223-9328, fax extension 3493. For CSTMS, refer to FCG or AP-1.
WEATHER DATA SOURCES: Afld wx monitored by AN/FMQ-19 ASOS. augmented by human observer when rqr during opr hr. ATC will relay twr prevailing visibility. RCR/RSC and VIRGA remarks to acft. Augmented obsn sfc visibility rstd 090°-160° by buildings.
COMMUNICATIONS: SFA ATIS 385.7 PTD 139.3 372.2
ABILEEN APP/DEP CON 125.0 338.3 (E) 127.2 282.3 (W)
TOWER 133.0 257.675 (Weekdays 1300-0700Z, clsd weekend and hol.) **GND CON** 118.35 275.8
ACC COMMAND POST (RAYMOND 37) 311.0 321.0 (349.4 AMCC) **PMSV METRO** 383.25 Altn PMSV, Sheppard AFB 339.65.
AIRSPACE: CLASS C svc continuous ctc APP CON.
RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.
ABILEEN (H) VORTACW 113.7 ABI Chan 84 N32°28.88' W99°51.81' 163° 3.7 NM to fld. 1810/10E.
TUSCOLA (L) VORW/DME 111.6 TQA Chan 53 N32°14.15' W99°49.01' 340° 11.2 NM to fld. 2018/10E. NOTAM FILE FTW.
(L) TACAN Chan 63 DYS (133.6) N32°25.11' W99°51.42' at fld. 1782/08E. NOTAM FILE FTW. MP Mon 1000-1500Z. No NOTAM MP Wed 1000-1500Z.
 TACAN unusable:
 160-240° byd 25 NM blo 5,000' 240°-270° byd 30 NM blo 4,000'
ILS 109.9 I-TYY Rwy 16. Glide Slope unusable blo 2010'. MP Tue 1100-1500Z. No NOTAM MP Fri 1100-1500Z.
ILS 109.9 I-DYS Rwy 34. MP: Tue 1100-1500Z. MP Tue 1100-1500Z. No NOTAM MP Fri 1100-1500Z.
ASR
COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

EAGLE LAKE (ELA) 1 NE UTC-6(-5DT) N29°36.03' W96°19.32'

184 B S4 FUEL 100LL, JET A, MOGAS NOTAM FILE CX0

RWY 17-35: H3801X60 (ASPH) S-12.5 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 15'. Tree.

RWY 35: PAPI(P2L)—GA 3.0° TCH 15'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1500-0000Z†. For svc after hrs call 281-541-5419. Rwy 17-35 unmarked. MIRL Rwy 17-35 preset low, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

Ⓡ HOUSTON CENTER APP/DEP CON 128.6

RADIO AIDS TO NAVIGATION: NOTAM FILE CX0.


(H) VORW/DME 116.4 ELA Chan 111 N29°39.75'

W96°19.03' 176° 3.7 NM to fld. 190/8E.

HOUSTON

L-19D, 21A

IAP

**EAGLE LAKE** N29°39.75' W96°19.03' NOTAM FILE CX0.

(H) VORW/DME 116.4 ELA Chan 111 176° 3.7 NM to Eagle Lake. 190/8E.

HOUSTON

H-7C, L-19D, 21A

EAGLE PASS**MAVERICK CO MEMORIAL INTL** (5T9) 8 N UTC-6(-5DT) N28°51.43' W100°30.81'

887 FUEL 100LL, JET A AOE NOTAM FILE SJT

RWY 13-31: H5506X100 (ASPH) MIRL

RWY 13: Brush.

AIRPORT REMARKS: Attended dawn-dusk. MIRL Rwy 13-31 preset low ints, to incr ints ACTIVATE—CTAF. Flight Notification Service (ADCUS) available.

COMMUNICATIONS: CTAF/UNICOM 122.8**EAGLE PASS RCO** 122.3 (SAN ANGELO RADIO)

Ⓡ DEL RIO APP/DEP CON 127.75 (Mon-Fri 1300-0100Z†, clsd Sat, Sun 2000-2300Z† except holidays). Other hrs etc

Ⓡ HOUSTON CENTER APP/DEP CON 125.0

RADIO AIDS TO NAVIGATION: NOTAM FILE DRT.

LAUGHLIN (H) VORTACW 114.4 DLF Chan 91 N29°21.65' W100°46.30' 149° 33.1 NM to fld. 1071/7E.

SAN ANTONIO

H-7B, L-19B

IAP

EAGLE PASS N28°51.27' W100°31.53'

RCO 122.3 (SAN ANGELO RADIO)

SAN ANTONIO

H-7B, L-19B

EAGLES AERODOME (See CONWAY)**EAST BREAKS** N27°51.50' W94°53.05'

RCO 122.5 (MONTGOMERY COUNTY RADIO)

HOUSTON

L-21A

EASTERWOOD FLD (See COLLEGE STATION)**EASTLAND MUNI** (ETN) 1 N UTC-6(-5DT) N32°24.81' W98°48.59'

1464 B S3 FUEL 100LL, JET A OX 3 NOTAM FILE FTW

RWY 17-35: H4020X60 (ASPH) S-20 MIRL 0.5% up N

RWY 17: PAPI(P2L)—GA 3.5° TCH 54'. Trees.

RWY 35: PAPI(P2L)—GA 3.0° TCH 45'. Pline.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z†. For fuel after hours call 254-488-1055. Self serve fuel avbl 24 hrs with major credit cards. ACTIVATE MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**FORT WORTH CENTER APP/DEP CON** 127.15**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.57' W97°59.85' 237° 45.2 NM to fld. 900/9E.

OLD RIP NDB (MHW) 410 OIP N32°23.91' W98°48.62' at fld.

DALLAS-FT. WORTH

L-17B

IAP

EAST TEXAS RGNL (See LONGVIEW)

EDINBURG**SOUTH TEXAS INTL AT EDINBURG** (EBG) 9 N UTC-6(-5DT) N26°26.50' W98°07.33'**BROWNSVILLE**

75 B FUEL 100LL, JET A NOTAM FILE EBG

H-7B, L-20H

RWY 14-32: H5000X75 (ASPH) S-22 MIRL

IAP

RWY 14: PAPI(P2L)—GA 3.0° TCH 26'.

RWY 32: PAPI(P2L)—GA 3.0° TCH 26'.

AIRPORT REMARKS: Attended 1300-0200Z†. Twy D closed indef. Rotating bcn OTS infef. MIRL Rwy 14-32 preset low ints, to increase ints and ACTIVATE PAPI Rwy 14 and Rwy 32—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.025. (956) 380-1426.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ CORPUS APP/DEP CON 121.0

RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.

HARLINGEN (L) VORW/DME 109.2 HRL Chan 29 N26°13.75' W97°39.12' 292° 28.4 NM to fld. 30/5E. HIWAS.

EDNA**JACKSON CO** (26R) 3 NE UTC-6(-5DT) N29°00.06' W96°34.92'**HOUSTON**

61 B S4 NOTAM FILE CXO

L-19D, 21A

RWY 14-32: H3393X70 (ASPH) S-12.5 MIRL


RWY 14: P-line.

RWY 32: Tree.

AIRPORT REMARKS: Attended daylight hours. To monitor aerobatic box—123.3. Rotating bcn OTS indef. NOTE: See Special Notices Section—Aerobatic Practice Area.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE PSX.

PALACIOS (H) VORTACW 117.3 PSX Chan 120 N28°45.87'

W96°18.37' 306° 20.3 NM to fld. 6/8E. HIWAS.

**EDWARDS CO** (See ROCKSPRINGS)**ELDORADO** (27R) 1 W UTC-6(-5DT) N30°51.73' W100°36.65'**SAN ANTONIO**

2448 B FUEL 100LL NOTAM FILE SJT

L-19B

RWY 17-35: H4300X60 (ASPH) S-12.5 MIRL

RWY 17: PAPI (P2L)—GA 3.0°. TCH 40'. Tree. Rgt tfc.

RWY 35: PAPI (P2L)—GA 3.0° TCH 40'. Road.

AIRPORT REMARKS: Unattended. For fuel call 325-853-2036/2737.**COMMUNICATIONS:** CTAF/UNICOM 123.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.

SAN ANGELO (H) VORTACW 115.1 SJT Chan 98 N31°22.50' W100°27.29' 185° 31.7 NM to fld. 1890/10E.

ELLINGTON FLD (See HOUSTON)

EL PASO**EL PASO INTL** (ELP) 4 NE UTC-7(-6DT) N31°48.44' W106°22.65'

3959 B S3 FUEL 100LL, JET A1 +, B + OX 2, 4 TPA-See Remarks AOE

Class I, ARFF Index C NOTAM FILE ELP

EL PASO

H-4K, L-6F

IAP, AD

RWY 04-22: H12020X150 (ASPH-GRVD) S-100, D-180, ST-175, DT-350 HIRL**RWY 04:** REIL. PAPI(P4L)—GA 3.0° TCH 55'.**RWY 22:** MALSR. Rgt tfc. 0.3% down.**RWY 08R-26L:** H9025X150 (ASPH-GRVD) S-100, D-180, ST-175, DT-350 HIRL**RWY 08R:** REIL. PAPI(P4L)—GA 3.0° TCH 68'. Rgt tfc. 0.4% up.**RWY 26L:** ODALS. PAPI(P4L)—GA 3.0° TCH 75'. 0.4% down.**RWY 08L-26R:** H5499X75 (ASPH) S-60, D-180, ST-175 MIRL**RWY 26R:** Rgt tfc.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 04:** TORA-12020 TODA-12020 ASDA-12020 LDA-12020**RWY 22:** TORA-12020 TODA-12020 ASDA-12449 LDA-12020**RWY 08L:** TORA-5493 TODA-5493 ASDA-5493 LDA-5493**RWY 26R:** TORA-5493 TODA-5493 ASDA-5493 LDA-5493**RWY 08R:** TORA-9025 TODA-9025 ASDA-9025 LDA-9025**RWY 26L:** TORA-9025 TODA-9025 ASDA-9025 LDA-9025**AIRPORT REMARKS:** Attended continuously. TPA small acft 4800 (841);

turbojet 5500 (1541); overhead 6000 (2041). Rwy 08L-26R not avbl for air carrier ops with more than 9 passenger seats. 24 hour PPR class A explosives ctc 915-780-4749.

Biggs AAF 2 NM NW Rwy 21 can be mistaken for ELP Rwy 22. Military users should review noise abatement procedures listed for Biggs AAF. Sailplane and ultralight ops invof Horizon arpt 8 NM ESE. 611' AGL unlighted smokestack 8 miles west-southwest of arpt. Holding position markings for Rwy 08R apch and Rwy 04-22 are in close proximity to the terminal apron, review arpt diagram prior to pushback from the gate. Twy J clsd between Twy N and AER 08R indef. Twy A south of Twy E, Twys B and C, Twy J northeast of Twy K1, Twy K northeast of Twy K1 between Twy J and north cargo ramp, Twy U and Twy V south of Twy L, and Twy K2 not visible from twr. Twy J clsd between Rwy 08R and Twy P indef. North bound tfc prohibited on Twy F south of Twy E. Noise abatement procedures in effect, ctc tower for details. Engine power is rstd to idle power on one engine at a time for maximum 5 min on any terminal or parking aprons. Cross-bleed starts or other pre-dep activity on movement areas only. Maintenance or other requirements needing longer or higher power ctc tower for directions to designated runup areas. Rwy 04 rwy visual range touchdown and rollout avbl. Rwy 22 rwy visual range touchdown and rollout avbl. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (915) 779-6452. LLWAS.**COMMUNICATIONS:** D-ATIS 120.0 (915) 772-9412 **UNICOM** 122.95

RCO 122.4 122.55 (ALBUQUERQUE RADIO)


Ⓡ **APP CON** 124.25 (North-V16) 119.15 (South-V16)Ⓡ **DEP CON** 119.15**TOWER** 118.3 **GND CON** 121.9 **CLNC DEL** 125.0**AIRSPACE:** CLASS C svc continuous ctc **APP CON****RADIO AIDS TO NAVIGATION:** NOTAM FILE ELP.(H) **VORTACW** 115.2 ELP Chan 99 N31°48.95' W106°16.91' 252° 4.9 NM to fld. 4020/12E.

VOR unusable 310°-070° byd 25 NM blw 12,000' MSL

DME unusable

260°-270° byd 30 NM blw 11,000'

270°-310° byd 30 NM blw 10,000'.

VALTR NDB (HW/LOM) 242 EL N31°51.62' W106°19.06' 212° 4.4 NM to fld**ILS/DME** 111.5 I-ETF Chan 52 Rwy 04. LOC only. LOC unusable beyond 25° left of course. LOC unusable beyond 30° right of course.**ILS/DME** 111.5 I-ELP Chan 52 Rwy 22. LOM VALTR NDB. ILS unmonitored. DME unusable byd 16 NM Restricted Area R-5103A.**ASR** Radar unusable below 9000' W of mountains.

HORIZON (T27) 11 SE UTC-7(-6DT) N31°43.19' W106°14.22'

EL PASO

4007 B S2 FUEL 100LL, JET A, MOGAS TPA—4804(797) NOTAM FILE ABQ

H-4K, L-6F

RWY 08-26: H6885X50 (ASPH-DIRT) S-12 LIRL (NSTD)

IAP

RWY 08: Pole. Rgt tfc. RWY 26: Ground.

AIRPORT REMARKS: Attended Mon-Sat dawn-dusk, Sun dawn-0100Z+. Sailplane and Ultralight ops on and invof arpt.

Sailplane and Ultralights left tfc Rwy 08, rgt tfc Rwy 26. Parked acft obstruct primary surface Rwy 08-26. Rwy 08-26 NSTD LIRL. Thld lgts all green. Only 4035' west end lgtd. ACTIVATE rotating bcn and NSTD LIRL Rwy 08-26—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

EL PASO APP/DEP CON 119.15

RADIO AIDS TO NAVIGATION: NOTAM FILE ELP.

EL PASO (H) VORTACW 115.2 ELP Chan 99 N31°48.95' W106°16.91' 146° 6.2 NM to fld. 4020/12E.

ENNIS MUNI (F41) 2 W UTC-6(-5DT) N32°19.78' W96°39.83'

DALLAS—FT. WORTH

500 B S4 FUEL 100LL, JET A NOTAM FILE FTW

L-17C, A

RWY 15-33: H3999X50 (ASPH) S-18 MIRL 0.6% up NW

IAP

RWY 15: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Tree. Rgt tfc.

RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Thld dspcd 255'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z+. Fuel avbl 24 hrs with major credit card. Parachute Jumping. Bumps north end of Rwy 15. Rwy 33 thld dspcd 749' indef. MIRL Rwy 15-33 preset low ints, to incr ints and ACTIVATE REIL and PAPI Rwy 15 and Rwy 33—CTAF.


COMMUNICATIONS: CTAF 122.9

Ⓡ RGNL APP/DEP CON 125.2

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14'

W96°13.09' 285° 24.3 NM to fld. 400/6E.



FABENS (E35) 1 NE UTC-7(-6DT) N31°30.94' W106°08.83'

EL PASO

3679 B S4 FUEL 100LL NOTAM FILE ABQ

L-6F

RWY 08-26: H4200X60 (ASPH) S-25 LIRL

RWY 08: Thld dspcd 190'. Pole. RWY 26: Antenna.

RWY 16-34: H2300X35 (ASPH)

RWY 16: Brush. RWY 34: Thld dspcd 100'. Bldg.

AIRPORT REMARKS: Attended 1500-0000Z+. PAEW Rwy 08-26 dalgt hours. Rising terrain NE of Rwy 16-34 and E of Rwy 08-26. Rwy 34 dspcd thld bar missing. ACTIVATE Rotating bcn and LIRL Rwy 08-26—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE ELP.

EL PASO (H) VORTACW 115.2 ELP Chan 99 N31°48.95' W106°16.91' 147° 19.3 NM to fld. 4020/12E.

FALFURRIAS**BROOKS CO** (BKS) 2 SE UTC-6(-5DT) N27°12.36' W98°07.26'

113 B FUEL 100LL, JET A NOTAM FILE BKS

RWY 17-35: H6002X75 (ASPH) S-52, D-80 MIRL

RWY 17: REIL: PAPI(P4L)—GA 3.0° TCH 45'. Tree.

RWY 35: PAPI(P4L)—GA 3.0° TCH 45'.

RWY 14-32: H3071X60 (ASPH) S-4

RWY 14: Tree.

AIRPORT REMARKS: Attended Mar-Oct, Mon-Fri 1400-2200; Nov-Feb,

dalgt hrs. 9' fence located approximately 900' north of Rwy 17.

Rwy 17-35 gross engineering weight 60,000 lbs. Extreme noise sensitive areas to the north, west and southwest of arpt along lake/residence area. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE PAPI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.125 (361) 325-4055.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **KINGSVILLE APP/DEP CON** 119.9 (Mon-Thu 1330-0530Z, Fri 1330-2330Z, clsd Sat, Sun and holidays by NOTAM) other times ctc


Ⓡ **HOUSTON CENTER APP/DEP CON** 128.15

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.**CORPUS CHRISTI (H) VORTACW** 115.5 CRP Chan 102 N27°54.23'

W97°26.69' 212° 55.2 NM to fld. 60/9E. HIWAS.

NDB (MHW) 353 BKS N27°12.42' W98°07.31' at fld.

NOTAM FILE BKS.

BROWNSVILLEH-7B, L-20H
IAP**FARLY** N31°59.28' W102°19.51' NOTAM FILE MAF.**NDB (HW/LDM)** 326 MA 104° 6.9 NM to Midland Intl. Unmonitored when twr clsd.**SAN ANTONIO**

L-6H

FAYETTE RGNL AIR CENTER (See LA GRANGE)**FEHMEI DUSTING SERVICE** (See BAY CITY)**FERRIS RED OAK MUNI HELIPORT** (12T) 4 N UTC-6(-5DT) N32°31.75' W96°43.68'**DALLAS-FT WORTH****COPTER**

510 NOTAM FILE FTW

HELIPAD H1: H40X40 (CONC)**HELIPORT REMARKS:** Unattended. Helipad H1 6' fence 80' N, 165' p-line 1635' E, road 132' S and 35' p-line 730' W and 40' tree 480' SE.**COMMUNICATIONS:** CTAF 122.9**FISHER CO** (See ROTAN/ROBY)**FLOYDADA MUNI** (41F) 1 N UTC-6(-5DT) N34°00.09' W101°19.82'**DALLAS-FT. WORTH****L-6H****IAP**

3187 B FUEL 100LL, JET A NOTAM FILE FTW

RWY 17-35: H4600X60 (ASPH) S-15 MIRL

RWY 17: PAPI (P2L)—GA 3.0° TCH 40'.


RWY 35: PAPI(P2L)—GA 3.0° TCH 39'. Elevator. Rgt tfo.

AIRPORT REMARKS: Attended Mon-Sat 1400-0000Z. Numerous agricultural acft operations spring, summer and fall.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **LUBBOCK APP/DEP CON** 119.2

RADIO AIDS TO NAVIGATION: NOTAM FILE PVW.**PLAINVIEW (L) VORW/DME** 112.9 PVW Chan 76 N34°05.17'

W101°47.41' 091° 23.5 NM to fld. 3400/11E.



FLUET N33°15.70' W96°35.33' NOTAM FILE TKI.
NDB (LOM) 421 EF 176° 5.0 NM to Collin County Regional at McKinney.

DALLAS–FT. WORTH

FLUFY N31°13.13' W94°49.51' NOTAM FILE LFK.
NDB (LOM) 350 LF 071° 4.0 NM to Angelina Co. Unmonitored.

FLYIN' B (See HOUSTON)

FLYIN TIGER (See ANGLETON)

FLYING H RANCH (See WHITES BORO)

FLYING V RANCH (See LOUISE)

FOLLETT/LIPSCOMB CO (T93) 1 E UTC−6(−5DT) N36°26.45' W100°07.43'

WICHITA

2601 TPA—3601(1000) NOTAM FILE FTW

L-15C

RWY 17–35: H4073X60 (ASPH) S-18 LIRL 1.7% up S

IAP

RWY 17: P-line. **RWY 35:** Hill.


AIRPORT REMARKS: Unattended. Windsock lgts OTS indef. No line of sight between rwy ends. Rwy 17–35 13' wide strip of pavement along W edge of rwy is spongy and will not support listed wheel weight.

COMMUNICATIONS: CTAF 122.9

KANSAS CITY CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62' W99°52.81' 286° 13.2 NM to fld. 2430/10E. **HIWAS.**



FORT WORTH**BOURLAND FLD** (50F) 17 SW UTC-6(-5DT) N32°34.91' W97°35.45'**DALLAS-FT WORTH**


873 B FUEL 100LL, JET A NOTAM FILE FTW

COPTER**RWY 17-35:** H4092X60 (ASPH) MIRL (NSTD) 0.9% up N**L-17C, A****RWY 17:** Thld dsplcd 392'. Road.**RWY 35:** VASI(V2L). Thld dsplcd 260'. Tree.**IAP**

AIRPORT REMARKS: Attended dalgt hours. For svcs after hours call 817-512-3122. Arpt CLOSED to transient student training. Rwy 17-35 NSTD MIRL, lenses on thld and dsplcd thld clear lenses with solid color bulbs. ACTIVATE MIRL Rwy 17-35 and VASI Rwy 35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0① **RGNL APP/DEP CON** 135.975**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.58' W97°59.84' 104° 22.3 NM to fld. 890/9E.

**FORT WORTH ALLIANCE** (AFW) 14 N UTC-6(-5DT) N32°59.26' W97°19.13'**DALLAS-FT WORTH**

722 B S4 FUEL 100LL, JET A1+ OX 4 LRA ARFF Index—See Remarks NOTAM FILE AFW

COPTER**RWY 16L-34R:** H9600X150 (CONC-GRVD) D-200, ST-175, DT-400, DDT-870 HIRL CL**H-6H, L-17C, A****RWY 16L:** ALSF2. TDZL. Thld dsplcd 1390'. 0.6% down. Rgt tfc.**IAP, AD****RWY 34R:** MALSR. P-line. 0.6% up.

RWY 16R-34L: H8220X150 (CONC-GRVD) D-200, ST-175, DT-400, DDT 870 MIRL

RWY 16R: REIL. PAPI(P4L). Thld dsplcd 501'. Railroad. 0.6% down. Rgt tfc.

RWY 34L: REIL. PAPI(P4L). Thld dsplcd 601'. Fence. 0.6% up.

RUNWAY DECLARED DISTANCE INFORMATION**RWY 16R:** TORA-8220 TODA-8220 ASDA-7619 LDA-7118**RWY 34L:** TORA-8220 TODA-8220 ASDA-7719 LDA-7118**RWY 16L:** TORA-9600 TODA-9600 ASDA-9600 LDA-8210**RWY 34R:** TORA-9600 TODA-9600 ASDA-8516 LDA-8516


AIRPORT REMARKS: Attended continuously. Class IV, ARFF Index A. ARFF Index E available. PPR for air carrier ops with more than 30 passenger seats, call 817-890-1000 or 800-318-9268. Last 1084' Rwy 34R not available for accelerate stop and landings. Portions of Twy H movement area east of Twy A is not visible from twr. Rwy 16L and Rwy 34R runway visual range touchdown, midpoint and rollout avbl. Prior arrangements required for airframe or power plant repairs for design group III and above. U.S. Customs user fee arpt. Twy P closed indef. Twy D and Twy C closed west of Rwy 16R-34L indef. Rotating bcn OTS indef. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 126.925 (817) 491-8625.**COMMUNICATIONS:** ATIS 126.925**RGNL APP/DEP CON** 118.1**ALLIANCE TOWER** 135.15 **CLNC DEL** 128.725 **GND CON** 132.65**AIRSPACE:** CLASS D svc continuous.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 304° 9.2 NM to fld. 637/6E.

ILS/DME 110.15 I-UPE Chan 38(Y) Rwy 16L. Class IIIIE. LOC unusable byd 30° right of centerline.

ILS/DME 110.15 I-JVX Chan 38(Y) Rwy 34R. Class ID.

COMM/NAV/WEATHER REMARKS: Emerg frequency not available. ARINC frequency 129.75 avbl.

FORT WORTH MEACHAM INTL (FTW) 5 N UTC-6(-5DT) N32°49.19' W97°21.75'

DALLAS-FT. WORTH

710 B S4 FUEL 100LL, JET A, A1+ OX 1, 3 TPA—(See Remarks) LRA

COPTER

ARFF Index—See Remarks NOTAM FILE FTW

H-6H, L-17C, A

RWY 16-34: H7501X150 (CONC-GRVD) S-80, D-100, ST-127, DT-190, DDT-350 HIRL 0.5% up N IAP, AD

RWY 16: REIL. MALSR. PAPI(P4R)—GA 3.0° TCH 56'. Pole.

RWY 34: REIL. MALSR. Rgt tfc.

RWY 17-35: H4006X75 (ASPH) S-12.5, D-50 MIRL

RWY 17 PAPI(P2L)—GA 3.75° TCH 51'. Dam. Rgt tfc.

RWY 35 PAPI(P2L)—GA 3.25° TCH 40'.

RWY 09-27: H3677X100 (ASPH) S-30, D-45, DT-60 MIRL

RWY 27: PAPI(P2R)—GA 3.0° TCH 40'. Pole.

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.

Class IV, ARFF Index A. ARFF Index B available all users all hrs.

Rwy 17-35 and Rwy 09-27 Twys B, B1, C and D west of Rwy

16-34, Twys C and M east of Twy A, Twys H, J, K South of Rwy

09-27, Twy G SE of Twy K clsd to air carrier acft with more than 30 passenger seats. Rwy 09-27 has ravelling in cracks and block

cracks spaced 5 ft apart or less. Twy K south of Rwy 09-27 clsd to acft weighing over 12,500 lbs. Tfc pattern altitude for Rwy

17-35 1300(590), all other rwys 1500(790). Landing fee for acft weighing over 70,000 lbs maximum landing weight.

WEATHER DATA SOURCES: ASOS (817) 626-5811.**COMMUNICATIONS:** ATIS 120.7 UNICOM 122.95

RCO 122.6 (FORT WORTH RADIO)

Ⓡ RGNL APP/DEP CON 118.1 (North) 135.975 (South)

MEACHAM TOWER 118.3 GND CON 121.9 CLNC DEL 124.65


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 240° 10.2 NM to fld. 637/6E.

MUFIN NDB (LOM) 365 FT N32°53.58' W97°22.41' 165° 4.4 NM to fld.

ILS/DME 109.9 I-FTW Chan 36 Rwy 16. Class IT. LOM MUFIN NDB. Back course unusable.

ILS/DME 109.9 I-UXT Chan 36 Rwy 34.

**FORT WORTH SPINKS** (FWS) 14 S UTC-6(-5DT) N32°33.91' W97°18.49'

DALLAS-FT. WORTH

700 B S4 FUEL 100LL, JET A TPA—1700(1000) NOTAM FILE FWS

COPTER

RWY 17R-35L: H6002X100 (ASPH) S-40, D-50, DT-90 MIRL

H-6H, L-17C, A

RWY 17R: PAPI(P4L)—GA 3.0° TCH 40'. P-line. Rgt tfc.

IAP

RWY 35L: MALSR. PAPI(P4L)—GA 3.0° TCH 52'.

RWY 17L-35R: 4000X60 (TURF)

RWY 35R: Ground Rgt tfc.

AIRPORT REMARKS: Attended 1400-0300Z±. 24 hr FBO. 100LL self serve 24 hr with major credit card. Birds invof arpt. Rotorcraft opns rstd in self svc fuel areas. Unlgt'd antenna array 212' AGL 5 NM southeast of arpt. Rwy 17L-35R avbl only during dalgt/VFR and dry weather surface conditions. Rwy 17L-35R reflective markers 80' apart outline rwy. Noise abatement procedure, avoid noise sensitive areas all quadrants of arpt, maintain altitudes at or above 1000' AGL over these areas. ACTIVATE MALSR Rwy 35L—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.025 (817) 426-4172.**COMMUNICATIONS:** CTAF 124.625 UNICOM 122.7

Ⓡ RGNL APP/DEP CON 135.975


SPINKS TOWER 124.625 (1400-0300Z±) GND CON 119.475

GCO 121.725 (FORT WORTH CLNC and FLIGHT SERVICES)

AIRSPACE: CLASS D svc 1400-0300Z±.**RADIO AIDS TO NAVIGATION:** NOTAM FILE DFW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 193° 20.5 NM to fld. 637/6E.

ILS 110.95 I-JZW Rwy 35L. ILS unmonitored.



HICKS AIRFIELD (T67) 14 NW UTC-6(-5DT) N32°55.87' W97°24.70'

DALLAS-FT. WORTH

855 B S4 FUEL 100LL TPA-1500(645) NOTAM FILE FTW

COPTER

RWY 14-32: H3740X60 (ASPH) MIRL

L-17C, A

RWY 14: PAPI(P2L)—GA 3.0° TCH 20'. Thld dsplcd 340'. Railroad.

RWY 32: PAPI(P2L)—GA 3.0° TCH 20'. Thld dsplcd 191'. Fence.

AIRPORT REMARKS: Attended Tue-Sun 1400-2100Z. Fuel avbl 24 hrs with credit card. Ultralight ops invof arpt. PAEW adjacent rwy. Uncontrolled vehicle tfc invof hangars and on twys. Calm wind Rwy 14.

COMMUNICATIONS: CTAF/UNICOM 123.05

RGNL CLNC DEL 125.9

RADIO AIDS TO NAVIGATION: NOTAM FILE DFW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 276° 12 NM to fld. 637/6E.

KENNETH COPELAND (4T2) 18 NW UTC-6(-5DT) N32°58.64' W097°29.30'

DALLAS-FT. WORTH

688 B NOTAM FILE FTW

Not insp.

COPTER

RWY 17-35: H6000X140 (ASPH-CONC) LIRL

H-6H, L-17C, A

RWY 35: Trees.

RWY 12-30: H3000X125 (ASPH-CONC) MIRL

RWY 12: Fence.

RWY 30: Fence.

AIRPORT REMARKS: Attended continuously. Rwy 12-30 outer 18' of each side of rwy is asph, center 39' is conc. Rwy 17-35 outer 50' of each side of rwy is asph, center 40' is conc on Rwy 17 end, asph on Rwy 35 end. Arpt clsd to transient acft except 3 hrs PPR call 817-252-5857. ACTIVATE MIRL Rwy 12-30 and LIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 123.075

RADIO AIDS TO NAVIGATION:

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 283° 16.5 NM to fld. 637/6E.

SYCAMORE STRIP (9F9) 8 S UTC-6(-5DT) N32°37.71' W97°21.22'

DALLAS-FT. WORTH

760 FUEL 100LL TPA-1560(800) NOTAM FILE FTW

COPTER

RWY 17-35: H3970X30 (ASPH) LIRL (NSTD)

L-17C, A

RWY 17: Thld dsplcd 300'. Railroad/P-line. Rgt tfc.

RWY 35: Fence/Railroad/P-line.


AIRPORT REMARKS: Attended 1300-0400Z. Ultralight activity on and in vicinity of arpt. Rwy 17-35 surface rough, broken, rutted with numerous loose rock and grass. NSTD LIRL, single white thld light, single green bulbs each side, spacing NSTD. Rwy 17-35 2800' useable at ngt. Rwy 17-35 rwy sfc rough. Rwy 17 thld relocated 550' at ngt. Rwy 35 thld relocated 620' at ngt. Arpt clsd to transient acft except 2 hrs PPR call 817-293-0510. For LIRL Rwy 17-35 call (817) 293-0510.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE DFW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37'

W97°10.77' 203° 17.9 NM to fld. 637/6E.



FORT WORTH NAS JRB (CARSWELL FLD) (NFW) N (AFRC) 5 W UTC-6(-5DT)**DALLAS-FT WORTH**

N32°46.15' W97°26.49'

COPTER

650 B TPA—See Remarks NOTAM FILE NFW Not insp.

H-6H, L-17C, A**RWY 17-35:** H12000X200 (CONC) PCN 107 R/B/X/T HIRL**DIAP, AD****RWY 17:** REIL. OLS. PAPI(P4L). Rgt tfc. **RWY 35:** ALSF1. PAPI(P4L).**ARRESTING GEAR/SYSTEMS****RWY 17 HOOK E28(B)** (1250')**HOOK E28(B)** (1373') **RWY 35****MILITARY SERVICE: A-GEAR** Short field cable not maintained in battery on active rwy. 20 min prior notice required for short field engagement. **JASU** 1(NCPP-105) 1(NC-8) 4(AM32A-86D) 7(AM32A-60A) **FUEL** J8 Opr1200-0430Z†. **FLUID SP PRESAIR** Limited LOX LOX svc not avbl with non-removable LOX converters UFN.**OIL** O-133-148 Limited JOAP **TRAN ALERT** No priority basis. Limited tran svc/maintenance avbl, emerg only.

Hangar space/fleet svc/de-ice unavbl. Tran acft ctc twr on ground frequency prior to engine start/taxiing. 48 hr PN for PPR acft requiring daily transient/ATC svc. Rules of ATC svcs brief required for acft opr out of NAS Ft Worth.

MILITARY REMARKS: Opr Mon-Fri 1300-0500Z†, Sat and Sun 1500-2300Z†, clsd hol. Afld hrs subject to change by NOTAM. Base OPS/ATC not manned outside of published hrs. See FLIP AP/1 Supplementary Arpt Remark. **RSTD** PPR all acft DSN 739-5715/5677, C817-782-5715/5677. PPR all acft parking ANG ramp, DSN 874-3256, C817-852-3256, normal opr Tue-Fri 1130-2215Z†, clsd Sat, Sun, Mon, and hol. All tran acft ctc ANG OPS 226.9 15 min prior to ldg. **CAUTION** Foreign Object Damage free on center 200' of rwy only. Taxi on centerline, increase interval. Four-engine acft, secure outboard engine. Moderate and strong west wind reduced at touchdown point Rwy 17 by Lockheed Complex. **TFC PAT** TPA—Rectangular 1700(1050), overhead 2200(1550). Enter helicopter tfc pattern east of rwy 1200(550). Reduced rwy separation standard in effect USN/USMC acft, 3000' alternate sides, 5000' centerline, 6000' touch and go behind full stop, 6000' between dissimilar acft. Local based USAF fighter acft as per letter of agreement. **NS ABT MT:** Effective Mon-Sat 0400-1300Z†, Sun 0400-1800Z†, departures and straight-in full stop ldg only. **CSTMS/AG/IMG** US military customs schedule Mon-Fri 1400-2200Z† 48 hr prior notice through NAS Security DSN 739-5200, C817-782-5200. **MISC** Rwy 17 first 1000' conc, 6700' high-friction asph, 2800' grooved conc, remaining 1500' conc. Flight Plan Dispatch DSN 739-7531, C817-782-7531. On site Wx forecasting not avbl, ctc 1-888-PILOT-WX (1-888-745-6899) for forecasting svc. Duty driver not avbl. Lockheed/Martin—Official Business Only. For access, ctc Lockheed Martin fit ops DSN 838-5677, C817-763-3624. See FLIP AP/1 Supplementary Arpt Remark for additional information. **AFRC** DSN 739-6888. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: SFA ATIS 273.575 (1300-0500Z†)® **RGNL APP/DEP CON** 125.8 257.95**NAVY FORT WORTH TOWER** 120.95 269.325 284.725 (Mon-Fri 1300-0500Z†, Sat-Sun 1500-2300Z† clsd hol.)**NAVY FORT WORTH GND CON** 126.4 254.325 279.575 **NAVY FORT WORTH ARR** 128.775 371.875 (Mon-Fri

1300-0500Z†, clsd Sat, Sun and hol.)

PMSV METRO 342.55 **BASE OPS** 291.775 **LOCKHEED** 284.1 292.5 (Mon-Fri 1300-0000Z†) **ANG OPS** 226.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.(L) **TACAN** Chan 24 NFW (108.7) N32°46.29' W97°26.37' at fld. 663/7E. TACAN unavbl 0500-1300Z†.

No NOTAM MP Wed 1330-1530Z†.

TACAN unusable:

180°-320° byd 20 NM blo 4,000'.

ILS 108.7 I-NFW Rwy 17. ILS unavbl when twr clsd. No NOTAM MP Mon and Wed 1300-1600Z†.**ILS** 109.3 I-FWH Rwy 35. ILS unavbl 0500-1300Z†. No NOTAM MP Mon and Tue 1300-1600Z†.**ASR/PAR****COMM/NAV/WEATHER REMARKS:** Radar see Terminal FLIP for Radar Minima.**FOSTR** N28°54.91' W97°00.03' NOTAM FILE VCT.**HOUSTON****NDB (LOM)** 226 VC 125° 5.7 NM to Victoria Rgnl.**FOX STEPHENS FLD-GILMER MUNI** (See GILMER)**FRANKLIN CO** (See MOUNT VERNON)

FRANKSTON

AERO ESTATES (T25) 3 NE UTC-6(-5DT) N32°04.91' W95°27.15'
 445 TPA-1455(1010) NOTAM FILE FTW Not Insp.

DALLAS-FT. WORTH

RWY 09-27: 3100X60 (TURF) LIRL

RWY 09: Pole. Rgt tfc. RWY 27: Brush.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Unmarked and unlighted P-line and trees running parallel to the rwy and located on Rwy 27 apch at three o'clock. Deer on and invof rwy. Rgt tfc pat: All acft remain south of the rwy. All acft monitor CTAF due to proximity to Paradise Point arpt. Rwy marked with 18' numerals on 40' by 50' asph pad. Landing fee. Student Pilot training is not authorized except by residents of Aero Estates. ACTIVATE LIRL Rwy 09-27 and lighted wind cone-CTAF.

COMMUNICATIONS: CTAF 122.9

• • • • •
HELIPAD H1: H50X50 (Turf)

HELIPORT REMARKS: 14' bldg 200' north and 20' bldg 200' west of landing pad. 32' trees 135' north, 30' pole, 70' east, 27' trees 180' south, 25' pole 205' west.

FRANKSTON N32°04.48' W95°31.85' NOTAM FILE FTW.

HOUSTON

(L) VOR/DME 111.4 FZT Chan 51 283° 16.1 NM to Athens Muni. 305/6E.

H-61, L-17D

VOR/DME unusable:

270°-293° beyond 5 NM below 8000'.

295°-340° beyond 20 NM all altitudes.

293°-295° beyond 25 NM below 3500'.

FREDERICKSBURG**GILLESPIE CO** (T82) 3 SW UTC-6(-5DT) N30°14.60' W98°54.55'

SAN ANTONIO

1695 B S4 FUEL 100LL, JET A TPA-See Remarks NOTAM FILE T82

H-7B, L-19C

RWY 14-32: H5001X75 (ASPH) S-30 MIRL 0.3% up NW

IAP

RWY 14: PAPI(P2L)-GA 3.0° TCH 35'. Fence. Rgt tfc.

RWY 32: PAPI(P2L)-GA 3.0° TCH 35'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. Fuel avbl 24 hrs with major credit card. 75' tank 300' southeast of rotating bcn. Calm wind Rwy 14. Tfc pattern altitude for fixed wing lgt acft 2500(805), turboprop and jet acft 2700(1005) and helicopters 2200(505). MIRL Rwy 14-32 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.00 (830) 990-2716.


COMMUNICATIONS: CTAF/UNICOM 122.7.

(R) HOUSTON CENTER APP/DEP CON 134.2

RADIO AIDS TO NAVIGATION: NOTAM FILE T82.

STONEWALL (H) VORTAC 113.8 STV Chan 85 N30°12.41'

W98°42.35' 274° 10.8 NM to fld. 1530/8E.

**FREEDOM FIELD** (See LINDSAY)**FREEP** N29°11.66' W95°27.79' NOTAM FILE LBX.

HOUSTON

NDB (LOM) 263 LB 174° 5.1 NM to Brazoria Co.

COPTER

FREER**DUVAL-FREER** (T19) 1 NE UTC-6(-5DT) N27°53.02' W98°36.02'

BROWNSVILLE

564 B NOTAM FILE SJT

L-20H

RWY 14-32: H3200X60 (ASPH) S-24 LIRL

RWY 14: Brush. RWY 32: P-line.

AIRPORT REMARKS: Unattended. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

THREE RIVERS (L) VORTAC 111.4 THX Chan 51 N28°30.30' W98°09.03' 205° 44.2 NM to fld. 270/8E.

FRIONA**BENGER AIR PARK** (X54) 2 NE UTC-6(-5DT) N34°39.25' W102°41.51'**ALBUQUERQUE**
L-6H

4003 FUEL 100LL, JET A NOTAM FILE FTW

RWY 04-22: H3013X60 (ASPH) S-13**RWY 04:** Building.**RWY 17-35:** 2700X135 (TURF)**RWY 17:** Trees.**AIRPORT REMARKS:** Attended daltg hours. Rwy 17-35 CLOSED indef. Rwy 04-22 agricultural acft ops on NW side of rwy.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**TEXICO (H) VORTACW** 112.2 TXO Chan 59 N34°29.71' W102°50.38' 026° 12.0 NM to fld. 4060/11E.**FULSHEAR****COVEY TRAILS** (X09) 3 E UTC-6(-5DT) N29°41.40' W95°50.38'**HOUSTON**


130 B NOTAM FILE CXO

RWY 17-35: 3365X100 (TURF) LIRL (NSTD)**RWY 17:** Thld dsplcd 315'. P-line.**RWY 35:** Thld dsplcd 250'. Road.**AIRPORT REMARKS:** Unattended. Rwy 17-35 NSTD LIRL, 2800' of rwy lgtd at night between dsplcd thlds. Base legs and turns to final apch must be within .75 NM of the rwy ends. Rotating bcn opr dusk-0400Z+. Rwy 17-35 NSTD LIRL opr dusk-0400Z+. ACTIVATE rotating bcn after 0400Z+—CTAF. ACTIVATE NSTD LIRL Rwy 17-35 after 0400Z+—CTAF. Landing fee.**COMMUNICATIONS:** CTAF/UNICOM 122.725**GAINES CO** (See SEMINOLE)**GAINESVILLE MUNI** (GLE) 3 W UTC-6(-5DT) N33°39.13' W97°11.84'**DALLAS-FT. WORTH**
H-6H, L-17C, A
IAP

845 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE GLE

RWY 17-35: H6001X100 (ASPH) S-15 MIRL 0.9% up N**RWY 17:** REIL. PAPI(P2R)—GA 3.0° TCH 45'. Tree.**RWY 35:** REIL. PAPI(P2L)—GA 3.0° TCH 45'. Trees.**RWY 12-30:** H4307X80 (ASPH) S-15 0.8% up NW**AIRPORT REMARKS:** Attended dusk-dawn. 100LL fuel avbl 24 hrs with credit card, for Jet A fuel after hrs ctc 940-736-4289 or 940-902-1314. Helicopter taxiing prohibited in vicinity of bldgs. Rwy 12 has aim points. Rwy 30 has aim points. TPA for lgt acft 1845(1000), turboprop and turbine acft 2247(1402). MIRL Rwy 17-35 preset low ints; to incr ints ACTIVATE CTAF. PAPI Rwy 17 and Rwy 35 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.375 (940) 612-3549.**COMMUNICATIONS:** CTAF/UNICOM 123.0® **FORT WORTH CENTER APP/DEP CON** 124.75**GCO** 121.725 (FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**BOWIE (H) VORTACW** 112.4 UKW Chan 71 N33°32.15'W97°49.28' 071° 32.0 NM to fld. 1100/6E. **HIWAS.****NDB (MHW)** 330 GLE N33°43.12' W97°11.92' 173° 4.0

NM to fld. NOTAM FILE GLE.



GALVESTON**SCHOLES INTL AT GALVESTON** (GLS) 3 SW UTC-6(-5DT) N29°15.92' W94°51.63'**HOUSTON**

6 B S4 FUEL 100LL, JET A LRA NOTAM FILE GLS

COPTER

RWY 17-35: H6001X150 (CONC) S-30, D-45, DT-90 MIRL

H-7C, L-19E, 21A

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 49'.

IAP

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 49'. Bldg.

RWY 13-31: H6000X150 (ASPH-CONC) S-30, D-45, DT-90

HIRL

RWY 13: MALSR. PAPI(P4L)—GA 3.0° TCH 45'. Crane.

RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 49'. Pole.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-6001 TODA-6001 ASDA-6001 LDA-6001

RWY 31: TORA-6001 TODA-6001 ASDA-6001 LDA-6001

RWY 17: TORA-6001 TODA-6001 ASDA-6001 LDA-6001

RWY 35: TORA-6001 TODA-6001 ASDA-6001 LDA-6001

AIRPORT REMARKS: Attended 1200-0200Z.

For fuel svc after hrs call 409-939-7121. Self svc 100 octane avbl 24 hrs with credit card.

Flocks of birds in vicinity of arpt blo 200' AGL. 124' lgtd crane NW

side of arpt. Two 157' MSL lgtd twrs btn Rwsy 31 and 35. Crane

on top of bldg South of AER 35 is lgtd when operating or raised at

night. Helicopters ops on and in vicinity of arpt. 178' lgtd building

2000' NE of Rwy 17 thld. PAEW adjacent rwsy and twys.

Helicopter parking in designated area only. No helicopter parking

on terminal ramp. No skid mounted helicopter parking on main

apron. Rwy 13-31 first 1,300' NW end is conc. All twy lgts OTS indef. Rwy 13 MALSR OTS indef. HIRL Rwy


13-31 and MIRL Rwy 17-35 preset med ints. When twr clsd, ACTIVATE MALSR Rwy 13—CTAF. Flight Notification

Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 119.275 (409) 740-9248. OTS indef.**COMMUNICATIONS:** CTAF 120.575 UNICOM 123.05**GALVESTON RCO** 122.2 122.15 (MONTGOMERY COUNTY RADIO)① **HOUSTON APP/DEP CON** 134.45 **HOUSTON CLNC DEL** 135.35 (when GLS twr clsd)**GALVESTON TOWER** 120.575 (1200-0000Z) **GND CON** 118.625 **CLNC DEL** 135.35 (0000-1200Z)**AIRSPACE:** CLASS D svc 1200-0000Z other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE GLS.

(L) VORTACW 113.0 VUH Chan 77 N29°16.16' W94°52.06' at fld. 4/6E. Unmonitored.

ILS 111.7 I-GLS Rwy 13.

**GALVESTON** N29°20.04' W94°45.37' NOTAM FILE GLS.**HOUSTON**

NDB (HHW) 206 GLS 225° 6.8 NM to Scholes Intl at Galveston. Unmonitored.

H-7C, L-19E, 21A

RCO 122.2 122.15 (MONTGOMERY COUNTY RADIO)**GARLAND/DFW HELOPLEX HELIPORT** (T57) 2SW UTC-6(-5DT) N32°53.26' W96°41.02'**DALLAS-FT WORTH**

601 B S2 FUEL 100LL, JET A NOTAM FILE FTW

COPTER

HELIPAD H1: H105X105 (CONC)

HELIPORT REMARKS: Attended Mon-Sat 1400-0000Z, Sun 1500-2300Z. Helipad H1 egress/ingress north and

south. Helipad H1 perimeter lgts with recessed lgts surrounding landing pad. Helipad H1 648' twr 1 mile north,

40' p-line 540' east and southeast, 35' building 520' south, 38' building 422' west.

COMMUNICATIONS: CTAF/UNICOM 123.05**GARNER FLD** (See UVALDE)**GARYS** N29°57.53' W97°56.94' NOTAM FILE HYI.**SAN ANTONIO**

NDB (LOM) 272 RU 124° 5.9 NM to San Marcos Muni. Unmonitored.

GATESVILLE MUNI (GOP) 3 W UTC-6(-5DT) N31°25.28' W97°47.82'**SAN ANTONIO**

905 B S4 FUEL 100LL OX 1, 2, 3, 4 NOTAM FILE GOP

L-19C, 21A

RWY 17-35: H3400X60 (ASPH) S-12 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 30'. Trees. RWY 35: PAPI(P2L)—GA 3.0° TCH 30'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. For fuel call 254-248-1545, after hrs call 254-535-1661. Low

flying military jet acct and helicopter in vicinity. MIRL Rwy 17-35 preset low ints, to increase ints

ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.725 (254) 865-6742. Precipitation unreliable.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.

LAMPASAS (H) VORTACW 112.5 LZZ Chan 72 N31°11.13' W98°08.51' 043° 22.7 NM to fld. 1290/8E.

GEORGE BUSH INTERCONTINENTAL/HOUSTON

(See HOUSTON)

GEORGETOWN MUNI (GTU) 3 N UTC-6(-5DT) N30°40.73' W97°40.76'

790 B S4 FUEL 100LL, JET A1+ OX 1, 2, 3, 4 NOTAM FILE GTU

RWY 18-36: H5000X100 (ASPH) S-30 MIRL 0.8% up N

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees. Rgt tfc.

RWY 11-29: H4100X75 (ASPH) S-12.5 MIRL 0.7% up NW

RWY 11: Tree.

RWY 29: Tree. Rgt tfc.

AIRPORT REMARKS: Attended 1300Z±-dusk. For attendant after hours call 512-869-4532. Rwy 11-29 CLOSED to acft 12,500 lbs and over indefinitely. Deer on and in vicinity of arpt. Military helicopter ops prohibited between 0300-1300Z±. Portions of Twy E not visible from tower. MIRL Rwy 18-36 preset low ints, to increase ints and ACTIVATE MIRL Rwy 11-29, REIL Rwy 18 and PAPI Rwy 18 and Rwy 36—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: AWOS-3 118.6 (512) 869-3430. LAWRS**COMMUNICATIONS:** CTAF 120.225 ATIS 118.6 UNICOM 123.0

Ⓡ AUSTIN APP/DEP CON 119.0 CLNC DEL 121.1


TOWER 120.225 (1300-0500Z±) GND CON 119.12

AIRSPACE: CLASS D svc 1300-0500Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71'

W97°31.79' 331° 19.6 NM to fld. 593/6E.

NDB (MHW) 332 GUO N30°41.06' W97°40.80' at fld. NOTAM FILE GTU. Unmonitored 0000-1300Z±.



SAN ANTONIO
H-7C, L-19C, 21A
IAP, AD

GEORGE WEST**LIVE OAK CO**

(8T6) 2 N UTC-6(-5DT) N28°21.77' W98°06.99'

129 B FUEL 100LL, JET A NOTAM FILE SJT

RWY 13-31: H3800X60 (ASPH) MIRL

RWY 13: P-line.

AIRPORT REMARKS: Attended continuously. Fuel self-serve with major credit card. Deer on and in vof rwy (seasonal). Birds on and in vof arpt. MIRL Rwy 13-31 preset low ints, to increase ints ACTIVATE—122.7.


COMMUNICATIONS: CTAF 122.9

HOUSTON CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

THREE RIVERS (L) VORTAC 111.4 THX Chan 51 N28°30.30'

W98°09.03' 160° 8.7 NM to fld. 270/8E.



SAN ANTONIO
L-20H
IAP

GIDDINGS—LEE CO (GYB) 3 W UTC−6(−5DT) N30°10.16' W96°58.80'

485 B FUEL 100LL, JET A NOTAM FILE GYB

RWY 17–35: H4000X75 (ASPH) S−12.5 MIRL 1.1% up N

RWY 17: Trees. RWY 35: Tree.

AIRPORT REMARKS: Attended Mon–Fri 1500–2300Z†. Deer on and in/ovf arpt.

WEATHER DATA SOURCES: AWOS−3 119.225 (979) 542−0382.

COMMUNICATIONS: CTAF/UNICOM 123.05

Ⓡ **HOUSTON CENTER APP/DEP CON** 132.15

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.


INDUSTRY (L) VORTACW 110.2 IDU Chan 39 N29°57.36'

W96°33.73' 293° 25.2 NM to fld. 419/8E.

HOUSTON

L−190, 21A

IAP



GILLESPIE CO (See FREDERICKSBURG)

GILMER

FOX STEPHENS FLD—GILMER MUNI (JXI) 2 S UTC−6(−5DT) N32°41.94' W94°56.93'

415 B S4 FUEL 100LL NOTAM FILE JXI

RWY 18–36: H4000X60 (ASPH) S−12 MIRL

RWY 18: PAPI(P2L)—GA 3.75° TCH 31'. Tree.

RWY 36: PAPI(P2L)—GA 4.0° TCH 35'. Trees.

AIRPORT REMARKS: Attended Mon–Fri 1300–2300Z†. PAEW invof rwys.

WEATHER DATA SOURCES: AWOS−3 118.2 (903) 734−7313.

COMMUNICATIONS: CTAF 122.9

Ⓡ **LONGVIEW APP/DEP CON** 118.25 (1200–0400Z†)

FORT WORTH CENTER APP/DEP CON 135.1 (0400–1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.


QUITMAN (L) VORW/DME 114.0 UIM Chan 87 N32°52.82'

W95°22.01' 109° 23.8 NM to fld. 520/8E.

MEMPHIS

L−170

IAP



GLADEWATER MUNI (Ø7F) 2 SW UTC-6(-5DT) N32°31.73' W94°58.31'

MEMPHIS

296 B S2 FUEL 100LL NOTAM FILE FTW

L-17D

RWY 14-32: H3301X75 (ASPH) S-12.5 MIRL 0.3% up SE

IAP

RWY 14: Tree. RWY 32: Trees.

RWY 17-35: H2301X50 (ASPH) S-7

RWY 17: Tree. RWY 35: Trees.

AIRPORT REMARKS: Attended 1400-2300Z+. For service after hours call 903-295-8860. Parachute Jumping.


COMMUNICATIONS: CTAF 122.9

Ⓡ LONGVIEW APP/DEP CON 118.25 (1200-0400Z+)

FORT WORTH CENTER APP/DEP CON 135.1 (0400-1200Z+)

RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.

GREGG CO (L) VORTACW 112.3 GGG Chan 70 N32°25.07' W94°45.19' 294° 12.9 NM to fld. 320/7E.



GLEN ROSE N32°09.58' W97°52.65' NOTAM FILE FTW.

DALLAS-FT WORTH

(L) VORTACW 115.0 JEN Chan 97 276° 15.6 NM to Clark Fld Muni. 1300/6E.

H-6H, L-17C, A

GONZALES

ROGER M. DREYER MEMORIAL (T2Ø) 2 NW UTC-6(-5DT) N29°31.68' W97°27.68'

SAN ANTONIO

354 B NOTAM FILE SJT

L-19C, 21A

RWY 15-33: H3200X50 (ASPH) S-21 MIRL

RWY 15: Trees. RWY 33: Rgt tfc. Trees.

AIRPORT REMARKS: Unattended. MIRL Rwy 15-33 preset on low ints, to increase ints ACTIVATE-123.0.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71' W97°31.79' 170° 51.0 NM to fld. 593/6E.

GOODHUE N30°04.23' W94°12.66' NOTAM FILE CXO.

HOUSTON

NDB (MHW) 368 GDE at Beaumont Muni. VFR only. OTS indef.

GORDONVILLE

CEDAR MILLS (3TØ) 3N UTC-6(-5DT) N33°50.36' W96°48.60'

DALLAS-FT WORTH

640 NOTAM FILE FTW

RWY 07-25: 3000X60 (TURF)

RWY 07: Trees.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

GRAFORD**POSSUM KINGDOM** (F35) 12 SW UTC-6(-5DT) N32°55.40' W98°26.21'**DALLAS-FORT WORTH**

1008 B NOTAM FILE FTW

L-17B

RWY 02-20: H3500X60 (ASPH) S-24 MIRL

IAP

RWY 02: PAPI(P2L)—GA 3.5° TCH 30'. Tree.

RWY 20: PAPI(P2L)—GA 3.5° TCH 30'. Tree.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 02-20—CTAF.

PAPI Rwy 02 and Rwy 20 opr continuously. NOTE: See Special Notices

Section—

Aerobatic Practice Area.


COMMUNICATIONS: CTAF 122.9

FORT WORTH CENTER APP/DEP CON 127.0

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.57'

W97°59.85' 289° 25.2 NM to fld. 900/9E.

BRAZOS RIVER NDB (MHW) 280 GZV N32°57.09' W98°24.79'
208° 2.1 NM to fld. Unmonitored 2300-1300Z±.**GRAHAM****GRAHAM MUNI** (RPH) 2 E UTC-6(-5DT) N33°06.64' W98°33.29'**DALLAS-FORT WORTH**

1123 B S4 FUEL 100LL, JET A NOTAM FILE RPH

H-6H, L-17B

RWY 03-21: H5000X75 (ASPH) S-12 MIRL

IAP

RWY 03: VASI(V2L)—GA 3.5° TCH 27'. Trees.

RWY 21: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 18-36: H3317X50 (ASPH) S-8 0.5% up S

RWY 18: Thld dsplcd 639'. Road.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z±, Sun 1900-2300Z±. Deer on and invof arpt.**WEATHER DATA SOURCES:** AWOS-3 118.025 (940) 521-0685.**COMMUNICATIONS:** CTAF/UNICOM 122.975


JACKSBORO RCO 122.4 (FORT WORTH RADIO)

FORT WORTH CENTER APP/DEP CON 127.0

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.57'

W97°59.85' 300° 36.4 NM to fld. 900/9E.

NDB (MHW) 371 GHX N33°09.95' W98°29.80' 215° 4.4 NM to fld. NOTAM FILE RPH. OTS indefly.**ROSSER RANCH** (10F) 6 SW UTC-6(-5DT) N33°00.92' W98°37.52'**DALLAS-FORT WORTH**

1112 NOTAM FILE FTW

RWY 18-36: 3600X200 (TURF)

RWY 18: Tree. RWY 36: Fence.

AIRPORT REMARKS: Unattended.**COMMUNICATIONS:** CTAF 122.9

GRANBURY RGNL (GDJ) 2 W UTC-6(-5DT) N32°26.67' W97°49.02'

778 B S4 FUEL 100LL, JET A NOTAM FILE GDJ

RWY 14-32: H3603X60 (ASPH) S-12 MIRL

RWY 14: PAPI(P2L)—GA 3.0°TCH 30'. Fence. Rgt tfc.

RWY 32: PAPI(P2L)—GA 3.8°TCH 30'. Fence.

AIRPORT REMARKS: Attended Mar-Oct 1400-0100Z†, Nov-Feb 1400-0000Z†. Fuel avbl 24 hr self serve with major credit card. For Jet A after hrs call 817-579-8533 during office hrs prior to arrival. MIRL Rwy 14-32 preset low ints, to increase ints ACTIVATE—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.925 (817) 573-7514**COMMUNICATIONS:** CTAF/UNICOM 123.0® **FORT WORTH CENTER APP/DEP CON** 127.15**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

GLEN ROSE (L) VORTACW 115.0 JEN Chan 97 N32°09.58' W97°52.65' 004° 17.3 NM to fld. 1300/6E.

DALLAS-FT. WORTH

L-17C, A

IAP

**GRAND PRAIRIE MUNI** (GPM) 4 SW UTC-6(-5DT) N32°41.93' W97°02.82'

588 B S3 FUEL 100LL, JET A NOTAM FILE GPM

RWY 17-35: H4001X75 (CONC) S-30 MIRL

RWY 17: VASI(V4L)—GA 3.0° TCH 26'. Trees.

RWY 35: REIL. VASI(V4L)—GA 4.0° TCH 37'. Rgt tfc.

AIRPORT REMARKS: Attended 1300-0300Z†. Extensive helicopter tfc West side of arpt. PAEW on and invof Twys A and D. PAEW south and west AER 35. ACTIVATE MIRL Rwy 17-35, VASI Rwy 17 and Rwy 35, REIL Rwy 35—128.55.

WEATHER DATA SOURCES: AWOS-3 118.475 (972) 606-1433**COMMUNICATIONS:** CTAF 128.55 UNICOM 122.8® **RGNL APP/DEP CON** 135.975

TOWER 128.55 (1200-0200Z daylight savings time 1400-0000Z standard time.) **GND CON** 121.15

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.


MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15' W97°02.43' 176° 10.2 NM to fld. 540/6E.

DALLAS-FT. WORTH

COPTER

L-17C, A

IAP, AD

**GRAWUNDER FLD** (See BELLVILLE)**GRAY** N31°01.97' W97°48.83' NOTAM FILE GRK.

(T) **VORW/DME** 111.8 GRK Chan 55 332° 2.2 NM to Robert Gray AAF (Fort Hood). 980/7E. Unmonitored.

SAN ANTONIO

L-19C, 21A

GRAYSON CO (See SHERMAN-DENISON)**GREATER MORRIS CO** (See DAINGERFIELD)

GREENVILLE**MAJORS** (GVT) CIV/MIL/P/AF 4 SE UTC-6(-5DT) N33°04.07' W96°03.92'**DALLAS-FT. WORTH**

535 B S4 FUEL 100LL, JET A NOTAM FILE GVT

H-6H, L-17D

RWY 17-35: H8030X150 (ASPH) S-26, ST-175, SBTT-580, TT-245, TDT-840, TRT-527 MIRL

IAP, DIAP

RWY 17: MALS. PAPI(P4L)—GA 3.0° TCH 64'. Fence. 0.3% up.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 58'. Fence.

MILITARY SERVICE: JASU 1(B-10) 1(B-10A) 1(MD-3) 1(MA-1)

1(MA-3) FUEL (NC-100LL, A)

AIRPORT REMARKS: Attended Sun-Thu 1330-2300Z†, Fri-Sat 1330-0000Z†. Rwy 35 REIL OTS indef. ACTIVATE MALS Rwy 17—CTAF.

WEATHER DATA SOURCES: AWOS-3 133.425 (903) 454-9801

COMMUNICATIONS: CTAF 118.65 UNICOM 122.95

Ⓡ FORT WORTH CENTER APP/DEP CON 132.85

TOWER 118.65 385.425 (Mon-Fri 1330-2200Z†)

GND CON 121.7 335.8 AFMCLO FLT 349.6 15048 (Same Control)

AIRSPACE: CLASS D svc Mon-Fri 1330-2200Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

SULPHUR SPRINGS (L) VORW/DME 109.0 SLR Chan 27

N33°11.91' W95°32.56' 246° 27.5 NM to fld. 508/8E.

BONHAM (H) VORTACW 114.6 BYP Chan 93 N33°32.25'

W96°14.05' 157° 29.4 NM to fld. 700/6E. HIWAS.

ARVILLA (T) TACAN Chan 33 MJF (109.6) N33°03.98'

W96°03.68' at fld. NOTAM FILE GVT.

Unusable:


026°-034° byd 18 NM blo 2000'

081°-094° byd 10 NM blo 2000'

CASH NDB (MHW) 428 SYW N32°58.91' W96°04.04' 356° 5.1 NM to fld.

MAJOR NDB (LOM) 201 GV N33°09.38' W96°03.82' 176° 5.3 NM to fld.

ILS 110.5 I-GVT Rwy 17. Class IC. LOM MAJOR NDB. MM unmonitored.

**GREGG CO** N32°25.07' W94°45.19' NOTAM FILE GGG.**MEMPHIS**

(L) VORTACW 112.3 GGG Chan 70 127° 2.9 NM to East Texas Rgnl. 320/7E.

H-6I, L-17D

RCO 122.2 (FORT WORTH RADIO)

GRINDSTONE MOUNTAIN N33°36.32' W97°46.40' NOTAM FILE FTW.**DALLAS-FT. WORTH**

NDB (MHW) 356 GMZ at Bowie Muni.

A

GROESBECK N31°34.89' W96°32.95' NOTAM FILE FTW.**HOUSTON**

(L) VORW/DME 108.8 GNL Chan 25 022° 3.9 NM to Mexia-Limestone Co. 512/5E. Unmonitored.

L-19D, A

DME portion unusable:

150°-205° byd 30 NM blo 2,500'

230°-310° byd 30 NM blo 2,400'

345°-035° byd 35 NM blo 2,500'

GROVETON-TRINITY CO (33R) 3 NW UTC-6(-5DT) N31°05.09' W95°09.85'**HOUSTON**

340 B NOTAM FILE CXO

L-19E, 21A

RWY 16-34: H3500X60 (ASPH) S-8 LIRL

RWY 16: Trees. RWY 34: Trees.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. ACTIVATE LIRL Rwy 16-34—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74' W94°43.02' 254° 23.5 NM to fld. 200/5E.

HIWAS.

GRUVER**CLUCK RANCH** (2E3) 17 SW UTC-6(-5DT) N36°10.63' W101°41.67'**WICHITA**

3423 B NOTAM FILE FTW

L-15B**RWY 01-19:** H3605X35 (ASPH) S-12.5**IAP****RWY 01:** **RWY 19:** TRCV(TRIL)—GA 5.0° TCH 18'.**AIRPORT REMARKS:** Unattended. Rotating bcn OTS indef. Rwy 01-19 loose gravel on surface. Rwy 19 TRIL OTS indef.**COMMUNICATIONS:** CTAF 122.9Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE BGD.**BORGER (L) VORTACW** 108.6 BGD Chan 23 N35°48.43' W101°22.93' 315° 26.9 NM to fld. 3130/11E.**GRUVER MUNI** (E19) 2 SW UTC-6(-5DT) N36°14.02' W101°25.93'**WICHITA**

3205 B NOTAM FILE FTW

L-15B**RWY 02-20:** H4698X60 (ASPH) S-12.5 MIRL 0.4% up SW**IAP****RWY 20:** Fence.**AIRPORT REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9Ⓡ **ALBUQUERQUE CENTER APP/DEP CON** 127.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE BGD.**BORGER (L) VORTACW** 108.6 BGD Chan 23 N35°48.43' W101°22.93' 344° 25.7 NM to fld. 3130/11E.**GUADALUPE PASS** N31°49.97' W104°48.55'**EL PASO****RC0** 122.35 (ALBUQUERQUE RADIO)**L-6G****GUTHRIE** N33°46.70' W100°20.17' NOTAM FILE FTW.**DALLAS-FT. WORTH****(L) VORTACW** 114.5 GTH Chan 92 360° 15.2 NM to Dan E. Richards Muni. 1940/10E.**H-6G, L-17B****HALE CO** (See PLAINVIEW)**HALL** (See KAUFMAN)**HALL-MILLER MUNI** (See ATLANTA)**HALLETTSVILLE MUNI** (34R) 3 S UTC-6(-5DT) N29°23.40' W96°57.36'**HOUSTON**278 B **FUEL** 100LL NOTAM FILE CXO**L-19D, 21A****RWY 17-35:** H3210X60 (ASPH) S-7 MIRL**RWY 17:** TRCV(TRIL)—GA 3.3° TCH 12'. Trees. **RWY 35:** Trees.**AIRPORT REMARKS:** Unattended. 24 hr self-serve credit card open for fuel. MIRL Rwy 17-35 preset low ints, to increase ints **ACTIVATE**—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:****VICTORIA (L) VOR/DME** 109.0 VCT Chan 27 N28°54.02' W96°58.74' 356° 29.3 NM to fld. 130/6E.**LESIKAR RANCH** (1T9) 7 E UTC-6(-5DT) N29°31.02' W096°50.67'**HOUSTON**

275 NOTAM FILE CXO

RWY 16-34: 2800X125 (TURF)**RWY 16:** Tree. **RWY 34:** P-line.**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. Gate to public road locked.**COMMUNICATIONS:** CTAF 122.9

HAMILTON MUNI (MNZ) 2 S UTC-6(-5DT) N31°39.96' W98°08.92'

SAN ANTONIO

1299 B S4 FUEL 100LL, JET A NOTAM FILE FTW

H-6H, L-19C

RWY 18-36: H5000X75 (ASPH) S-30 MIRL

IAP

RWY 18: PVASI(PSIL)—GA 3.0° TCH 24'. Tree.

RWY 36: PVASI(PSIL)—GA 3.0° TCH 24'. Pole.

AIRPORT REMARKS: Attended 1400-2300Z†. For fuel after hours call 254-386-3939/3484.

WEATHER DATA SOURCES: AWOS-3 118.525 (254) 386-8211.

COMMUNICATIONS: CTAF/UNICOM 122.7


® GRAY APP/DEP CON 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

LAMPASAS (H) VORTACW 112.5 LZZ Chan 72 N31°11.13'

W98°08.51' 351° 29.0 NM to fld. 1290/8E.

NDB (MHW) 251 MNZ N31°37.21' W98°08.85' 354° 2.9 NM to fld. NOTAM FILE FTW. Unmonitored.



HAMLIN MUNI (14F) 3 SW UTC-6(-5DT) N32°51.01' W100°08.27'

DALLAS-FT. WORTH

1753 B S2 NOTAM FILE FTW

L-17B

RWY 16-34: H3200X50 (ASPH) S-12.5 LIRL

RWY 34: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88' W99°51.81' 318° 26.1 NM to fld. 1810/10E.

HAPPY LANDINGS (See HOUSTON)

HARDIN CO N30°20.18' W94°15.62'. NOTAM FILE CXO.

HOUSTON

NDB (MHW) 524 HRD at Hawthorne Fld. Unmonitored.

L-19E, 21A

HARLINGEN N26°13.75' W97°39.12'. NOTAM FILE HRL.

BROWNSVILLE

(L) VORW/DME 109.2 HRL Chan 29 at Valley Intl. HIWAS.

L-20H, 21A

VOR portion unusable 360°-065° blo 5,000', 108°-180° blo 8,000'.

RCD 122.35 (SAN ANGELO RADIO)

HARLINGEN**VALLEY INTL** (HRL) 3 NE UTC-6(-5DT) N26°13.71' W97°39.26'**BROWNSVILLE**36 B S4 FUEL 100LL, JET A OX 3 LRA Class I, ARFF Index B NOTAM FILE HRL H-7C, L-20H, 21A
RWY 17R-35L: H8301X150 (ASPH-GRVD) S-160, D-200, ST-175, DT-350, DDT-700 HIRL IAP, AD

RWY 17R: MALSR. Rgt tfc.

RWY 35L: VASI(V4L)—GA 3.0° TCH 59'.

RWY 13-31: H7257X150 (ASPH-GRVD) S-160, D-200, ST-175, DT-350, DDT-700 MIRL

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 59'.

RWY 31: VASI(V4L)—GA 3.0° TCH 55'.

RWY 17L-35R: H5949X150 (ASPH) S-160, D-200, DT-350 MIRL

RWY 17L: REIL.

RWY 35R: Thld dsplcd 190'. Road. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-7257 TODA-7257 ASDA-7257 LDA-7257

RWY 31: TORA-7257 TODA-7257 ASDA-7257 LDA-7257

RWY 17L: TORA-5949 TODA-5949 ASDA-5949 LDA-5949

RWY 35R: TORA-5949 TODA-5949 ASDA-5949 LDA-5759

RWY 17R: TORA-8301 TODA-8301 ASDA-8301 LDA-8301

RWY 35L: TORA-8301 TODA-8301 ASDA-8301 LDA-8301

AIRPORT REMARKS: Attended 1200-0600Z†. Twy E clsd E of Twy F

indef. Migratory birds on and in vicinity of arpt. When twr clsd req ARFF thru Corpus Approach or San Angelo FSS. Customs user fee arpt. Rotating bcn OTS indef. When twr clsd ACTIVATE MALSR Rwy 17R —CTAF. When twr clsd MIRL Rwy 17L-35R not avbl.

WEATHER DATA SOURCES: ASOS (956) 428-7297. HIWAS 113.2 HRL. LAWRS.**COMMUNICATIONS:** CTAF 119.3 ATIS 124.85 UNICOM 122.95

HARLINGEN RCO 122.35 (SAN ANGELO RADIO)

® VALLEY APP/DEP CON 120.7


HARLINGEN TOWER 119.3 (1200-0600Z†) GND CON 121.7

AIRSPACE: CLASS C svc 1200-0600Z† etc APP CON**RADIO AIDS TO NAVIGATION:** NOTAM FILE HRL.

HARLINGEN (L) VORW/DME 109.2 HRL Chan 29 N26°13.75' W97°39.12' at fld. HIWAS.

SEBAS NDB (LOM) 338 HR N26°18.31' W97°39.47' 173° 4.6 NM to fld.

ILS/DME 111.5 I-HRL Chan 52 Rwy 17R. Class IB. LOM SEBAS NDB. LOC BC unusable 1 NM inbound. LOC BC unusable byd 15° left and right of course. Unmonitored when tower closed.

COMM/NAV/WEATHER REMARKS: Emergency frequency 121.5 not available at tower.**HARRISON CO** (See MARSHALL)**HARRISON FLD OF KNOX CITY** (See KNOX CITY)**HASKELL MUNI** (15F) 2 N UTC-6(-5DT) N33°11.49' W99°43.07'**DALLAS-FT. WORTH**

1625 B FUEL 100LL NOTAM FILE FTW

L-17B

RWY 18-36: H3420X50 (ASPH) S-13 MIRL 1.0% up S

IAP

RWY 18: Thld dsplcd 206'. P-line. RWY 36: Road.

AIRPORT REMARKS: Unattended. For fuel weekdays 1400-2300Z† call 940-864-2355, nights and weekends call 940-864-2345.

ACTIVATE MIRL Rwy 18-36—122.8.

COMMUNICATIONS: CTAF 122.9

® FORT WORTH CENTER APP/DEP CON 133.5


RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'

W99°51.81' 360° 43.2 NM to fld. 1810/10E.

NDB (MHW) 407 AKL N33°11.46' W99°43.20' at fld.

NOTAM FILE FTW.

**HAWTHORNE FLD** (See KOUNTZE/SILSBEE)

HEARNE MUNI (LHB) 1 SW UTC-6(-5DT) N30°52.33' W96°37.33'

HOUSTON

285 B FUEL 100LL TPA-1298(1013) NOTAM FILE LHB

L-19D, 21A

RWY 18-36: H4001X75 (ASPH) S-17 MIRL

AIRPORT REMARKS: Unattended. Self svc fuel avbl with major credit card. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE-123.3. NOTE: See Special Notices-Lake Jackson, TX-Model Aircraft Activity

WEATHER DATA SOURCES: AWOS-3 118.675 (979) 280-5596.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CLL.

COLLEGE STATION (L) VORTACW 113.3 CLL Chan 80 N30°36.30' W96°25.24' 319° 19.1 NM to fld. 275/8E.
HIWAS.

HEBBRONVILLE N27°21.24' W98°44.65'. NOTAM FILE HBV.

BROWNSVILLE

NDB (MHW) 266 HBV at Jim Hogg Co. Unmonitored. Unusable byd 15 NM.

L-20H

HEBBRONVILLE

JIM HOGG CO (HBV) 3 NW UTC-6(-5DT) N27°20.97' W98°44.22'

BROWNSVILLE

663 B FUEL JET A NOTAM FILE HBV

H-7B, L-20H

RWY 13-31: H5003X75 (ASPH) S-30, D-72, ST-91 MIRL

IAP

RWY 13: Brush. RWY 31: Brush.

AIRPORT REMARKS: Attended Mar-Sep Mon-Fri 1400-2300Z†, Oct-Feb 1400-2300Z†. Rwy 13-31 gross weight pavement strength provided by arpt manager. MIRL Rwy 13-31 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.075 (361)-527-2109. Ceiling not avbl.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **HOUSTON CENTER APP/DEP CON** 127.8


RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.

LAREDO (H) VORTACW 117.4 LRD Chan 121 N27°28.72'

W99°25.06' 093° 37.2 NM to fld. 580/9E. HIWAS.

HEBBRONVILLE NDB (MHW) 266 HBV N27°21.24' W98°44.65'

at fld. NOTAM FILE HBV. Unmonitored. Unusable byd 15 NM.



HEMPHILL CO (See CANADIAN)

HENDERSON

RUSK CO (RFI) 3 W UTC-6(-5DT) N32°08.50' W94°51.10'

MEMPHIS

442 B FUEL 100LL NOTAM FILE FTW

L-17D

RWY 16-34: H4004X75 (ASPH) S-22 MIRL

IAP

RWY 16: PAPI(P2L)-GA 3.0° TCH 40'. Trees.

RWY 34: PAPI(P2L)-GA 3.0° TCH 40'. Trees.

RWY 12-30: H3002X75 (ASPH) S-22

RWY 12: Trees. RWY 30: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. Fuel self service, credit card only btn 0030-1230Z†.

WEATHER DATA SOURCES: AWOS-3 119.375 (903)-657-0384.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **LONGVIEW APP/DEP CON** 118.25 (1200-0400Z†)

FORT WORTH CENTER APP/DEP CON 135.1 (0400-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.

GREGG CO (L) VORTACW 112.3 GGG Chan 70 N32°25.07'

W94°45.19' 190° 17.3 NM to fld. 320/7E.

HENDERSON NDB (MHW) 371 HNO N32°11.28' W94°51.66'

164° 2.8 NM to fld. NOTAM FILE FTW. Unmonitored.



HENDERSON N32°11.28' W94°51.66'. NOTAM FILE FTW.
NDB (MHW) 371 HNO 164° 2.8 NM to Rusk Co. Unmonitored.

MEMPHIS
L-17D

HEREFORD MUNI (HRX) 4 NE UTC-6(-5DT) N34°51.64' W102°19.55'

ALBUQUERQUE

3785 B S4 FUEL 100LL, JET A NOTAM FILE FTW

H-66, L-6H

RWY 02-20: H6100X100 (CONC) MRL

IAP

RWY 02: PAPI(P4L). P-line. RWY 20: PAPI(P4L).

RWY 14-32: 3880X135 (TURF)

RWY 14: P-line.

RWY 32: Tree.

AIRPORT REMARKS: Attended dailt hours. For fuel after hours call 806-344-7710, weekends call 806-683-0914.

Rwy 14-32 CLOSED indef. Rwy 14-32 thlds marked with white tires.

WEATHER DATA SOURCES: AWOS-3 118.05 (806) 258-7283.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ AMARILLO APP/DEP CON 119.5 121.15 (1200-0600Z‡)

Ⓡ ALBUQUERQUE CENTER APP/DEP CON 127.85 (0600-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

TEXICO (H) VORTACW 112.2 TXO Chan 59 N34°29.71' W102°50.38' 038° 33.6 NM to fld. 4060/11E.

NDB (MHW) 341 HRX N34°51.41' W102°19.46' at fld. NOTAM FILE HRX.

HH COFFIELD RGNL (See ROCKDALE)

HICKS AIRFIELD (See FORT WORTH)

HICO

LITTLE C RANCH HELIPORT (4T7) 3 NE UTC-6(-5DT) N32°00.83' W97°58.89'

DALLAS-FT WORTH

1050 NOTAM FILE FTW

HELIPAD H1: 101X35 (TURF)

HELIPORT REMARKS: Unattended. Helipad H1 40' p-line 183' northwest, 4' fence 35' southeast and 17' trees 35' south southwest and 5' hay bales south.

COMMUNICATIONS: CTAF 122.9

HIGGINS-LIPSCOMB CO (1X1) 1 S UTC-6(-5DT) N36°06.35' W100°01.54'

WICHITA

2566 B TPA-3566(1000) NOTAM FILE FTW

L-15C

RWY 18-36: H3969X60 (ASPH) S-12.5 LIRL 0.7% up N

IAP

RWY 18: Thld displcd 196'. Fence.

AIRPORT REMARKS: Unattended. No line of sight between rwy ends. LIRL

OTS indef. ACTIVATE LIRL Rwy 18-36-CTAF.


COMMUNICATIONS: CTAF 122.9

Ⓡ KANSAS CITY CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE GAG.

GAGE (H) VORTACW 115.6 GAG Chan 103 N36°20.62'

W99°52.81' 196° 15.9 NM to fld. 2430/10E. HIWAS.



HIGH ISLAND N28°08.02' W93°38.68'
RCO 122.35 (MONTGOMERY COUNTY RADIO)

HOUSTON
H-7D, L-21B

HILLSBORO MUNI (INJ) 5 N UTC-6(-5DT) N32°05.02' W97°05.84'

DALLAS-FT. WORTH

686 B FUEL 100LL, JET A NOTAM FILE INJ

L-17C, A

RWY 16-34: H3998X60 (ASPH) S-12.5 MIRL

IAP

RWY 16: PAPI(P2L)—GA 3.5° TCH 24'.

AIRPORT REMARKS: Attended Tues-Sat 1400-2300Z. For fuel after hrs call 254-582-8406. Self serve avbl with credit card. Wild hogs on and invof arpt. Noise sensitive area: Extd pat on txf and ldg Rwy 16 to avoid flying over houses to the southeast and east side of arpt.

WEATHER DATA SOURCES: AWOS-3 118.725 (254) 582-0063.

COMMUNICATIONS: CTAF 122.9

Ⓡ WACO APP/DEP CON 135.2 (1200-0600Z)

FORT WORTH CENTER APP/DEP CON 133.3 (0600-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

WACO (H) VORTACW 115.3 ACT Chan 100 N31°39.74' W97°16.14' 010° 26.7 NM to fld. 510/9E.

HIWAS.

HOBBY N29°39.34' W95°16.60' NOTAM FILE HOU.

HOUSTON

(H) VORW/DME 117.1 HUB Chan 118 at William P. Hobby. 82/5E.

COPTER

RCD 122.35 (MONTGOMERY COUNTY RADIO)

H-7C, L-19E, 21A

HONDO MUNI (HDO) P 2 NW UTC-6(-5DT) N29°21.58' W99°10.60'

SAN ANTONIO

930 B S2 FUEL 100LL, JET A TPA-1800(870) NOTAM FILE HDO

H-7B, L-19B

RWY 08-26: H6059X150 (CONC) S-30, D-45, DT-90

IAP, DIAP

RWY 26: Thld dspcd 79'. Trees.

RWY 13-31: H6045X150 (CONC) S-30, D-45, DT-90 0.3% up

NW

RWY 13: Thld dspcd 98'. RWY 31: Thld dspcd 471'.

RWY 17L-35R: H5624X150 (CONC) S-30, D-45, DT-90 MIRL

0.3% up N

RWY 17L: Trees. RWY 35R: Rgt tfc.

RWY 04-22: H5400X150 (CONC) S-30, D-45, DT-90

RWY 04: Thld dspcd 294'.

RWY 22: Thld dspcd 532'.

RWY 17R-35L: H3224X140 (ASPH) S-30, D-45, DT-90 0.3% up N

RWY 17R: Thld dspcd 454'. Rgt tfc.

MILITARY SERVICE: FUEL (NC-100LL)

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z, Sat attended irregularly. Self svc fuel avbl 24 hrs. Full svc Jet A avbl upon request, call 210-639-7150 or 210-275-2664. 2 hrs notice required after hrs. Rwy 17L and 35R thld lghts OTS indef. Rwy 17R-35L CLOSED to acft over 12500 lbs. Extensive pilot training in a T6-A acft being conducted under the Randolph 2A MOA and within 15 NM of Hondo Muni Mon-Fri SR-SS from surface to 7,500' MSL. Weekend flying conducted as needed. U.S. Air Force T-6 acft fly a nonstandard rgt tfc pattern to Rwy 17L and a nonstandard left tfc pattern to Rwy 35R. Weekend flying conducted as needed. All twys holding line markings NSTD. NOTE: See Special Notices Section—Aerobatic Practice Area.

MILITARY REMARKS: CAUTION T-6A acft opr in a military overhead tfc pat to west of Rwy 17L-35R (rgt tfc Rwy 17L, left tfc Rwy 35R). Ctc Rwy Supervisor Unit (Tincan) on 122.8 prior to pat entry for advisory. MISC Touch and go training provided only on request ctc, Tincan-122.725 for advisory when 20 NM out. Twy holding line markings and rwy dspcd thld markings NSTD.

WEATHER DATA SOURCES: ASOS 119.675 (830) 426-3060.

COMMUNICATIONS: CTAF/UNICOM 122.725


Ⓡ HOUSTON CENTER APP/DEP CON 134.95 269.4

RADIO AIDS TO NAVIGATION: NOTAM FILE HDO.

(L) VOR/DME 109.4 HDO Chan 31 N29°20.95' W99°10.67' at fld. 947/8E. No NOTAM MP Mon

0400-0800Z. Rstd to apch Rwy 17 and ground receiver checkpoint only.

NDB (MHW) 329 HMA N29°22.41' W99°10.32' at fld. NOTAM FILE HDO.



HOOD AAF (HLR)(KHLR) A 1 NE UTC-6(-5DT) N31°08.32' W97°42.87' **SAN ANTONIO**
 924 B NOTAM FILE FTW Not insp. **L-19C, 21A**
RWY 16-34: H3701X144 (ASPH) PCN 8 F/C/W/T HIRL **DIAP, AD**
RWY 16: Thld dsplcd 567'.
MILITARY SERVICE: LGT ACTIVATE HIRL Rwy 16-34-119.65 **OIL SOAP FUEL J8(JP8)** (No tran acft fuel). **TRAN**
ALERT Limited transient parking.
MILITARY REMARKS: Attended Mon-Fri 1400-0600Z, except holidays. See FLIP AP/1 Supplementary Arpt Remarks.
RSTD Fixed Wing acft PPR all transient acft, C254-288-3811, DSN 738-3811. No Base OPS svc avbl at Hood AAF, ctc Robert Gray Base OPS, C254-288-9200, DSN 738-9200. Rapid refuel open daily 1500-0600Z exc weekends and holidays. Rwy 16 dsplcd thld 3134' remaining. **CAUTION** Instrument final apch course cross 1 NM SW Skylark Fld. Intense copter opr vicinity Fort Hood. Some acft opr in area without conspicuous markings and blend with terrain. R6302 located 1.1 NM N of afld. **MISC** Wx absn fully automated via ASOS. No terminal forecast issued for Hood AAF. For remote briefing svc ctc Robert Gray AAF. C254-288-9620, DSN 738-9620 or 26 OWS, Barksdale AFB, C318-456-4775, DSN 781-4775.

COMMUNICATIONS:
GRAY APP/DEP CON 120.075 323.15
TOWER 119.65 269.45 (Mon-Fri 1400-0600Z, except holidays other times ctc Robert Gray Twr 120.75 285.5 airborne; 133.85 225.4 on ground). **GND CON** 133.85 225.4 **CLNC DEL** 225.4
PMSV GRAY METRO 306.5 41.2 **RANGE CON** 30.45 38.30 **FORT HOOD FLT FOLLOWING** 143.1 357.9
RADIO AIDS TO NAVIGATION: NOTAM FILE GRK.
GRAY (T) VORW/DME 111.8 GRK Chan 55 N31°01.97' W97°48.83' 032° 8.1 NM to fld. 980/7E.
 Unmonitored.
NDB (MHW) 347 HLR N31°07.74' W97°42.68' at fld. NOTAM FILE SJT.
IRESH NDB (MHW/LOM) 278 IL N31°01.44' W97°42.48' 350° 6.9 NM to fld. NOTAM FILE ILE.

HORIZON (See EL PASO)

HORIZON (See SAN ANTONIO)

HORSESHOE BAY RESORT N30°31.40' W98°21.47' NOTAM FILE SJT. **SAN ANTONIO**
NDB (MHW) 403 MFS 019° 14.2 NM to Burnet Muni Kate Craddock Fld. **L-19C**

HORSESHOE BEND (See WEATHERFORD)

HOUSTON N29°42.83' W095°23.80' **HOUSTON**
 AWOS-3 119.575 MCI **COPTER**
L-19E

HOUSTON N29°54.85' W95°29.78' **HOUSTON**
 RC0 122.4 (MONTGOMERY COUNTY RADIO) **COPTER**
L-19E, 21A

HOUSTON

DAN JONES INTL (T51) 22 NW UTC-6(-5DT) N30°02.57' W95°40.03' **HOUSTON**
 166 B **FUEL** 100LL NOTAM FILE CXO **COPTER**
RWY 17-35: 3440X50 (ASPH-TURF) LIRL (NSTD) **L-19D, 21A**
RWY 17: Thld dsplcd 255'. Tree. **RWY 35:** Thld dsplcd 400'. P-line. **IAP**
AIRPORT REMARKS: Attended dawn to 0600Z. Arpt CLOSED midnight to dawn. Arpt CLOSED to helicopter operations. Deer on rwy. Cattle invov rwy. Rwy 17-35 NSTD LIRL, single thld lgt each rwy end. 2240' of rwy usable for ngt ops. Rwy 17 thld relocated 300' for ngt ops, Rwy 35 thld relocated 900' for ngt ops. Rwy 17-35 N end 1904' X 30' asph. Rwy 17 thld dsplcd 255' days only. Rwy 35 thld dsplcd 400' days only. 2240' of rwy usable for ngt ops. Rwy 17-35 4' fence 53' E of centerline. LIRL Rwy 17-35 ops dusk-0600Z, for rotating bcn call 281-351-9151. Left hand tfc 500' and 1000' MSL. N-S transitional acft W of fld.
COMMUNICATIONS: CTA/UNICOM 122.8
HOUSTON APP/DEP CON 119.7
RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.
NAVASOTA (H) VORTACW 115.9 TNV Chan 106 N30°17.31' W96°03.49' 118° 25.1 NM to fld. 230/8E.
 VORTAC unmonitored.

DAVID WAYNE HOOKS MEM (DWH) 17 NW UTC-6(-5DT) N30°03.71' W95°33.17'

HOUSTON

152 B S4 FUEL 100LL, JET A OX 2 TPA-1152(1000) NOTAM FILE DWH

COPTER

Rwy 17R-35L: H7009X100 (ASPH) S-30, D-85 HIRL

H-7C, L-19D, 21A

Rwy 17R: REIL. PAPI(P4R). Thld dsplcd 1007'. Road.

IAP, AD

Rwy 35L: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

Rwy 17L-35R: H3987X35 (ASPH) S-4

Rwy 35R: Thld dsplcd 208'. Trees. Rgt tfg.

RUNWAY DECLARED DISTANCE INFORMATION

Rwy 17R: TORA-7009 TODA-7009 ASDA-7009 LDA-6012

Rwy 35L: TORA-6700 TODA-6700 ASDA-6700 LDA-6700

AIRPORT REMARKS: Attended 1200-0400Z†. After hrs svc avbl, prior notice required during attended hrs ctc 1-800-624-7394, 281-376-5436. Noise Sensitive Area southwest of arpt. All military acft dep Rwy 17R climb rwy heading 650' MSL prior to turns or rejoin. Helicopter practice area west of twr at or below 600 ft. Twys A and B clsd east of Rwy 17R indef. Acft 12,499 lbs and over are rstd to Twys C, P, Twy E (Btn Twy P and G), Twy G (North of Twy E), Ramps A and C, and the Tomball Jet Center Ramp. Twy K restricted to piston acft only. Rwy 17R-35L lgtd signs OTS indef. Rwy 17R REIL OTS indef. Rwy 17R REIL located at dsplcd thld. Twys unlgtd. Twy H lgtd signs OTS indef. After sunset large acft use Taxiway P between Taxiways E and C. Four helicopter parking spots located east of Twy K. When twr clsd **ACTIVATE HIRL Rwy 17R-35L and REIL Rwy 17R-118.4.**

WEATHER DATA SOURCES: ASOS (281) 251-7853.

COMMUNICATIONS: CTAF 118.4 ATIS 124.95 UNICOM 122.95

(R) HOUSTON APP/DEP CON 119.7

HOOKS TOWER 118.4 (West) 127.4 (East) (1300-0400Z†) GND CON 121.8 CLNC DEL 119.45

AIRSPACE: CLASS D svc 1300-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.

HUMBLE (H) VORTACW 116.6 IAH Chan 113 N29°57.41' W95°20.74' 295° 12.5 NM to fld. 90/5E.

HIWAS.

DAVID HOOKS NDB (MHW) 521 DWH N30°07.53' W95°33.95' 165° 3.9 NM to fld. NOTAM FILE DWH.

Unmonitored.


ILS/DME 110.5 I-HEW Chan 42 Rwy 17R. LOC only. DME unmonitored.

149

WATERWAY 17-35: 2530X100 (WATER)

WATERWAY 17: Acft 120' from thld. Berm.

WATERWAY 35: Berm.



ELLINGTON FLD

(EFD) CIV/MIL/ANG/CG/NASA/ARNG 15 SE UTC-6(-5DT)

HOUSTON

N29°36.44' W95°09.53'

COPTER32 B S4 **FUEL** 100LL, JET A OX 2, 4 TPA—See Remarks

Class IV, ARFF Index A

H-7C, L-19E, 21A

NOTAM FILE EFD

DIAP, AD**RWY 17R-35L:** H9001X150 (CONC-GRVD) S-100, D-190, ST-175,

DT-590, DDT-800 HIRL CL

RWY 17R: MALSF. TDZL. PAPI(P4L)—GA 3.0° TCH 52'.**RWY 35L:** MALSF. TDZL. PAPI(P4L)—GA 3.0° TCH 54'. Rgt tfc.**RWY 04-22:** H8001X150 (CONC-GRVD) S-100, D-164, ST-175,

DT-300, DDT-668 HIRL CL

RWY 04: PAPI(P4L)—GA 3.0° TCH 45'. Rgt tfc.**RWY 22:** MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 45'.**RWY 17L-35R:** H4609X75 (CONC) S-24, D-63, ST-80, DT-145,

DDT-300

RWY 35R: Rgt tfc.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 04:** TORA-8001 TODA-8001 ASDA-8001 LDA-8001**RWY 22:** TORA-8001 TODA-8001 ASDA-8001 LDA-8001**RWY 17L:** TORA-4609 TODA-4609 ASDA-4609 LDA-4609**RWY 35R:** TORA-4609 TODA-4609 ASDA-4609 LDA-4609**RWY 17R:** TORA-9001 TODA-9001 ASDA-9001 LDA-9001**RWY 35L:** TORA-9001 TODA-9001 ASDA-9001 LDA-9001**ARRESTING GEAR/SYSTEMS****RWY 17R** → BAK-14 BAK-12(B) 14 (1500')BAK-14 BAK-12(B) 14 (1850') ← **RWY 35L****RWY 04** → BAK-12(B)/14 (1563')BAK-12(B)/14 (1496') ← **RWY 22****MILITARY SERVICE:** JASU 2(C-26B) 3(MD-3) 2(MA-1A) 1(MC-11) **FLUID** LHOX HPOX**AIRPORT REMARKS:** Attended continuously. Use extreme care La Porte arpt 4 miles NE of arpt located on Rwy 22 apch.

Be alert for military acft at 1600' above sea level making overhead approaches. Birds on and in/ovf arpt. 70' AGL

tanks located 1400' northeast of Rwy 17R apch. Street lghts located 700' E of Rwy 17R approach may be

mistaken for approach lghts. Rwy 17L-35R and Twy B East of Rwy 17R-35L not avbl for acft ops with more than 9

passenger seats. TPA—VFR rectangular 1100(1068), overhead 1600(1568), lgt acft 600(568). Noise

Abatement: Noise sensitive areas south and east of arpt. Jet acft restricted to straight-in, full stop ldg only

between 0400-1300Z† daily, Sun 0400-1900Z†. No multiple practice VFR apch between 0500-1300Z†

Sunday. On departure jet acft minimum use of afterburners and climb rwy heading to 1000' prior to turns or

rejoin. Minimize flight and high power settings over populated areas, especially SE of the fld. On departure and

touch and go, climb to pattern altitude as soon as possible. Minimize the use of afterburners beyond the fld

boundary. Twy B unlgtd east of Rwy 17R-35L, daylight use only. Rwy 17L-35R between Twy C and Twy G dual

purpose rwy/twy with twy lghts. Portions of ramp SW of twr (T-hangars) not visible from twr. Parking ramp capacity

TDT-710. Rwy 22 rwy visual range touchdown and rollout avbl. Rwy 22 runway visual range touchdown OTS

indef. Rwy 35L rwy visual range touchdown and rollout avbl. Rwy 17R arresting barriers 1500' located in safety

area each side of rwy 14". Rwy 35L arresting barriers 1849' located in safety area each side of rwy 14". Rwy 04

arresting barriers 1563' located in safety area each side of rwy 14". Rwy 22 arresting barriers 1496' located in

safety area each side of rwy 14".

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. **CAUTION** Numerous small arpt with extensive trainingin area of base. **ANG** ramp clsd to all acft except Official Business only. PPR, etc ANG Base OPS 1200-2130Z†

wkcd, clsd weekend, and hol. DSN 454-2142, C281-929 2142, 24 hr prior arrival. Comd Post 24 hr DSN

454-2716, C 281-929-2716. All other tran acft ctc 1-800-426-5237, C 281-464-6551. **CG** Minimum 24 hr


PPR except CG mission, C281-481-0025, DSN 454-2316.

COMMUNICATIONS: ATIS 135.575 269.9 1200-0500Z† (281) 464-4190 **UNICOM** 122.95**(R) HOUSTON APP/DEP CON** 134.45 284.0**LOVE STAR COMD POST** 142.2 261.8**TOWER** 126.05 253.5 **GND CON** 121.6 275.8**ARNG OPS** 41.00 (Mon-Fri 1230-2200Z† prior req only) 142.2 288.5 Call Texan ops.**RADIO AIDS TO NAVIGATION:** NOTAM FILE HOU.**HOBBY (H) VORW/DME** 117.1 HUB Chan 118 N29°39.34' W95°16.60' 110° 6.8 NM to fld. 82/5E.**(L) TACAN** Chan 31 EFD (109.4) N29°36.36' W95°09.58' at fld. 30/5E. No NOTAM MP TACAN Mon

1300-1530Z†.

TACAN azimuth and DME unusable:

080°-095° byd 15 NM blo 5,000' 150°-160° byd 25 NM blo 2,500'

SANJAC NDB (MHW) 347 JPA N29°40.11' W95°04.19' 227° 5.9 NM to fld. NOTAM FILE CXO.**ILS 110.3** I-LPV Rwy 17R. Class IE. No NOTAM MP Tue-Wed 1330-1530Z†.**ILS 111.1** I-EFD Rwy 35L. Class IE. No NOTAM MP Tue-Wed 1330-1530Z†.**ILS 110.1** I-FNF Rwy 22. Class IE. ILS OTS indef. No NOTAM MP Tue-Wed 1330-1530Z†.

FLYIN' B (39R) 15 S UTC-6(-5DT) N29°32.26' W95°25.43'

HOUSTON

70 S4 NOTAM FILE CXO

COPTER

RWY 17-35: 2100X75 (TURF)

RWY 17: P-line.

RWY 35: Trees.

AIRPORT REMARKS: Attended continuously. Ground drops off sharply at end of Rwy 17 20' from thld. Bayou at South end of rwy. Rwy 17-35 sfc is not smooth and continuous, covered with 1'-2' high vegetation and has rough areas where soil has been eroded.

COMMUNICATIONS: CTAF 122.9

GEORGE BUSH INTERCONTINENTAL/HOUSTON (IAH) 15 N UTC-6(-5DT)

HOUSTON

N29°59.07' W95°20.49'

COPTER

97 B S4 **FUEL** 100LL, JET A OX 2

LRA Class I, ARFF Index E NOTAM FILE IAH

H-7C, L-19E, 21A

RWY 15L-33R: H12001X150 (CONC-GRVD)

S-100, D-200, ST-175, DT-400, DDT-800

HIRL CL

IAP, AD

RWY 15L: PAPI(P4L)—GA 3.0° TCH 58'.

RWY 33R: MALSR.

RWY 09-27: H10000X150 (CONC-GRVD)

D-210, ST-175, DT-560

HIRL CL

RWY 09: MALSR. PAPI (P4R)—GA 3.0° TCH 71'.

RWY 27: ALSF2. TDZL. PAPI (P4L)—GA 3.0° TCH 70'.

RWY 15R-33L: H9999X150 (CONC-GRVD)

S-75, D-200, ST-175,

DT-400, DDT-873

HIRL CL

RWY 15R: MALSR. TDZL. PAPI(P4L)—GA 3.0° TCH 71'.

RWY 33L: TDZL. PAPI(P4R)—GA 3.0° TCH 59'.

RWY 08R-26L: H9402X150 (CONC-GRVD)

S-75, D-210, ST-175,

DT-498, DDT-873

HIRL CL

RWY 08R: MALSR. TDZL. PAPI (P4L)—GA 3.0° TCH 71'.

RWY 26L: ALSF2. TDZL. PAPI (P4R)—GA 3.0° TCH 72'.

RWY 08L-26R: H9000X150 (CONC-GRVD)

S-75, D-210, ST-175,

DT-409, DDT-873

HIRL CL

RWY 08L: ALSF2. TDZL.

RWY 26R: ALSF2. TDZL.


LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 08R	Twy NP	9019
RWY 26L	Twy NE	9010

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08L:	TORA-9000	TODA-9000	ASDA-9000	LDA-9000
RWY 08R:	TORA-9402	TODA-9402	ASDA-9402	LDA-9402
RWY 09:	TORA-10000	TODA-10000	ASDA-10000	LDA-10000
RWY 15L:	TORA-12001	TODA-12001	ASDA-12001	LDA-12001
RWY 15R:	TORA-9999	TODA-9999	ASDA-9999	LDA-9999
RWY 26L:	TORA-9402	TODA-9402	ASDA-9402	LDA-9402
RWY 26R:	TORA-9000	TODA-9000	ASDA-9000	LDA-9000
RWY 27:	TORA-10000	TODA-10000	ASDA-10000	LDA-10000
RWY 33L:	TORA-9999	TODA-9999	ASDA-9999	LDA-9999
RWY 33R:	TORA-12001	TODA-12001	ASDA-12001	LDA-12001

AIRPORT REMARKS: Attended continuously. Rwy 08L CLOSED to arrivals and departures 0400-1200Z±, Rwy 26R CLOSED to departures 0400-1200Z±. CAUTION: Birds on and in vicinity of arprt. CAUTION—Approach end of Rwy 26L bright lgts approximately one mile from thld and 900' south of centerline. ASDE-X SURVEILLANCE System in use: Pilots should opr transponders with Mode C on all twys and rwys. Rwy 08L and Rwy 26R, Rwy 15L-33R and Rwy 15R-33L runway visual range touchdown, midfield, rollout avbl. Rwy 15L-33R magnetic anomalies may affect compass heading for tkf. Noise sensitive area north, east and west of arprt. North ramp north and south taxi lane clsd to acft with wing spans greater than 125'. North ramp connector restricted to acft with wing span 125' and blo. Twy lane RC clsd to acft with wingspan greater than 135'. Twy NR clsd to acft with wing spans greater than 125' between Twy WD and Twy WB. The following movement areas are not visible from the twr: portions of Twys WA and WB from Twy WH to the AER 33R; Twys WA and WB from Twy WD north for 400'; Twy WD from Twy WA to Twy NR; Twy NR; Twy WL from Rwy 15L to Twy WB and Twy WM. Twys RA, RB and SC north of Twy SB are designated non-movement areas opr by COA ramp control. Twy SF between the south ramp and Twy NB is designated non-movement areas. Dual twy ops Twy NK btn Twy NB and North Ramp, west centerline restricted to acft maximum wing spans 125' and east centerline maximum wing spans 214'. Twy WC west of Rwy 15R-33L restricted to acft with 118' wingspan and below. Twy WA and Twy WB magnetic anomalies may affect compass heading. North Ramp taxilane btn Twys NF and NR restricted to acft with wing span 125' and below. North Ramp north taxilane btn Twy NG/SPOT 06 clsd from 0300-1400Z±. 9' AGL unmarked security fence adjacent to fixed base operator and corporate base operator ramps and nonmovement area taxilanes. Helicopter hover/taxi restricted to hard surface movement areas only. Landing fee. Flight Notification Service (ADCUS) available.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

WEATHER DATA SOURCES: ASOS (281) 443-6397. HIWAS 116.6 IAH. TDWR.

COMMUNICATIONS: D-ATIS 124.05 (281) 443-1744 UNICOM 122.95

RCO 122.4 (MONTGOMERY COUNTY RADIO)

Ⓡ HOUSTON APP CON 124.35 (West) 120.05 (East)

Ⓡ HOUSTON DEP CON 123.8 (West) 119.7 (North) 133.6 (East)

TOWER 135.15 127.3 125.35 120.725 GND CON 121.7 119.95 118.575 CLNC DEL 128.1

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.

HUMBLE (H) VORTACW 116.6 IAH Chan 113 N29°57.41' W95°20.74' 003° 1.7 NM to fld. 90/5E.

HIWAS.

NIXIN NDB (MHW) 326 BVP N29°59.60' W95°12.90' 260° 6.6 NM to fld.

ILS/DME 109.7 I-JYV Chan 34 Rwy 26L. Class III E.

ILS/DME 109.7 I-IAH Chan 34 Rwy 08R.

ILS/DME 111.55 I-BZU Chan 52(Y) Rwy 08L. Class III E.

ILS/DME 110.9 I-UYO Chan 34 Rwy 09.

ILS 111.15 I-LKM Rwy 15R. Class IE. LOC unusable byd 30° right of course.

ILS/DME 111.55 I-OND Chan 52(Y) Rwy 26R. Class III E.

ILS/DME 110.9 I-GHI Chan 46 Rwy 27. Class III E.

ILS 111.9 I-CDG Rwy 33R.

HAPPY LANDINGS (2H5) 33 SW UTC-6(-5DT) N29°30.30' W095°54.01'

HOUSTON

105 NOTAM FILE CXO

Not insp.

RWY 17-35: 4400X100 (TURF)

RWY 17: Trees. RWY 35: Fence.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

HOUSTON EXECUTIVE (TME) 28 W UTC-6(-5DT) N29°48.50' W095°53.87'

HOUSTON

166 B FUEL 100LL, JET A NOTAM FILE CXO

H-7C, L-19D, 21A

RWY 18-36: H6610X100 (ASPH) D-50 MIRL

IAP

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 40'. P-line.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dsplcd 1560'. Rgt tfc.

AIRPORT REMARKS: Attended continuously. For svc after hrs call 281-945-5000. 100LL avbl 24 hrs self serve. Birds on and invof arpt. Noise sensitive area east of arpt in effect, avoid housing area. Touch and go landings prohibited. ACTIVATE MIRL Rwy 18-36, REIL Rwy 18 and REIL Rwy 36—CTAF.

WEATHER DATA SOURCES: AWOS-A 122.975. (281) 945-5451 or 713-932-8437. Also reports visibility.

COMMUNICATIONS: CTAF/AUNICOM 122.975

Ⓡ HOUSTON APP/DEP CON 123.8

GCO 121.725 (IAH CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

EAGLE LAKE (H) VORW/DME 116.4 ELA Chan 111 N29°39.75' W96°19.03' 061° 23.5NM to fld. 190/8E.

CONTINUED FROM PRECEDING PAGE

WEATHER DATA SOURCES: ASOS (281) 443-6397. HIWAS 116.6 IAH. TDWR.

COMMUNICATIONS: D-ATIS 124.05 (281) 443-1744 UNICOM 122.95

RCO 122.4 (MONTGOMERY COUNTY RADIO)

Ⓡ HOUSTON APP CON 124.35 (West) 120.05 (East)

Ⓡ HOUSTON DEP CON 123.8 (West) 119.7 (North) 133.6 (East)

TOWER 135.15 127.3 125.35 120.725 GND CON 121.7 119.95 118.575 CLNC DEL 128.1

AIRSPACE: CLASS B See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.

HUMBLE (H) VORTACW 116.6 IAH Chan 113 N29°57.41' W95°20.74' 003° 1.7 NM to fld. 90/5E.

HIWAS.

NIXIN NDB (MHW) 326 BVP N29°59.60' W95°12.90' 260° 6.6 NM to fld.

ILS/DME 109.7 I-JYV Chan 34 Rwy 26L. Class III E.

ILS/DME 109.7 I-IAH Chan 34 Rwy 08R.

ILS/DME 111.55 I-BZU Chan 52(Y) Rwy 08L. Class III E.

ILS/DME 110.9 I-UYO Chan 34 Rwy 09.

ILS 111.15 I-LKM Rwy 15R. Class IE. LOC unusable byd 30° right of course.

ILS/DME 111.55 I-OND Chan 52(Y) Rwy 26R. Class III E.

ILS/DME 110.9 I-GHI Chan 46 Rwy 27. Class III E.

ILS 111.9 I-CDG Rwy 33R.

HAPPY LANDINGS (2H5) 33 SW UTC-6(-5DT) N29°30.30' W095°54.01'**HOUSTON**

105 NOTAM FILE CXO

Not insp.

RWY 17-35: 4400X100 (TURF)

RWY 17: Trees. RWY 35: Fence.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9
-----**HOUSTON EXECUTIVE** (TME) 28 W UTC-6(-5DT) N29°48.50' W095°53.87'**HOUSTON**

166 B FUEL 100LL, JET A NOTAM FILE CXO

H-7C, L-19D, 21A

RWY 18-36: H6610X100 (ASPH) D-50 MIRL

IAP

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 40'. P-line.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Thld dsplcd 1560'. Rgt tfc.

AIRPORT REMARKS: Attended continuously. For svc after hrs call 281-945-5000. 100LL avbl 24 hrs self serve. Birds on and invof arpt. Noise sensitive area east of arpt in effect, avoid housing area. Touch and go landings prohibited. ACTIVATE MIRL Rwy 18-36, REIL Rwy 18 and REIL Rwy 36—CTAF.

WEATHER DATA SOURCES: AWOS-A 122.975. (281) 945-5451 or 713-932-8437. Also reports visibility.

COMMUNICATIONS: CTAF/AUNICOM 122.975

Ⓡ HOUSTON APP/DEP CON 123.8

GCO 121.725 (IAH CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

EAGLE LAKE (H) VORW/DME 116.4 ELA Chan 111 N29°39.75' W96°19.03' 061° 23.5NM to fld. 190/8E.

HOUSTON—SOUTHWEST (AXH) 15 SW UTC-6(-5DT) N29°30.37' W95°28.62'

HOUSTON

68 B S4 FUEL 100LL, JET A OX 3 TPA—See Remarks NOTAM FILE CXO

COPTER

RWY 09-27: H5003X100 (ASPH) S-13 MIRL

H-7C, L-19D, 21A

RWY 09: REIL. PAPI(P2L)—GA 3.5° TCH 50'. Trees.

RWY 27: REIL. PAPI(P2L). Road.

IAP

AIRPORT REMARKS: Attended continuously. Ultralight and balloon ops prohibited. TPA for lgt acft 1068 (1000) and large acft 1568 (1500). No touch and go landings for transient or nonbased acft. Helicopter tfc invov arpt.

WEATHER DATA SOURCES: ASOS-123.625 (281)431-6572.

COMMUNICATIONS: CTAF/UNICOM 123.0


Ⓡ **HOUSTON APP/DEP CON** 123.8 **CLNC DEL** 120.8

RADIO AIDS TO NAVIGATION: NOTAM FILE HOU.

HOBBY (H) VORW/DME 117.1 HUB Chan 118 N29°39.34'

W95°16.60' 225° 13.8 NM to fld. 82/5E.

ILS/DME 108.9 I-AXH Chan 26 Rwy 09. (Loc only).



LONE STAR EXECUTIVE (CXO) 37 N UTC-6(-5DT) N30°21.14' W95°24.87'

HOUSTON

245 B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE CXO

H-7C, L-19D, 21A

RWY 14-32: H6000X150 (CONC) S-60, D-100, ST-175 MIRL

IAP, AD

RWY 14: MALSR. PAPI(P2L)—GA 3.0° TCH 31'. Thld dsplcd 591'.

Tree.

RWY 32: REIL. Antenna.

RWY 01-19: H5000X100 (CONC) S-140, ST-175 MIRL

RWY 01: PAPI (P2L)—GA 3.0° TCH 33'. Trees.

RWY 19: PAPI (P2L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended 1300-0300Z†. Extensive military helicopter activity on arpt. Helicopters use right-hand traffic. MIRL Rwy 14-32 preset low intensity, increase intensity and ACTIVATE MALSR Rwy 14 and REIL Rwy 32—CTAF.

WEATHER DATA SOURCES: ASOS 118.325 (936)760-4237.

COMMUNICATIONS: CTAF 124.125 ATIS 118.325 UNICOM 122.95

MONTGOMERY COUNTY RCO 122.2 (MONTGOMERY COUNTY RADIO)

Ⓡ **HOUSTON APP/DEP CON** 119.7 **CLNC DEL** 119.55 (when twr clsd)

TOWER 124.125 (1300-0400Z†) **GND CON** 120.45

CLNC DEL 120.45

AIRSPACE: CLASS D svc 1300-0400Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.

HUMBLE (H) VORTACW 116.6 IAH Chan 113 N29°57.41'

W95°20.74' 346° 23.9 NM to fld. 90/5E. **HIWAS.**

ALIBI NDB (LOM) 281 CX N30°25.92' W95°28.58' 141° 5.7 NM to fld. NOTAM FILE CXO.

ILS/DME 108.7 I-CXO Chan 24 Rwy 14. Class IB. LOM ALIBI NDB.



PEARLAND RGNL (LVJ) 17 S UTC-6(-5DT) N29°31.28' W95°14.53'

44 B S4 **FUEL** 100LL, JET A TPA-1044(1000) NOTAM FILE LVJ

RWY 14-32: H4313X75 (ASPH) S-8 MIRL

RWY 14: REIL. Trees.

RWY 32: REIL. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†, Sun

1800-2300Z†. Lgt'd oil derrick 116' AGL, .65 NM southeast of
arpt. Rwy 14 25' lgt'd poles in trees 520' from thld. Banner towing
SR-SS.

WEATHER DATA SOURCES: ASOS 118.525 (281) 992-1853.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **HOUSTON APP/DEP CON** 134.45 **CLNC DEL** 124.0

RADIO AIDS TO NAVIGATION: NOTAM FILE GLS.

SCHOLLS (L) VORTACW 113.0 VUH Chan 77 N29°16.16'
W94°52.06' 302° 24.8 NM to fld. 4/6E. Unmonitored.

HOUSTON
COPTER
L-19E, 21A
IAP



SUGAR LAND RGNL (SGR) 17 SW UTC-6(-5DT) N29°37.34' W95°39.39'

82 B S4 **FUEL** 100LL, JET A OX 1, 2 TPA—(See Remarks) NOTAM FILE SGR

RWY 17-35: H8000X100 (CONC) S-80, D-120, ST-152, DT-200, DT-600 HIRL

RWY 17: REIL. PAPI(P2R)—GA 3.5° TCH 52'. Thld dsplcd 380'. Trees.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 56'. Thld dsplcd 1984'.
Road.

AIRPORT REMARKS: Attended 1100-0500Z†. For fuel after hrs call
281-275-2400 before 0500Z†. Birds on and in vicinity of arpt.
Nitrogen avbl during business hrs. Ramp fee for civil acft waived
with fuel purchase. No touch and go landings nighttime. No
intersection departures for multi-engine acft. Noise abatement
procedure: Noise sensitive areas, information avbl at terminal.
TPA-1000(918) single engine piston acft, TPA-1500(1418) for
twin and turbojet acft, TPA-500(418) for helicopters within 2 NM.
ACTIVATE HIRL Rwy 17-35 and REIL Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 118.125 (281) 242-7605.

COMMUNICATIONS: CTAF 118.65 **UNICOM** 122.95

® **HOUSTON APP/DEP CON** 123.8 **CLNC DEL** 119.25 (When twr clsd)

SUGAR LAND TOWER 118.65 (1200-0400Z†) **CLNC DEL** 121.4

GND CON 121.4

AIRSPACE: CLASS D 1200-0400Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE HOU.

HOBBY (H) VORW/DME 117.1 HUB Chan 118 N29°39.34'
W95°16.60' 259° 20.0 NM to fld. 82/5E.

HULL NDB (HW) 388 SGR N29°37.95' W95°39.36' at fld. NOTAM FILE SGR.

ILS/DME 110.7 I-TXH Chan 44 Rwy 35.

HOUSTON
COPTER
H-7C, L-19D, 21A
IAP, AD



WEISER AIR PARK (EYQ) 11 NW UTC-6(-5DT) N29°56.11' W95°38.38'HOUSTON
COPTER
L-19D, 21A
IAP

137 B S4 FUEL 100LL NOTAM FILE CXO
 RWY 09-27: H3455X40 (ASPH) S-10 LIRL (NSTD)
 RWY 09: Tree. Rgt tfc. RWY 27: P-line.
 RWY 16-34: 2000X33 (TURF) S-4
 RWY 16: Trees. RWY 34: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. 100LL self serve with major credit card. Rwy 09-27 NSTD LIRL. N side lgts 30' from rwy edge, S side lgts 40' from rwy edge. Helicopter ops restricted to an area Northwest of the intersection of Rwy 09-27 and Rwy 16-34.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **HOUSTON APP/DEP CON** 123.8

RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.

HUMBLE (H) VORTACW 116.6 IAH Chan 113 N29°57.41' W95°20.74' 260° 15.4 NM to fld. 90/5E. **HIWAS.**

NDB (MHW) 286 EYQ N29°56.03' W95°38.46' at fld. NOTAM FILE CXO. Unmonitored 0200-1300Z†.

**WESTHEIMER AIR PARK** (O07) 20W UTC-6(-5DT) N29°41.68' W95°47.68'

HOUSTON

117 B S2 FUEL 100LL NOTAM FILE CXO

RWY 11-29: H2500X28 (CONC) LIRL

RWY 11: P-line. RWY 29: Tree.

AIRPORT REMARKS: Attended 1400-0000Z†. ACTIVATE rotating bcn—CTAF. ACTIVATE LIRL Rwy 11-29—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

WEST HOUSTON (IWS) 13 W UTC-6(-5DT) N29°49.09' W95°40.36'HOUSTON
COPTER
L-19D, 21A
IAP

111 B S4 FUEL 100LL, JET A OX 1, 3 TPA—See Remarks NOTAM FILE CXO

RWY 15-33: H3953X75 (ASPH) S-18, D-44 HIRL

RWY 15: REIL. PAPI(P2R)—GA 4.0° TCH 44'. Tree.

RWY 33: REIL. PAPI(P2L)—GA 4.0° TCH 44'. Road.


AIRPORT REMARKS: Attended continuously. Deep/wide ditch approximately 25' from AER 15, 40' and greater trees approximately 900' from AER 15. Road angling across apch Rwy 33. Tfc pattern altitude for light acft 1111(1000). Tfc pattern altitude for large/turbine/jet acft 1611(1500). No touch and go ldgs between 0400-1200Z†. No ngt helicopter training. Landing fee for helicopters. Fee waived with fuel purchase. No multiple training flights by helicopters. Rwy 15-33 HIRL Rwy 15-33 preset low ints; to increase ints and ACTIVATE REIL Rwy 15 and Rwy 33—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.05

® **HOUSTON APP/DEP CON** 123.8 **CLNC DEL** 121.15

RADIO AIDS TO NAVIGATION: NOTAM FILE IAH.

HUMBLE (H) VORTACW 116.6 IAH Chan 113 N29°57.41' W95°20.74' 239° 19.0 NM to fld. 90/5E. **HIWAS.**



HULL N29°37.95' W95°39.36' NOTAM FILE SGR.
NDB(HW) 388 SGR at Sugar Land Rgnl.

HOUSTON
COPTER
L-19D, 21A

HUMBLE N29°57.41' W95°20.74' NOTAM FILE IAH.
(H) VORTACW 116.6 IAH Chan 113 003° 1.7 NM to George Bush Intercontinental/Houston.
90/5E. HIWAS.

HOUSTON
COPTER
H-7C, L-19E, 21A

HUNT (See PORTLAND)

HUNTSVILLE MUNI (UTS) 2 NW UTC -6(-5DT) N30°44.81' W95°35.23'

HOUSTON
H-7C, L-19D, 21A
IAP

363 B S4 FUEL 100LL, JET A NOTAM FILE UTS
RWY 18-36: H5005X100 (ASPH) S-27 MIRL 1.3% up S.

RWY 18: REIL. PAPI(P4L)Trees.

RWY 36: REIL. PAPI(P4L)—GA 2.8° TCH 40'. Pole.

AIRPORT REMARKS: Attended dawn-dusk. LIRL Rwy 18-36 preset low ints, to increase ints and ACTIVATE REIL Rwy 18 and Rwy 36—CTAF.

WEATHER DATA SOURCES: ASOS 119.425 (936) 291-7997.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.3 (MONTGOMERY COUNTY RADIO)

® HOUSTON CENTER APP/DEP CON 134.8


RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

LEONA (L) VORTACW 110.8 LOA Chan 45 N31°07.44'

W95°58.08' 131° 29.9 NM to fld. 350/8E.

NDB (MHW) 308 UTS N30°44.44' W95°35.45' at fld.

NOTAM FILE UTS.



HUTCHINSON CO (See BORGER)

INDOO N32°24.95' W95°28.18' NOTAM FILE TYR.
NDB (LOM) 320 TY 131° 5.0 NM to Tyler Pounds Rgnl.

DALLAS—FT WORTH

INDUSTRY N29°57.36' W96°33.73' NOTAM FILE CXO.
(L) VORTACW 110.2 IDU Chan 39 165° 19.0 NM to Robert R. Wells Jr. 419/8E.

HOUSTON
H-7C, L-19D, 21A

INGLESIDE

T P MC CAMPBELL (TFP) 2N UTC -6(-5DT) N27°54.78' W97°12.69'

BROWNSVILLE
H-7C, L-201, 21A
IAP

18 B FUEL 100LL, JET A NOTAM FILE SJT

RWY 13-31: H5000X75 (ASPH) MIRL

RWY 13: PAPI (P2L)—GA 3.0° TCH 38'.

RWY 31: PAPI (P2L)—GA 3.0° TCH 31'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z. Fuel self-svc. Ground adjacent to Rwy 13-31 and Twy A (SE end) more than 1½" below rwy. MIRL Rwy 13-31 preset low ints, to increase ints ACTIVATE—123.0.

WEATHER DATA SOURCES: AWOS-3 118.775 (361) 758-8961.

COMMUNICATIONS: CTAF/UNICOM 122.7

® CORPUS APP CON 120.9

CORPUS DEP CON 120.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 078° 12.0 NM to fld. 60/9E.

HIWAS.

IRAAN MUNI (2F0) 1 SE UTC-6(-5DT) N30°54.34' W101°53.52'

SAN ANTONIO

2200 B FUEL 100LL NOTAM FILE SJT

L-19A

RWY 14-32: H4085X60 (ASPH) S-12.5 LIRL (NSTD)

RWY 14: Thld dsplcd 500'. P-line. RWY 32: Thld dsplcd 490'.

RWY 07-25: H2755X50 (ASPH) S-12.5

RWY 07: Brush. RWY 25: Brush.

AIRPORT REMARKS: Unattended. Wildlife on and invof arpt. Rising terrain southwest and west of arpt. Rwy 25 15 ft marked p-line 420 ft from thld both sides of centerline with apch slope 14:1. Rwy 14-32 NSTD LIRL. Rwy 14 has no dsplcd thld lgts, Rwy 32 has single green dsplcd thld lgt. Rwy 14-32 dsplcd thlds painted yellow.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FST.

FORT STOCKTON (H) VORTAC 116.9 FST Chan 116 N30°57.13' W102°58.54' 082° 56.0 NM to fld.
2893/11E. HIWAS.

IRESH N31°01.44' W97°42.48' NOTAM FILE ILE.

SAN ANTONIO

NDB (MHW/LOM) 278 IL 010° 3.9 NM to Skylark Fld.

L-19C, 21A

IRONHEAD (See SANGER)

JACKSBORO MUNI (21F) 1 NE UTC-6(-5DT) N33°13.72' W98°08.80'

DALLAS-FT. WORTH

1055 B NOTAM FILE FTW

L-17C

RWY 17-35: H3220X75 (ASPH) S-4 MIRL

RWY 17: Pole. RWY 35: Trees.

AIRPORT REMARKS: Attended irregularly. Arpt access gate locked. Rwy 17-35 pavement cracked with weeds and grass growing thru cracks. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BOWIE (H) VORTACW 112.4 UKW Chan 71 N33°32.15' W97°49.28' 216° 24.6 NM to fld. 1100/6E.
HIWAS.

JACKSBORO N33°06.76' W98°07.25'

DALLAS-FT WORTH

RCO 122.4 (FORT WORTH RADIO)

L-17C

JACKSON CO (See EDNA)

JACKSONVILLE

CHEROKEE CO (JSO) 6 SE UTC-6(-5DT) N31°52.16' W95°13.04'

HOUSTON

H-61, L-19E

677 B S2 FUEL 100LL, JET A NOTAM FILE JSO

IAP

RWY 14-32: H5011X75 (ASPH) S-30 MIRL 0.4% up NW

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Trees.

RWY 32: PAPI(P4L)—GA 3.0° TCH 28'. Trees.

AIRPORT REMARKS: Attended 1400-0000Z†. MIRL Rwy 14-32 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (903) 586-0124.

COMMUNICATIONS: CTAF/UNICOM 122.7

® LONGVIEW APP/DEP CON 128.75 (1200-0400Z†)

FORT WORTH CENTER APP/DEP 135.25 (0400-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

FRANKSTON (L) VORW/DME 111.4 FZT Chan 51 N32°04.48'

W95°31.85' 121° 20.2 NM to fld. 305/6E.

NDB (MHW) 263 JSO N31°52.21' W95°12.93' at fld.

NOTAM FILE JSO. SHUTDOWN.



JASPER CO—BELL FLD (JAS) 4 SW UTC-6(-5DT) N30°53.14' W94°02.10'

HOUSTON

213 B S4 FUEL 100LL, JET A NOTAM FILE JAS

H-6I, L-19E, 21A

RWY 18-36: H5500X70 (ASPH) S-21 MIRL 0.7% up N

IAP

RWY 18: PAPI(P2L)—GA 3.0° TCH 41'. Trees.

RWY 36: PAPI(P2L)—GA 3.0° TCH 41'. Trees.

AIRPORT REMARKS: Attended continuously. ACTIVATE MIRL Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (409) 489-1603.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.5 (MONTGOMERY COUNTY RADIO)


HOUSTON CENTER APP/DEP CON 126.95

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74'

W94°43.02' 110° 38.8 NM to fld. 200/5E. HIWAS.

NDB (MHW) 344 JAS N30°57.26' W94°02.04' 177° 4.1 NM to fld. NOTAM FILE JAS.

**JAYTON****KENT CO** (22F) 1 S UTC-6(-5DT) N33°13.76' W100°34.12'

DALLAS—FT. WORTH

2006 B NOTAM FILE FTW

L-17A

RWY 17-35: H3300X50 (ASPH) S-12.5 LIRL

RWY 17: Road. RWY 35: Trees.

AIRPORT REMARKS: Unattended. Agricultural activity on arpt May-Sep.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

GUTHRIE (L) VORTACW 114.5 GTH Chan 92 N33°46.70' W100°20.17' 190° 34.9 NM to fld. 1940/10E.

JECCA N32°40.09' W96°31.94' NOTAM FILE FTW.

DALLAS—FT. WORTH

NDB (MHW) 388 JUG 355° 4.7 NM to Mesquite Metro.

COPTER

A

JEFFERSON**CYPRESS RIVER** (24F) 3 E UTC-6(-5DT) N32°44.66' W94°18.28'

MEMPHIS

221 NOTAM FILE FTW

L-17E

RWY 05-23: H3200X60 (ASPH) S-12.5 LIRL

RWY 05: Trees. RWY 23: Trees.


AIRPORT REMARKS: Unattended. CAUTION: Rwy 05 5' ditch 45' left at thld decreasing to zero depth 500' East of thld. Deer on and in/ov arpt.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SHV.

BELCHER (H) VORTACW 117.4 EIC Chan 121 N32°46.28'

W93°48.60' 259° 25.1 NM to fld. 190/7E.



MANNING FLD (6F7) 4 N UTC-6(-5DT) N32°49.59' W94°21.26'

MEMPHIS

320 NOTAM FILE FTW

RWY 12-30: 5000X80 (TURF)

RWY 12: Road. RWY 30: Fence.

RWY 07-25: 3600X100 (TURF)

RWY 07: P-line. RWY 25: Trees.

RWY 02-20: 1845X100 (TURF)

RWY 02: Tree. RWY 20: Trees.

AIRPORT REMARKS: Attended continuously. Ultralight activity on and in vicinity of arpt. No line of sight between rwy ends 20, 25 and 30.

COMMUNICATIONS: CTAF 122.9

JIM HOGG CO (See HEBBRONVILLE)

JOE VAUGHN SPRAYING (See KRESS)

JONES FLD (See BONHAM)

JUNCTION

KIMBLE CO (JCT) 1 NE UTC-6(-5DT) N30°30.65' W99°45.79'

1749 B S4 FUEL 100LL, JET A+ NOTAM FILE JCT

RWY 17-35: H5000X75 (ASPH) S-30 MIRL 1.0% up N

RWY 17: Hiil.

RWY 08-26: 2255X146 (TURF)

RWY 26: Trees.

AIRPORT REMARKS: Attended continuously. PAEW on twy and adjacent rwy. Rwy 08-26 thlds marked with white tires across rwy ends. Frequent mil training flts conducting low apchs to arpt. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 119.275 (325) 446-4594. HIWAS 116.0 JCT.

COMMUNICATIONS: CTAF/UNICOM 122.8

JUNCTION RCO 122.3 (SAN ANGELO RADIO)

® **HOUSTON CENTER APP/DEP CON** 125.75


RADIO AIDS TO NAVIGATION: NOTAM FILE JCT.

JUNCTION (H) VORTACW 116.0 JCT Chan 107 N30°35.88' W99°49.05' 144° 5.9 NM to fld. 2280/8E. HIWAS.

SAN ANTONIO

H-7B, L-19B

IAP



JUNCTION N30°35.88' W99°49.05' NOTAM FILE JCT.

(H) VORTACW 116.0 JCT Chan 107 144° 5.9 NM to Kimble Co. 2280/8E. HIWAS.

RCO 122.3 (SAN ANGELO RADIO)

SAN ANTONIO

H-7B, L-19B

JUSTIN

CLARK AIRPORT (3T6) 3 N UTC-6(-5DT) N33°08.81' W097°17.80'

705 NOTAM FILE FTW

Not Insp

RWY 17-35: H1800X22 (ASPH)

AIRPORT REMARKS: Attended continuously.

COMMUNICATIONS: CTAF 122.9

DALLAS-FT WORTH

COPTER

PROPWASH (16X) 3 E UTC-6(-5DT) N33°04.84' W097°21.53'

800 B NOTAM FILE FTW

RWY 17-35: H3000X60 (ASPH) LIRL

RWY 17: Rgt tfo. Tree. RWY 35: Thld dsplcd 200'.

AIRPORT REMARKS: Unattended. ACTIVATE rotating bcn—CTAF. ACTIVATE LIRL Rwy 17-35—CTAF. Landing fee.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 316° 14.6 NM to fld. 637/6E.

DALLAS-FT WORTH

COPTER

L-17C, A

KARNES CO (See KENEDY)

KATY**SACK-O-GRANDE ACROPORT** (9X9) 7 N UTC-6(-5DT) N29°54.76' W95°49.60'

HOUSTON

165 NOTAM FILE CXO

RWY 09-27: 3950X100 (TURF)

RWY 09: Road.

RWY 27: P-line.

AIRPORT REMARKS: Unattended. Aerobatic box over airport. Landing fee.

COMMUNICATIONS: CTAF 122.9 UNICOM 122.725

KAUFMAN**HALL** (K00) 6 NW UTC-6(-5DT) N32°30.83' W96°14.21'

DALLAS-FT. WORTH

440 NOTAM FILE FTW

RWY 17-35: 2585X40 (TURF)

RWY 17: Trees.

RWY 35: Tree.

AIRPORT REMARKS: Attended Sat-Sun 1400Z-dusk. Rwy 17-35 grass high and rough. +4' fence 40' E of rwy centerline obstructs safety area, scattered 12' trees in fence line. +3' grass covering painted tires marking thld.

COMMUNICATIONS: CTAF/UNICOM 122.8

KAZOO N29°59.78' W94°06.38' NOTAM FILE BPT.

HOUSTON

NDB (LOM) 257 BP 116° 5.2 NM to Southeast Texas Rgnl.

KELLY N29°23.49' W98°34.86' NOTAM FILE SKF.

SAN ANTONIO

(L) TACAN Chan 57 KSY (112.0) at Lackland AFB Kelly Fld Annex. 687/7E. Unmonitored when twr clsd. No NOTAM MP every fourth Wed 1100-1300Z.

L-19C

KENEDY**KARNES CO** (2R9) 1 NW UTC-6(-5DT) N28°49.50' W97°51.94'

SAN ANTONIO

289 B S4 NOTAM FILE SJT

L-20H, 21A

RWY 16-34: H3218X60 (ASPH) S-11 MIRL 0.5% up NW

IAP

RWY 16: Trees. Rgt tfc.

RWY 34: Trees.

AIRPORT REMARKS: Attended Mon-Fri dalgt hours. Deer on and invof arpt seasonally. MIRL Rwy 16-34 and twy lgts preset low ints, to increase ints ACTIVATE-CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

® HOUSTON CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

THREE RIVERS (L) VORTAC 111.4 THX Chan 51 N28°30.30' W98°09.03' 030° 24.4 NM to fld. 270/8E.

KENNETH COPELAND (See FT WORTH)**KENT CO** (See JAYTON)

KERRVILLE MUNI/LOUIS SCHREINER FLD (ERV) 5 SE UTC-6(-5DT)SAN ANTONIO
H-7B, L-19C
IAP

N29°58.60' W99°05.13'

1617 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE ERV

RWY 12-30: H6000X100 (ASPH) S-25 MIRL 0.3% up SE

RWY 12: PAPI(P4L)—GA 2.83° TCH 40'. Thld dsplcd 690'. Trees.

RWY 30: PAPI(P4L)—GA 2.83° TCH 40'.

RWY 03-21: H3592X60 (ASPH) S-15 MIRL 1.0% up NE

RWY 03: PAPI(P2L)—GA 3.5°. TCH 25'. Tree.

RWY 21: PAPI(P2L)—GA 3.5°. TCH 25'. Trees.

AIRPORT REMARKS: Attended sunrise-sunset. Deer on and in vicinity of arpt. PAEW on arpt. Rwy 03-21 CLOSED indef. MIRL Rwy 03-21 and Rwy 12-30 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.125 (830) 895-2204.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ HOUSTON CENTER APP/DEP CON 134.95 CLNC DEL 134.95


RADIO AIDS TO NAVIGATION: NOTAM FILE ERV.**CENTER POINT (H) VORTAC** 117.5 CSI Chan 122 N29°55.34'

W99°12.87' 056° 7.5 NM to fld. 2080/8E.

SHEIN NDB (MHW/LOM) 263 ER N29°54.90' W99°00.57'

307° 5.4 NM to fld.

ILS 109.1 I-ERV Rwy 30. LOM SHEIN NDB. LOC only. LOC
OTS indef.

**KICKAPOO DOWNTOWN AIRPARK** (See WICHITA FALLS)**KILLEEN****SKYLARK FLD** (ILE) 3 E UTC-6(-5DT) N31°05.15' W97°41.19'SAN ANTONIO
H-6H, L-19C, 21A
IAP

848 B S2 FUEL 100LL, JET A TPA-1648(800) NOTAM FILE ILE

RWY 01-19: H5495X100 (ASPH-AFSC) S-17, D-50 MIRL

RWY 01: MALSR. PAPI(P4L)—GA 3.0°. Thld dsplcd 844'.

Road. Rgt tfc.

RWY 19: PAPI(P4L)—GA 3.0° P-line.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-5495 TODA-5495 ASDA-5495 LDA-4641

RWY 19: TORA-5495 TODA-5495 ASDA-5495 LDA-5495

AIRPORT REMARKS: Attended 1400-0000Z+. Helicopter tfc west side of arpt. Rwy 01 designated as calm rwy. MIRL Rwy 01-19 preset low ints, to increase ints and ACTIVATE twy lights and MALSR Rwy 01—CTAF. NOTE: See Special Notices Section—Model Aircraft Activity.

WEATHER DATA SOURCES: AWOS-3 128.575 (254) 690-3131.**COMMUNICATIONS:** CTAF/UNICOM 122.7


Ⓡ GRAY APP/DEP CON 120.075 CLNC DEL 121.7

RADIO AIDS TO NAVIGATION: NOTAM FILE GRK.**GRAY (T) VORW/DME** 111.8 GRK Chan 55 N31°01.97'

W97°48.83' 057° 7.3 NM to fld. 980/7E. Unmonitored.

IRESH NDB (MHW/LOM) 278 IL N31°01.44' W97°42.48' 010°

3.9 NM to fld. NOTAM FILE ILE.

ILS 108.3 I-ILE Rwy 01. Class IT. LOM IRESH NDB.**KIMBLE CO** (See JUNCTION)

KINGSVILLE**KLEBERG CO** (IKG) 9 W UTC-6(-5DT) N27°33.05' W98°01.86'

130 B S4 FUEL 100LL, JET A+ OX 3 NOTAM FILE SJT

RWY 13-31: H6000X75 (ASPH) S-35, D-47, DT-70 MIRL

RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 41'.


AIRPORT REMARKS: Attended Mon-Fri 1400-2230Z†, Sat-Sun

1400-2100Z† other hrs by PPR, phone 361-854-3759.

Parachute Jumping. Birds on and invof arpt, seasonal. Rwy 13 and Rwy 31 REIL 200' from thld. Rwy 13 REIL OTS indef. Rwy 31 REIL OTS indef. MIRL Rwy 13-31 preset low ints, to increase ints and ACTIVATE REIL Rws 13 and 31—CTAF. Landing fee for turbine and jet acft.

WEATHER DATA SOURCES: AWOS-3 119.075 (361) 592-9152.**COMMUNICATIONS:** CTAF/UNICOM 122.7**(R) KINGSVILLE APP/DEP CON** 119.9 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM) other times ctc**(R) HOUSTON CENTER APP/DEP CON** 128.15**RADIO AIDS TO NAVIGATION:** NOTAM FILE CRP.**CORPUS CHRISTI (H) VORTACW** 115.5 CRP Chan 102 N27°54.23'W97°26.69' 227° 37.7 NM to fld. 60/9E. **HIWAS.****NDB (MHW)** 347 **TKB** N27°36.38' W98°05.15' 133° 4.4

NM to fld. NOTAM FILE SJT.

**BROWNSVILLE**H-7B, L-20H
IAP**KINGSVILLE NAS** (NQI)(KNQI) NAS 3 E UTC-6(-5DT) N27°30.27' W97°48.50'

Not insp.

BROWNSVILLEH-7C, L-20H, 21A
DIAP, AD

50 B NOTAM FILE SJT

RWY 13L-31R: H8001X200 (PEM)

PCN 61 F/B/W/T HIRL

RWY 13L: OLS. WAVE-OFF.

RWY 31R: OLS. WAVE-OFF.

RWY 13R-31L: H8000X300 (PEM)

PCN 82 F/C/W/T HIRL

RWY 31R: OLS. WAVE-OFF.

RWY 31L: OLS. WAVE-OFF.

RWY 17L-35R: H8000X200 (PEM)

PCN 69 F/B/W/T HIRL CL

RWY 17L: OLS. TDZL. WAVE-OFF.

RWY 35R: ALSF1. OLS. WAVE-OFF.

RWY 17R-35L: H8000X200 (PEM)

PCN 61 F/B/W/T HIRL

RWY 17R: OLS. WAVE-OFF.

RWY 35L: OLS. WAVE-OFF.

ARRESTING GEAR/SYSTEMS

RWY 13L HOOK E28(B) (1050')

HOOK E28(B) (1500') RWY 31R

RWY 13R HOOK E28(B) (1550')

HOOK E28(B) (1503') RWY 31L

RWY 17L HOOK E28(B) (1675')

HOOK E28(B) (1516') RWY 35R

RWY 17R HOOK E28(B) (1250')

HOOK E28(B) (1600') RWY 35L

MILITARY SERVICE: LGT OLS GS 3.25°**JASU** 1(NC-8A) 1(GTC-85) 1(NCPP-105) **FUEL J8 FLUID SP PRESAIR****LOX OIL** O-148-156 **TRAN ALERT** Expect servicing delays weekend. Svc not avbl Sun until 2300Z. Tran must supervise servicing. Drag chute repack unavbl.**MILITARY REMARKS:** Opr Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, CLOSED Sat, Sun and holidays by NOTAM.**RSTD** PPR for non-Chief of Naval Air Training acft DSN 876-6108/6283, C361-516-6108/6283. **CAUTION** Heavy jet instrument training during fld opr hr. Bird and wildlife hazard. Avoid overflight of chemical plant 5 NM N. **TFC****PAT** Arriving tran acft expect enroute descent. Use ldg/taxi lgt for final portion of instrument apch during VFR.**MISC** Expect 15 minute delay during peak training periods. During single rwy opr, all non-training Wing 2 acft should expect delays and wave-offs during peak tfc.**COMMUNICATIONS:** **SFA ATIS** 276.2 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM.)**(R) APP CON** 119.9 290.45 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM), other times ctc**(R) HOUSTON CENTER APP CON** 128.3 291.6**TOWER** 124.1 377.05 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM)**GND CON** 239.05 **CLNC DEL** 328.4**(R) DEP CON** 266.8 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM), other times ctc **(R)HOUSTON CENTER DEP CON** 128.15 350.3**PMSV METRO** 344.6 (Mon-Thu 1000-0400Z†, Fri 1000-1900Z†) **BASE OPS** 274.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.**(H) TACAN** Chan 125 **NQI** (117.8) N27°29.95' W97°48.34' at fld. 44/4E.**ILS/DME** 110.9 **I-NQI** Rwy 13R. Auto coupled apchs not authorized bto 439' MSL.**ASR/PAR****COMM/NAV/WEATHER REMARKS:** Tran acft ctc App Con 25 NM out. Radar see Terminal FLIP for Radar Minima.

KIRBYVILLE (T12) 2 SW UTC-6(-5DT) N30°38.79' W93°54.89'

HOUSTON

121 S4 NOTAM FILE CXO

L-19E, 21A

RWY 13-31: H3746X50 (ASPH) S-8

RWY 13: Thld dsplcd 326'. Tree. **RWY 31:** Thld dsplcd 226'. Trees.

RWY 04-22: H1983X45 (ASPH) S-8

RWY 04: Trees. **RWY 22:** Trees.

AIRPORT REMARKS: Unattended. Rwy 04-22 CLOSED indef. PAEW during daylight. Rwy 04-22 1' tall weeds growing on rwy.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.

BEAUMONT (L) VORW/DME 114.5 BPT Chan 92 N29°56.76' W94°00.97' 360° 42.3 NM to fld. 10/7E.
HIWAS.

KITTIE HILL (See LEANDER)

KITTYHAWK (See ALLEN)

KLEBERG CO (See KINGSVILLE)

KNOX CITY

HARRISON FLD OF KNOX CITY (F75) 1 N UTC-6(-5DT) N33°26.29' W99°48.77'

DALLAS-FT. WORTH

1500 B NOTAM FILE FTW

L-17B

RWY 01-19: H3200X50 (ASPH) S-10 MIRL

RWY 01: Fence.


RWY 19: PAPI(P2L)—GA 3.75° TCH 27'. Tree.

AIRPORT REMARKS: Unattended. Rwy 19 +20' trees 105' right 0'-200' south of rwy thld. Windsock lights OTS indef. Rotating bcn OTS indef. Rwy 19 PAPI OTS indef. MIRL Rwy 01-19 preset low ints dusk-0500Z† to increase ints ACTIVATE—CTAF. After 0500Z† ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

GUTHRIE (L) VORTACW 114.5 GTH Chan 92 N33°46.70'
W100°20.17' 118° 33.2 NM to fld. 1940/10E.



KOTTI N29°26.56' W100°59.54' NOTAM FILE DRT.

SAN ANTONIO

NDB (LOM) 335 DR 132° 5.3 NM to Del Rio Intl. LOM unmonitored.

L-19B


KOUNTZE/SILSBEE**HAWTHORNE FLD** (45R) 3 SE UTC-6(-5DT) N30°20.18' W94°15.45'**HOUSTON**
L-19E, 21A
IAP

71 B FUEL 100LL, JET A NOTAM FILE CXO

RWY 13-31: H4303X76 (ASPH) S-12.5 MIRL

RWY 13: PAPI(P2L)—GA 3.0° TCH 29'. Tree.

RWY 31: PAPI(P2L)—GA 4.0° TCH 31'. Trees.

AIRPORT REMARKS: Attended 2300-0200Z†. 24 hr self serve fuel. SE end of rwy floods during heavy rains. Rwy 31 PAPI OTS indef. MIRL RWY 13-31 preset low ints, to incr ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) HOUSTON APP/DEP CON 121.3****RADIO AIDS TO NAVIGATION:** NOTAM FILE CXO.**DAISETTA (H) VORTAC** 116.9 DAS Chan 116 N30°11.38' W94°38.70' 061° 22.0 NM to fld. 76/5E. Unusable beyond 35 NM below 1600'.**HARDIN CO NDB (MHW)** 524 HRD N30°20.18' W94°15.62' at fld. Unmonitored.**COMM/NAV/WEATHER REMARKS:** For clearance delivery ctc Houston apch ctl at 409-720-5136.**KRESS****JOE VAUGHN SPRAYING** (29F) 1 N UTC-6(-5DT) N34°23.75' W101°46.03'**DALLAS-FT. WORTH**

3500 S4 FUEL 100LL, JET A NOTAM FILE FTW

RWY 17-35: 3900X60 (DIRT)

RWY 17: Road. RWY 35: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z†, Sat-Sun irregular. 5' fence 40' west of rwy centerline full length of rwy. Rwy 17 +30' pline 46' from threshold 77' right centerline. 25' buildings 53' right of centerline at Rwy 35 end.**COMMUNICATIONS:** CTAF/UNICOM 122.7**LACKEY AVIATION**

(See WHARTON)

LACKLAND AFB KELLY FLD ANNEX

(SKF)(KSKF) AF (ANG AFRC) 4 SW UTC-6(-5DT)

SAN ANTONIO

N29°23.05' W98°34.87'

H-7B, L-19C

691 B TPA—See Remarks AOE NOTAM FILE SJT Not insp.

DIAP, AD**RWY 15-33:** H11550X300 (PEM) PCN 48 R/B/W/T HIRL**RWY 15:** ALSF1. PAPI(P4L). **RWY 33:** ALSF1. PAPI(P4L).**ARRESTING GEAR/SYSTEMS****RWY 15 BAK-14 BAK-12A(B)** (1853')**BAK-14 BAK-12A(B)** (1705') **HOOK MB60** (60' OVRN) → **RWY 33****MILITARY SERVICE:** LGT **Rwy 15-33 PAPI/ILS** Runway Point of Intercept not coincidental. **A-GEAR BAK-12A(B)** cables raised by BAK-14 device on req to control twr.

JASU (A/M32A-86D) **FUEL J8** **FLUID SP** PRESAIR LHOX LOX LHNT **OIL** O-133-148-156; **SOAP**—Avbl Tue-Thu 2000-0600Z, Fri 1230-2230Z. **TRAN ALERT** Opr Mon-Fri 1200-0400Z; Sat-Sun 1400-0400Z, clsd Federal holiday, other times 2 hr prior notice rqr ctc Base OPS. 1 hr prior notice rqr for all acft servicing; ctc Base OPS DSN 945-6802, C210-925-6802 or PTD to avoid delays. All acft—no acft repair capability avbl. Limited svc and inspection capability, refuel assistant only on commercial and large acft. Limited aerial port svc—human waste and trash removal, potable water and air stair support only.

MILITARY REMARKS: Opr Mon-Thu 1300-0830Z, Fri-Sun 1300-0500Z. **CLOSED** Federal holidays. See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** Quiet hrs 0500-1200Z daily departure and full-stop ldg only. Tran acft expect 1 apch, home station acft have priority. Expect 1 apch to full stop ldg only Fri 1455-1545Z during Basic Military Training graduation. Acft over 110' wing span prohibited from taxiing on Twy B or Twy F when acft are parked in arm/dearm pads. Acft with wing span larger than 93' not authorized in Arm/DeArm Pads. Acft prohibited in south arm/dearm pad when visibility less than 2 miles and ceiling less than 800'. PPR (48 hr prior notice for acft rqr Customs/Agriculture svc) ctc Base OPS DSN 945-6802, C210-925-6802. Civilian ops managed by Port San Antonio 0700-2300Z. User fee. Flight plan required for all civilian flights operating into/out of Kelly Field Annex. File Port Authority San Antonio in remarks section of flight plan. Only acft 12,500 lbs or more due to high density/velocity military traffic. Ask for military and civilian NOTAMS. Civilian ramp located northeast of rwy. Atlantic Aviation GA ramp access via Twy A1 (See military remarks for additional information). For general aviation ctc FBO 210-921-6100 for svc, JP-8, ARINC 129.725 call 1 hr prior to departure on weekends. Cargo parking ctc port ops 210-362-7838 or 210-362-7848. **CAUTION** Probability of hydroplaning at all speeds entire rwy. **TFC PAT** TPA—Rectangular 1700(1009) for lgt acft, 2200(1509) for conventional, 2700(2009) for jet fighters. Overhead 2700(2009). Air Education and Training Command acft expect reduced runway separation day. VFR—3000' between similar acft, 6000' between dissimilar acft. Variations exist for different type opr. Transient fighter acft must notify twr on initial ctc if reduced separation is not desired. **NS ABTMT** Expect to execute clsd tfc no later than dep end rwy. Extended pattern not authorized unless directed. Expect VFR tfc pattern to the W when tfc is lgt. Acft arriving between 0500-1200Z expect full stop ldg. No after burner tkf during these times without prior coordination and approval. **CSTMS/AG/IMG** CSTMS, plant quarantine and IMG avbl, ctc Base OPS by phone patch or PTD radio 2 hr before arrival. All personnel, excluding active US mil, must clear IMG inbound. **MISC** Acft with Code 6 and avb ctc Base OPS phone patch/PTD with block time at least 1 hr before ldg. Lackland Comd Post (37 TRW), DSN 473-4225, C210-671-4225. User fee. Cargo parking ctc PORT OPS C210-362-7838/7848. Official point of obsn does not allow a clear unobstructed view of rwy. WX technician view from N to SE is partially obstructed by trees, buildings, and hangars. Technician relies on cooperative WX Watch with twr. High ints security lgts hinder ability to determine sky condition at night. **AFRC** PPR for use of AFRC ramp, DSN 945-4330, C210-925-4330. **ANG** Opr Tue-Sat 1345-2230Z. PPR for use of ANG ramp, DSN 945-5934, C210-925-5934.

COMMUNICATIONS: ATIS 120.45 273.5 (1300-0500Z) PTD 130.65 372.2

Ⓡ **SAN ANTONIO APP CON** 118.05 125.1 127.1 289.2 307.0 353.5

KELLY TOWER 124.3 322.35 **GND CON** 121.8 289.4

Ⓡ **SAN ANTONIO DEP CON** 125.7 290.225

AFRC COMD POST 143.8 252.1 (433 AW. Not for transient acft use.) **PMSV METRO** 239.8 (Full svc Mon-Fri during afld hr, limited svc other times. Weekend WX opr may vary with local flying schedule WX DSN 945-5709. Afld WX is monitored by AN/FMQ-19 ASOS. ASOS obsn avbl at DSN 945-0935, C210-925-0935. Remote briefing svc avbl 26 OWS Barksdale AFB DSN 781-4775, C318-456-4775, Toll Free 1-866-223-9328.

LACKLAND COMD POST (37 TRW) DSN 473-4225, C210-671-4225.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SKF.

KELLY (L) TACAN Chan 57 KSY (112.0) N29°23.49' W98°34.86' at fld. 687/7E. Unmonitored when twr clsd. No NOTAM MP every fourth Wed 1100-1300Z.

ILS 110.1 I-SKF **Rwy 15.** Class IE. No NOTAM MP Tue 1100-1300Z.**ILS 110.7** I-OSQ **Rwy 33.** Class IT. No NOTAM MP Tue 1100-1300Z.

LAGO VISTA TX—RUSTY ALLEN (RYW) 2 NE UTC-6(-5DT) N30°29.92' W97°58.17'

SAN ANTONIO

1231 B S4 FUEL 100LL NOTAM FILE SJT

L-19C, 21A

RWY 15-33: H3808X50 (ASPH) S-12.5 MIRL 0.6% up NW

IAP


RWY 15: PAPI(P2L)—GA 4.0° TCH 55'. Trees.

RWY 33: PAPI(P2L)—GA 3.5° TCH 30'. P-line.

AIRPORT REMARKS: Attended dusk-0600Z+. Deer (seasonal) on and in/ovf rwy's and twys. PAPI Rwy 15 and Rwy 33 ops continuously. MIRL Rwy 15-33 preset low ints, to incr ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.375 (512) 267-1365**COMMUNICATIONS:** CTAF/UNICOM 122.725 Unicom not monitored.① **AUSTIN APP/DEP CON** 119.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.**CENTEX (H) VORTACW** 112.8 CWK Chan 75 N30°22.71'

W97°31.79' 282° 23.9 NM to fld. 593/6E.

**LA GRANGE****FAYETTE RGNL AIR CENTER** (3T5) 2 W UTC-6(-5DT) N29°54.48' W96°57.00'

HOUSTON

324 B S2 FUEL 100LL, JET A NOTAM FILE 3T5

H-7C, L-19D, 21A

RWY 16-34: H5000X75 (ASPH) S-30 MIRL 0.3% up SE

IAP, AD


RWY 16: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Trees.

RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Tree.

AIRPORT REMARKS: Attended 1100-2300Z+. For arpt attendant after hrs call 979-966-9139. Fuel avbl 24 hrs with credit card. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF.

NOTE: See Special Notices Section—Aerobatic Practice Area.**WEATHER DATA SOURCES:** AWOS-3 124.175 (979) 242-5777.**COMMUNICATIONS:** CTAF/UNICOM 122.7**HOUSTON CENTER APP/DEP CON** 132.15**GCO** 121.725 (HOUSTON CENTER and FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE CXO.**INDUSTRY (L) VORTACW** 110.2 IDU Chan 39 N29°57.36'

W96°33.73' 254° 20.4 NM to fld. 419/8E.

**LAKE DALLAS****LAKEVIEW** (30F) 1 NE UTC-6(-5DT) N33°07.92' W97°00.85'

DALLAS—FT. WORTH

535 S4 NOTAM FILE FTW

COPTER

RWY 18L-36R: H2815X30 (ASPH) S-4

RWY 18L: Trees. RWY 36R: Pole.

RWY 18R-36L: 2600X75 (TURF)

RWY 18R: Trees.

RWY 36L: Poles.

AIRPORT REMARKS: Unattended. Arpt CLOSED to transient students. 150' AGL unlighted cranes 1000' NNW of arpt. Birds on and in/ovf arpt. No touch and go landing permitted. Rwy 18L-36R numerous pavement failures with loose aggregate.

COMMUNICATIONS: CTAF 122.9**LAKEVIEW** (See LAKE DALLAS)**LAKEWAY AIRPARK** (See AUSTIN)

LAMESA MUNI (2F5) 2 NE UTC-6(-5DT) N32°45.38' W101°55.21'

2999 B S6 FUEL 100LL NOTAM FILE FTW

RWY 16-34: H5000X75 (ASPH) S-20 MIRL

RWY 16: PAPI(P2L)—GA 3.0° TCH 31'. Road.

RWY 34: PAPI(P2L)—3.0° TCH 31'.

RWY 07-25: H4000X50 (ASPH) S-12 MIRL

RWY 25: Road.

AIRPORT REMARKS: Attended Mon-Sat 1400-0000Z†. Svcs on call after hrs and Sun, call 806-759-9696. PAPI Rwy 16 and Rwy 34 OTS indef. ACTIVATE MIRL Rwy 07-25—CTAF. MIRL Rwy 16-34 ops dusk-0530Z†, after 0530Z† ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 132.6

RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.

BIG SPRING (L) VORTACW 114.3 BGS Chan 90 N32°23.14'

W101°29.02' 304° 31.4 NM to fld. 2670/11E.


NDB (MHW) 338 LSA N32°45.51' W101°54.97' at fld.

NOTAM FILE FTW.

DALLAS-FT. WORTH

H-66, L-6H

IAP

**LAMPASAS** N31°11.13' W98°08.51' NOTAM FILE SJT.

SAN ANTONIO

(H) VORTACW 112.5 LZZ Chan 72 202° 5.5 NM to Lampasas. 1290/8E.

H-6H, L-19C

RCO 122.55 (SAN ANGELO RADIO)

LAMPASAS (LZZ) 3 N UTC-6(-5DT) N31°06.37' W98°11.75'

SAN ANTONIO

1215 B S4 FUEL 100LL, JET A NOTAM FILE SJT

L-19C

RWY 16-34: H4200X75 (ASPH) S-12.5 MIRL 1.4% up NW

IAP

RWY 16: PVASI(P5IL)—GA 3.0° TCH 44'. Trees.

RWY 34: PVASI (PSIL)—GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. For attendant after hours call 512-556-6640. Deer on and in vicinity of arpt at night. ACTIVATE MIRL Rwy 16-34 and PVASI Rwy 16 and Rwy 34—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (512) 556-6392.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.55 (SAN ANGELO RADIO)

® GRAY APP/DEP CON 120.075

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

(H) VORTACW 112.5 LZZ Chan 72 N31°11.13' W98°08.51' 202° 5.5 NM to fld. 1290/8E.

LANCASTER (LNC) 2 S UTC-6(-5DT) N32°34.75' W96°43.14'

DALLAS-FT. WORTH

501 B S4 FUEL 100LL, JET A NOTAM FILE LNC

COPTER

RWY 13-31: H5000X100(ASPH) S-20, D-40 MIRL 0.4% up NW

H-6H, L-17C, A

RWY 13: PAPI(P2L)—GA 3.5° TCH 25'. Pole.

RWY 31: REIL. PAPI(P2L)—GA 3.50°. Rgt tfc.

IAP

AIRPORT REMARKS: Attended 1300-0100Z†.**WEATHER DATA SOURCES:** AWOS-3 118.975 (972) 227-0471**COMMUNICATIONS:** CTAF/UNICOM 122.7

® RGNL APP/DEP CON 125.2


RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

COWBOY (H) VORW/DME 116.2 CVE Chan 109 N32°53.42'

W96°54.24' 147° 20.9 NM to fld. 450/6E.

NDB (MHW) 239 LNC N32°34.66' W96°43.30' at fld.

NOTAM FILE LNC.



LANE AIRPARK (See ROSENBURG)**LANE FLD** (See SANGER)**LA PORTE MUNI** (T41) 3 NW UTC-6(-5DT) N29°40.16' W95°03.85'

25 B S4 FUEL 100LL, JET A NOTAM FILE CXO

RWY 12-30 H4165X75 (ASPH) S-23 MIRL

RWY 12: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Thld dsplcd 402'. Trees.

RWY 30: Thld dsplcd 405'. Fence.

RWY 05-23: H2998X75 (ASPH) S-25 MIRL

RWY 05: P-line.

RWY 23: Trees.

AIRPORT REMARKS: Attended dalgt hours. PAEW adjacent all rwys and twys. Twy B clsd indef. Twy A lgts OTS indef. MIRL Rwy 05-23 and Rwy 12-30 preset low ints, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

HOUSTON APP/DEP CON 134.45 CLNC DEL 125.6

RADIO AIDS TO NAVIGATION: NOTAM FILE HOU.

HOBBY (H) VORW/DME 117.1 HUB Chan 118 N29°39.34'

W95°16.60' 081° 11.1 NM to fld, 82/5E.


SANJAC NDB (MHW) 347 JPA N29°40.11' W95°04.19' at fld.
NOTAM FILE CXO.

HOUSTON

COPTER

L-19E, 21A

IAP



LAREDO INTL (LRD) 3 NE UTC-6(-5DT) N27°32.63' W99°27.69'

508 B S7 FUEL 100LL, JET A OX 2, 4 AOE Class I, ARFF Index B

NOTAM FILE LRD

RWY 17L-35R: H8236X150 (CONC-GRVD) S-90, D-190, ST-175, DT-360 HIRL

RWY 17L: PAPI (P4L)—GA 3.0° TCH 51'.

RWY 35R: Rgt tfc. 0.4% up.

RWY 17R-35L: H7711X150 (ASPH-GRVD) S-70, D-110, ST-140, DT-190 HIRL 0.3% up N

RWY 17R: MALSR. VASI(V4L)—GA 3.0° TCH 53'.

RWY 35L: VASI(V4L)—GA 3.0° TCH 63'. Thld dspcd 120'. Rgt tfc.

RWY 14-32: H5928X150 (CONC) S-50, D-60, DT-125 MIRL 0.6% up NW

RWY 14: VASI(V4L)—GA 3.0° TCH 55'.

RWY 32: VASI(V4L)—GA 3.0° TCH 55'. Road. Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 14: TORA-5928 TODA-5928 ASDA-5928 LDA-5928

RWY 32: TORA-5928 TODA-5928 ASDA-5928 LDA-5928

RWY 17L: TORA-8236 TODA-8236 ASDA-8236 LDA-8236

RWY 35R: TORA-8236 TODA-8236 ASDA-8236 LDA-8236

RWY 17R: TORA-7830 TODA-7830 ASDA-7830 LDA-7830

RWY 35L: TORA-7830 TODA-7830 ASDA-7830 LDA-7830

ARRESTING GEAR/SYSTEMS

RWY 17R: EMAS 363' X 170'. OTS indef.

AIRPORT REMARKS: Attended continuously. 5' line of sight not available between ends of Rwy 14-32. Rwy 14-32 restricted to acft less than 60,000 pounds DTW. Rwy 17R-35L GRVD center 75' only. First 1,900' of Rwy 17R excellent, center 75' of remaining good. Twy C clsd between Rwy 17L-35R and Rwy 14-32 indef. When twr clsd ACTIVATE MALSR Rwy 17R-120.1, MIRL Rwy 14-32 and HIRL Rwy 17R-35L and Rwy 17L-35R preset medium intensity. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (956) 712-8640. HIWAS 117.4 LRD. LAWRS. SAWRS.

COMMUNICATIONS: CTAF 120.1 UNICOM 122.95 ATIS 125.775

RCO 122.3 (SAN ANGELO RADIO)

® **HOUSTON CENTER APP/DEP CON** 127.8

TOWER 120.1 (Mon-Fri 1200-0600Z†, Sat 1300-0200Z†, Sun 1400-0200Z†) **GND CON** 121.8

AIRSPACE: CLASS D svc Mon-Fri 1200-0600Z†, Sat 1300-0200Z†, Sun 1400-0200Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.

(H) **VORTACW** 117.4 LRD Chan 121 N27°28.72' W99°25.06' 320° 4.5 NM fld. 580/9E. **HIWAS.**

PEKKS NDB (LOM) 405 LR N27°38.54' W99°27.49' 174° 5.9 NM to fld.

ILS/DME 111.9 I-LRD Chan 56 Rwy 17R. LOM PEKKS NDB. ILS unmonitored when twr clsd. LOC BC unusable byd 20° left of course and 25° right of course. DME unusable byd 20° left of LOC BC.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.



BROWNSVILLE

H-7B, L-20G

IAP, AD

LAUGHLIN AFB (DLF)(KDLF) AF 5 E UTC-6(-5DT) N29°21.57' W100°46.68'

SAN ANTONIO

1082 B NOTAM FILE DLF Not insp.

H-7B, L-19B

RWY 13C-31C: H8857X150 (PEM) PCN 45 R/B/W/T HIRL

DIAP, AD

RWY 13C: ALSF1. PAPI(P4L)—GA 3.0°. **RWY 31C:** PAPI(P4L)—GA 3.0°.

RWY 13L-31R: H8311X150 (PEM) PCN 44 R/B/W/T HIRL

RWY 13L: PAPI(P4L). **RWY 31R:** PAPI(P4L).

RWY 13R-31L: H6574X150 (ASPH) PCN 63 F/A/W/T MIRL

RWY 31L: Thld dsplcd 328'.

ARRESTING GEAR/SYSTEMS

RWY 13C ← BAK-15 CHAG (146' OVRN)

BAK-15 CHAG (154' OVRN) → **RWY 31C**

RWY 13L ← BAK-15 CHAG (115' OVRN)

BAK-15 CHAG (159' OVRN) → **RWY 31R**

MILITARY SERVICE: LGT **Rwy 13C-31C** PAPI opr during opr hr, Glide Slope 3.0°. **Rwy 13C-31C** PAPI/ILS Runway Point of Intercepts not coincidental. **A-GEAR** BAK-15 on dep end **Rwy 13C-31C** and **Rwy 13L-31R**. Opposite end apch over raised barrier is prohibited. **JASU** 1(MD-3M) 1(MA-1A) 1(MC-1A) 1(MC-11) 1(A/M32A-86)

FUEL J8 FLUID SP PRESAIR LHOX LOX OIL O-148 SOAP

MILITARY REMARKS: Opr weekdays 1300-0100Z†, Sun 2000-2300Z†, Sat and holidays clsd to all acft except emergencies. See FLIP AP/1 Supplementary Arpt Remarks. No Runway Condition Reading, no Runway Surface Covering avbl when twr clsd. **RSTD** **Rwy 31L** thld dsplcd 328'; do not land prior to rwy thld, dsplcd thld may be used for tkf on **Rwy 31L** and ldg rollout on **Rwy 13R**-do not use opposite end dsplcd thld for tkf computations and tkf roll. Overhead apch not authorized for transient acft during student training opr. Expect radar vectors for ILS, LOC or straight-in apch and full stop ldg during student training. PPR, ctc Base OPS DSN 732-5308, C830-298-5308. All acft with wing span larger than C130 restricted. **CAUTION** Two sunshade structures in parking apron and 27 security light poles along edge of park apron have no lights. No obst lighting on 25' high utility poles (7) located 1900' south and 2400' prior to **Rwy 31L**. All dep acft cross 2 DME at or blo 3000' to ensure separation from civilian corridor. Runway Supervisor Units located 230' west of **Rwy 13C** abeam the 7000' remaining marker; 236' west of **Rwy 31C** abeam the 7000' remaining marker and 221' east of **Rwy 31R** abeam 5500' remaining marker. Twy J VFR daytime only, no edge lgts installed. Lgtd wind cone 249' west of **Rwy 13C** centerline, south of Twy A. Lgtd wind cone 211' west of **Rwy 13C** centerline, north of Twy E. **TFC PAT** Once established on final apch, transient acft will remain aligned with **Rwy 13C-31C** to avoid T-6 tfc ldg **Rwy 13R-31L** at 2100' and T-38 tfc ldg **Rwy 13L-31R** at 2600'. **NS ABTMT** AETC quiet hr policy in effect daily 0400-1200Z†, no tkf, low apch or touch and go ldg. **MISC** All acft dep VFR shall ctc CLNC DEL 335.8 for Class C Airspace climb out instructions prior to taxi. Acft opr within the Runway Supervisory Unit practice area are not Class C participants. Runway Supervisory Unit practice area defined in AP/1. First 300' **Rwy 13C-31C** is grooved concrete, middle 8257' is grooved asphalt. First 1000' **Rwy 13L-31R** grooved concrete, middle 6311' grooved asphalt.

COMMUNICATIONS: SFA (Tfc permitting.) **ATIS** 114.4 269.9 (Mon-Fri 1300-0100Z†, Sun 2000-2300Z† except holidays) **PTD** 372.2

Ⓡ **DEL RIO APP CON** 119.6 259.1 (Mon-Fri 1300-0100Z†, clsd Sat, Sun 2000-2300Z† except holidays), other times ctc

Ⓡ **HOUSTON CENTER APP CON** 125.75 346.4

TOWER 125.2 307.325 114.4T (Mon-Fri 1300-0100Z†, Sun 2000-2300Z† except holidays)

GND CON 275.8 **CLNC DEL** 120.5 335.8

Ⓡ **DEL RIO DEP CON** 119.6 296.7 (Mon-Fri 1300-0100Z†, clsd Sat, Sun 2000-2300Z† except holidays), other times ctc

Ⓡ **HOUSTON CENTER DEP CON** 125.75 346.4

PMSV METRO 354.6 (Full svc during afid opr hr, extension as rqr. Remote briefing svc from 26 OWS, Barksdale AFB, LA DSN 781-4775, C318-456-4775.) Afid wx monitored by AN/FMQ-19 and augmented by observer as req. Backup wx obsn view ltd, rstd from 120°-320° by flightline facilities. Ctc AN/FMQ-19 DSN: 732-8255.

AIRSPACE: CLASS C Mon-Fri 1300-0100Z†, Sun 2000-2300Z†, except holidays ctc **APP CON** other times CLASS G, CLASS E 700 AGL and abv.

RADIO AIDS TO NAVIGATION: NOTAM FILE DRT.

(H) **VORTACW** 114.4 DLF Chan 91 N29°21.65' W100°46.30' at fld. 1071/7E. Unmonitored when APP CON clsd. No NOTAM MP Tue-Thu 0800-1200Z†.

VORTAC unusable:

101-148° byd 35 NM blo 3,000'

262°-286° byd 10 NM

148°-158° byd 23 NM blo 4,000'

286°-303° byd 20 NM

158°-198° byd 13 NM blo 4,000'

303°-071° byd 35 NM blo 3,500'

198°-262° byd 6 NM

ILS 110.3 I-DLF **Rwy 13C.** Unavbl when APP CON clsd. No NOTAM MP Mon-Fri 0800-1200Z†.

ILS 108.9 I-ILH **Rwy 31C.** Unmonitored when APP CON clsd. No NOTAM MP Tue-Thu 1000-1200Z†.

LEAGUE CITY**BAY ELECTRIC SUPPLY HELIPORT** (T95) 3 SW UTC-6(-5DT) N29°29.30' W95°06.45'**HOUSTON
COPTER**


26 NOTAM FILE CXO

HELIPAD H1: H90X90 (CONC)**HELIPORT REMARKS:** Attended continuously. Helipad H1 perimeter lgts. Helipad H1 15' road 100' north, 110' p-line 540' north, 180' twr 720' northeast, 25' building with 10' wind sock 155' southeast, +15' road 65' southeast, 25' tree 128' southeast, +15' road 171' northwest.**COMMUNICATIONS:** CTAF 122.9**LEAKEY****REAL CO** (49R) 1 N UTC-6(-5DT) N29°44.73' W99°45.65'**SAN ANTONIO
L-19B**

1640 NOTAM FILE SJT

RWY 15-33: H3975X50 (ASPH) S-11 LIRL (NSTD)**RWY 15:** Thld displcd 240'. Trees. **RWY 33:** Thld displcd 270'. Trees.**AIRPORT REMARKS:** Unattended. Ultralight activity adjacent to rwy. Do not use turf taxiway from apron to end of Rwy 33. Rwy 15-33 NSTD LIRL due to color.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ERV.**CENTER POINT (H) VORTAC** 117.5 CSI Chan 122 N29°55.34' W99°12.87' 242° 30.4 NM to fld. 2080/8E.**LEANDER****KITTIE HILL** (77T) 3 E UTC-6(-5DT) N30°36.13' W97°49.13'**SAN ANTONIO**1020 S4 **FUEL** 100LL NOTAM FILE SJT**RWY 07-25:** 3450X55 (TURF)**RWY 07:** Tree. **RWY 25:** Trees. Rgt tfc.**RWY 12-30:** 2620X55 (TURF)**RWY 12:** Trees. **RWY 30:** Tree. Rgt tfc.**RWY 17-35:** 2350X60 (TURF)**RWY 17:** Trees. **RWY 35:** Fence. Rgt tfc.**AIRPORT REMARKS:** Attended Mon-Sat dalgt. Call for fuel availability 512-259-0350. Heavy equipment occasionally on rwy. Construction east side of aprt. 25' P-line 200' from end Rwy 25. Rwy 07-25, Rwy 12-30 and Rwy 17-35 15' tall rwy numbers over grown with grass. For repairs call 512-259-9146.**COMMUNICATIONS:** CTAF 122.9**LEONA** N31°07.44' W95°58.08' NOTAM FILE CXO.**HOUSTON****(L) VORTACW** 110.8 LOA Chan 45 168° 12.7 NM to Madisonville Muni. 350/8E.**H-61, L-19D, 21A****LEROI** N31°44.45' W97°04.68' NOTAM FILE FTW.**SAN ANTONIO****NDB (LOM)** 378 CN 171° 6.2 NM to Tstc-Waco.**LEVELLAND MUNI** (LLN) 2 S UTC-6(-5DT) N33°33.15' W102°22.35'**ALBUQUERQUE**3514 B S4 **FUEL** 100LL, JET A NOTAM FILE FTW**H-66, L-6H****RWY 17-35:** H6110X75 (ASPH) S-30 MIRL**IAP****RWY 17:** PAPI(P4L)—GA 3.0° TCH 47'. Tree.**RWY 35:** REIL. PAPI(P4L)—GA 3.0° TCH 39'. Rgt tfc.**RWY 08-26:** H2072X55 (ASPH)**RWY 08:** Road. Rgt tfc. **RWY 26:** Road.**AIRPORT REMARKS:** Attended SR-SS. For fuel after hrs call 806-894-7328. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **LUBBOCK APP/DEP CON** 119.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE LBB.**LUBBOCK (L) VORTACW** 109.2 LBB Chan 29 N33°42.30' W101°54.84' 237° 24.7 NM to fld. 3310/11E. **HIWAS.****NDB (MHW)** 266 LLN N33°33.34' W102°22.51' at fld.

NOTAM FILE FTW.



LIBERTY MUNI (T78) 6 NE UTC-6(-5DT) N30°04.67' W94°41.91'

HOUSTON
L-19E, 21A
IAP

70 B FUEL 100LL NOTAM FILE CXO

RWY 16-34: H3801X75 (ASPH) S-10 MIRL

RWY 16: PAPI(P2L). Trees.

RWY 34: Trees.

AIRPORT REMARKS: Attended on call. For arpt attendant call

409-336-7441. 24 hr self-svc fuel. Twy lgts OTS indef. ACTIVATE

MIRL Rwy 16-34—CTAF.


COMMUNICATIONS: CTAF 122.9

® **HOUSTON APP/DEP CON** 119.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

DAISSETTA (H) VORTACW 116.9 DAS Chan 116 N30°11.38'

W94°38.70' 198° 7.3 NM to fld. 76/5E.



LINDSAY

FREEDOM FLD (7T0) 3 S UTC-6(-5DT) N33°35.61' W97°13.16'

DALLAS—FT. WORTH

885 NOTAM FILE FTW

RWY 17-35: 2400X60 (TURF)

RWY 17: Road. Rgt t/c.

RWY 35: Road.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

LITTLE C RANCH HELIPORT (See HICO)

LITTLEFIELD MUNI (LIU) 3 W UTC-6(-5DT) N33°55.44' W102°23.20'

ALBUQUERQUE
L-6H
IAP

3616 B S2 FUEL 100LL NOTAM FILE FTW

RWY 01-19: H4021X60 (ASPH) S-12 MIRL

RWY 01: Tree.

RWY 13-31: H2513X40 (ASPH) S-5 0.4% up NW

RWY 13: Road.

RWY 31: P-line.

AIRPORT REMARKS: Attended 1400-2300Z†. For fuel after hrs call 806-777-5030, 806-778-1418/8848 or 806-241-0761. Glider operations sunrise to sunset weekends. Hangers obstruct transitional surface Rwy 13-31.

COMMUNICATIONS: CTAF/UNICOM 122.8.

® **LUBBOCK APP/DEP CON** 119.9


RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.

LUBBOCK (L) VORTACW 109.2 LBB Chan 29 N33°42.30'

W101°54.84' 288° 27.0 NM to fld. 3310/11E. HIWAS.

NDB (MHW) 212 LIU N33°55.15' W102°23.20' at fld.

NOTAM FILE FTW. Unusable 120°-150° beyond 10 NM below 6000'. Unmonitored.



LIVE OAK CO (See GEORGE WEST)

LIVINGSTON MUNI (ØØR) 5 SW UTC-6(-5DT) N30°41.15' W95°01.08'

HOUSTON
L-19E, 21A
IAP

151 B S4 FUEL 100LL NOTAM FILE CXO

RWY 12-30: H3700X60 (ASPH) S-11 MIRL

RWY 12: Tree. RWY 30: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat-Sun 1800-2300Z†.

COMMUNICATIONS: CTAF/UNICOM 122.7

HOUSTON CENTER APP/DEP CON 125.17

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74' W94°43.02' 204° 32.5 NM to fld. 200/5E.
HIWAS.

LLANO N30°47.78' W98°47.24' NOTAM FILE AQO.

SAN ANTONIO
H-7B, 6G, L-19C

(L) **VORTACW** 108.2 LLO Chan 19 089° 6.5 NM to Llano Muni. 1200/8E. HIWAS.

LLANO MUNI (AQO) 2 NE UTC-6(-5DT) N30°47.02' W98°39.72'

SAN ANTONIO
L-19C
IAP

1102 B FUEL 100LL, JET A NOTAM FILE AQO

RWY 17-35: H4202X75 (ASPH) S-20 MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 60'. Trees.

RWY 13-31: 3240X150 (TURF) 0.6% up NW

RWY 31: Trees.

AIRPORT REMARKS: Attended Tue-Thu 1400-2300Z†, Fri-Mon 1400-0000Z†. Deer on and in/ovf arpt. Self-service fuel avbl 24 hrs with credit card. Rwy 13-31 thlds marked with yellow tires. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.


WEATHER DATA SOURCES: AWOS-3 119.425 (325) 247-2189. HIWAS 108.2 LLO.

COMMUNICATIONS: CTAF/UNICOM 122.8

® **HOUSTON CENTER APP/DEP CON** 132.35

RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.

(L) **VORTACW** 108.2 LLO Chan 19 N30°47.78' W98°47.24' 089° 6.5 NM to fld. 1200/8E. HIWAS.



LOCKHART MUNI (5ØR) 2 S UTC-6(-5DT) N29°51.02' W97°40.35'

SAN ANTONIO
L-19C, 21A
IAP

532 B FUEL 100LL NOTAM FILE SJT

RWY 18-36: H4001X75 (ASPH) S-12.5 MIRL

RWY 18: PAPI(P2L)—GA 3.5° TCH 24'.

RWY 36: PAPI(P2L)—GA 3.0° TCH 25'. Tree.


AIRPORT REMARKS: Attended dawn-dusk. Parallel twy has green centerline reflectors. MIRL Rwy 18-36 preset low ints, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® **AUSTIN APP/DEP CON** 127.225

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71' W97°31.79' 187° 32.5 NM to fld. 593/6E.



LONE STAR EXECUTIVE (See HOUSTON)

LONGVIEW**EAST TEXAS RGNL**

(GGG) 8 S UTC-6(-5DT) N32°23.04' W94°42.69'

MEMPHIS

365 B S4 FUEL 100LL, JET A OX 3, 4 Class I, ARFF Index A NOTAM FILE GGG

H-6I, L-17D

RWY 13-31: H10000X150 (ASPH-GRVD) S-95, D-155, ST-175, DT-288 HIRL

IAP, AD

RWY 13: MALSR. Thld displcd 800'.

RWY 31: VASI(V4L)—GA 3.0° TCH 52'.

RWY 18-36: H6109X150 (ASPH-GRVD) S-95, D-155, ST-175, DT-280 MIRL

RWY 18: VASI(V4L)—GA 3.0° TCH 53'. Tree.

RWY 36: VASI(V4L)—GA 3.0° TCH 51'. Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 31	18-36	8100
RWY 36	13-31	4150

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-10000 TODA-10000 ASDA-10000 LDA-10000

RWY 18: TORA-6109 TODA-6109 ASDA-6109 LDA-6109

RWY 31: TORA-10000 TODA-10000 ASDA-10000 LDA-10000

RWY 36: TORA-6109 TODA-6109 ASDA-6109 LDA-6109

AIRPORT REMARKS: Attended 1200-0300Z†. For fuel after hrs call 903-643-8748. PPR for unscheduled air carrier ops with over 30 passenger seats. ARFF not avbl 0400-1200Z†. Twy H clsd indef. Twy K clsd indef. When twr clsd ACTIVATE MALSR Rwy 13—CTAF. MIRL Rwy 18-36 not avbl when twr clsd. VASI Rwy 18, 36 and 31 opr continuously.

WEATHER DATA SOURCES: ASOS (903) 643-7028. LAWRS.**COMMUNICATIONS:** CTAF 119.2 ATIS 119.65 UNICOM 122.95

GREGG RCO 122.2 (FORT WORTH RADIO)


Ⓡ **LONGVIEW APP/DEP CON** 128.75 124.675 (West at or blo 5000') 118.25 (East at or blo 4000') 133.1 (At or abv 4500') 118.25 (1200-0400Z†)

FORT WORTH CENTER APP/DEP CON 135.1 (0400-1200Z†)**EASTEX TOWER** 119.2 (1200-0400Z†) **GND CON** 121.6**AIRSPACE:** CLASS D svc 1200-0400Z† other times CLASS G.

TRSA ctc APP CON within 30 NM.

RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.**GREGG CO (L) VORTACW** 112.3 GGG Chan 70 N32°25.07' W94°45.19' 127° 2.9 NM to fld. 320/7E.

DME portion unusable 165°-235° beyond 25 NM below 2700', 235°-280° beyond 25 NM below 2300'.

VEELS NDB (LOM) 410 GG N32°27.34' W94°47.86' 128° 6.1 NM to fld.**ILS** 109.5 I-GGG Rwy 13. Class IA. LOM VEELS NDB. Unmonitored when twr clsd.**LOUISE****FLYING V RANCH**

(T26) 1 SE UTC-6(-5DT) N29°06.50' W96°23.93'

HOUSTON

60 FUEL 100LL NOTAM FILE CXO

RWY 14-32: 2990X80 (TURF)

RWY 14: Tree.

RWY 32: Tree. Rgt tfc.

AIRPORT REMARKS: Attended continuously. Rwy 14 creek/ravine 10-15' drop-off at thld E side of centerline.**COMMUNICATIONS:** CTAF/UNICOM 122.8**LUBBI**

N33°39.76' W101°43.39' NOTAM FILE LBB.

DALLAS-FT. WORTH**NDB (LOM)** 272 LD 262° 5.0 NM to Lubbock Preston Smith Intl.

LUBBOCK**LUBBOCK PRESTON SMITH INTL** (LBB) 4 N UTC-6(-5DT) N33°39.82' W101°49.37'**DALLAS-FT. WORTH**3282 B S4 FUEL 100LL, JET A, A1 + OX 1, 2, 3, 4 LRA Class I, ARFF Index C
NOTAM FILE LBBH-66, L-6H
IAP, AD**RWY 17R-35L**: H11500X150 (CONC-GRVD) S-100, D-170,

ST-175, DT-350 HIRL

RWY 17R: MALSR. Rgt tfc. 0.4% down.**RWY 35L**: ODALS. VASI(V4L)—GA 3.0° TCH 54'. 0.4% up.**RWY 08-26**: H8001X150 (CONC-GRVD) S-100, D-170, ST-175,
DT-350 HIRL**RWY 08**: REIL. VASI(V4L)—GA 3.0° TCH 52'. Thld dspcd 200'. Rgt tfc.**RWY 26**: MALSR. VASI(V4L)—GA 3.0° TCH 45'.**RWY 17L-35R**: H2891X75 (ASPH) S-12.5**RWY 35R**: Road. Rgt tfc.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 08**: TORA-8001 TODA-8001 ASDA-8001 LDA-7801**RWY 26**: TORA-8001 TODA-8001 ASDA-8001 LDA-8001**RWY 17L**: TORA-2891 TODA-2891 ASDA-2891 LDA-2891**RWY 35R**: TORA-2891 TODA-2891 ASDA-2891 LDA-2891**RWY****17R**: TORA-11500 TODA-11500 ASDA-11500 LDA-11500**RWY****35L**: TORA-11500 TODA-11500 ASDA-11500 LDA-11500


AIRPORT REMARKS: Attended continuously. Numerous birds on and in/ov arpt. PAEW adjacent Rwy 08-26 and Rwy 17R-35L. Passenger terminal ramp access restricted to air carriers and others with prior permission call 806-775-2044. Rwy 17L-35R restricted to general aviation acft 12,500 lbs or less. Rwy 17L-35R, Twy A, Twy B, Twy D, Twy E and Twy G not avbl for air carrier acft with over 9 passenger seats. Twy A, Twy B, Twy D, Twy E and Twy G restricted to acft weighing less than 50,000 lbs. East ramp delineated taxilane and apron area rstd to 120,000 lbs dual tandem acft, 89,000 lbs dual single wheel acft and 60,000 lbs and single wheel acft. All other east ramp pavements rstd to acft less than 12,500 lbs single wheel acft. Rwy 26 runway visual range touchdown avbl. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (806) 747-7217. HIWAS 109.2 LBB. WSP.**COMMUNICATIONS**: ATIS 125.3 UNICOM 122.95

RCO 122.55 (FORT WORTH RADIO)

① **APP CON** 119.9 (West of Rwy 17R/35L) 119.2 (East of Rwy 17R/35L)**TOWER** 120.5 **GND CON** 121.9 **CLNC DEL** 125.8① **DEP CON** 119.9 (West of Rwy 17R/35L) 119.2 (East of Rwy 17R/35L) 124.45**AIRSPACE**: CLASS C svc continuous ctc **APP CON****RADIO AIDS TO NAVIGATION**: NOTAM FILE LBB.(L) **VORTACW** 109.2 LBB Chan 29 N33°42.30' W101°54.84' 107° 5.2 NM to fld. 3310/11E. HIWAS.
VOR portion unusable 140°-190° byd 20 NM blo 5,100'.**POLLO NDB (LOM)** 219 LB N33°44.26' W101°49.76' 167° 4.5 NM to fld.**LUBBI NDB (LOM)** 272 LD N33°39.76' W101°43.39' 262° 5.0 NM to fld.**ILS/DME** 109.5 I-LBB Chan 32 Rwy 17R. Class IA. LOM POLLO NDB.

LOC BC unusable byd 20° right of course.

ILS 111.9 I-LDT Rwy 26. Class IE. LOM LUBBI NDB.**ASR****TOWN AND COUNTRY AIRPARK** (F82) 5 S UTC-6(-5DT) N33°29.14' W101°48.76'**DALLAS-FT. WORTH**

3200 B S4 FUEL 100LL, JET A TPA-4200(1000) NOTAM FILE FTW

L-6H

RWY 17-35: H3500X70 (ASPH) S-13 LIRL**RWY 07-25**: 1500X110 (TURF)**RWY 07**: P-line.**AIRPORT REMARKS**: Attended 1400-2300Z+. Fuel avbl 24 hrs with major credit card. Rwy 17 road located at thld.

Farm equipment ops AER 17, Rwy 25 and Rwy 35. LIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION**: NOTAM FILE LBB.**LUBBOCK (L) VORTACW** 109.2 LBB Chan 29 N33°42.30' W101°54.84' 148° 14.1 NM to fld. 3310/11E.
HIWAS.

LUFKIN**ANGELINA CO** (LFK) 7 SW UTC-6(-5DT) N31°14.04' W94°45.00'

296 B S4 FUEL 100LL, JET A+ OX 1 NOTAM FILE LFK

RWY 07-25: H5398X100 (ASPH) S-60, D-90 MIRL

RWY 07: MALSR.

RWY 25: PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 15-33: H4309X100 (ASPH) S-30 MIRL 0.4% up NW

RWY 15: VASI(V4L)—GA 3.0° TCH 48'. Tree.

RWY 33: VASI(V4L)—GA 3.0° TCH 55'. Thld dsplcd 105'. Trees.

AIRPORT REMARKS: Attended daylight hours. Svc fee charged for fuel after 0100Z+. MIRL Rwy 07-25 and Rwy 15-33 preset medium ints to incr ints. ACTIVATE CTAF. ACTIVATE MALSR Rwy 07—CTAF. PAPI Rwy 25, VASI Rwy 15 and Rwy 33 opr continuously. NOTE: See Special Notice—Houston ARTCC

WEATHER DATA SOURCES: ASOS 120.625 LFK (936) 637-9420. HIWAS 112.1 LFK.

COMMUNICATIONS: CTAF/UNICOM 123.0

LUFKIN RCO 122.2 (MONTGOMERY COUNTY RADIO)

HOUSTON CENTER APP/DEP CON 125.17

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.


LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74'

W94°43.02' 333° 4.6 NM to fld. 200/5E. HIWAS.

FLUFY NDB (LOM) 350 LF N31°13.13' W94°49.51' 071° 4.0

NM to fld. Unmonitored.

ILS 111.3 I-LFK Rwy 07. Class IB. LOM FLUFY NDB. ILS unmonitored.

**HOUSTON**H-6I, L-19E, 21A
IAP**LUFKIN** N31°09.74' W94°43.02' NOTAM FILE LFK.

(H) VORTACW 112.1 LFK Chan 58 333° 4.6 NM to Angelina Co. 200/5E. HIWAS.

DME unusable 275°-260° byd 30 NM blo 2,500', 260°-275° byd 30 NM.

RCO 122.2 (MONTGOMERY COUNTY RADIO)

HOUSTON

H-6I, L-19E, 21A

LULING**THE CARTER MEM** (T91) 3 N UTC-6(-5DT) N29°43.70' W97°39.57'

475 B NOTAM FILE SJT

RWY 17-35: H2790X45 (ASPH) S-11 LIRL (NSTD)

RWY 17: P-line. RWY 35: Trees.

AIRPORT REMARKS: Unattended. Rwy 17-35 NSTD LIRL. Lgts 95' outboard from rwy centerline. Rotating bcn OTS indef. LIRL Rwy 17-35 OTS indef.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71' W97°31.79' 184° 39.5 NM to fld. 593/6E.

SAN ANTONIO

L-19C, 21A

MADISONVILLE MUNI (51R) 3 SW UTC-6(-5DT) N30°54.77' W95°57.12'

287 B NOTAM FILE CXO

RWY 18-36: H3202X50 (ASPH) S-4 MIRL 0.8% up N

RWY 18: Tree. RWY 36: Tree.

AIRPORT REMARKS: Unattended. Arpt gate locked from 0400-1200Z±
call 936-348-2748.


COMMUNICATIONS: CTAF 122.9

Ⓡ **HOUSTON CENTER APP/DEP CON** 134.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

LEONA (L) VORTACW 110.8 LOA Chan 45 N31°07.44'
W95°58.08' 168° 12.7 NM to fld. 350/8E.

HOUSTON
L-19D, 21A
IAP



MAJOR N33°09.38' W96°03.82' NOTAM FILE GVT.

NDB (LOM) 201 GV 176° 5.3 NM to Majors.

DALLAS-FT WORTH

MAJORS (See GREENVILLE)

MANNING FLD (See JEFFERSON)

MANVEL

WOLFE AIR PARK (3T2) 2 NE UTC-6(-5DT) N29°28.80' W95°19.63'

55 S5 NOTAM FILE CXO

RWY 02-20: 2910X80 (TURF) LIRL (NSTD)

RWY 02: Trees. RWY 20: Road.

AIRPORT REMARKS: Attended dalgt hrs. Rwy 02-20 NSTD LIRL, 4 NSTD thld lgts denote rwy end during ngt ops.

Lighting for Rwy 02 87' from actual thld and 120' from actual thld for Rwy 20. First 100' of Rwy 02-20 unusable at each end during wet wx. 4' fence crossing Rwy 02 thld. Ditch crossing Rwy 20 thld. ACTIVATE LIRL Rwy 02-20-CTAF.

COMMUNICATIONS: CTAF 122.9

HOUSTON
COPTER

MAPLES FLD (See CANYON)

MARFA MUNI (MRF) 3 N UTC-6(-5DT) N30°22.27' W104°01.06'

4849 B S4 FUEL 100LL, JET A+ NOTAM FILE MRF

RWY 12-30: H6214X75 (ASPH) S-38 MIRL

RWY 12: PVASI(PSIL). RWY 30: PVASI(PSIL).

RWY 03-21: H5307X75 (ASPH) S-38 0.4% up NE

RWY 08-26: 2825X60 (DIRT) 0.4% up E

RWY 08: Fence.

AIRPORT REMARKS: Attended Mon-Sat dalgt hrs, Sun 1400-0000Z±.

Glider ops on and invof arpt. 104' AGL unlgtd water twr 1800' S of AER 30. Rwy 08-26 surface rough, not regularly maintained, high grass. MIRL Rwy 12-30 preset low ints, to increase ints ACTIVATE-CTAF. Ldg fee. Landing fee for acct with maximum gross weight of 40,000 lbs and over.

WEATHER DATA SOURCES: AWOS-3 134.025 (432) 729-3364.

COMMUNICATIONS: CTAF/UNICOM 122.8


RCO 122.1R 115.9T (ALBUQUERQUE RADIO)

ALBUQUERQUE CENTER APP/DEP CON 135.875

RADIO AIDS TO NAVIGATION: NOTAM FILE MRF.

(L) VOR/DME 115.9 MRF Chan 106 N30°17.90'
W103°57.29' 312° 5.4 NM to fld. 4830/11E. HIWAS.

EL PASO
H-7A, L-6J
IAP



MARIAN AIRPARK (See WELLINGTON)**MARLIN** (T15) 3 NE UTC-6(-5DT) N31°20.44' W96°51.12'

411 B NOTAM FILE FTW

RWY 17-35: H3021X50 (ASPH) S-4 LIRL (NSTD)

RWY 17: Trees. RWY 35: Thld dspcd 90'. Bldg.

AIRPORT REMARKS: Unattended. Rwy 17-35 NSTD LIRL, north 2900' lighted.**COMMUNICATIONS:** CTAF 122.9

WACO APP/DEP CON 135.2 (1200-0600Z†)

FORT WORTH CENTER APP/DEP CON 133.3 (0600-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

WACO (H) VORTACW 115.3 ACT Chan 100 N31°39.74' W97°16.14' 123° 28.8 NM to fld. 510/9E. HIWAS.

HOUSTON

L-19D, 21A

IAP

**MARSHALL****HARRISON CO** (ASL) 3 SE UTC-6(-5DT) N32°31.23' W94°18.47'

357 B S4 FUEL 100LL, JET A NOTAM FILE FTW

RWY 15-33: H5002X100 (ASPH) S-20 MIRL 0.7% up NW

RWY 15: REIL. PAPI(P4L)—GA 3.0° Trees.

RWY 33: REIL. PAPI(P4L)—GA 3.0° Trees.

RWY 01-19: H3299X60 (ASPH) S-20

RWY 01: Trees.

RWY 19: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†, Sun irregular. For emergency service after hours call 903-938-1394. For arpt attendant on Sun call 903-938-1394. ACTIVATE REIL Rwy 15 and Rwy 33—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.675 (903) 938-2060.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® SHREVEPORT APP/DEP CON 119.9 (1200-0600Z†) 121.4
(0600-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE GGG.

GREGG CO (L) VORTACW 112.3 GGG Chan 70 N32°25.07'
W94°45.19' 068° 23.4 NM to fld. 320/7E.

MEMPHIS

H-6I, L-17E

IAP



MASON CO (T92) 3 SE UTC-6(-5DT) N30°43.93' W99°11.06'

1502 B S2 FUEL 100LL NOTAM FILE SJT

RWY 17-35: H3716X50 (ASPH) LIRL

RWY 17: Tree. RWY 35: Tree.

RWY 13-31: 3000X60 (TURF) 0.8% up NW

RWY 13: Tree. RWY 31: Brush.

AIRPORT REMARKS: Unattended. For fuel call 915-347-5439/5252. For service call 915-347-5439. Rwy 13-31 thlds marked with orange markers.

COMMUNICATIONS: CTAF 122.9

Ⓡ **HOUSTON CENTER APP/DEP CON** 132.35


RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.

LLANO (L) VORTACW 108.2 LLO Chan 19 N30°47.78'
W98°47.24' 252° 20.9 NM to fld. 1200/8E. HIWAS.

SAN ANTONIO

L-19C

IAP



MATHIS FLD (See SAN ANGELO)

MAVERICK N32°52.15' W97°02.43' NOTAM FILE FTW.

(H) VORW/DME 113.1 TTT Chan 78 358° 1.7 NM to Dallas/Fort Worth Intl. 540/6E.

DALLAS-FT. WORTH

COPTER

H-6H, L-17C, A

MAVERICK CO MEM INTL (See EAGLE PASS)

MC ALLEN MILLER INTL (MFE) 2 S UTC-6(-5DT) N26°10.55' W98°14.32'

107 B S4 FUEL 100LL, JET A OX 3 AOE Class I, ARFF Index C NOTAM FILE MFE

RWY 13-31: H7120X150 (ASPH-GRVD) S-90, D-190, ST-175, DT-280 HIRL

RWY 13: MALSR. Thld displcd 137'. Road.

RWY 31: REIL. VASI(V4L)—GA 3.0° TCH 52'.

RWY 18-36: H2638X60 (ASPH) S-12.5 MIRL 0.3% up N

RWY 18: PAPI(P2L)—GA 4.0° TCH 35'. Pole.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-7120 TODA-7120 ASDA-7120 LDA-6983

RWY 31: TORA-7120 TODA-7120 ASDA-7120 LDA-7120

RWY 18: TORA-2638 TODA-2638 ASDA-2638 LDA-2638

RWY 36: TORA-2638 TODA-2638 ASDA-2638 LDA-2638

AIRPORT REMARKS: Attended 1200-0400Z†. For svcs after hrs call 956-686-1774. Rwy 18-36 not avbl for air carrier ops. Jet or large propeller acft training prohibited (including practice apchs, touch and go landings and practice instrument apch procedures) due to noise abatement procedures effective 0500-1200Z†. Birds on and invof airport (seasonal). When dep arpt fly rwy heading until reaching 1000' AGL before making procedure turn. No 180° locked wheel turns on Rwy 13-31. For ARFF when twr clsd ctc Mc Allen arpt ops 956-681-1500. PAPI Rwy 18 OTS indef. When twr clsd ACTIVATE MIRL Rwy 18-36, HIRL Rwy 13-31 and MALSR Rwy 13—CTAF. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 128.5 (956) 664-8212.

COMMUNICATIONS: CTAF 118.5 ATIS 128.5 UNICOM 122.95

RCO 122.2 (SAN ANGELO RADIO)

Ⓡ **VALLEY APP/DEP CON** 121.0

TOWER 118.5 (1200-0600Z†) GND CON 121.8

AIRSPACE: CLASS D svc 1200-0600Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE MFE.

(H) VORW/DME 117.2 MFE Chan 119 N26°10.43' W98°14.45' at fld. 100/9E.

MISSI NDB (LOM) 388 MF N26°15.23' W98°18.62' 133° 6.1 NM to fld. Unmonitored when twr clsd.

ILS/DME 111.7 I-MISS Chan 54 Rwy 13. LOM MISSI NDB. ILS unmonitored when twr clsd. LOM unmonitored when twr clsd. DME also shared with Rwy 31.

ILS/DME 111.7 I-LLM Chan 54 Rwy 31 DME also shared with Rwy 13.



BROWNSVILLE

H-7B, L-20H

IAP, AD

MC CAMEY**UPTON CO**

(E48) 1 SW UTC-6(-5DT) N31°07.51' W102°13.52'

SAN ANTONIO

2433 B NOTAM FILE SJT

L-19A

RWY 06-24: 4450X140 (TURF)

RWY 06: Brush. Rgt tfc.

RWY 24: Road.

RWY 10-28: H4100X75 (ASPH) S-30 LIRL

RWY 10: Brush. Rgt tfc.

RWY 28: Trees.

RWY 15-33: 3800X120 (TURF)

RWY 15: P-line. Rgt tfc.

RWY 33: Brush.

AIRPORT REMARKS: Unattended. Arpt CLOSED SS-SR. Rwy 06-24 CLOSED indef. Rwy 15-33 CLOSED indef. LIRL Rwy 10-28 OTS indef. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FST.

FORT STOCKTON (H) VORTAC 116.9 FST Chan 116 N30°57.13' W102°58.54' 064° 40.0 NM to fld.
2893/11E. HIWAS.

MC GREGOR EXECUTIVE (See WACO)**MC KINNEY****AERO COUNTRY**

(T31) 4 W UTC-6(-5DT) N33°12.51' W96°44.52'

DALLAS-FT WORTH

792 S4 FUEL 100LL NOTAM FILE FTW


COPTER

RWY 17-35: 4305X40 (ASPH-TURF) LIRL (NSTD)

RWY 17: Thld dspcd 300'. Fence.

RWY 35: Thld dspcd 245'. Hill.

AIRPORT REMARKS: Attended irregularly. CAUTION—Rwy has steep downslope 50' East of centerline near Northend. No ngt lgts after 0400Z+. Arpt CLOSED to transient flight training. Fuel avbl for emergencies. Ultralight activity on and invof arpt. Pilots are advised of non-aeronautical uses of hangar area with vehicle traffic in all areas. Rwy 17-35 south end asph 2950', north end turf 1355'. Rwy 17-35 restricted to acft less than 6500 lbs. No transient touch and go. Rwy 17-35 numbers only—20' tall. Arpt lgts opr dusk-0400Z+. Rwy 17-35 NSTD LIRL, edge lgts spacing 300' apart. ACTIVATE LIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9

COLLIN COUNTY REGIONAL AT Mc KINNEY (TKI) 2 SE UTC-6(-5DT)DALLAS-FT WORTH
COPTER
H-6H, L-17C, A
IAP, AD

N33°10.68' W96°35.43'

585 B S4 FUEL 100LL, JET A OX3 NOTAM FILE TKI

RWY 17-35: H7001X100 (CONC) S-75, D-150, DT-176 MIRL

RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 28'. Tree.

RWY 35: VASI(V4L)—GA 3.0° TCH 52'. Tree. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0500Z+. Noise sensitive area over town of Fairview immediately south/southwest of arpt. Bird activity in/ov arpt. All acft maintain minimum altitude of 1000' AGL. ACTIVATE MIRL Rwy 17-35, MALSR Rwy 17, PAPI Rwy 17 and VASI Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 119.925 (972) 548-8525.

COMMUNICATIONS: CTAF 118.825 UNICOM 122.95

⑧ RGNL APP/DEP CON 124.3 CLNC DEL 121.35 (when twr clsd)

TOWER 118.825 (1200-0400Z+) GND CON 121.875

AIRSPACE: CLASS D svc 1200-0400Z+ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.


COWBOY (H) VORW/DME 116.2 CVE Chan 109 N32°53.42'

W96°54.24' 036° 23.4 NM to fld. 450/6E.

FLUET NDB (LOM) 421 EF N33°15.70' W96°35.33' 175°
5.0 NM to fld.

ILS/DME 109.35 I-EFE Chan 30(Y) Rwy 17. LOM FLUET

NDB. ILS unmonitored when twr clsd.

**MC KINLEY FLD** (See PEARSALL)**MC LEAN/GRAY CO** (2E7) 3 E UTC-6(-5DT) N35°14.82' W100°32.64'DALLAS-FT WORTH
L-15C

2835 B NOTAM FILE FTW

RWY 17-35: H3225X50 (ASPH) S-12.5 RWY LGTS (NSTD)

RWY 17: Tree. RWY 35: Road.

AIRPORT REMARKS: Unattended. Rotating bcn OTS indef. Wildlife on and in/ov arpt. No line of sight between rwy ends. Rwy 17-35 transitional surface obstructed by 35' trees east and west of centerline. Rwy 17-35 NSTD fruit jar lgts on non-frangible metal conduit.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

SAYRE (L) VORTAC 115.2 SYO Chan 99 N35°20.71' W99°38.12' 253° 45.0 NM to fld. 1990/10E.

MEMPHIS MUNI (F21) 1 NE UTC-6(-5DT) N34°44.38' W100°31.78'DALLAS-FT WORTH
L-17A

2102 B NOTAM FILE FTW

RWY 17-35: H4670X75 (ASPH) S-10 MIRL

RWY 35: Trees.

RWY 08-26: 2750X70 (TURF)

RWY 08: Road. RWY 26: P-line.

AIRPORT REMARKS: Unattended. Rwy 08-26 thlds marked with red and white metal markers. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.

CHILDRESS (L) VORTACW 117.6 CDS Chan 123 N34°22.14' W100°17.34' 322° 25.2 NM to fld.
1920/10E. HIWAS.

MENARD CO (T50) 3 NW UTC-6(-5DT) N30°56.01' W99°49.02'SAN ANTONIO
L-19B

1930 B NOTAM FILE SJT

RWY 15-33: H4100X60 (ASPH) S-12.5 LIRL

RWY 15: Thld displcd 480'. Brush. RWY 33: Tree.

AIRPORT REMARKS: Unattended. Birds on and in/ov arpt, seasonal.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE JCT.

JUNCTION (H) VORTACW 116.0 JCT Chan 107 N30°35.88' W99°49.05' 352° 20.1 NM to fld. 2280/8E.
HIWAS.

MESQUITE METRO (HQZ) 3 E UTC-6(-5DT) N32°44.82' W96°31.83'

447 B S4 FUEL 100LL, JET A OX 1 NOTAM FILE HQZ

RWY 17-35: H5999X100 (CONC) S-70, D-100, DT-100 MIRL

RWY 17: LDIN. PAPI(P4L)—GA 3.0° TCH 55'. Brush.

RWY 35: LDIN. PAPI(P4L)—GA 3.0° TCH 42'. Fence.

AIRPORT REMARKS: Attended 1300-0300Z†. Self-serve fuel avbl 24 hrs with major credit card. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE REIL Rwy 17—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (972) 222-7631. LLWAS.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ RGNL APP/DEP CON 125.2

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

COWBOY (H) VORW/DME 116.2 CVE Chan 109 N32°53.42'

W96°54.24' 108° 20.8 NM to fld. 450/6E.

NDB (MHW) 248 PQF N32°48.56' W96°31.75' 175° 3.7 NM

to fld. NOTAM FILE HQZ.


ILS/DME 109.75 I-HQZ Chan 34Y Rwy 17.

DALLAS-FT. WORTH

COPTER

H-6H, L-17C, A

IAP

**MEXIA-LIMESTONE CO** (LXY) 3 SW UTC-6(-5DT) N31°38.47' W96°30.87'

544 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE FTW

RWY 18-36: H5001X75 (ASPH) S-8 MIRL 0.3% up N

RWY 18: PAPI(P2L)—GA 3.0° TCH 25'. Tree.

RWY 36: PAPI(P2L)—GA 3.0° TCH 24'.

AIRPORT REMARKS: Attended Mon-Fri 1400-0100Z†, Sat-Sun 1500-2100Z†, exc holidays 1500-2100Z†. For fuel at night call 254-562-3174.

COMMUNICATIONS: CTAF/UNICOM 122.8

WACO APP/DEP CON 135.2

Ⓡ FORT WORTH CENTER APP/DEP CON 133.3

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

GROESBECK (L) VORW/DME 108.8 GNL Chan 25 N31°34.89'

W96°32.95' 021° 4 NM to fld. 512/5E. Unmonitored.


NDB (MHW) 329 LXY N31°38.38' W96°30.73' at fld.

Unmonitored.

HOUSTON

H-6H, L-19D, A

IAP

**MIAMI-ROBERTS CO** (3E0) 3 NE UTC-6(-5DT) N35°42.84' W100°36.19'

2720 B NOTAM FILE FTW

RWY 02-20: H4060X50 (ASPH) S-12.5 LIRL

RWY 02: Tree. RWY 20: Thld dsplcd 390'. Fence. Rgt tfc.

AIRPORT REMARKS: Unattended. ACTIVATE LIRL Rwy 02-20—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BGD.

BORGER (L) VORTACW 108.6 BGD Chan 23 N35°48.43' W101°22.93' 087° 38.5 NM to fld. 3130/11E.

DALLAS-FT WORTH

L-15C

SKYWEST INC (7T7) 9 S UTC-6(-5DT) N31°51.51' W102°04.44'

SAN ANTONIO

2800 S4 FUEL 100LL, MOGAS NOTAM FILE SJT

H-6G, L-6H

RWY 16-34: H5000X42 (ASPH) S-12.5

RWY 16: Fence. RWY 34: Brush.

RWY 06-24: 2800X45 (DIRT)

RWY 06: Fence. RWY 24: Fence.

AIRPORT REMARKS: Attended dawn-dusk. For fuel after hrs call 432-682-5705. Deer on and invof arpt. Rwy 16-34 only reflectors mounted on rwy edge entire length with 4 clear lgts each end. Rwy 16 thld lgts 60' N of rwy end. Rwy 34 thld lgts 322' N of rwy end. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.

MIDLAND (L) VORTACW 114.8 MAF Chan 95 N32°00.56' W102°11.42' 136° 10.8 NM to fld. 2860/11E.

MIDLOTHIAN/WAXAHACHIE

MID-WAY RGNL (JWY) 5 SE UTC-6(-5DT) N32°27.37' W96°54.76'

DALLAS-FT WORTH

713 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE JWY

COPTER

RWY 18-36: H4999X75 (ASPH) S-30 MRL 0.5% up N

L-17C, A

RWY 18: PAPI(P4R)—GA 3.0° TCH 41'. P-line.

IAP

RWY 36: PAPI(P2L)—GA 3.5° TCH 25'.

AIRPORT REMARKS: Attended Mar-Oct 1330-0130Z†, Nov-Feb

1400-0000Z†. For fuel and services after hrs call

469-693-9905, 214-762-8286 or 972-979-5723. Wild pigs on and invof rwy after dark. Banner towing ops on arpt. Glider ops on arpt.

WEATHER DATA SOURCES: AWOS-3 119.575 (972) 937-4747.


COMMUNICATIONS: CTAF/UNICOM 122.975

RGNL APP/DEP CON 125.2

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MAVERICK (H) VORW/DME 113.1 TTT Chan 78 N32°52.15'

W97°02.43' 159° 25.6 NM to fld. 540/6E.



MID VALLEY (See WESLACO)

MID-WAY RGNL (See MIDLOTHIAN/WAXAHACHIE)

MILLSAP N32°43.57' W97°59.85' NOTAM FILE FTW.

DALLAS-FT WORTH

(H) VORTACW 117.7 MQP Chan 124 307° 4.6 NM to Mineral Wells. 900/9E.

H-6H, L-17C, A

MINEOLA-QUITMAN

WOOD CO (JDD) 5 N UTC-6(-5DT) N32°44.53' W95°29.79'

DALLAS-FT. WORTH

434 B S4 FUEL 100LL, JET A NOTAM FILE JDD

L-17D

RWY 18-36: H4001X60 (ASPH) S-12.5 MRL 0.7% up S

IAP

RWY 18: PAPI(P2L)—GA 3.0° TCH 30'. Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended 1500-1900Z†. Self svc fuel avbl 24 hrs. MRL Rwy 18-36 preset low ints dusk-dawn, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.9 (903) 768-3065.

COMMUNICATIONS: CTAF/UNICOM 122.8

® LONGVIEW APP/DEP CON 128.75 (1200-0400Z†)

FORT WORTH CENTER APP/DEP CON 132.85 (0400-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

QUITMAN (L) VORW/DME 114.0 UIM Chan 87 N32°52.82' W95°22.01' 210° 10.6 NM to fld. 520/8E.

MINEOLA WISENER FLD (3F9) 1 W UTC-6(-5DT) N32°40.60' W95°30.65'

DALLAS-FT. WORTH

429 B S4 FUEL 100LL NOTAM FILE FTW

L-17D

RWY 17-35: H3203X40 (ASPH) S-10 LIRL 0.8% up N

IAP

RWY 17: Trees. RWY 35: Bldg.

AIRPORT REMARKS: Attended 1400-2300Z†. Fuel avbl 24 hr self-service with major credit card. Rwy 17 and 35 thlds dsplcd 140' night only. Rwy 17-35 only center 2945' lighted. Thld at both ends marked by single red light. Rwy 17-35 surface has some loose aggregate and several rough patches. Rotating bcn OTS indef. Rwy 17-35 LIRL OTS indef. ACTIVATE LIRL Rwy 17-35—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

® LONGVIEW APP/DEP CON 128.75 (1200-0400Z†)

FORT WORTH CENTER APP/DEP CON 132.85 (0400-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

QUITMAN (L) VORW/DME 114.0 UIM Chan 87 N32°52.82' W95°22.01' 203° 14.2 NM to fld. 520/8E.



MINERAL WELLS (MWL) 3 SE UTC-6(-5DT) N32°46.90' W98°03.61'

DALLAS-FT. WORTH

974 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE MWL

H-6H, L-17C, A

RWY 13-31: H5996X100 (ASPH) S-50, D-145, ST-175 MIRL 0.9% up SE

IAP

RWY 13: PAPI(P4L)—GA 3.0° TCH 40'. Thld dsplcd 300'. Trees.

RWY 31: PAPI(P4L)—GA 3.0° TCH 53'. Thld dsplcd 400'. Tree.

RWY 17-35: H4188X100 (ASPH) S-50, D-145, ST-175 MIRL 1.0% up S

RWY 17: Trees. RWY 35: Thld dsplcd 286'. Trees.

AIRPORT REMARKS: Attended 1200-0400Z†. For fuel after hrs call 940-328-7770. MIRL Rwy 13-31 preset low ints; to incr ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 135.075 (940) 325-2457.

COMMUNICATIONS: CTAF/UNICOM 122.725

RCO 122.2 (FORT WORTH RADIO)

GCO 121.725 (FORT WORTH ARTCC and FLIGHT SERVICES).

® FORT WORTH CENTER APP/DEP CON 127.0


AIRSPACE: CLASS E svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.57'

W97°59.85' 307° 4.6 NM to fld. 900/9E.

ILS/DME 109.55 I-VMH Chan 32(Y) Rwy 31. Class IE.



MISSI N26°15.23' W98°18.62' NOTAM FILE MFE.

BROWNSVILLE

NDB (LOM) 388 MF 133° 6.1 NM to McAllen Miller Intl. Unmonitored when twr clsd.

MONAHANS**ROY HURD MEM** (E01) 1 SW UTC-6(-5DT) N31°34.95' W102°54.54'

SAN ANTONIO

2615 B S2 FUEL 100LL, JET A NOTAM FILE SJT

L-19A

RWY 12-30: H4268X75 (ASPH) S-15 MIRL

IAP

RWY 12: PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RWY 30: Tree.


RWY 01-19: H2922X75 (ASPH) S-15 MIRL

RWY 01: P-line. RWY 19: Tree.

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z†, Sun 1900-0000Z†. For fuel after hours call 432-940-9527. Wildlife and birds on and in vof arpt. ACTIVATE MIRL Rwy 01-19, Rwy 12-30 and PAPI Rwy 12—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8Ⓡ **FORT WORTH CENTER APP/DEP CON** 133.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE INK.**WINK (H) VORTACW** 112.1 INK Chan 58 N31°52.49'

W103°14.63' 125° 24.5 NM to fld. 2860/11E.

**MONTGOMERY COUNTY** N30°21.11' W95°24.87'

HOUSTON

FSS (CXO) TF 1-800-WX-BRIEF.

L-19D

RCO 122.2 (MONTGOMERY COUNTY RADIO)

MOORE CO (See DUMAS)**MORTON****COCHRAN CO** (F85) 2 E UTC-6(-5DT) N33°43.76' W102°44.03'

ALBUQUERQUE

3746 B FUEL 100LL, JET A NOTAM FILE FTW

RWY 04-22: H2710X60 (ASPH) S-12 MIRL

RWY 04: Thld displd 160'. Road.

RWY 22: VASI(V2L)—GA 3.0° TCH 11'. Road.

RWY 17-35: H1775X39 (ASPH) S-12

RWY 35: Road.

AIRPORT REMARKS: Unattended. Rwy 17-35 CLOSED night. PAEW adjacent Rwy 04-22 and Rwy 17-35.**COMMUNICATIONS:** CTAF 122.9**MOUNT PLEASANT RGNL** (OSA) 3 S UTC-6(-5DT) N33°05.81' W94°57.71'

MEMPHIS

364 B FUEL 100LL, JET A NOTAM FILE OSA

H-61, L-17D

RWY 17-35: H6003X75 (ASPH) S-30 MIRL 0.4% up N

IAP

RWY 17: REIL. PAPI(P4L)—GA 3.0° TCH 39'.

RWY 35: REIL. PAPI(P4L)—GA 3.0 TCH 44'.

AIRPORT REMARKS: Attended 1300-0000Z†. 100LL avbl 24 hrs self service with credit card. For Jet A after hrs call 903-575-4004. Deer and wildlife on and in vof arpt. No line of sight between rwy ends. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE PAPI and REIL Rwy 17 and Rwy 35 (daytime only)—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.775 (903) 575-4027**COMMUNICATIONS:** CTAF/UNICOM 122.7**FORT WORTH CENTER APP/DEP CON** 132.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**QUITMAN (L) VORW/DME** 114.0 UIM Chan 87 N32°52.82' W95°22.01' 050° 24.2 NM to fld. 520/8E.**MOUNT SELMAN****TARRANT FLD** (6X0) 2 N UTC-6(-5DT) N32°05.84' W95°17.68'

DALLAS-FT. WORTH

590 NOTAM FILE FTW

RWY 12-30: 2700X30 (TURF)

RWY 12: Brush.

RWY 30: Trees.

AIRPORT REMARKS: Unattended. 2049' MSL lgtd antenna 2.75 miles S of arpt.**COMMUNICATIONS:** CTAF 122.9

MOUNT VERNON**FRANKLIN CO** (F53) 2 NW UTC-6(-5DT) N33°12.92' W95°14.23'**DALLAS-FT WORTH**412 B **FUEL** 100LL, JET A NOTAM FILE FTW

L-17D

RWY 13-31: H3900X60 (ASPH) S-12.5 MIRL 0.4% up SE

IAP

RWY 13: PAPI(P2L)-GA 3.0° TCH 45'. Trees. **RWY 31:** PAPI(P2L)-GA 3.0° TCH 35'. Trees.**AIRPORT REMARKS:** Attended irregularly. Self service fuel by credit card only. Rwy 13 PAPI OTS indef. Rwy 31 PAPI OTS indef.**COMMUNICATIONS:** CTAF/UNICOM 123.0**FORT WORTH CENTER APP/DEP CON** 132.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**QUITMAN (L) VORW/DME** 114.0 UIM Chan 87 N32°52.82' W95°22.01' 010° 21.1 NM to fld. 520/8E.**MUFIN** N32°53.58' W97°22.41' NOTAM FILE FTW.**DALLAS-FT. WORTH****NDB (LOM)** 365 FT 164° 4.5 NM to Fort Worth Meacham Intl.**COPTER****MULESHOE MUNI** (2T1) 4 SE UTC-6(-5DT) N34°11.11' W102°38.47'**ALBUQUERQUE**3779 B **FUEL** 100LL NOTAM FILE FTW


H-66, L-6H

RWY 07-25: H5100X60 (ASPH) S-12.5 MIRL

IAP

RWY 07: PAPI (P2L)-GA 3.0° TCH 40'. Pole.**RWY 25:** PAPI (P2L)-GA 3.0° TCH 40'.**AIRPORT REMARKS:** Unattended. For emergency fuel call 806-272-4556. Deer on invof arpt. ACTIVATE MIRL

Rwy 07-25-122.8.

COMMUNICATIONS: CTAF 122.9**FORT WORTH CENTER APP/DEP CON** 126.45**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**TEXICO (H) VORTACW** 112.2 TXO Chan 59 N34°29.71' W102°50.38' 141° 21.0 NM to fld. 4060/11E.**MUNDAY MUNI** (37F) 3 E UTC-6(-5DT) N33°29.09' W99°35.17'**DALLAS-FT. WORTH**1473 B **FUEL** JET A NOTAM FILE FTW

L-17B

RWY 17-35: H3200X50 (ASPH) S-4 LIRL**RWY 35:** P-line.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2300Z±.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**GUTHRIE (L) VORTACW** 114.5 GTH Chan 92 N33°46.70' W100°20.17' 105° 41.5 NM to fld. 1940/10E.**MUSTANG BEACH** (See PORT ARANSAS)

NACOGDOCHES**A.L. MANGHAM JR. RGNL** (OCH) 3 SW UTC-6(-5DT) N31°34.67' W94°42.61'**HOUSTON**
H-6I, L-19E
IAP

355 B S4 FUEL 100LL, JET A NOTAM FILE OCH

RWY 18-36: H5000X75 (ASPH) S-23.6 MIRL**RWY 18:** REIL. PAPI(P2L)—GA 3.0' TCH 37'. Trees.**RWY 36:** MALSR. Trees.

AIRPORT REMARKS: Attended 1400-2330Z±. 24 hr self serve with major credit card, 100LL and Jet A avbl from truck. For fuel after hrs call 936-645-4105, other numbers posted at arpt. PAEW SE end of Rwy 18-36 east of parallel Twy A. Birds on and invof arpt. 35 ft AGL antenna 400' west of centerline Rwy 18-36. Rwy 18-36 no line of sight between thlds. MIRL Rwy 18-36 preset low ints, to increase ints and ACTIVATE REIL Rwy 18 and MALSR Rwy 36—CTAF. NOTE: See Special Notices Section—Model Aircraft Activity.

WEATHER DATA SOURCES: AWOS-3 135.625 (936) 564-5074.**COMMUNICATIONS:** CTAF/UNICOM 123.0**HOUSTON CENTER APP/DEP CON** 125.17**RADIO AIDS TO NAVIGATION:** NOTAM FILE LFK.**LUFKIN (H) VORTACW** 112.1 LFK Chan 58 N31°09.74'


W94°43.02' 356° 24.9 NM to fld. 200/5E. HIWAS.

NACOGDOCHES NDB (MHW) 391 GXD N31°38.91'

W94°42.33' 178° 4.2 NM to fld. NOTAM FILE CXO.

NADOS NDB (MHW) 253 OC N31°29.13' W94°43.21' 360° 5.5 NM to fld. NOTAM FILE OCH.

ILS/DME 111.5 I-OCH Chan 52 Rwy 36. LOM NADOS NDB. DME Unmonitored. GS unusable byd 5° left of course.

**NACOGDOCHES** N31°38.91' W94°42.33' NOTAM FILE CXO.**HOUSTON**
L-19E**NDB (MHW)** 391 GXD 178° 4.2 NM to A. L. Mangham Jr. Rgnl.**NADOS** N31°29.13' W94°43.21' NOTAM FILE OCH.**HOUSTON**
L-19E, 21A**NDB (MHW)** 253 OC 360° 5.5 NM to A.L. Mangham Jr. Rgnl.**NAVASOTA** N30°17.31' W96°03.49'. NOTAM FILE CXO.**HOUSTON****(H) VORTACW** 115.9 TNV Chan 106 322° 5.8 NM to Navasota Muni. 230/8E. Unmonitored. H-7C, L-19D, 21A

VOR portion unusable 123°-140° byd 18 NM blo 3,000'. 123°-140° —byd 29 NM blo 3,500'.

NAVASOTA MUNI (60R) 2 SW UTC-6(-5DT) N30°22.31' W96°06.80'**HOUSTON**
L-19D, 21A
IAP


228 B S4 FUEL 100LL NOTAM FILE CXO

RWY 17-35: H3204X60 (ASPH) S-12 MIRL 0.7% up N**RWY 17:** REIL. PVASI(PSIL). P-line. **RWY 35:** REIL. PVASI(PSIL).**AIRPORT REMARKS:** Unattended. ACTIVATE MIRL Rwy 17-35—123.3.

NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF 122.9**(R) HOUSTON CENTER APP/DEP CON** 120.4**RADIO AIDS TO NAVIGATION:** NOTAM FILE CXO.**(H) VORTACW** 115.9 TNV Chan 106 N30°17.31'

W96°03.49' 322° 5.8 NM to fld. 230/8E. Unmonitored.



NEW BRAUNFELS MUNI (BAZ) 4 E UTC-6(-5DT) N29°42.27' W98°02.53'

SAN ANTONIO

651 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE BAZ

H-7B, L-19C

RWY 17-35: H5364X100 (ASPH) S-25 MIRL

IAP, AD

RWY 17: Thld displcd 522'.

RWY 13-31: H5352X100 (ASPH) S-30 MIRL

RWY 13: REIL. PAPI(P4L)—GA 3.0°. Tree.

RWY 31: PAPI(P4L)—GA 3.0°. Tree.

AIRPORT REMARKS: Attended 1300-0000Z†. Numerous birds invov arpt.

For fuel call 830-625-1501 after hrs call 830-608-2179. 24 hr

self service avbl with major credit card. High performance mil acft

oper at Randolph AFB AUX (Seguin) Afd. TPA-1651(1000)

Helicopter traffic pattern altitude 1151 (500) rgt tfc. 7' cultivation

at end of Rwy 35 occasionally. ACTIVATE MIRL Rwy 13-31 and

Rwy 17-35—CTAF.

WEATHER DATA SOURCES: ASOS 119.325 (830) 629-7979.**COMMUNICATIONS:** CTAF/UNICOM 127.05 ATIS 119.325

① SAN ANTONIO APP CON 124.45

① SAN ANTONIO DEP CON 125.7

TOWER 127.05 (1300-0100Z†) GND CON 120.175


CLNC DEL 134.75

SAN ANTONIO DEP CON 125.7

AIRSPACE: CLASS D svc 1300-0100 other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SAT.

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64' W98°27.68' 073° 22.2 NM to fld. 1160/8E.

HIWAS.

**NEW GULF** (T17) 2 E UTC-6(-5DT) N29°16.57' W095°53.32'

HOUSTON

100 B NOTAM FILE CXO

L-19D, 21A

RWY 15-33: H4400X75 (ASPH)

RWY 15: Tree.

RWY 33: P-line.

AIRPORT REMARKS: Unattended. Livestock on field and vehicular traffic on Rwy. Rwy 15-33 has loose aggregate, cracking and uneven patches.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE PSX.

PALACIOUS VORTACW 117.3 PSX Chan 120 N28°45.87' W96°18.37' 028° 37.7 NM to fld. 6/8E. HIWAS.

NEWMAN N31°57.10' W106°16.34' NOTAM FILE ABQ.

EL PASO

(L) VORTACW 112.4 EWM Chan 71 210° 8.2 NM to Biggs AAF. 4040/12E. DME portion

H-4K, L-6F

unusable 220°-255° beyond 25 NM below 12,000'.

NEWTON MUNI (61R) 3 NE UTC-6(-5DT) N30°53.06' W93°44.51'

HOUSTON

320 B NOTAM FILE CXO

L-19E, 21B

RWY 14-32: H4000X60 (ASPH) S-12.5 LIRL


RWY 14: Trees.

RWY 32: Tree.

AIRPORT REMARKS: Attended Mon-Sat 1400-2230Z†. Rotating bcn OTS indef.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74'

W94°43.02' 103° 53.0 NM to fld. 200/5E. HIWAS.



NIXIN N29°59.60' W95°12.90' NOTAM FILE IAH.
 NDB (MHW) 326 BVP 260° 6.6 NM to George Bush Intercontinental/Houston.

HOUSTON
 COPTER
 L-19E, 21A

NORTHWEST RGNL (See ROANOKE)

NUECES CO (See ROBSTOWN)

ODESSA-SCHLEMEYER FLD (ODO) 5 NE UTC-6(-5DT) N31°55.28' W102°23.23'
 3004 B S4 FUEL 100LL, JET A1+ OX 4 TPA-4004(1000) NOTAM FILE ODO

SAN ANTONIO
 H-6G, L-6H
 IAP

RWY 11-29: H6200X100(ASPH) S-30 MIRL

RWY 11: PAPI(P4L)—GA 3.0° TCH 40'.

RWY 29: PAPI(P4L)—GA 3.0° TCH 40'. P-line.

RWY 02-20: H5703X75 (ASPH) S-14 MIRL 0.9% up NE

RWY 02: PVASI(PSIL)—GA 3.0° TCH 38'. Road.

RWY 20: PVASI(PSIL)—GA 3.0° TCH 38'. P-line.

RWY 16-34: H5003X75 (ASPH) S-14 MIRL 0.6% up N

RWY 16: VASI(V2L)—GA 4.0° TCH 34'. Antenna.

RWY 34: VASI(V2L)—GA 4.0° TCH 34'. P-line.

AIRPORT REMARKS: Attended 1400-0000Z†. For fuel after hours call 432-367-5881. Glider activity on and invof arpt. Rwy 16-34 large sealed cracks in surface. Rwy 02 PVASI OTS indef. Rwy 16 VASI OTS indef. Rwy 34 VASI OTS indef. MIRL Rwy 16-34, Rwy 11-29 and Rwy 02-20 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 119.275 (432) 363-9719.

COMMUNICATIONS: CTAF/UNICOM 123.0


® MIDLAND APP/DEP CON 124.6 (1200-0600Z†) CLNC DEL 121.7

FORT WORTH CENTER APP/DEP CON 133.1 (0600-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.

MIDLAND (L) VORTACW 114.8 MAF Chan 95 N32°00.56'
 W102°11.42' 231° 11.4 NM to fld. 2860/11E.

FARLY NDB (HW/LDM) 326 MA N31°59.28' W102°19.51' 209° 5.1 NM to fld. Unmonitored when twr clsd.



OLDHAM CO (See VEGA)

OLD RIP N32°23.91' W98°48.62' NOTAM FILE FTW.
 NDB (MHW) 410 OIP at Eastland Muni.

DALLAS-FT WORTH
 L-17B

OLNEY MUNI (ONY) 3 SW UTC-6(-5DT) N33°21.05' W98°49.15'

DALLAS-FT WORTH
 H-6H, L-17B
 IAP

1275 B S4 FUEL 100LL NOTAM FILE FTW

RWY 17-35: H5101X75 (ASPH-RFSC) S-43, D-50, DT-84 MIRL 0.3% up N

RWY 17: VASI(V2L)—GA 3.0° TCH 52'. Tree.

RWY 35: VASI(V2R)—GA 3.0° TCH 28'. Brush.

RWY 04-22: H5098X75 (ASPH-RFSC) S-43, D-50, DT-84

RWY 04: Road.

RWY 13-31: H5096X150 (ASPH) S-43, D-50, DT-84 0.6% up NW.

RWY 13: Road. RWY 31: Road.


AIRPORT REMARKS: Attended 1400-2300Z†. Self svc fuel avbl 24 hours with major credit card. Aerobatic activity on arpt. Occasional agriculture acft ops during spring & summer. Rwy 13-31 first third and last third of rwy has extensive cracks and grass on Rwy sfc. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 133.5

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24'
 W98°35.61' 187° 39.8 NM to fld. 1100/10E.



ORANGE CO (ORG) 3 SW UTC-6(-5DT) N30°04.11' W93°48.24'

13 B FUEL 100LL, JET A NOTAM FILE CXO

RWY 04-22: H5500X75 (ASPH) S-27 MIRL

RWY 04: PAPI(P2L)—GA 3.0° TCH 22'. Tree.

RWY 22: PAPI(P2L)—GA 3.0° TCH 22'.

RWY 13-31: 3000X50 (TURF) S-27

RWY 13: Trees.

RWY 31: Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. Rwy 13-31 marked with white tires. Rwy 13-31 not regularly maintained; call for conditions. Rwy 04-22 CLOSED indef. Parallel twy 3465' by 35' avbl day VMC. MIRL Rwy 04-22 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.975 (409) 670-9591.

COMMUNICATIONS: CTAF/UNICOM 122.8

® HOUSTON APP/DEP CON 121.3

RADIO AIDS TO NAVIGATION: NOTAM FILE BPT.


BEAUMONT (L) VORW/DME 114.5 BPT Chan 92 N29°56.76'

W94°00.97' 049° 13.3 NM to fld. 10/7E. HIWAS.

NDB (MHW) 211 ORG N30°04.22' W93°47.70' at fld.

NOTAM FILE ORG. SHUTDOWN.

COMM/NAV/WEATHER REMARKS: For clearance delivery ctc Houston apch ctl at 409-720-5136.



ORANGE GROVE NALF (NOG) NAF 8 N UTC-6(-5DT) N27°53.81' W98°02.61'

257 B TPA—See Remarks NOTAM FILE SJT Not insp.

RWY 01-19: H8003X200 (PEM) PCN 70 R/C/W/T MIRL

RWY 01: OLS. RWY 19: OLS.

RWY 13-31: H8001X200 (PEM) PCN 57 R/C/W/T MIRL

RWY 13: OLS. RWY 31: OLS.

ARRESTING GEAR/SYSTEMS

RWY 01 HOOK E28(B) (1500')

HOOK E28(B) (1503') RWY 19

RWY 13 HOOK E28(B) (1500')

HOOK E28(B) (1501') RWY 31

MILITARY SERVICE: LGT OLS glide slope 3.25°. JASU 1(NC-8A) FUEL J8 FLUID SP PRESAIR OIL O-156

TRAN ALERT No tran maint or svc avbl. Refuel Chief of Naval Air Training (CNATRA) acct only.

MILITARY REMARKS: Opr Mon-Thu 1400-2200Z†, Fri 1400-2030Z†, CLOSED Sat, Sun and holidays. RSTD CNATRA use only except in emerg, NALF admin. DSN 876-6140. NAS Kingsville Base OPS DSN 876-6108. CAUTION Student jet training in vicinity during opr hr. Bird and large wildlife hazard. TFC PAT TPA—Jet break altitude 1300(1043). Use ldg/taxi lgt on final apch during VFR condition.

COMMUNICATIONS: ATIS 254.325 (Mon-Thu 1330-2130Z†, Fri 1330-1930Z†)

® KINGSVILLE APP/DEP CON 119.9 300.4 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM), other times ctc

® HOUSTON CENTER APP/DEP CON 128.15 350.3

TOWER 128.4 318.85 281.425 (318.85 Ldg Signal Officer) (Mon-Thu 1400-2200Z†, Fri 1400-2030Z†, clsd Sat, Sun and holidays.) GND CON 229.4 CLNC DEL 229.4

PMSV METRO 344.6 (At Kingsville NAS)

AIRSPACE: CLASS D svc Mon-Thu 1400-2200Z†, Fri 1400-2030Z†, clsd Sat, Sun and holidays other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE NOG.

(T) TACAN Chan 63 NOG (133.6) N27°53.72' W98°02.56' at fld. 236/5E. Opr Mon-Fri 1300-2100Z†.

KINGSVILLE (H) TACAN Chan 125 NOI (117.8) N27°29.95' W97°48.34' 328° 27.0 NM to fld. 44/4E.

ILS/DME 110.5 I-NOG Rwy 13. GS unusable for coupled apchs blo 601' MSL.

PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

OZONA MUNI (OZA) 1 N UTC-6(-5DT) N30°44.12' W101°12.18'

SAN ANTONIO

2381 B S4 FUEL 100LL, JET A NOTAM FILE SJT

H-66, L-19A

RWY 16-34: H6000X75 (ASPH) S-30 MIRL 0.4% up N

IAP

RWY 16: PAPI (P4L)—GA 3.0° TCH 39'. Trees.

RWY 34: PAPI (P4L)—GA 3.0° TCH 35'. Pole.

AIRPORT REMARKS: Attended Mon-Fri continuously. For fuel after hours and weekends call 325-392-2789. MIRL Rwy 16-34 preset low ints, to increase ints and ACTIVATE PAPI Rwy 16 and Rwy 34—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.425 (325) 392-2051.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **HOUSTON CENTER APP/DEP CON** 125.75

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

SAN ANGELO (H) VORTACW 115.1 SJT Chan 98 N31°22.50'

W100°27.29' 215° 54.3 NM to fld. 1890/10E.



PADUCAH

DAN E. RICHARDS MUNI (3F6) 1 E UTC-6(-5DT) N34°01.66' W100°16.92'

DALLAS-FT. WORTH

1860 B NOTAM FILE FTW

L-17B

RWY 17-35: H3186X50 (ASPH) S-8.5 MIRL 0.3% up N

IAP

RWY 17: Tree. RWY 35: Berm.

AIRPORT REMARKS: Unattended. Rwy 17 has a 10' drop off 60' from thld. Rotating bcn OTS indef. MIRL Rwy 17-35 preset low ints; to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

® **FORT WORTH CENTER APP/DEP CON** 133.5

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

GUTHRIE (L) VORTACW 114.5 GTH Chan 92 N33°46.70' W100°20.17' 360° 15.2 NM to fld. 1940/10E.

HELIPAD H1: H25X25 (ASPH)

HELIPORT REMARKS: +20' lgtd windsock 165' NE, 30' p-line 274' E, 20' building 240' SE. H1 surface not maintained. Loose gravel and grass encroachment on surface.

PALACIOS MUNI (PSX) 3 NW UTC-6(-5DT) N28°43.65' W96°15.06'

HOUSTON

14 B FUEL 100LL NOTAM FILE PSX

H-7C, L-20I, 21A

RWY 08-26: H5001X150 (CONC) S-46, D-58, DT-105

IAP

RWY 08: Trees. RWY 26: Twr.

RWY 13-31: H5001X150 (CONC) S-46, D-58, DT-105 MIRL

Rwy 13: REIL. Rwy 31: REIL. Tree.

RWY 17-35: H5001X150 (CONC) S-46, D-58, DT-105

AIRPORT REMARKS: Unattended. Fuel self-service with credit card. MIRL Rwy 13-31 preset on low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 118.025 (361) 972-0101. HIWAS 117.3 PSX.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.25 (MONTGOMERY COUNTY RADIO)

HOUSTON CENTER APP/DEP CON 128.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.

(H) **VORTACW** 117.3 PSX Chan 120 N28°45.87' W96°18.37' 119° 3.7 NM to fld. 6/8E. HIWAS.

PALESTINE MUNI (PSN) 4 NW UTC-6(-5DT) N31°46.78' W95°42.38'

423 B S2 FUEL 100LL, JET A NOTAM FILE PSN

RWY 18-36: H5005X100 (ASPH) S-45, D-70, DT-135 MIRL

RWY 18: PAPI(P4L)—GA 3.0° TCH 45'.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees.

RWY 09-27: H4003X75 (ASPH) S-45, D-70, DT-135 MIRL
0.9% up W

RWY 09: Trees. RWY 27: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-0000Z, Sun 1600-2100Z. For service after hours call 903-723-0111 for prior arrangements.


WEATHER DATA SOURCES: AWOS-3 118.025 (903) 729-3641.

COMMUNICATIONS: CTAF/UNICOM 122.7

® FORT WORTH CENTER APP/DEP CON 135.25

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

FRANKSTON (L) VORW/DME 111.4 FZT Chan 51 N32°04.48' W95°31.85' 201° 19.9 NM to fld. 305/6E.

NDB (MHW) 375 PSN N31°46.81' W95°42.06' at fld.
NOTAM FILE PSN.HOUSTON
H-61, L-19D
IAP**PALMER****DALLAS SOUTH PORT** (T13) 3 N UTC-6(-5DT) N32°28.64' W096°41.13'

DALLAS-FT. WORTH

474 FUEL 100LL, MOGAS NOTAM FILE FTW

RWY 17-35: 3800X100 (TURF)

RWY 17: Fence. RWY 35: Trees.

AIRPORT REMARKS: Unattended. Fuel self service with major credit card. Rwy 17-35 outlined with white tires.

COMMUNICATIONS: CTAF 122.9

PALO DURO (See AMARILLO)**PAMPA** N35°36.76' W100°59.52' NOTAM FILE PPA.DALLAS-FT WORTH
L-15B

NDB (MHW) 368 PPA at Perry Lefors Fld. Unmonitored 0000-1400Z.

PAMPA**PERRY LEFORS FLD** (PPA) 5 NW UTC-6(-5DT) N35°36.78' W100°59.78'DALLAS-FT WORTH
H-66, L-15B
IAP

3245 B S4 FUEL 100LL, JET A1 + NOTAM FILE PPA

RWY 17-35: H5862X100 (ASPH) S-16 MIRL

RWY 17: REIL. PVASI(P5IL)—GA 3.0° TCH 45'. Road.

RWY 35: REIL. PVASI(P5IL)—GA 3.0° TCH 45'.

RWY 05-23: H4500X75 (ASPH) S-17 MIRL

RWY 23: P-line.

AIRPORT REMARKS: Attended 1300-0100Z hours. For fuel after hours call 806-665-0251. Antelope on and invof rwy. No line of sight between both rwy ends. Rotating bcn OTS indef. Rwy 05-23 MIRL OTS indef. Rwy 17 REIL OTS indef. Rwy 35 REIL OTS indef. MIRL Rwy 17-35 and Rwy 05-23 preset low ints, to increase ints ACTIVATE—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.725 (806) 669-1333.

COMMUNICATIONS: CTAF/UNICOM 122.7

® ALBUQUERQUE CENTER APP/DEP CON 127.85

RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.

BORGER (L) VORTACW 108.6 BGD Chan 23 N35°48.43' W101°22.93' 111° 22.2 NM to fld. 3130/11E.

PAMPA NDB (MHW) 368 PPA N35°36.76' W100°59.52' at fld.
NOTAM FILE PPA. Unmonitored 0000-1400Z.**PANDE** N35°08.79' W101°48.33' NOTAM FILE AMA.DALLAS-FT. WORTH
L-15B

NDB (H/W/LDM) 251 AM 039° 6.6 NM to Rick Husband Amarillo Intl. Unmonitored when twr clsd.

PANHANDLE N35°14.10' W101°41.94' NOTAM FILE FTW.
(H) VORTACW 116.6 PNH Chan 113 at Rick Husband Amarillo Intl. 3595/8E. HIWAS

DALLAS–FT WORTH
H–66, L–15B

PANHANDLE–CARSON CO (T45) 1 NE UTC–6(–5DT) N35°21.70' W101°21.91'

DALLAS–FT WORTH

3454 B FUEL 100LL NOTAM FILE FTW

L–15B

RWY 17–35: H4405X60 (ASPH) S–12.5 MIRL

IAP

RWY 35: Road. Rgt t/c.

AIRPORT REMARKS: Unattended. MIRL Rwy 17–35 preset low ints, to increase ints ACTIVATE–123.5.


COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ AMARILLO APP/DEP CON 119.5 (1200–0600Z‡)

Ⓡ ALBUQUERQUE CENTER APP/DEP CON 127.85 (0600–1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

PANHANDLE (H) VORTACW 116.6 PNH Chan 113 N35°14.10' W101°41.94' 057° 18.1 NM to fld. 3595/8E. HIWAS.



PANOLA CO–SHARPE FLD (See CARTHAGE)

PARIS N33°32.54' W95°26.90' NOTAM FILE PRX.
(L) VORW/DME 113.6 PRX Chan 83 352° 5.6 NM to Cox Field. 510/07E.
RCO 122.25 (FORT WORTH RADIO)

DALLAS–FT. WORTH
H–61, L–17D

PARIS

COX FIELD (PRX) 6 E UTC–6(–5DT) N33°38.20' W95°27.05'

DALLAS–FT. WORTH

547 B S2 FUEL 100LL, JET A NOTAM FILE PRX

H–61, L–17D

RWY 17–35: H6002X150 (ASPH) S–30 MIRL

IAP

RWY 17: PAPI(P4L)—GA 3.0°. Tree.

RWY 35: VASI(V4L)—GA 3.0° TCH 53'. Tree.

RWY 03–21: H4624X150 (CONC) S–26 0.3% up NE

RWY 14–32: H4624X150 (CONC) S–26

RWY 32: Fence.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 03: TORA–4624 TODA–4624 ASDA–4624 LDA–4624

RWY 21: TORA–4624 TODA–4624 ASDA–4624 LDA–4624

RWY 14: TORA–4624 TODA–4624 ASDA–4624 LDA–4624

RWY 32: TORA–4624 TODA–4624 ASDA–4624 LDA–4624

RWY 17: TORA–6002 TODA–6002 ASDA–6002 LDA–6002

RWY 35: TORA–6002 TODA–6002 ASDA–6002 LDA–6002

AIRPORT REMARKS: Attended 1400–0000Z‡. Arpt attended 1400–0100Z during dalgt savings time. Jet A fuel avbl at nights call 903–784–1071 or 903–785–6176. 100LL avbl 24 hr self serve with credit card. Rwy 03–21 and Rwy 14–32 not available for air carrier ops with more than 30 passenger seats. Rwy 14–32 no line of sight between rwy ends. +2' grass around all rwy surfaces. Twy A north of Twy A1 clsd to air carrier ops. MIRL Rwy 17–35 preset low ints, to increase ints and ACTIVATE VASI Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS–3 119.675 (903) 737–8784.

COMMUNICATIONS: CTAF/UNICOM 122.975


PARIS RCO 122.25 (FORT WORTH RADIO)

Ⓡ FORT WORTH CENTER APP/DEP CON 124.875

RADIO AIDS TO NAVIGATION: NOTAM FILE PRX.


PARIS (L) VORW/DME 113.6 PRX Chan 83 N33°32.54' W95°26.90' 352° 5.6 NM to fld. 510/7E.

• • • • •
HELIPAD H1: H40X40 (CONC)




PARKER CO (See WEATHERFORD)**PEARLAND****SKYWAY MANOR** (T79) 3 W UTC-6(-5DT) N29°33.35' W95°19.68'

55 NOTAM FILE CXO

RWY 17-35: 2550X70 (TURF)**RWY 17:** P-line.**RWY 35:** P-line.**AIRPORT REMARKS:** Attended irregularly. No touch and go landings.**COMMUNICATIONS:** CTAF 122.9**HOUSTON**
COPTER**PEARLAND RGNL** (See HOUSTON)**PEARSALL****MC KINLEY FLD** (T30) 4 S UTC-6(-5DT) N28°49.34' W99°06.54'586 B **FUEL** 100LL, JET A NOTAM FILE SJT**RWY 13-31:** H5027X60 (ASPH) S-15 LIRL (NSTD) 0.6% up NW**RWY 13:** Thld dsplcd 168'. Road.**RWY 31:** Thld dsplcd 154'. P-line.**AIRPORT REMARKS:** Attended continuously. Rwy 13-31 NSTD LIRL, spacing, 20' from edge and 300' between lgts. Only center 4702' lgtd. ACTIVATE LIRL Rwy 13-31—CTAF or call 830-334-3721.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **HOUSTON CENTER APP/DEP CON** 134.6**RADIO AIDS TO NAVIGATION:** NOTAM FILE COT.**COTULLA (L) VORTACW** 115.8 COT Chan 105 N28°27.72'W99°07.11' 352° 21.6 NM to fld. 520/9E. **HIWAS.****SAN ANTONIO**
H-7B, L-20H
IAP**PECOS MUNI** (PEQ) 2 SW UTC-6(-5DT) N31°22.94' W103°30.64'2613 B **FUEL** 100LL, JET A1+ NOTAM FILE PEQ**RWY 14-32:** H6236X80 (ASPH) S-25, D-37 MIRL**RWY 14:** PAPI(P2L).**RWY 32:** PAPI(P2L).**RWY 09-27:** H5953X80 (ASPH) S-25, D-37 MIRL 0.3% up W**RWY 27:** P-line.**AIRPORT REMARKS:** Attended continuously. For fuel after hours contact UNICOM 122.8 or call 432-447-2488. MIRL Rwy 14-32 preset low ints, to incr ints and ACTIVATE MIRL Rwy 09-27—CTAF. PAPI Rwy 14 and Rwy 32 opr continuously.**WEATHER DATA SOURCES:** AWOS-3 118.175 (432) 445-3867.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RCO** 122.1R 111.8T (SAN ANGELO RADIO)**ALBUQUERQUE CENTER APP/DEP CON** 135.875**RADIO AIDS TO NAVIGATION:** NOTAM FILE PEQ.**(L) VOR/DME** 111.8 PEQ Chan 55 N31°28.16' W103°34.49'

137° 6.2 NM to fld. 2650/11E.

EL PASO
H-6G, L-6J
IAP**PEKKS** N27°38.54' W99°27.49' NOTAM FILE LRD.**NDB (LOM)** 405 LR 174° 5.9 NM to Laredo Intl.**BROWNSVILLE****PERRY LEFORS FLD** (See PAMPA)

PERRYTON OCHILTREE CO (PYX) 3 E UTC-6(-5DT) N36°24.78' W100°45.10'

WICHITA

2918 B S4 FUEL 100LL, JET A1 + TPA-3918(1000) NOTAM FILE PYX

H-66, L-15C

RWY 17-35: H5700X75 (ASPH) S-12.5 MIRL

IAP

RWY 17: PAPI(P4L)—GA 3.0° TCH 40'. Pole.

RWY 35: VASI(V2L)—GA 3.5° TCH 23'. Road.

RWY 04-22: 3280X144 (TURF)

RWY 04: Road.

RWY 22: P-line.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z, Sun

1900-2300Z. For fuel after hours call 806-435-4226 or

806-435-6774. Rwy 04-22 S 1000' CLOSED indefinitely. MIRL

Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (806) 435-9963.

COMMUNICATIONS: CTAF/UNICOM 122.8

KANSAS CITY CENTER APP/DEP CON 126.95


RADIO AIDS TO NAVIGATION: NOTAM FILE LBL.

LIBERAL (H) VORTACW 112.3 LBL Chan 70 N37°02.66'

W100°58.27' 153° 39.3 NM to fld. 2891/11E. HIWAS.

NDB (MHW) 266 PYX N36°24.74' W100°44.88' at fld.

NOTAM FILE PYX.



PHILLIPS FLYING RANCH (See ROCKWALL)

PINCK N33°16.99' W97°11.78' NOTAM FILE FTW.

DALLAS-FT WORTH

NDB (LOM) 257 DT 174° 4.9 NM to Denton Muni.

PINELAND MUNI (T24) 1 SW UTC-6(-5DT) N31°14.01' W93°58.91'

HOUSTON

260 B FUEL 100LL NOTAM FILE CXO

L-19E, 21A

RWY 17-35: H3700X75 (ASPH) S-14 MIRL

RWY 17: Trees. RWY 35: Trees.

AIRPORT REMARKS: Attended irregularly. Fuel self serve with credit card. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74' W94°43.02' 078° 38.1 NM to fld. 200/5E. HIWAS.

PLAINS

YOAKUM CO (F98) 1 NW UTC-6(-5DT) N33°13.04' W102°49.81'

ALBUQUERQUE

3704 B S2 FUEL 100LL NOTAM FILE FTW

H-6G, L-6H

RWY 03-21: H5001X75 (ASPH) MIRL 0.6% up NE RWY 03: PAPI(P2L)—GA 3.0° TCH 30'.

IAP

RWY 21: PAPI(P2L)—GA 3.0° TCH 30'. Pole.

RWY 17-35: H3925X60 (ASPH) S-12.5 MIRL

RWY 17: PAPI(P2L)—GA 3.15° TCH 24'. Fence.

RWY 35: PAPI(P2L)—GA 3.15° TCH 26'. Pole.

AIRPORT REMARKS: Attended irregularly. For fuel call 806-456-3580/2100/7452. MIRL Rwy 03-21 and Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

FORTWORTH APP/DEP CON 132.6

RADIO AIDS TO NAVIGATION: NOTAM FILE HOB.

HOBBS (L) VORTACW 111.0 HOB Chan 47 N32°38.29' W103°16.16' 021° 41.2 NM to fld. 3660/11E.

PLAINVIEW N34°05.17' W101°47.41' NOTAM FILE PVW.

DALLAS-FT WORTH

(L) VORW/DME 112.9 PVW Chan 76 025° 6.1 NM to Hale Co. 3400/11E.

L-6H

RCO 122.55 (FORT WORTH RADIO)

PLAINVIEW**HALE CO** (PVW) 1 S UTC-6(-5DT) N34°10.09' W101°43.04'**DALLAS-FT. WORTH**

3374 B S4 FUEL 100LL, JET A1 + OX 4 NOTAM FILE PVW

H-66, L-6H

RWY 04-22: H5997X100 (ASPH) S-27 LIRL

IAP

RWY 04: REIL. VASI(V4L)—GA 3.5° TCH 62'. Pole.

RWY 22: REIL. VASI(V4L)—GA 3.5° TCH 52'. Building.

RWY 13-31: H4000X100 (ASPH) S-27 LIRL

RWY 13: P-line. RWY 31: Road.

AIRPORT REMARKS: Attended Mon-Fri 1300-0100Z† Sat and Sun 1400-0000Z†. No line of sight to Rwy 13-31 from Rwy 22 end. LIRL Rwy 04-22 preset low intensity. ACTIVATE LIRL Rwy 13-31 and VASI Rwy 04 and Rwy 22 —CTAF.

WEATHER DATA SOURCES: AWOS-3 119.675 (806) 291-8679.**COMMUNICATIONS:** CTAF/UNICOM 123.0

PLAINVIEW RCO 122.55 (FORT WORTH RADIO)

Ⓡ LUBBOCK APP CON 119.2 112.9T

Ⓡ LUBBOCK DEP CON 119.2


LUBBOCK CLNC DEL 121.7

RADIO AIDS TO NAVIGATION: NOTAM FILE PVW.

PLAINVIEW (L) VORW/DME 112.9 PVW Chan 76 N34°05.17'

W101°47.41' 025° 6.1 NM to fld. 3400/11E.

COMM/NAV/WEATHER REMARKS: IFR departures ctc Lubbock Clnc Del on the ramp at Hale Co via freq 121.7.

**PLEASANTON MUNI** (PEZ) 3 W UTC-6(-5DT) N28°57.25' W98°31.20'**SAN ANTONIO**

430 B FUEL 100LL NOTAM FILE SJT

L-19C

RWY 16-34: H4000X75 (ASPH) S-4 MIRL 0.8% up NW

IAP

RWY 16: PAPI(P2L)—GA 4.0° TCH 25'. Thld dsplcd 403'. Tree.

RWY 34: PAPI(P2L)—GA 3.0° TCH 35'. Fence.

AIRPORT REMARKS: Unattended. For services call 830-569-3867. Fuel self-service with major credit card. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.575 (830) 569-5749.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ SAN ANTONIO APP CON 118.05

Ⓡ SAN ANTONIO DEP CON 125.7 CLNC DEL 126.55

RADIO AIDS TO NAVIGATION: NOTAM FILE SJT.

THREE RIVERS (L) VORTAC 111.4 THX Chan 51 N28°30.30' W98°09.03' 316° 33.2 NM to fld. 270/8E.

POLLO N33°44.26' W101°49.76' NOTAM FILE LBB.**DALLAS-FT WORTH**

NDB (LOM) 219 LB 167° 4.5 NM to Lubbock Preston Smith Intl.

PORT ARANSAS**MUSTANG BEACH** (RAS) 2 SW UTC-6(-5DT) N27°48.71' W97°05.33'**BROWNSVILLE**

5 B FUEL 100LL NOTAM FILE RAS

L-20I, 21A

RWY 12-30: H3482X70 (ASPH) LIRL

IAP

RWY 12: PAPI(P2L)—GA 3.0° TCH 35'.

RWY 30: PAPI(P2L)—GA 3.0° TCH 35'. P-line.

AIRPORT REMARKS: Unattended. Fuel avbl self service. Overntg tiedown fee. Rwy 12 has a -3' drop off near end of rwy, Rwy 30 has a 3' ditch 180' from end of rwy.

WEATHER DATA SOURCES: AWOS-3 118.425 (361) 749-0537.**COMMUNICATIONS:** CTAF 122.9

Ⓡ CORPUS APP/DEP CON 125.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 097° 19.7 NM to fld. 60/9E.

HIWAS.

PORTER**WILLIAMS** (9X1) 6 NW UTC-6(-5DT) N30°09.20' W95°19.32'**HOUSTON**122 **FUEL** 100LL NOTAM FILE CXO**COPTER****RWY 17-35:** H3594X46 (ASPH) S-12.5 LIRL**L-19E, 21A****RWY 17:** Trees. **RWY 35:** Trees.**AIRPORT REMARKS:** Attended 1400-0400Z†. Deer on and in/ovf arpt. Rwy 17-35 unmarked.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE IAH.**HUMBLE (H) VORTACW** 116.6 IAH Chan 113 N29°57.41' W95°20.74' 001° 11.8 NM to fld. 90/5E. **HIWAS.****PORT ISABEL-CAMERON CO** (PIL) 10 W UTC-6(-5DT) N26°09.97' W97°20.75'**BROWNSVILLE**19 B S4 **FUEL** 100LL, JET A TPA-819(800) NOTAM FILE PIL**H-7C, L-20H, 21A****RWY 13-31:** H8001X200 (ASPH-CONC) S-105, D-135, DT-230 MIRL**IAP****RWY 13:** REIL. PAPI(P2L)-GA 2.0° TCH 28'. **RWY 31:** REIL. PAPI(P2L)-GA 3.0° TCH 40'. Brush.**RWY 08-26:** H5317X150 (CONC) S-50, D-60, DT-110**RWY 26:** Trees.**RWY 03-21:** H5000X150 (ASPH-CONC) S-30, D-45, DT-90**RWY 03:** Brush.**RWY 21:** Tree.**RWY 17-35:** H4200X150 (CONC) S-30, D-45, DT-90**RWY 35:** Tower.**AIRPORT REMARKS:** Attended 1400-2300Z†. Parachute Jumping. Rwy 03-21 pavement has heavy grass encroachment. Rwy 17-35 has grass encroachment. Rwy 08-26 has rough pavement. PAEW adjacent Rwy 13-31 during daylight hrs. No position holding markings on numerous twys apchng rwy intersections. Loose gravel/pavement at intersection of Rwy 13 and northeast twy connecting Rwy 13 and Rwy 21.**WEATHER DATA SOURCES:** ASOS 118.525 (956) 233-5740.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **VALLEY APP/DEP CON** 119.5 **CLNC DEL** 119.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE BRO.**BROWNSVILLE (H) VORTACW** 116.3 BRO Chan 110 N25°55.44' W97°22.52' 357° 14.6 NM to fld. 10/9E.**PORTLAND****HUNT** (9R5) 2 NW UTC-6(-5DT) N27°53.27' W97°21.27'**BROWNSVILLE**


40 NOTAM FILE SJT

RWY 14L-32R: H2650X20 (ASPH) S-9**RWY 14L:** P-line. Rgt tfc.**RWY 14R-32L:** 1400X60 (TURF-GRVL)**RWY 14R:** Rgt tfc. **RWY 32L:** Bldg.**AIRPORT REMARKS:** Attended dawn-dusk. Rwy 14R-32L CLOSED indef. Noise abatement procedures in effect. Call arpt manager at 361-643-3950. Rwy 14L-32R has severe grass encroachment on rwy and pot holes along centerline. Rwy 14R-32L heavy rutting along entire rwy length. Rwy 14L-32R limited line of sight between thlds; southern 600' of rwy drops off approximately 8'.**COMMUNICATIONS:** CTAF 122.9

PORT LAVACA**CALHOUN CO**

(PKV) 3 NW UTC-6(-5DT) N28°39.20' W96°40.96'
 32 B S4 FUEL 100LL, JET A TPA-832(800) NOTAM FILE PKV
 RWY 14-32: H5004X75 (ASPH) S-26 MIRL
 RWY 14: PAPI(P4L)—GA 4.0° TCH 53'. Road.
 RWY 32: Brush. Rgt tfc.
 RWY 05-23: 2432X60 (TURF)
 RWY 05: Tree. RWY 23: Thld dsplcd 428'.
AIRPORT REMARKS: Attended 1400-2300Z±. ACTIVATE MIRL Rwy 14-32—CTAF.
WEATHER DATA SOURCES: AWOS-3 118.275 (361) 552-3060.
COMMUNICATIONS: CTAF/UNICOM 122.8
 HOUSTON CENTER APP/DEP CON 128.15
RADIO AIDS TO NAVIGATION: NOTAM FILE PSX.
PALACIOS (H) VORTACW 117.3 PSX Chan 120 N28°45.87' W96°18.37' 244° 20.9 NM to fld. 6/8E. HIWAS.

HOUSTON
 H-7C, L-20I, 21A
 IAP

**PORT MANSFIELD****CHARLES R JOHNSON**

(T05) 1 NW UTC-6(-5DT) N26°33.77' W97°26.27'
 10 B FUEL 100LL, JET A NOTAM FILE SJT
 RWY 12-30: H3200X50 (ASPH) S-21 MIRL
 RWY 12: P-line. RWY 30: P-line.
AIRPORT REMARKS: Unattended. For fuel call 956-944-2325/2233 during normal business hours on phone located in box at southeast edge of apron. Deer on and invof arpt. Rwy 12-30 grass encroaching pavement edges. MIRL Rwy 12-30 preset low ints, to increase ints ACTIVATE—CTAF. Fee for overnight tie down.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.
HARLINGEN (L) VORW/DME 109.2 HRL Chan 29 N26°13.75' W97°39.12' 021° 23.1 NM to fld. 30/5E. HIWAS.

BROWNSVILLE
 L-20H, 21A

POSSUM KINGDOM

(See GRAFORD)

POST-GARZA CO MUNI

(5F1) 2 E UTC-6(-5DT) N33°12.22' W101°20.42'
 2545 B NOTAM FILE FTW
 RWY 17-35: H4200X60 (ASPH) S-16 MIRL
 RWY 35: Road.
 RWY 06-24: H2210X60 (ASPH) S-16 MIRL
 RWY 06: Brush. RWY 24: Brush.
AIRPORT REMARKS: Attended continuously. Hwy 7' below rwy elevation.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE LBB.
LUBBOCK (L) VORTACW 109.2 LBB Chan 29 N33°42.30' W101°54.84' 125° 41.6 NM to fld. 3310/11E. HIWAS.

DALLAS-FT. WORTH
 L-6H

POWELL

N32°03.85' W96°25.58' NOTAM FILE CRS.
 NDB (MHW) 344 CGQ 143° 2.5 NM to C. David Campbell Fld-Corsicana Muni.

DALLAS-FT WORTH
 A

PRESIDIO LELY INTL (T77) 5 N UTC-6(-5DT) N29°38.04' W104°21.70' EL PASO
 2932 B FUEL 100LL, JET A TPA-3932(1000) LRA NOTAM FILE SJT H-7A, L-6J
 RWY 17-35: H5200X75 (ASPH) S-12.5 MIRL
 RWY 17: PVASI(PSIL). RWY 35: PVASI(PSIL).
AIRPORT REMARKS: Unattended. Fuel self serve with major credit card. Flight Notification Service (ADCUS) available.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE MRF.
 MARFA (L) VOR/DME 115.9 MRF Chan 106 N30°17.90' W103°57.29' 197° 45.1 NM to fld. 4830/11E.

PRONGER BROTHERS RANCH (See STRATFORD)

PROPWASH (See JUSTIN)

QUANAH MUNI (F01) 2 SW UTC-6(-5DT) N34°16.63' W99°45.56' DALLAS-FT WORTH
 1602 B S4 FUEL 100LL NOTAM FILE FTW L-17B
 RWY 17-35: H4445X60 (ASPH) S-12.5 MIRL
 RWY 17: PAPI(P2L)-GA 3.5°. Road. RWY 35: PAPI(P2L)-GA 3.5°.
 RWY 11-29: 2340X70 (TURF)
 RWY 29: Thld dsplcd 360'. Road.
 RWY 06-24: 2268X70 (TURF)
 RWY 24: Thld dsplcd 360'. Pole.
AIRPORT REMARKS: Attended dalgt hours. For fuel or maintenance nights call 940-663-2311. Rwy 24 dsplcd thld unmarked. Rwy 29 dsplcd thld unmarked. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-CTAF.
COMMUNICATIONS: CTAF/UNICOM 122.7
RADIO AIDS TO NAVIGATION: NOTAM FILE CDS.
 CHILDRESS (L) VORTACW 117.6 CDS Chan 123 N34°22.14' W100°17.34' 092° 27.0 NM to fld. 1920/10E.
 HIWAS.

QUINLAN

TAYLOR (T14) 3 NE UTC-6(-5DT) N32°57.13' W96°05.75' DALLAS-FT WORTH
 473 NOTAM FILE FTW
 RWY 18-36: 2800X50 (TURF)
 RWY 18: Trees. RWY 36: Trees.
AIRPORT REMARKS: Unattended. Rwy 18-36 not maintained, +1' grass/weeds over the entire surface.
COMMUNICATIONS: CTAF 122.9

QUITMAN N32°52.82' W95°22.01' NOTAM FILE FTW. DALLAS-FT WORTH
 (L) VORW/DME 114.0 UIM Chan 87 044° 5.7 NM to Winnsboro Muni. 520/8E. H-6I, L-17D

RANDOLPH AFB (RND)(KRND) AF 13 NE UTC-6(-5DT) N29°31.73' W98°16.68' **SAN ANTONIO**
 761 B TPA—See Remarks NOTAM FILE SJT Not insp. **H-7B, L-19C**
Rwy 14R-32L: H8352X200 (PEM) PCN 33 R/B/W/T HIRL **DIAP, AD**
Rwy 14R: PAPI(P4L). **Rwy 32L:** PAPI(P4L).
Rwy 14L-32R: H8351X200 (CONC) PCN 67 R/B/W/T HIRL
Rwy 14L: ALSF1. PAPI(P4L). **Rwy 32R:** ALSF1. PAPI(P4L).
ARRESTING GEAR/SYSTEMS
Rwy 14R ← BAK-15 CHAG (250' OVRN) **BAK-15 CHAG (251' OVRN) → Rwy 32L**
Rwy 14L ← BAK-15 CHAG (250' OVRN) **BAK-15 CHAG (250' OVRN) → Rwy 32R**
MILITARY SERVICE: LGT ALS Rwy 14L NSTD length 2100'. Rwy 32R PAPI GS and ILS GS not coincidental.
JASU 3(MC-2A) (GTC-85) 9(ESSEX B809) 6(SGNC) **FUEL J8(Mil)** **FLUID SP PRESAIR LHXX LOX**
OIL O-133-148-156 SOAP—Not avbl weekends.
MILITARY REMARKS: Opr Mon-Fri 1300-0100Z, Sun 2000-2300Z, clsd federal holiday except when an observed holiday falls on Mon then Mon 2000-2300Z and clsd on preceding Sun. Bird Aircraft Strike Hazard Phase II in effect 1 Mar-30 Nov, expect heavy migration. Year round bird activity highest in early to mid morning and after 2230Z daily. See FLIP AP/1 Supplementary Arpt Remark. **RSTD** PPR, ctc Base OPS DSN 487-1861, C210-652-1861. Acft must adhere to PPR arr block +/- 30 min of scheduled ldg. Expect radar vector for ILS for VFR straight in apch and full stop ldg during student training. Fire fighting capability ltd to small and medium frame acft (C9, C130, P3, etc.). **CAUTION** During VMC dep acft must remain blo 1300' Rwy 14R-32L, 2100' Rwy 14L-32R until past dep end to ensure separation from VFR overhead tfc pattern unless otherwise cleared by ATC. **TFC PAT** TPA—Overhead Rwy 14L-32R 2600(1837), Rwy 14R-32L 1800(1037). **NS ABTMT** Dep and arr acft will use minimum power settings consistent with acft flt manuals and comply with all ATC instructions. **MISC** Acft with Code 7 and abv ctc PTD with block time 60 miles prior ldg. First 1000' Rwy 14R and first 2500' Rwy 32L conc, middle 4853' asph. Fleet svc avbl 48 hr advance notice. No glycol avbl.
COMMUNICATIONS: ATIS 327.8 HANGOVER ATIS 290.525 (Mon-Fri 1300-0100Z, Sun 2000-2300Z, CLOSED Federal holidays except when an observed holiday falls on Mon then Mon 2000-2300Z and CLOSED on preceding Sun.)
 PTD 372.2
 (R) **SAN ANTONIO APP CON** 124.45 335.625
 (R) **SAN ANTONIO DEP CON** 125.7 290.225
TOWER 128.25 294.7 (Mon-Fri 1300-0100Z, Sun 2000-2300Z, clsd federal holiday except when an observed holiday falls on Mon then Mon 2000-2300Z and clsd on preceding Sun.) **GND CON** 119.65 275.8
CLNC DEL 338.35 (Rwy 14L-32R)
PMSV METRO 239.8 (PMSV METRO Wx DSN 487-3040, C210-652-3040. Full svc during airfield opr hrs, other times remote briefing svc avbl 26 OWS, Barksdale AFB DSN 781-4775, C318-456-4775, TF 1-866-223-9328. Afld wx is monitored by AN/FMQ-19 ASOS and augmented by human observer as req. Backup wx obsn view ltd, rstd fr 170°-340° by flightline fac and trees.
HANGOVER TWR 120.5 291.1 **HANGOVER GND** 124.75 353.75
AIRSPACE: CLASS D svc Mon-Fri 1300-0100Z, Sun 2000-2300Z, clsd federal holiday except when an observed holiday falls on Mon then Mon 2000-2300Z and clsd on preceding Sun, other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.
(T) VORTAC 112.3 RND Chan 70 N29°31.15' W98°17.11' at fld. 772/5E. No NOTAM MP Tue and Thu 0430-1230Z.
 TACAN unusable:
 024°-040° byd 32 NM blo 3,000' 302°-309° byd 35 NM blo 4,000'
 VOR unusable:
 025°-069° byd 32 NM blo 3,000' 265°-024° byd 35 NM blo 4,000'
 224°-264° byd 35 NM blo 3,000'
(L) TACAN Chan 36 DHK (109.9) N29°32.22' W98°16.07' at fld. 772/5E. NOTAM FILE RND. NO NOTAM MP Tue and Thu 0430-1230Z.
 TACAN unusable:
 005°-049° byd 30 NM blo 3,000' 265°-314° byd 33 NM blo 4,000'
 050°-059° byd 33 NM blo 2,500' 339°-009° byd 37 NM blo 4,000'
 199°-264° byd 27 NM blo 3,500'
ILS Z 109.3 I-RND Rwy 32R. Back course unusable. NO NOTAM MP Tue and Thu 0430-1230Z.
ILS 111.1 I-VQE Rwy 32L. Back course unusable. Coupled apch unusable blo 953'. NO NOTAM MP Tue and Thu 0430-1230Z.
ISL 111.3 I-UNY Rwy 14R. NO NOTAM MP Tue and Thu 0430-1230Z.
ILS Z 109.9 I-TRT Rwy 14L. Glideslope critical areas unprotected. NO NOTAM MP Tue and Thu 0430-1230Z.
COMM/NAV/WEATHER REMARKS: Twr frequencies 128.25/258.3 and HANGOVER twr frequencies 120.5/291.1 for tfc control Rwy 14L-32R when student training in progress.

RANGER N32°53.37' W97°10.77' NOTAM FILE FTW.
(H) VORTAC 115.7 FUZ Chan 104 304° 9.2 NM to Fort Worth Alliance. 637/6E.

DALLAS-FT WORTH
COPTER
H-6H, L-17C, A

RANGER MUNI (F23) 2 S UTC-6(-5DT) N32°27.16' W98°40.97'

DALLAS—FT WORTH

1470 NOTAM FILE FTW

RWY 01-19: 2730X75 (TURF)

RWY 01: Tree.

RWY 19: Fence.

RWY 18-36: 1850X80 (TURF)

RWY 18: Fence.

RWY 36: Tree.

AIRPORT REMARKS: Attended Mon-Sat dalgt hours.

COMMUNICATIONS: CTAF 122.9

RANKIN (49F) 1 W UTC-6(-5DT) N31°13.64' W101°57.19'

SAN ANTONIO

2543 NOTAM FILE SJT

RWY 17-35: 3000X35 (GRVL)

RWY 17: Hill.

RWY 35: Tree.

AIRPORT REMARKS: Unattended. Arpt gate locked. For access call Sheriff's office 432-693-2411.

COMMUNICATIONS: CTAF 122.9

REAGAN CO (See BIG LAKE)

REAL CO (See LEAKEY)

REFUGIO
ROOKE FLD (RFG) 3 W UTC-6(-5DT) N28°17.62' W97°19.38'

SAN ANTONIO

56 B S2 FUEL 100LL, MOGAS NOTAM FILE SJT

L-20H, 21A

RWY 14-32: H4361X60 (ASPH) S-9 MIRL

RWY 14: PAPI(P2L)—GA 3.0° TCH 35'. Tree.

RWY 32: Thld dsplcd 166'. Road.

AIRPORT REMARKS: Attended continuously. Rwy line of sight limited between rwy ends.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 006° 24.2 NM to fld. 60/9E.

HIWAS.

RHOMME MEADOWS (T76) 6N UTC-6(-5DT) N33°08.96' W97°29.77'

DALLAS—FT WORTH

900 TPA—1700(800) NOTAM FILE FTW

COPTER

RWY 13-31: 3700X60 (TURF)

RWY 13: Thld dsplcd 260'. Fence. Rgt tfc.

RWY 31: Fence. Rgt tfc.

AIRPORT REMARKS: Unattended. Rwy 31 end soft when wet. Unlighted 120' cell tower 2000' west of rwy. All acft monitor CTAF due to the close proximity to Heritage Creek airstrip. Rwy 13 right tfc for fixed wing acft only, remain west of the rwy. Rwy 31 rgt tfc for ultralights only, remain east of the rwy. Rwy 13 dsplcd thld marked with white tires.

COMMUNICATIONS: CTAF 122.9

RICK HUSBAND AMARILLO INTL (See AMARILLO)

RIO GRANDE CITY MUNI (67R) 3 NW UTC-6(-5DT) N26°25.46' W98°50.76'

BROWNSVILLE

290 B NOTAM FILE SJT

L-20H

RWY 16-34: H4000X75 (ASPH) S-12.5 MIRL

AIRPORT REMARKS: Unattended. Arpt gate clsd and locked. Call 956-487-5312 for access. No public phone within arpt property. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—CTAF,

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LRD.

LAREDO (H) VORTACW 117.4 LRD Chan 121 N27°28.72' W99°25.06' 145° 70.1 NM to fld. 580/9E.

HIWAS.

RIVES AIR PARK (See ROYSE CITY)

ROANOKE**NORTHWEST RGNL** (52F) 3 NW UTC-6(-5DT) N33°02.99' W97°13.93'**DALLAS-FT. WORTH**

643 B S4 FUEL 100LL NOTAM FILE FTW

COPTER

RWY 17-35: H3500X40 (ASPH) S-8 MIRL

L-17C, A

RWY 17: VASI(V2R)—GA 4.5°. Thld dsplcd 400'. Hill. RWY 35: VASI(V2L)—GA 5.25° Thld dsplcd 320'. Trees.

AIRPORT REMARKS: Attended irregularly. Self serve fuel avbl. Pilots are requested to call 817-430-1905 30 minutes prior to arrival for field conditions. Due to rwy width and heavy local traffic, pilots are advised to ctc arpt prior to landing. Landing fee for non-based flight school acct. Rwy 17 rwy numbers shorter and narrower than std. NSTD dsplcd thld only 1' bar. Dsplcd thld markings yellow. Rwy 35 rwy numbers shorter and narrower than std. NSTD dsplcd thld only 1' bar no arrows. Dsplcd thld markings yellow.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE DFW.

RANGER (H) VORTACW 115.7 FUZ Chan 104 N32°53.37' W97°10.77' 339° 10 NM to fld. 637/6E.

ROBERT GRAY AAF (See FORT HOOD/KILLEEN)**ROBERT LEE** (54F) 3 SW UTC-6(-5DT) N31°52.91' W100°32.42'**SAN ANTONIO**

1922 B NOTAM FILE SJT

L-19B

RWY 17-35: H4450X50 (ASPH) S-12.5 MIRL

RWY 17: Brush. RWY 35: Tree.

AIRPORT REMARKS: Unattended. Loose gravel on runway, taxiway and apron. Rotating bcn OTS indef. Rwy 17-35 pilot control lighting OTS indef. ACTIVATE MIRL Rwy 17-35-122.8.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.

SAN ANGELO (H) VORTACW 115.1 SJT Chan 98 N31°22.50' W100°27.29' 342° 30.7 NM to fld. 1890/10E.

ROBERT R. WELLS JR (See COLUMBUS)**ROBINSON** N31°30.23' W97°04.18' NOTAM FILE FTW.**SAN ANTONIO**

NDB (MHW) 400 ROB 351° 8.0 NM to Tstc-Waco.

L-19D, 21A, A**ROBSTOWN****NUECES CO** (RBO) 2 SW UTC-6(-5DT) N27°46.71' W97°41.43'**BROWNSVILLE**

79 B S2 FUEL 100LL NOTAM FILE RBO

L-20H, 21A

RWY 13-31: H3700X75 (ASPH) S-11 MIRL

IAP

RWY 13: Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-1800Z†, Mon-Fri 1900-2300Z†. Fuel: cash or checks only, no credit cards. 1049' MSL towers 3 NM east of arpt. MIRL Rwy 13-31 preset low ints to increase ints ACTIVATE-122.8.

WEATHER DATA SOURCES: AWOS-3 118.175. (361) 767-1982.**COMMUNICATIONS:** CTAF 122.9

® **KINGSVILLE APP CON** 119.9 (Mon-Thu 1330-0530Z†, Fri 1330-2330Z†, clsd Sat, Sun and holidays by NOTAM) other times ctc

® **HOUSTON CENTER APP CON** 128.15® **CORPUS DEP CON** 120.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 231° 15.1 NM to fld. 60/9E. HIWAS.

ROCKDALE**H H COFFIELD RGNL** (RCK) 2 SE UTC-6(-5DT) N30°37.90' W96°59.38'**HOUSTON**

474 B FUEL 100LL NOTAM FILE CXO

L-19D, 21A

RWY 17-35: H3084X50 (ASPH) LIRL (NSTD)

RWY 17: Road. RWY 35: Trees.

AIRPORT REMARKS: Unattended. For fuel call 512-446-2511 after 2300Z† and weekends call 512-446-3436. +40' antenna between 2 hangars E side of rwy. Rwy 17 numbers and centerline stripes NSTD 30' tall, centerline markings faded and NSTD length. Rwy 35 numbers and centerline stripes NSTD 30' tall, markings faded. Rwy 17-35 NSTD LIRL due to spacing. Rotating bcn OTS indef. Rwy 17-35 LIRL OTS indef.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TPL.

TEMPLE (L) VOR/DME 110.4 TPL Chan 41 N31°12.56' W97°25.50' 138° 41.2 NM to fld. 710/9E.

ROCKPORT**ARANSAS CO** (RKP) 4 N UTC-6(-5DT) N28°05.17' W97°02.62'

24 B S4 FUEL 100LL, JET A NOTAM FILE RKP

RWY 14-32: H5608X100 (ASPH) S-45, D-80, ST-101, DT-140 MIRL

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 35.'

RWY 32: PAPI(P4L)—GA 3.0° TCH 25'. Thld displcd 565'. P-line. Rgt tfc.

RWY 18-36: H4498X100 (ASPH) S-45, D-80, ST-101, DT-140 MIRL

RWY 18: PAPI(P2L)—GA 3.0° TCH 38'. Trees. Rgt tfc.

RWY 36: PAPI(P2L)—GA 3.0° TCH 42'. Tree.


AIRPORT REMARKS: Attended 1330-0000Z†. MIRL Rwy 14-32 preset low ints dusk-dawn to increase ints and ACTIVATE REIL Rwy 14—CTAF. MIRL Rwy 18-36 on low ints continuously.**WEATHER DATA SOURCES:** ASOS 119.275 (361) 729-2372.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ CORPUS APP/DEP CON 120.9 CLNC DEL 121.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23' W97°26.69' 054° 23.9 NM to fld. 60/9E. HIWAS.

ROCKPORT NDB (MHW) 391 RKP N28°05.43' W97°02.79' at fld. NOTAM FILE RKP.

SAN ANTONIO
H-7C, L-201, 21A
IAP**ROCKPORT** N28°05.43' W97°02.79' NOTAM FILE RKP.

NDB (MHW) 391 RKP at Aransas Co.

SAN ANTONIO
L-201, 21A**ROCKSPRINGS****EDWARDS CO** (ECU) 4 SE UTC-6(-5DT) N29°56.82' W100°10.43'

2372 B NOTAM FILE ECU

RWY 14-32: H4050X50 (ASPH) S-13 MIRL

RWY 14: Thld displcd 278'. Trees. RWY 32: Trees.

AIRPORT REMARKS: Unattended. Nighttime operation displcd thld lights are set 288' from Rwy 14 end.**WEATHER DATA SOURCES:** AWOS-3 118.175 (830) 683-2425.**COMMUNICATIONS:** CTAF 122.9


Ⓡ DEL RIO APP/DEP CON 119.6 (Mon-Fri 1300-0100Z†, clsd Sat, Sun 2000-2300Z†, except holidays). Other hrs ctc

Ⓡ HOUSTON CENTER APP/DEP CON 125.75

RADIO AIDS TO NAVIGATION: NOTAM FILE ECU.

ROCKSPRINGS (L) VORTAC 111.2 RSG Chan 49 N30°00.88'

W100°17.99' 112° 7.7 NM to fld. 2310/10E. Unusable beyond 32 NM below 4500'.

SAN ANTONIO
L-19B
IAP**ROCKSPRINGS** N30°00.88' W100°17.99' NOTAM FILE ECU.

(L) VORTAC 111.2 RSG Chan 49 112° 7.7 NM to Edwards Co. 2310/10E.

Unusable beyond 32 NM below 4,500'.

RCO 122.1R 111.2T (SAN ANGELO RADIO)

SAN ANTONIO
H-7B, L-19B**ROCKWALL****PHILLIPS FLYING RANCH** (T48) 15 SE UTC-6(-5DT) N32°52.09' W96°13.15'

500 S4 NOTAM FILE FTW

RWY 13-31: 3344X50 (TURF-TRTD)

RWY 13: Thld displcd 335'. Trees. RWY 31: Thld displcd 336'.

AIRPORT REMARKS: Unattended. For arpt attendant call 972-563-3765. Watch for wildlife on rwy.**COMMUNICATIONS:** CTAF/UNICOM 123.0

DALLAS-FT WORTH

ROCKWALL MUNI (F46) 2 E UTC-6(-5DT) N32°55.84' W96°26.13'

574 B S4 FUEL 100LL JET A NOTAM FILE FTW

RWY 17-35: H3373X45 (ASPH) S-12 LIRL

RWY 17: Thld dsplcd 470'. Tower.

RWY 35: Thld dsplcd 289'. Tree. Rgt tfo.

AIRPORT REMARKS: Attended 1330-0030Z+. Line of sight not avbl between rwy ends. Rwy 17 50' drop off at apch end of pavement, steep down slope all sides of displacement. ACTIVATE LIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

① RGNL APP/DEP CON 124.3

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

COWBOY (H) VORW/DME 116.2 CVE Chan 109 N32°53.42'

W96°54.24' 078° 23.8 NM to fld. 450/6E.


MESQUITE NDB (MHW) 248 PQF N32°48.54' W96°31.73' 027°
8.7 NM to fld.

DALLAS-FT. WORTH

COPTER

L-17C, A

IAP

**ROGER M. DREYER MEMORIAL** (See GONZALES)**ROOKE FLD** (See REFUGIO)**ROSENBERG****LANE AIRPARK** (T54) 3 SE UTC-6(-5DT) N29°31.47' W95°46.51'

94 S2 FUEL 100LL NOTAM FILE CXO

RWY 13-31: H3200X35 (ASPH)

RWY 13: P-line.

RWY 31: Trees.

AIRPORT REMARKS: Attended dalgt hrs.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:**

HOBBY (H) VORW/DME 117.1 HUB Chan 118 N29°39.34' W95°16.60' 248° 27.2 NM to fld. 82/5E.

HOUSTON

L-19D, 21A

ROSSER RANCH (See GRAHAM)**ROTAN/ROBY****FISHER CO** (56F) 3 SE UTC-6(-5DT) N32°49.54' W100°24.92'

1941 B NOTAM FILE FTW

RWY 16-34: H3300X60 (ASPH) S-12.5 MIRL

RWY 16: Trees.

RWY 34: Road.

RWY 07-25: 2800X50 (GRVL)

RWY 07: Thld dsplcd 200'. Fence.

RWY 25: Tree.

AIRPORT REMARKS: Unattended. Intensive seasonal low level agricultural acft activity invof arpt. Rwy 07 dsplcd thld marked with 20 white tires on each side.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88' W99°51.81' 297° 34.7 NM to fld. 1810/10E.

DALLAS-FT. WORTH

L-17A

ROWDY N30°29.62' W96°20.26' NOTAM FILE CLL.

NDB (LOM) 260 CL 341° 5.8 NM to Easterwood Field.

HOUSTON

L-19D, 21A

ROY HURD MEM (See MONAHANS)

ROYSE CITY**RIVES AIR PARK** (T33) 9 S UTC-6(-5DT) N32°51.43' W96°18.50'

DALLAS-FT. WORTH

555 S2 NOTAM FILE FTW

RWY 04-22: H2800X40 (ASPH)

RWY 04: Trees. RWY 22: Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Rwy 04-22 overgrown with 2'-3' weeds and grass. Arpt access gate locked. No line of sight.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RUSK CO** (See HENDERSON)**RWJ AIRPARK** (See BAYTOWN)**SABINE PASS** N29°41.20' W94°02.28' NOTAM FILE CXO.

HOUSTON

(L) VOR/DME 115.4 SBI Chan 101 356° 15.8 NM to Southeast Texas Rgnl. 10/7E.

H-7D, L-19E, 21A

VOR unusable 143°-150°.

SALT FLAT N31°44.89' W105°05.21' NOTAM FILE ABQ.

EL PASO

(L) VORTACW 113.0 SFL Chan 77 324° 13.0 NM to Dell City Muni. 3730/12E. HIWAS.

L-6F

VORTAC unusable 031°-049° beyond 30 NM below 15,000'.

SAN ANGELO RGNL/MATHIS FLD (SJT) 7 SW UTC-6(-5DT) N31°21.47' W100°29.78'

SAN ANTONIO

1919 B S4 FUEL 100LL, JET A OX 1, 2, 4 Class I, ARFF Index B NOTAM FILE SJT

H-66, L-19B

RWY 18-36: H8049X150 (ASPH-GRVD) S-70, D-100, ST-127 MIRL

IAP, AD

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Thld dsplcd 889'.

Road.

RWY 36: PAPI(P4L)—GA 3.0° TCH 48'. Pole.

RWY 03-21: H5939X150 (ASPH-GRVD) S-70, D-100, ST-127

HIRL 0.4% up SW

RWY 03: MALSR.

RWY 21: ODALS. VASI(V4L)—GA 3.0° TCH 59'.

RWY 09-27: H4402X75 (ASPH) S-70, D-100, ST-127 MIRL

RWY 09: Road.

RWY 27: Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 03: TORA-5939 TODA-5939 ASDA-5939 LDA-5939

RWY 21: TORA-5939 TODA-5939 ASDA-5939 LDA-5939

RWY 09: TORA-4402 TODA-4402 ASDA-4402 LDA-4402

RWY 27: TORA-4402 TODA-4402 ASDA-4402 LDA-4402

RWY 18: TORA-8049 TODA-8049 ASDA-8049 LDA-7160

RWY 36: TORA-7160 TODA-7160 ASDA-7160 LDA-7160

AIRPORT REMARKS: Attended 1200-0400Z+. Fee for fuel after hrs call 325-656-1836/1837. 100LL self fuel avbl 24 hrs. PPR 12 hours for unscheduled air carrier ops with over 30 passenger seats, call arpt manager 325-659-6409, extension 3. When twr clsd MIRL Rwy 18-36 preset low ints, to increase ints and ACTIVATE HIRL Rwy 03-21, MIRL Rwy 09-27, MALSR Rwy 03, ODALS Rwy 21, REIL Rwy 18 and PAPI Rwy 18 and Rwy 36-118.3.

WEATHER DATA SOURCES: ASOS (325) 949-6686.**COMMUNICATIONS:** CTAF 118.3 ATIS 128.45 UNICOM 122.95

RCO 122.25 (SAN ANGELO RADIO)

⑧ APP/DEP CON 125.35 (1200-0300Z+)

FORT WORTH CENTER APP/DEP CON 126.15 (0300-1200Z+)

TOWER 118.3 (1300-0300Z+) GND CON 121.9


AIRSPACE: CLASS D svc 1300-0300Z+ other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SJT.

SAN ANGELO (H) VORTACW 115.1 SJT Chan 98 N31°22.50' W100°27.29' 234° 2.4 NM to fld. 1890/10E.

WOOLE NDB (LOM) 356 SJ N31°16.79' W100°34.57' 032° 6.3 NM to fld.

ILS/DME 109.7 I-SJT Chan 34 Rwy 03. Class IE. LOM WOOLE NDB. ILS/DME unmonitored when twr clsd.

ASR (1200-0600Z+)

**SAN ANTONIO** N29°30.43' W098°34.68'

SAN ANTONIO

AWOS-3 119.575 SPN


L-19C

SAN ANTONIO**BOERNE STAGE FLD** (5C1) 20 NW UTC-6(-5DT) N29°43.44' W98°41.68'**SAN ANTONIO**1385 B S4 **FUEL** 100LL, JET A TPA-2205(820) NOTAM FILE SJT**L-19C****RWY 17-35:** H4340X60 (ASPH) LIRL**IAP****RWY 17:** Thld dsplcd 555'. Trees. Rgt tfc.**RWY 35:** Thld dsplcd 500'. Tree.

AIRPORT REMARKS: Attended continuously. South rwy exit clsd indef, backtaxi to exit rwy. Deer on and invof arpt. Glider activity on and invof arpt. Noise abatement procedures in effect ctc arpt manager 830-981-2345. No touch and go, stop and go, or low approaches. Northern 555' of rwy is 40' wide, remainder is 60' wide. **ACTIVATE LIRL Rwy 17-35—CTAF.**

COMMUNICATIONS: CTAF/UNICOM: 123.0 UNICOM unmonitored.**SAN ANTONIO APP/DEP CON** 125.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE SAT.

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64' W98°27.68' 283° 13.1 NM to fld. 1160/8E. **HIWAS**

**BULVERDE AIRPARK** (1T8) 16 N UTC-6(-5DT) N29°44.35' W98°27.07'**SAN ANTONIO**1080 B S4 **FUEL** 100LL TPA 2000(920) NOTAM FILE SJT**RWY 16-34:** H2890X40 (ASPH) LIRL (NSTD)**RWY 16:** Thld dsplcd 490'. P-line. Rgt tfc.**RWY 34:** Thld dsplcd 200'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1500-2300Z±. Landing fee. No credit cards for fuel purchases. No touch and go, stop and go or low approaches. Noise abatement procedures in effect ctc arpt manager 830-438-2507.

ACTIVATE rotating bcn after 0400Z—CTAF. **ACTIVATE LIRL Rwy 16-34—CTAF.** Rwy 16-34 NSTD LIRL, only center 2775' lighted.

COMMUNICATIONS: CTAF/UNICOM 122.8**HORIZON** (74R) 9 S UTC-6(-5DT) N29°17.01' W98°30.02'**SAN ANTONIO**

550 NOTAM FILE SJT

RWY 11-29: 2360X80 (TURF)**RWY 11:** Fence. **RWY 29:** Trees.**RWY 16-34:** 2250X100 (TURF)**RWY 16:** Brush. **RWY 34:** Tree.**AIRPORT REMARKS:** Attended 1200-0000Z±. Rwy marked with 3' white cones.**COMMUNICATIONS:** CTAF 122.9**KESTREL AIRPARK** (1T7) 23 N UTC-6(-5DT) N29°48.71' W98°25.57'**SAN ANTONIO**1250 S2 **FUEL** 100LL NOTAM FILE SJT**L-19C****RWY 12-30:** H3000X40 (ASPH) LIRL (NSTD)**RWY 12:** Trees. **RWY 30:** Trees. Rgt tfc.

AIRPORT REMARKS: Attended dusk-dawn. Rwy 12-30 NSTD LIRL, Rwy 12 lgts not at thld. Rwy 30 rises rapidly at north end. Touch and go ldgs and low apchs prohibited for tran and commercial acft, tkfs rstd between 0400-1200Z±.

COMMUNICATIONS: CTAF/UNICOM 122.975**RADIO AIDS TO NAVIGATION:**

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64' W98°27.68' 002° 10.2 NM to fld. 1160/8E.

SAN ANTONIO INTL (SAT) 7 N UTC-6(-5DT) N29°32.02' W98°28.19'

SAN ANTONIO

809 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index C

H-7B, L-19C

NOTAM FILE SAT

IAP, AD

RWY 12R-30L: H8502X150 (CONC-GRVD) S-95, D-190, ST-175,

DT-270 HIRL CL

RWY 12R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 75'. 0.3% down.

RWY 30L: MALSR. PAPI(P4L)—GA 3.0°. Building. 0.4% up.

RWY 03-21: H7505X150 (CONC-GRVD) S-95, D-190, ST-175,

DT-270 HIRL CL 0.3% up SW

RWY 03: MALS. PAPI(P4L)—GA 3.0°. Pole.

RWY 21: REIL. PAPI(P4L)—GA 3.0° TCH 75'.

RWY 12L-30R: H5519X100 (ASPH) S-59, D-120, ST-152

MIRL 0.3% up NW.

RWY 12L: REIL. PAPI(P4L)—GA 3.0° TCH 40'.

RWY 30R: REIL. PAPI(P4L).

RUNWAY DECLARED DISTANCE INFORMATION

RWY 12L: TORA-5519 TODA-5519 ASDA-5519 LDA-5519


RWY 30R: TORA-5519 TODA-5519 ASDA-5519 LDA-5519

RWY 12R: TORA-8502 TODA-8502 ASDA-8502 LDA-8502

RWY 30L: TORA-8502 TODA-8502 ASDA-8502 LDA-8502

RWY 03: TORA-7505 TODA-7505 ASDA-7505 LDA-7505

RWY 21: TORA-7505 TODA-7505 ASDA-7505 LDA-7505



AIRPORT REMARKS: Attended continuously. Numerous flocks of birds in vicinity of arpt. Glider/soaring ops approximately 17 miles northwest of arpt during VFR. Rwy 12L not avbl for air carrier ops. Rwy 03 runway visual range touchdown avbl. PAEW on and along twys and ramps areas at various times. PAEW between Terminal 1 and Terminal 2. PPR with Arpt Ops for acft powering back from terminal gates. Acft taxiing on Rwy 03 northeast bound look for hold short to Rwy 30L. Acft taxiing on Twy N southwest bound look for hold short to Rwy 30R. Twy Z clsd to acft with wingspan greater than 118'. The following Twys are not avbl for acft 59,000 pounds or over, Twy A and Twy J north of Rwy 12R-30L, Twy W, Twy M, Twy P, Twy H northwest of Twy Z and Twy E east of Rwy 03-21. Twy R between Twy A and the AER 12L is clsd to acft with wingspan greater than 100'. Twy Q entrance/exit at Air Cargo East clsd to acft with wingspan greater than 118'. Inner ramp taxiway north and east of Terminal 1 is clsd to acft with wingspan greater than 118' exc for acft crossing the inner ramp to gates 12 to 16. Taxiway L clsd northbound. Twy D non-movement area from Twy N to 500' west of Twy N. Noise Abatement: Noise sensitive areas exist on all sides of the arpt: at pilots discretion climb as quickly and quietly as safely possible on dep and use consideration when flying over populated areas by minimizing flight and high power settings. Engine run-ups are permitted b/n 1200-0500Z. Ground run-up enclosure avbl 24 hrs. Terminal Gate 1 use only with PPR call ops 210-413-4928. C130 and C141 type acft shall park on west ramp to clear customs. General aviation acft clearing U.S. Customs at Terminal One be alert for personnel and equipment while taxiing to and from the assigned customs clearance location. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (210) 829-4782. HIWAS 116.8 SAT. WSP.

COMMUNICATIONS: D-ATIS 118.9 UNICOM 122.95

RCO 122.3 122.2 (SAN ANGELO RADIO)

① **APP/DEP CON** 128.05 (091°-140°) 125.1 (271°-359°) 124.45 (360°-090°) 118.05 (141°-270°) 127.1 125.7

TOWER 119.8 **GND CON** 121.9 **CLNC DEL** 126.7

AIRSPACE: CLASS C svc continuous ctc **APP CON**

RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.

(H) **VORTACW** 116.8 SAT Chan 115 N29°38.64' W98°27.68' 176° 6.6 NM to fld. 1160/8E. **HIWAS.**

ALAMO NDB (LOM) 368 AN N29°36.46' W98°34.18' 122° 6.9 NM to fld.

ILS/DME 110.9 I-IZR Chan 46 Rwy 30L. Class IT.

ILS 109.7 I-SAT Rwy 03. Class IA. GS unusable for coupled apchs bto 1300' MSL.

ILS/DME 110.9 I-ANT Chan 46 Rwy 12R. Class IIE. LOM **ALAMO NDB.**

SAN GERONIMO AIRPARK (8T8) 10W UTC-6(-5 DT) N29°30.63' W98°47.90'

SAN ANTONIO

1040 NOTAM FILE SJT

L-19C

RWY 17-35: H3000X40 (ASPH)

RWY 17: Tree. **RWY 35:** Tree.

AIRPORT REMARKS: Unattended. Rwy 17-35 shoulders soft and muddy when wet. Rwy 17-35 45' turf landing area to west of paved rwy.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SAT.

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64' W98°27.68' 238° 19.4 NM to fld. 1160/8E.

HIWAS.

STINSON MUNI (SSF) 6 S UTC-6(-5DT) N29°20.22' W98°28.27'**SAN ANTONIO**

577 B S4 FUEL 100LL JET A NOTAM FILE SSF

L-19C

RWY 09-27: H4835X100 (ASPH) S-12, D-20 MIRL (NSTD) 0.3% up W

IAP, AD

RWY 09: REIL. Thld dsplcd 206'. P-line. RWY 27: REIL.

RWY 14-32: H4128X100 (ASPH) S-12, D-20 MIRL 0.5% up

NW

RWY 14: REIL. VASI(V2R)—GA 4.0° TCH 57'. Thld dsplcd 584'.

Trees.

RWY 32: REIL. VASI(V4L)—GA 3.0° TCH 60'. Thld dsplcd 372'.

Trees.

AIRPORT REMARKS: Attended 1300-0400Z±. Numerous acft operating at or above 2,500' MSL in the Stinson Class D airspace under the control of San Antonio approach. PAEW adjacent all twys and ramp areas Mon-Fri 1300-2359Z±. Rwy 09-27 NSTD MIRL; thld lgts located 30' in from dsplcd thld. Rwy 09 REIL located 30' in from dsplcd thld. Rwy 14 REIL OTS indef. MIRL Rwy 09-27 and Rwy 14-32 preset medium intensity when twr closed. ACTIVATE VASI Rwy 32—CTAF.

WEATHER DATA SOURCES: ASOS (210) 927-9391. LAWRS.**COMMUNICATIONS:** CTAF 118.2 UNICOM 122.95 ATIS 128.8

① SAN ANTONIO APP/DEP CON 125.7 CLNC DEL 121.7

TOWER 118.2 (1300-0400Z±) GND CON 121.7

AIRSPACE: CLASS D svc 1300-0400Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SAT.

SAN ANTONIO (H) VORTACW 116.8 SAT Chan 115 N29°38.64' W98°27.68' 174° 18.4 NM to fld. 1160/8E.

HIWAS.

(L) VORW 108.4 SSF N29°15.50' W98°26.61' 334° 4.9 NM to fld. NOTAM FILE SSF.


VOR unusable:

111°-149° byd 10 NM

160°-170° all altitudes

150°-159° byd 7 NM

205°-235° all altitudes

**TWIN-OAKS** (T94) 3 N UTC-6(-5DT) N29°34.21' W98°28.10'**SAN ANTONIO**

873 S2 FUEL 100LL NOTAM FILE SJT

RWY 12-30: H2225X30 (ASPH-TURF) S-4

RWY 12: Trees. RWY 30: Fence.

AIRPORT REMARKS: Attended continuously. For fuel availability call 210-494-3928. Arpt CLOSED at ngt to tran acft.

Rwy 12-30 is TURF 140' at southeast end. Wooden fence located approximately 70' east of rwy entire length of rwy.

COMMUNICATIONS: CTAF 122.9**SAN AUGUSTINE CO** (78R) 3 W UTC-6(-5DT) N31°32.38' W94°10.23'**HOUSTON**

443 B NOTAM FILE CXO

L-19E, 21A

RWY 17-35: H3800X50 (ASPH) S-12 MIRL

RWY 17: Thld dsplcd 124'. Trees. RWY 35: Trees.

AIRPORT REMARKS: Unattended. Rwy 17-35 has 3'-4' grass within 10' from edge of rwy. ACTIVATE rotating bcn—CTAF. MIRL Rwy 17-35 preset low ints, to incr ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74' W94°43.02' 046° 36.0 NM to fld. 200/5E.

HIWAS.

SAN GERONIMO AIRPARK (See SAN ANTONIO)**SANGER****FLYING C** (T87) 5 SW UTC-6(-5DT) N33°20.53' W97°16.20'**DALLAS-FT. WORTH**

775 NOTAM FILE FTW

RWY 09-27: 1650X90 (TURF)

Rwy 09: Fence. Rwy 27: Tree.

RWY 17-35: 1400X140 (TURF) RWY 17: Fence.

AIRPORT REMARKS: Unattended. Occasional livestock on fld.**COMMUNICATIONS:** CTAF 122.9

IRONHEAD (T58) 3 SW UTC-6(-5DT) N33°19.91' W97°13.82'

DALLAS-FT. WORTH

715 NOTAM FILE FTW

RWY 18-36: 2500X200 (TURF)

RWY 18: Fence.

RWY 36: Road.

AIRPORT REMARKS: Unattended. Wildlife on and in vicinity of arpt. 6' metal pole 60' from AER 18. Rwy 18-36 thld and edges marked with white tires.

COMMUNICATIONS: CTAF 122.9

LANE FLD (58F) 2 E UTC-6(-5DT) N33°21.92' W97°08.77'

DALLAS-FT. WORTH

700 NOTAM FILE FTW

RWY 17-35: 3340X130 (TURF)

RWY 17: Road.

RWY 35: Fence.

AIRPORT REMARKS: Unattended. Rough terrain and 2' mesquite shrubs along rwy. Livestock on and in vicinity of arpt. North end of rwy rises 20'. South half of rwy soft after rain. Rwy 17-35 has no thld markings.

COMMUNICATIONS: CTAF 122.9

SANJAC N29°40.11' W95°04.19' NOTAM FILE CX0.

HOUSTON

NDB (MHW) 347 JPA at La Porte Muni.

COPTER

L-19E, 21A

SAN MARCOS MUNI (HYI) 4 E UTC-6(-5DT) N29°53.56' W97°51.78'

SAN ANTONIO

597 B S4 FUEL 100LL, JET A OX 2, 4 NOTAM FILE HYI

H-7C, L-19C, 21A

RWY 08-26: H6330X100 (ASPH) S-80 MIRL

RWY 08: REIL. Road.

RWY 26: REIL.

IAP

RWY 13-31: H5603X150 (ASPH) S-60 MIRL 0.3% up NW

RWY 13: MALSR.

RWY 31: VASI(V4L)—GA 3.0° TCH 56'.

RWY 17-35: H5213X100 (ASPH) S-20 MIRL 0.4% up N

AIRPORT REMARKS: Attended sunrise-sunset. Equivalent ARFF Index A available on request. Expect extensive practice instrument approach traffic to Rwy 13 at any time. Rwy 08 10' svc road at thld. Rwy 08 REIL OTS indef. Rwy 26 REIL OTS indef. MIRL Rwy 08-26, Rwy 13-31 and Rwy 17-35 preset low ints, to increase ints and ACTIVATE MALSR Rwy 13, VASI Rwy 31 and REIL Rwy 08 and Rwy 26—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.825 (512) 353-8005.

COMMUNICATIONS: CTAF/UNICOM 123.05

Ⓡ **AUSTIN APP/DEP CON** 119.0 **CLNC DEL** 121.35

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.


CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71'

W97°31.79' 205° 33.8 NM to fld. 593/6E.

GARYS NDB (LOM) 272 RU N29°57.53' W97°56.94'

124° 5.9 NM to fld. NOTAM FILE HYI. Unmonitored.

ILS 108.7 I-RUM Rwy 13. LOM GARYS NDB. LOM unmonitored.



SAN SABA CO MUNI (81R) 3 N UTC-6(-5DT) N31°14.11' W98°43.02'

SAN ANTONIO

1249 B FUEL 100LL NOTAM FILE SJT

L-19C

RWY 13-31: H3800X60 (ASPH) S-12.5 LIRL

RWY 13: TRCV(TRIL)—GA 4.75° TCH 74'. Berm.

RWY 31: TRCV(TRIL)—GA 6.0° TCH 31'.

AIRPORT REMARKS: Attended continuously. For fuel call 915-372-3380/6034. Jet A fuel available for helicopters only. Green bcn lens OTS indef. Rwy 13 TRCV OTS indef. Rwy 31 TRCV OTS indef. ACTIVATE LIRL Rwy 13-31—CTAF.

WEATHER DATA SOURCES: AWOS-3 (325) 372-6027. OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE AQO.

LLANO (L) VORTACW 108.2 LLO Chan 19 N30°47.78' W98°47.24' 360° 26.5 NM to fld. 1200/8E.

HIWAS.

SCHOLES N29°16.16' W94°52.06' NOTAM FILE GLS.

HOUSTON

(L) **VORTACW** 113.0 VUH Chan 77 at Scholes Intl at Galveston 4/6E


COPTER

VOR portion unusable 165°-205° byd 15 NM blo 2500'. Unmonitored.

H-7C, L-19E, 21A

SCHOLES INTL AT GALVESTON (See GALVESTON)**SCOTLAND** N33°46.94' W98°29.29' NOTAM FILE SPS.**DALLAS—FT. WORTH****NDB (MHW)** 344 SKB 359° 4.7 NM to Kickapoo Downtown. Unmonitored 0200–1200Z†.**L-17B****SEAGRAVES** (F97) 1 NE UTC-6(-5DT) N32°57.27' W102°32.45'**ALBUQUERQUE**

3366 NOTAM FILE FTW

L-6H**RWY 04-22:** H4010X70 (ASPH) LIRL (NSTD)**RWY 04:** Railroad. **RWY 22:** Railroad.**RWY 17-35:** H2445X37 (ASPH)**RWY 17:** Road. **RWY 35:** Road.**AIRPORT REMARKS:** Attended irregularly. Rwy 17-35 loose rocks and vegetation in rwy. Rwy 04-22 and Rwy 17-35 unmarked. NSTD LIRL Rwy 04-22 due to incorrect spacing.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE HOB.**HOBBS (L) VORTACW** 111.0 HOB Chan 47 N32°38.29' W103°16.16' 052° 41.4 NM to fld. 3660/11E.**SEBAS** N26°18.31' W97°39.47' NOTAM FILE HRL.**BROWNSVILLE****NDB (LOM)** 338 HR 173° 4.6 NM to Valley Intl.**L-20H, 21A****SEGUIN****HUBER AIRPARK CIVIC CLUB LLC** (E70) 20 N UTC-6(-5DT) N29°36.14' W97°59.43'**SAN ANTONIO**556 **FUEL** 100LL NOTAM FILE SJT**L-19C****RWY 16-34:** H3415X50 (ASPH) LIRL**RWY 16:** Brush. **RWY 34:** Brush.**AIRPORT REMARKS:** Unattended. Fuel self serve. Rwy 16-34 only center 3285' lighted. Landing fee. ACTIVATE LIRL Rwy 16-34—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SAT**SAN ANTONIO (H) VORTACW** 116.8 SAT Chan 115 N29°38.64' W98°27.68' 088° 24.7 NM to fld. 1160/8E. HIWAS.**SEMINOLE****GAINES CO** (GNC) 3 S UTC-6(-5DT) N32°40.52' W102°39.16'**ALBUQUERQUE**3315 B S4 **FUEL** 100LL, JET A OX 1, 3 TPA—4332(1017) NOTAM FILE GNC**H-6G, L-6H****RWY 08-26:** H5381X75 (ASPH) S-12.5 MIRL 0.6% up W**IAP****RWY 08:** Rgt tfc. **RWY 26:** PAPI(P2L)—GA 3.0° TCH 18'. P-line.**RWY 17-35:** H4999X75 (ASPH) S-12.5 MIRL 0.4% up N**RWY 17:** PAPI(P2L)—GA 3.0° TCH 23'. P-line. Rgt tfc.**RWY 35:** PAPI(P2L)—GA 3.0° TCH 23'.**AIRPORT REMARKS:** Attended Mon-Sat 1430-0000Z†. Services on call after hours 432-758-6455. MIRL Rwy 08-26 and Rwy 17-35 preset low ints, to increase ints ACTIVATE—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.075 (432) 758-3102.**COMMUNICATIONS:** CTAF/UNICOM 122.8® **FORT WORTH CENTER APP/DEP CON** 132.6**RADIO AIDS TO NAVIGATION:** NOTAM FILE HOB.**HOBBS (L) VORTACW** 111.0 HOB Chan 47 N32°38.29' W103°16.16' 075° 31.3 NM to fld. 3660/11E.**NDB (MHW)** 344 GNC N32°40.30' W102°38.74' at fld. NOTAM FILE GNC. Unmonitored.

SEYMOUR MUNI (60F) 3 N UTC-6(-5DT) N33°38.92' W99°15.64'

DALLAS-FT. WORTH

1344 B NOTAM FILE FTW

L-17B

RWY 17-35: H4300X50 (ASPH) S-4 MIRL

IAP

RWY 17: Fence. RWY 35: Road.

AIRPORT REMARKS: Unattended. Rwy 17-35 NSTD nonprecision instrument markings. Numbers 50' tall.

COMMUNICATIONS: CTAF 122.9

FORT WORTH CENTER APP/DEP CON 133.5

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 229° 39.0 NM to fld. 1100/10E.

SHAMROCK MUNI (2F1) 3 NE UTC-6(-5DT) N35°14.17' W100°11.09'

DALLAS-FT WORTH

2369 B FUEL 100LL, MOGAS TPA-3369(1000) NOTAM FILE FTW

L-15C

RWY 17-35: H3600X60 (ASPH) S-15 MIRL

RWY 17: Berm. RWY 35: Tree.

AIRPORT REMARKS: Unattended. Fuel self svc with credit card. Rwy 17-35 has loose aggregate on rwy. Arpt lgts opr dusk-0600Z†. For MIRL Rwy 17-35 after 0600Z† ACTIVATE-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

SAYRE (L) VORTAC 115.2 SYO Chan 99 N35°20.71' W99°38.12' 247° 27.8 NM to fld. 1990/10E.

SHEIN N29°54.90' W99°00.57' NOTAM FILE ERV.

SAN ANTONIO

NDB (MHW/LDM) 263 ER 305° 5.4 NM to Kerrville Muni/Louis Schreiner Fld.

L-19C

SHEPPARD AFB/WICHITA FALLS MUNI (See WICHITA FALLS)**SHERMAN MUNI** (SWI) 1 SE UTC-6(-5DT) N33°37.45' W96°35.17'

DALLAS-FT. WORTH

745 B S4 FUEL 100LL TPA-1800(1055) NOTAM FILE FTW

L-17C, A

RWY 16-34: H4006X75 (ASPH) S-19 MIRL 0.9% up NW

IAP

RWY 16: Tree. RWY 34: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. Fuel avbl with major credit card. City ordinance mandates all tkfs on Rwy 34 commence at thld markings. High speed, low level passes are prohibited.


COMMUNICATIONS: CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 124.75

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

BONHAM (H) VORTACW 114.6 BYP Chan 93 N33°32.25'

W96°14.05' 280° 18.4 NM to fld. 700/6E. HIWAS.



SHERMAN/DENISON**GRAYSON CO** (GYI) 4 W UTC-6(-5DT) N33°42.85' W96°40.42'**DALLAS-FT. WORTH**

749 B S4 FUEL 100LL, JET A OX 3 TPA-1749(1000) NOTAM FILE GYI

H-6H, L-17C, A

RWY 17L-35R: H9000X150 (ASPH-CONC) S-75, D-100, ST-127, DT-160 MIRL

IAP

RWY 17L: MALSR. VASI(V4L)—GA 2.5°TCH 39'.

RWY 35R: MALSR. VASI(V4L)—GA 2.5°TCH 41'.

RWY 13-31: H2277X60 (ASPH)

AIRPORT REMARKS: Attended daylight hours. For fuel after hours call 903-786-6001/2666. For assistance after hours, call 903-786-2904, or fire department 903-786-9841. Mowing ops on arpt Mar-Nov. Rwy 17L designated calm wind rwy. Rwy 17L-35R 5' high distance-to-go markers 150' on east side of rwy centerline—unltd. MIRL Rwy 17L-35R preset low ints, to increase ints and ACTIVATE MALSR Rwy 17L and MALSR Rwy 35R—CTAF. VASI Rwy 17L and Rwy 35R continuous.

NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: AWOS-3 118.775 (903) 786-7790.**COMMUNICATIONS:** CTAF 120.575 UNICOM 122.7

SHERMAN/DENISON RCO 122.3 (FORT WORTH RADIO)

® FORT WORTH CENTER APP/DEP CON 124.75

TOWER 120.575 (1300-0100Z) GND CON 124.125


AIRSPACE: CLASS D svc 1300-0100Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.

BONHAM (H) VORTACW 114.6 BYP Chan 93 N33°32.25' W96°14.05' 290° 24.4 NM to fld. 700/6E.

HIWAS.

DENISON NDB (MHW) 341 DNI N33°49.44' W96°40.18' 176° 6.6 NM to fld. NOTAM FILE GYI.

ILS 111.7 I-GYI Rwy 17L. LOC unusable byd 25° right of course.

**SHERMAN/DENISON** N33°42.84' W96°40.35'**DALLAS-FT. WORTH**

RCO 122.3 (FORT WORTH RADIO)

L-17C, A

SINTON**ALFRED C 'BUBBA' THOMAS** (T69) 2 W UTC-6(-5DT) N28°02.31' W97°32.55'**SAN ANTONIO**

48 B S4 FUEL 100LL, JET A NOTAM FILE SJT

L-20H, 21A

RWY 14-32: H4323X55 (ASPH) S-8 MIRL

IAP

RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 19'. Thld dspcd 250'. Trees.

RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 21'. Thld dspcd 400'. Road.

RWY 03-21: 3100X50 (TURF)

RWY 03: P-line. RWY 21: P-line.

AIRPORT REMARKS: Attended 1500-0000Z. For fuel or svc after hours, call 361-364-5005. Rwy 03-21 not maintained, unsuitable for use. Rwy 14-32 grass encroaches on outside 2' of rwy. Windsock lgts OTS indef. REIL Rwy 14 and Rwy 32 OTS indef. PAPI Rwy 32 OTS indef. ACTIVATE MIRL Rwy 14-32, REIL Rwy 14 and Rwy 32—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


CORPUS CHRISTI RCO 122.65 (SAN ANGELO RADIO)

® CORPUS APP/DEP CON 120.9

RADIO AIDS TO NAVIGATION: NOTAM FILE CRP.

CORPUS CHRISTI (H) VORTACW 115.5 CRP Chan 102 N27°54.23'

W97°26.69' 318° 9.6 NM to fld. 60/9E. HIWAS.

**SKYDIVE HOUSTON** (See WALLER)**SKYLARK FLD** (See KILLEEN)**SKYWAY MANOR** (See PEARLAND)**SKYWEST INC** (See MIDLAND)

SLATON MUNI (F49) 2 N UTC-6(-5DT) N33°29.09' W101°39.64'

DALLAS-FT. WORTH

3123 B S2 FUEL 100LL, JET A NOTAM FILE FTW

L-6H

RWY 18-36: H4245X75 (ASPH) S-20 MIRL

RWY 18: PAPI(P2L)—GA 3.0° TCH 40'.

RWY 36: PAPI(P2L)—GA 3.0° TCH 40'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±. For arpt mgr after hrs call 806-657-4454. 5' line-of-sight not avbl between Rwy 18-36 ends. MIRL Rwy 18-36 preset low ints, to incr ints and ACTIVATE PAPI Rwy 18 and Rwy 36—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

COMMUNICATIONS: CTAF/UNICOM 123.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE LBB.

LUBBOCK (L) VORTACW 109.2 LBB Chan 29 N33°42.30' W101°54.84' 125° 18.3 NM to fld. 3310/11E.
HIWAS.

SMILEY JOHNSON MUNI/ BASS FLD (See CLARENDON)**SMITHVILLE CRAWFORD MUNI** (84R) 2 N UTC-6(-5DT) N30°01.69' W97°10.02'

SAN ANTONIO

L-19D, 21A

323 B S4 FUEL 100LL NOTAM FILE SJT

RWY 17-35: H4000X75 (ASPH) S-12.5 MIRL


RWY 17: PVASI(P SIL)—GA 4.0° TCH 34'. Tree.

RWY 35: PVASI(P SIL)—GA 3.0° TCH 23'. P-line.

AIRPORT REMARKS: Attended Mon-Sat 1500-2300Z±. ACTIVATE MIRL Rwy 17-35—123.3.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CXO.

INDUSTRY (L) VORTACW 110.2 IDU Chan 39 N29°57.36'
W96°33.73' 270° 31.8 NM to fld. 419/8E.

**SNYDER****WINSTON FLD** (SNK) 2 SW UTC-6(-5DT) N32°41.60' W100°57.03'

DALLAS-FT. WORTH

H-6G, L-17A

2430 B FUEL 100LL, JET A1 TPA-3430(1000) NOTAM FILE SNK

IAP

RWY 17-35: H5599X100 (ASPH) S-24 MIRL

RWY 17: REIL. PAPI(P4R)—GA 3.0° TCH 35'. Pole. Rgt ttc.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40'.

RWY 08-26: H4200X75 (ASPH) S-24 1.3% up E

RWY 08: Trees. Rgt ttc.

AIRPORT REMARKS: Attended 1400-0000Z±. Arpt CLOSED Thanksgiving, Christmas, and Easter. For fuel after hours call 325-573-9506, fee charged. Rotating bcn OTS indef. MIRL Rwy 17-35 preset low ints, to increase ints and ACTIVATE PAPI Rwy 17 and Rwy 35—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (325) 573-5724**COMMUNICATIONS:** CTAF/UNICOM 122.8


SNYDER RCO 122.45 (FORT WORTH RADIO)

FORT WORTH CENTER APP/DEP CON 127.45

RADIO AIDS TO NAVIGATION: NOTAM FILE BPG.

BIG SPRING (L) VORTACW 114.3 BGS Chan 90 N32°23.14'
W101°29.02' 045° 32.7 NM to fld. 2670/11E.

SNYDER NDB (MHW) 359 SDR N32°42.08' W100°56.77' at
fld. NOTAM FILE SNK.

**SNYDER** N32°42.08' W100°56.77' NOTAM FILE SNK.

DALLAS-FT WORTH

NDB (MHW) 359 SDR at Winston Fld.

L-17A

RCO 122.45 (FORT WORTH RADIO)

SONORA MUNI (SOA) 1 N UTC-6(-5DT) N30°35.14' W100°38.91'

SAN ANTONIO

2140 B FUEL 100LL, JET A NOTAM FILE SOA

L-19B

RWY 18-36: H4037X60 (ASPH) S-12.5 MIRL

IAP

RWY 18: REIL. PVASI(PSIL)—GA 3.0° TCH 29'. Thld dsplcd 93'. Trees.

RWY 36: REIL. PVASI(PSIL)—GA 3.0° TCH 56'. Thld dsplcd 601'. Pole.

AIRPORT REMARKS: Attended 1400-2300Z. Arpt CLOSED to acft 12,500 lbs and over. 400' AGL tethered balloon 25 NM southeast SR-SS. MIRL Rwy 18-36 preset med ints only, ACTIVATE PVASI Rwys 18 and 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.075 (325) 387-3801.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **HOUSTON CENTER APP/DEP CON** 125.75

RADIO AIDS TO NAVIGATION: NOTAM FILE ECU.

ROCKSPRINGS (L) VORTAC 111.2 RSG Chan 49 N30°00.88' W100°17.99' 322° 38.7 NM to fld. 2310/10E.

NDB (MHW) 371 SOA N30°34.91' W100°38.82' at fld. Unmonitored. NOTAM file SOA.



SOUTH TEXAS INTL AT EDINBURG (See EDINBURG)

SOUTHEAST TEXAS RGNL (See BEAUMONT/PORT ARTHUR)

SPEARMAN MUNI (E42) 1 N UTC-6(-5DT) N36°13.26' W101°11.67'

WICHITA

3090 B FUEL 100LL NOTAM FILE FTW

H-66, L-15B

RWY 02-20: H5022X75 (ASPH) S-12.5 MIRL

IAP

RWY 02: PAPI(P2L). Road. **RWY 20:** PAPI(P2L).


AIRPORT REMARKS: Unattended. For fuel call 806-659-2422 and hangar space 806-659-2524 Mon-Sat 1330-0100Z, other hours call 806-659-3707. No line of sight between rwy ends. MIRL Rwy 02-20 preset low ints, to increase ints and ACTIVATE PAPI Rwy 02 and Rwy 20—122.8.

COMMUNICATIONS: CTAF 122.9

ALBUQUERQUE CENTER APP/DEP CON 127.85

RADIO AIDS TO NAVIGATION: NOTAM FILE BGD.

BORGER (L) VORTACW 108.6 BGD Chan 23 N35°48.43' W101°22.93' 009° 26.4 NM to fld. 3130/11E.



SPICEWOOD (88R) 2 E UTC-6(-5DT) N30°28.68' W98°07.27'

SAN ANTONIO

830 S6 FUEL 100LL, JET A TPA-1830(1000) NOTAM FILE SJT

L-19C

RWY 17-35: H4185X30 (ASPH) S-12.5

RWY 17: Thld dsplcd 464'. Tree. **RWY 35:** Trees.

AIRPORT REMARKS: Attended irregularly. Arpt CLOSED nights. Arpt CLOSED to jet and turbo jet acft, except for very light jets. Arpt CLOSED to acft over 12,500 GWT. Arpt CLOSED to touch and go landings, ultralights and hang gliders. Be alert for deer on and in vicinity of arpt. No line of sight btn rwy ends.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71' W97°31.79' 275° 31.2 NM to fld. 593/6E.

STAMFORD N32°52.12' W99°44.02' NOTAM FILE FTW.

DALLAS-FT WORTH

NDB (MHW) 290 TMV 349° 2.4 NM to Arledge Fld.

L-17B

STAMFORD**ARLEDGE FLD** (F56) 4 SE UTC-6(-5DT) N32°54.55' W99°44.16'

DALLAS-FT WORTH

1561 B S4 NOTAM FILE FTW

L-17B

RWY 17-35: H3705X60 (ASPH) S-4 MIRL

IAP

RWY 17: Road.

RWY 08-26: 2140X100 (TURF-GRVL)

RWY 08: Road.

RWY 13-31: 1700X80 (TURF-GRVL)

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z† and Sat 1400-1800Z†. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

ABILENE APP/DEP CON 127.2


RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'

W99°51.81' 004° 26.5 NM to fld. 1810/10E.

STAMFORD NDB (MHW) 290 TMV N32°52.12'

W99°44.02' 349° 2.4 NM to fld. NOTAM FILE FTW.

**STANTON MUNI** (63F) 3 NW UTC-6(-5DT) N32°10.42' W101°49.35'

DALLAS-FT. WORTH

2731 B NOTAM FILE SJT

L-6H

RWY 16-34: H4200X60 (ASPH) S-14 LIRL

RWY 16: Road.

RWY 34: Road.

AIRPORT REMARKS: Unattended. Parachute Jumping. Numerous 300' tall windmills 1.25-3 miles NW, NE and East of arpt. Rwy 16-34 LIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MAF.

MIDLAND (L) VORTACW 114.8 MAF Chan 95 N32°00.56' W102°11.42' 051° 21.2 NM to fld. 2860/11E.

STARN N31°10.07' W97°52.69' NOTAM FILE SJT.

SAN ANTONIO

NDB (MHW/LOM) 323 GR 150° 6.5 NM to Robert Gray AAF (Fort Hood).

L-19C, 21A

STEPHENS CO (See BRECKENRIDGE)**STEPHENVILLE****CLARK FLD MUNI** (SEP) 1 E UTC-6(-5DT) N32°12.92' W98°10.66'

DALLAS-FT WORTH

1321 B S4 FUEL 100LL, JET A NOTAM FILE SEP

L-17C

RWY 14-32: H4209X75 (ASPH) MIRL 0.8% up NW

IAP

RWY 14: PAPI(P2L). Tree.

RWY 32: PAPI(P2L). Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z†, Sat 1500-2200Z†. For fuel after hours call 254-965-6102 or 254-968-6445. PAEW on ramp.

WEATHER DATA SOURCES: AWOS-3 118.075 (254) 965-8672.


COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WORTH CENTER APP/DEP CON 127.15

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

GLEN ROSE (L) VORTACW 115.0 JEN Chan 97 N32°09.58'

W97°52.65' 276° 15.6 NM to fld. 1300/6E.



STERLING CITY**ALVIE COLE RANCH** (64F) 12 S UTC-6(-5DT) N31°38.63' W100°58.17'

SAN ANTONIO

2444 NOTAM FILE SJT

RWY 14-32: 3000X60 (GRVL-TURF)**RWY 14:** Fence. **RWY 32:** Fence.**AIRPORT REMARKS:** Attended irregularly. Livestock on and invof of Rwy. Owner lives at airstrip.**COMMUNICATIONS:** CTAF 122.9**STINSON MUNI** (See SAN ANTONIO)**STONEWALL** N30°12.41' W98°42.35' NOTAM FILE T82.

SAN ANTONIO

(H) VORTAC 113.8 STV Chan 85 274° 10.8 NM to Gillespie Co. 1530/8E.

H-7B, L-19C

VORTAC unusable

067°-055° byd 30 NM blo 3300'.

055°-066° byd 30 NM blo 3000'.

RCO 122.1R 113.8T (SAN ANGELO RADIO)**STONEWALL CO** (See ASPERMONT)**STRATFORD****PRONGER BROTHERS RANCH** (3E7) 8 SW UTC-6(-5DT) N36°13.17' W102°06.24'

WICHITA

3722 NOTAM FILE FTW

RWY 17-35: 4100X40 (TURF)**RWY 35:** Fence.**RWY 06-24:** 3500X40 (TURF)**RWY 24:** Fence.**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. Livestock on rwys. Rwy 06-24 and Rwy 17-35 surface is rough and contains prairie dog holes. Rwy 06-24 and Rwy 17-35 thlds and edges not marked.**COMMUNICATIONS:** CTAF 122.9**STRATFORD FLD** (H7Ø) 1 NE UTC-6(-5DT) N36°20.74' W102°02.96'

WICHITA

3668 TPA-4668(1000) NOTAM FILE FTW


L-15B

RWY 04-22: H3023X32 (ASPH) S-9 LIRL (NSTD) 0.5% up SW

IAP

RWY 04: Road. **RWY 22:** Road.**AIRPORT REMARKS:** Unattended. Emergency fuel 100LL only. Rwy 04-22 LIRL OTS indef. Rwy 04-22 NSTD LIRL, lgts located 33' from edge of pavement.**COMMUNICATIONS:** CTAF 122.9**DALHART RCO** 122.2 (FORT WORTH RADIO)**RADIO AIDS TO NAVIGATION:** NOTAM FILE DHT.**DALHART (L) VORTACW** 112.0 DHT Chan 57 N36°05.49'

W102°32.68' 046° 28.5 NM to fld. 4020/12E. HIWAS.

**SUDDEN STOP** (See COLLINSVILLE)**SUGAR LAND RGNL** (See HOUSTON)

SULPHUR SPRINGS MUNI (SLR) 2 NW UTC-6(-5DT) N33°09.59' W95°37.27'

DALLAS-FT WORTH

489 B S4 FUEL 100LL, JET A NOTAM FILE SLR

H-61, L-17D

RWY 18-36: H5001X75 (ASPH) S-12 MIRL 0.5% up S


IAP

RWY 18: REIL. RWY 36: Bldg.

AIRPORT REMARKS: Attended Mon-Sat 1400Z±-SS, Sun by request. For arpt attendant on Sun call 903-885-4911 during normal attendance hrs. Birds on and in/ov arpt. Ldg adjacent Rwy 18-36 on grass strip prohibited. Light sport acft opr on west side of rwy. ACTIVATE REIL Rwy 18-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.35 (903)885-9605.**COMMUNICATIONS:** CTAF/UNICOM 123.075**FORT WORTH CENTER APP/DEP CON** 132.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE SLR.

(L) VORW/DME 109.0 SLR Chan 27 N33°11.91' W95°32.56'
232° 4.6 NM to fld. 508/8E.

**SUNRAY** (X43) 1 NW UTC-6(-5DT) N36°01.75' W101°49.73'

WICHITA

3507 B TPA-4507(1000) NOTAM FILE FTW

L-15B

RWY 02-20: 3760X50 (GRVL)

RWY 02: P-line. RWY 20: Road.

RWY 17-35: H3250X50 (ASPH) S-13 LIRL

RWY 17: Road. RWY 35: Railroad.

AIRPORT REMARKS: Attended irregularly. Rotating bcn OTS indef. 10' AGL gas well located 375' east of south end Rwy 02-20. Well head 10' high, 147' left of Rwy 20 end. Rwy 17-35 multiple potholes at AER 17 between rwy end and numbers.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE BGD.

BORGER (L) VORTACW 108.6 BGD Chan 23 N35°48.43' W101°22.93' 291° 25.5 NM to fld. 3130/11E.

SUNRISE BEACH (See SUNRISE BEACH VILLAGE)**SUNRISE BEACH VILLAGE****SUNRISE BEACH** (2KL) 1 NE UTC-6(-5DT) N30°35.93' W98°24.52'

SAN ANTONIO

854 S4 NOTAM FILE SJT

RWY 12-30: 2649X110 (TURF-GRVL) LIRL

RWY 12: Tree. RWY 30: Trees, Rgt tfc.

AIRPORT REMARKS: Unattended. In emergency call 325-247-5767 Llano Sheriff Department. Be alert for deer on and in/ov rwy. For acft svc call 512-755-0399. PAEW adjacent Rwy 12-30. No touch and go ops. Transient parking limited to 72 hrs. Trees in apch area and hangars within 60' of rwy. 20-30' trees along both sides of rwy 75' each side of rwy centerline. PAEW and 4' deep by 40' wide trench 25' from AER 12. Rwy 12-30 thlds marked with white tires. Arpt lgts ops dusk-0430Z±.

COMMUNICATIONS: CTAF: 122.9**SWEETWATER** N32°27.70' W100°27.94' NOTAM FILE SWW.

DALLAS-FT WORTH

NDB (MHW) 275 SWW at Avenger Fld.

L-17A

SWEETWATER**AVENGER FLD** (SWW) 3 W UTC-6(-5DT) N32°28.04' W100°27.99'

DALLAS-FT. WORTH

H-6G, L-17A

IAP

2380 B S4 FUEL 100LL, JET A1+ NOTAM FILE SWW

RWY 17-35: H5840X100 (ASPH) S-30 MIRL 0.5% up S

RWY 17: REIL. PAPI (P4L)—GA 3.0° TCH 40'.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RWY 04-22: H5659X75 (ASPH) S-30 MIRL 0.8% up SW

RWY 04: PAPI(P2L)—GA 3.0° TCH 40'. Pole.

RWY 22: PAPI(P2L)—GA 3.0° TCH 40'. Road.

AIRPORT REMARKS: Attended 1400-0000Z†. For fuel after hours call 325-235-8475.**WEATHER DATA SOURCES:** AWOS-3 119.025 (325) 236-9652.**COMMUNICATIONS:** CTAF/UNICOM 122.8


ABILENE APP/DEP CON 127.2

RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'

W99°51.81' 259° 30.6 NM to fld. 1810/10E.

SWEETWATER NDB (MHW) 275 SWW N32°27.70' W100°27.94' at fld. NOTAM FILE SWW.

**SYCAMORE STRIP** (See FORT WORTH)**TAHOKA****T-BAR** (2F4) 1 NW UTC-6(-5DT) N33°10.62' W101°49.19'

DALLAS-FT. WORTH

L-6H

3126 B NOTAM FILE FTW

RWY 17-35: H3278X50 (ASPH) S-12.5 MIRL

RWY 17: Road. Rgt tfc. RWY 35: Road.

RWY 08-26: 2543X33 (GRVL) S-10

RWY 08: Post. RWY 26: Road. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. Heavy duster activity May thru Oct. 20' AGL irrigation equipment 300' north AER 35. Rwy 08-26 thlds not defined. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-122.8. Only south 3093' Rwy 17-35 lighted.**COMMUNICATIONS:** CTAF/UNICOM 122.8 UNICOM OTS indef.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LBB.

LUBBOCK (L) VORTACW 109.2 LBB Chan 29 N33°42.30' W101°54.84' 160° 32.0 NM to fld. 3310/11E. HIWAS.

TARRANT FLD (See MOUNT SELMAN)**TAYLOR** (See QUINLAN)

TAYLOR MUNI (T74) 2 W UTC-6(-5DT) N30°34.36' W97°26.59'

SAN ANTONIO

600 B S4 FUEL 100LL, JET A NOTAM FILE SJT

L-19C, 21A

RWY 17-35: H4000X75 (ASPH) S-12.5 MIRL 1.3% up N

IAP

RWY 17: VASI (NSTD). Pole. Rgt tfc.

RWY 35: VASI (NSTD). Thld displcd 249'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. Helicopter svc also avbl.
PAEW E side of arpt. Numerous agricultural ops invof arpt during
dalgt hrs. Rwy 17 and Rwy 35 NSTD single box VASI on left side.


COMMUNICATIONS: CTAF/UNICOM 122.8

® AUSTIN APP/DEP CON 127.225

RADIO AIDS TO NAVIGATION: NOTAM FILE AUS.

CENTEX (H) VORTACW 112.8 CWK Chan 75 N30°22.71'

W97°31.79' 015° 12.5 NM to fld. 593/6E.



T-BAR (See TAHOKA)

TEAGUE MUNI (68F) 3 NW UTC-6(-5DT) N31°39.68' W96°18.60'

HOUSTON

525 B FUEL 100LL NOTAM FILE FTW

L-19D, A

RWY 15-33: H3300X50 (ASPH) S-16 MIRL

RWY 15: Trees.

RWY 33: Tree.

AIRPORT REMARKS: Unattended. Fuel 24 hr self service. Mowing ops on arpt summer months.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14' W96°13.09' 183° 31.8 NM to fld. 400/6E.

TEMPLE**DRAUGHON-MILLER CENTRAL TEXAS RGNL** (TPL) 5 NW UTC-6(-5DT)SAN ANTONIO
H-6H, L-19C, 21A
IAP

N31°09.15' W97°24.47'

682 B S4 FUEL 100LL, JET A, A1+ ARFF Index-See Remarks NOTAM FILE TPL

RWY 15-33: H6301X150 (ASPH-GRVD) S-55, D-70, ST-88,

DT-110 MIRL

RWY 15: MALSR. RWY 33: PAPI(P4L)—GA 3.0° TCH 25'.

RWY 02-20: H4740X100 (ASPH) S-31, D-37 MIRL

RWY 20: PAPI(P4L)—GA 3.0° TCH 45'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 02: TORA-4740 TODA-4740 ASDA-4740 LDA-4740

RWY 20: TORA-4740 TODA-4740 ASDA-4740 LDA-4740

RWY 15: TORA-6301 TODA-6301 ASDA-6301 LDA-6301

RWY 33: TORA-6301 TODA-6301 ASDA-6301 LDA-6301

AIRPORT REMARKS: Attended 1100-0400Z†. Glider ops 1.5 miles north of Rwy 15 thld. ARFF not avbl 0400-1100Z†. Class IV, Index A. CLOSED to unscheduled air carrier operations with more than 30 passenger seats except 24 hours PPR, call arpt manager 254-298-5770. ARFF protection meets Index B. Military helicopter training on arpt. PAEW adjacent all twys and rwys. ACTIVATE PAPI Rwy 20—CTAF. After 0400Z† MIRL Rwy 15-33 preset low intensity, to increase intensity and ACTIVATE MALSR Rwy 15—CTAF. MIRL Rwy 02-20 not avbl after 0400Z†.

WEATHER DATA SOURCES: AWOS-3 134.975 (254) 774-8337.**COMMUNICATIONS:** CTAF/UNICOM 123.0


TEMPLE RCO 122.1R 110.4T (SAN ANGELO RADIO)

® GRAY APP/DEP CON 120.075 CLNC DEL 125.9

AIRSPACE: CLASS E svc 1200-0500Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE TPL.

TEMPLE (L) VOR/DME 110.4 TPL Chan 41 N31°12.56' W97°25.50' 156° 3.5 NM to fld. 710/9E.

ILS/DME 111.5 I-TPL Chan 52 Rwy 15. Class IE. LOC rstd on right side byd 25° due to Hood MOA.

**TEMPLE** N31°12.56' W97°25.50' NOTAM FILE TPL.SAN ANTONIO
H-6H, L-19C, 21A(L) VOR/DME 110.4 TPL Chan 41 156° 3.5 NM to Draughon-Miller
Central Texas Rgnl. 710/9E.

RCO 122.1R 110.4T (SAN ANGELO RADIO)

TERLINGUA RANCH (See ALPINE)**TERRELL CO** (See DRYDEN)

TERRELL MUNI (TRL) 1 SE UTC-6(-5DT) N32°42.55' W96°16.04'

474 B S4 FUEL 100LL, JET A NOTAM FILE TRL

RWY 17-35: H5006X75 (ASPH) S-12 MIRL 0.4% up N

RWY 17: LDIN REIL. PAPI(P4L). Tree.

RWY 35: REIL. PAPI(P4L). Trees.

RWY 14-32: H3014X75 (ASPH) S-12 MIRL

RWY 14: PAPI(P2L). Road. RWY 32: PAPI(P2L). Trees.

AIRPORT REMARKS: Attended 1400-0200Z†. For attendant after hours call 972-563-1749 or 972-524-6189. Birds on and in/ov arpt.

ACTIVATE LDIN and PAPI Rwy 17 and PAPI Rwy 35—CTAF.

WEATHER DATA SOURCES: ASOS 119.275 (972) 551-1334.


COMMUNICATIONS: CTAF/UNICOM 122.8

FORT WORTH CENTER APP/DEP CON 132.85

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14' W96°13.09' 349° 31.4 NM to fld. 400/6E.

TRAVIS NDB (MHW) 260 AVZ N32°45.61' W96°14.95' 191° 3.2 NM to fld. NOTAM FILE TRL. Unmonitored 0200-1400Z†.



DALLAS-FT. WORTH
H-6H, L-17D, A
IAP

TERRY CO (See BROWNFIELD)

TEXICO N34°29.71' W102°50.38' NOTAM FILE FTW.

(H) VORTACW 112.2 TXO Chan 59 240° 12.6 NM to Clovis Muni, NM 4060/11E.

ALBUQUERQUE
H-6G, L-6H

THE CARTER MEM (See LULING)

THREE RIVERS N28°30.30' W98°09.03' NOTAM FILE SJT.

(L) VORTAC 111.4 THX Chan 51 160° 8.7 NM to Live Oak Co. 270/8E.

RCO 122.1R 111.4T (SAN ANGELO RADIO)

SAN ANTONIO
H-7B, L-20H

THROCKMORTON MUNI (72F) 1 E UTC-6(-5DT) N33°10.76' W99°08.99'

1273 B NOTAM FILE FTW

RWY 17-35: H3720X60 (ASPH) S-12 LIRL

RWY 17: Thld dsplcd 525'. RWY 35: Thld dsplcd 505'. Tree.

AIRPORT REMARKS: Unattended. Construction underway at airport no "X's" present.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 200° 55.9 NM to fld. 1100/10E.

DALLAS-FT. WORTH
L-17B

TOMHI N32°17.93' W99°40.45' NOTAM FILE ABI.

NDB (LOM) 353 AB 349° 6.8 NM to Abilene Rgnl.

DALLAS-FT. WORTH

TOWN AND COUNTRY AIRPARK (See LUBBOCK)

T P Mc CAMPBELL (See INGLESIDE)

TRADEWIND (See AMARILLO)

TRAVIS N32°45.61' W96°14.95' NOTAM FILE TRL.

NDB (MHW) 260 AVZ 191° 3.2 NM to Terrell Muni. Unmonitored 0200-1400Z†.

DALLAS-FT. WORTH
A

TRINITY N29°32.78' W94°44.85'. NOTAM FILE CXO.

(L) VORW/DME 113.6 MHF Chan 83 011° 14.1 NM to Chambers Co. 38/7E.

HOUSTON
H-7C, L-19E, 21A

TRUAX FLD (See CORPUS CHRISTI NAS)

TRUAX N27°41.18' W97°17.68' NOTAM FILE CRP.

(L) VORTAC 114.0 NGP Chan 87 at Corpus Christi NAS (Truax Fld). TACAN unusable byd 35 NM blo 1,000'. VOR portion unusable 012°-020°, 200°-220°.


BROWNSVILLE
L-20H, 21A

TSTC WACO (See WACO)

TULIA**CITY OF TULIA/SWISHER CO MUNI** (I06) 2 NW UTC-6(-5DT)**DALLAS-FT. WORTH****L-6H**

N34°34.01' W101°46.89'

3503 B FUEL 100LL NOTAM FILE FTW

RWY 18-36: H4900X60 (ASPH) S-12.5 MIRL**RWY 36:** Road.**AIRPORT REMARKS:** Unattended. Fuel avbl with credit card. For assistance call 806-627-7719. Livestock invof arpt. Rwy 18-36 preset low ints, to increase ints ACTIVATE-122.8.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE FTW.**PANHANDLE (H) VORTACW** 116.6 PNH Chan 113 N35°14.10'W101°41.94' 178° 40.2 NM to fld. 3595/8E. **HIWAS.****TUSCOLA** N32°14.15' W99°49.01' NOTAM FILE FTW.**DALLAS-FT. WORTH**

(L) VORW/DME 111.6 TQA Chan 53 340° 11.2 NM to Dyess AFB. 2018/10E.

H-6H, L-17B**TWIN-OAKS** (See SAN ANTONIO)

TYLER POUNDS RGNL (TYR) 3 W UTC-6(-5DT) N32°21.25' W95°24.15'

DALLAS-FT. WORTH

544 B S4 FUEL 100LL, JET A OX 1, 3 ARFF Index—See Remarks NOTAM FILE TYR

H-61, L-17D

RWY 04-22: H7200X150 (ASPH-GRVD) S-40, D-60, ST-84, DT-100 MIRL

IAP, AD

RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 22: REIL. VASI(V4L)—GA 3.0° TCH 50'. Tree.

RWY 13-31: H5200X150 (ASPH-GRVD) S-40, D-60, DT-100

HIRL 0.5% up SE

RWY 13: MALSR. Pole.

RWY 31: ODALS. VASI(V4L)—GA 3.0° TCH 54'. Road.

RWY 17-35: H4850X150 (ASPH) S-40, D-60, DT-100

MIRL 0.5% up S

RWY 17: Tree.

RWY 35: Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-7200 TODA-7200 ASDA-7200 LDA-7200

RWY 22: TORA-7200 TODA-7200 ASDA-7200 LDA-7200

RWY 13: TORA-5200 TODA-5200 ASDA-5200 LDA-5200

RWY 31: TORA-5200 TODA-5200 ASDA-5200 LDA-5200

RWY 17: TORA-4850 TODA-4850 ASDA-4850 LDA-4850

RWY 35: TORA-4850 TODA-4850 ASDA-4850 LDA-4850

AIRPORT REMARKS: Attended 1100-0400Z†. For fuel after hours call

903-597-1334 or 903-595-4255. Class I, ARFF Index A. ARFF

Index B avbl. Helicopters operating inbound/outbound to/from the

downtown hospitals state intention on 123.075. West side passenger terminal ramp access rstd to air carrier.

Noise abatement procedures in effect Call 903-590-3048. When twr clsd ACTIVATE MIRL Rwy 04-22 and Rwy

17-35. MALSR Rwy 13, ODALS Rwy 31 and twy lights-120.1, HIRL Rwy 13-31 preset medium ints, to increase

ints ACTIVATE-120.1. PAPI Rwy 04, VASI Rwy 22 and Rwy 31 operate continuously.

WEATHER DATA SOURCES: ASOS (903) 535-9105. LAWRs.**COMMUNICATIONS:** CTAF 120.1 ATIS 126.25 UNICOM 122.95


RCO 122.3 (FORT WORTH RADIO)

® **LONGVIEW APP/DEP CON** 128.75 (1200-0400Z†)**FORT WORTH CENTER APP/DEP CON** 135.25 (0400-1200Z†)**TOWER** 120.1 (1230-0330Z†) **GND CON** 121.9**AIRSPACE:** CLASS D svc 1230-0330Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE TYR.

(T) VORW/DME 114.2 TYR Chan 89 N32°21.35' W95°24.21' at fld. 540/6E.

INDOO NDB (LOM) 320 TY N32°24.95' W95°28.18' 131° 5.0 NM to fld.

ILS 109.9 I-TYR Rwy 13. Class IC. LOM IND00 NDB Unmonitored when twr clsd.

**TYLER CO** (See WOODVILLE)**UPTON CO** (See MCCAMEY)**UVALDE****GARNER FLD** (UVA) 3 E UTC-6(-5DT) N29°12.68' W99°44.62'

SAN ANTONIO

942 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 NOTAM FILE UVA

H-7B, L-19B

RWY 15-33: H5256X100 (ASPH) S-30, D-40, DT-40 MIRL 0.3% up NW

IAP

RWY 15: REIL. VASI(V2L)—GA 4.0° TCH 46'. Trees. RWY 33: REIL. VASI(V2L)—GA 3.0° TCH 29'.

AIRPORT REMARKS: Attended 1300-0100Z†. Turf strip 3300'X75' parallel to and E of Rwy 15-33 used by crop dusters only. ACTIVATE MIRL Rwy 15-33—CTAF.**WEATHER DATA SOURCES:** AWOS-3 124.175 (830) 278-8862.**COMMUNICATIONS:** CTAF/UNICOM 122.8

UVALDE RCO 123.65 (SAN ANGELO RADIO)

® **HOUSTON CENTER APP/DEP CON** 134.95**RADIO AIDS TO NAVIGATION:** NOTAM FILE ERV.**CENTER POINT (H) VORTAC** 117.5 CSI Chan 122 N29°55.34' W99°12.87' 205° 50.8 NM to fld. 2080/8E.

UVALDE NDB (MHW) 281 UVA N29°10.66' W99°43.54' 328° 2.2 NM to fld. NOTAM FILE UVA.

UVALDE N29°10.66' W99°43.54' NOTAM FILE UVA.

SAN ANTONIO

NDB (MHW) 281 UVA 328° 2.2 NM to Garner Fld.

L-19B

RCO 123.65 (SAN ANGELO RADIO)

VALLEY INTL (See HARLINGEN)

VALLEY MILLS MUNI (9F1) 3 SE UTC-6(-5DT) N31°37.26' W97°25.77'

SAN ANTONIO

751 NOTAM FILE FTW

RWY 06-24: 3028X40 (TURF)

RWY 24: Tree.

RWY 14-32: 2788X40 (TURF)

RWY 14: Road. RWY 32: Fence.

AIRPORT REMARKS: Unattended. Remote Controlled acft opr in immediate vicinity of arpt. 1' ditches on edges of Rwy 24. Rwy 06-24 and Rwy 14-32 rough. All rws soft when wet. Rwy 06-24 white painted tires outline rwy and thlds.

COMMUNICATIONS: CTAF 122.9

VALTR N31°51.62' W106°19.06' NOTAM FILE ELP.

EL PASO

NDB (HW/LOM) 242 EL 212° 4.4 NM to El Paso Intl.

L-6F

VAN HORN

CULBERSON CO (VHN) 3 NE UTC-6(-5DT) N31°03.47' W104°47.03'

EL PASO

3957 B FUEL 100LL, JET A1+ NOTAM FILE ABQ

H-6F, L-6J

RWY 03-21: H6000X75 (ASPH) S-15 MIRL 0.6% up SW

RWY 03: VASI(V2R)—GA 3.0° TCH 23'. Brush.

RWY 21: VASI(V2L)—GA 3.0° TCH 24'.

RWY 07-25: H5353X75 (ASPH) S-15 MIRL 0.9% up W

RWY 07: Brush.

AIRPORT REMARKS: Unattended. For fuel call 432-283-2237/2920/2003. MIRL Rwy 03-21 and Rwy 07-25 preset low ints SS-SR, to increase ints ACTIVATE—CTAF. After SR ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9

ALBUQUERQUE CENTER APP/DEP CON 135.875 GCO 121.725


(ALBUQUERQUE FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE ABQ.

HUDSPETH (L) VORTACW 115.0 HUP Chan 97 N31°34.12'

W105°22.58' 123° 43.2 NM to fld. 4390/12E.

VAN HORN NDB (MHW) 233 VHN N31°03.70' W104°47.20' at fld. NOTAM FILE ABQ. Unmonitored.



VAN HORN N31°03.70' W104°47.20' NOTAM FILE ABQ.

EL PASO

NDB (MHW) 233 VHN at Culberson Co. Unmonitored.

L-6J

VAN ZANDT COUNTY RGNL (See WILLS POINT)

VEELS N32°27.34' W94°47.86' NOTAM FILE GGG.

MEMPHIS

NDB (LOM) 410 GG 128° 6.1 NM to East Texas Rgnl.

VEGA

OLDHAM CO (E52) 2 SE UTC-6(-5DT) N35°13.92' W102°23.95'

ALBUQUERQUE

3995 B NOTAM FILE FTW

L-15B

RWY 17-35: H4200X60 (ASPH) S-20 MIRL

RWY 17: PAPI (P2L) P-line.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 17-35 and PAPI Rwy 17—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AMA.

PANHANDLE (H) VORTACW 116.6 PNH Chan 113 N35°14.10' W101°41.94' 262° 34.4 NM to fld. 3595/8E.

VERNON

WILBARGER CO (F05) 4 N UTC-6(-5DT) N34°13.54' W99°17.03'

1265 B FUEL 100LL, JET A NOTAM FILE F05

RWY 02-20: H5099X100 (ASPH) S-30, D-40, DT-60 MIRL

RWY 20: VASI(V4L)—GA 3.0° TCH 25'. Road.

RWY 16-34: H4304X80 (ASPH) S-10 MIRL

AIRPORT REMARKS: Attended 1400-2300Z†. For fuel after hours call 940-839-6365. ACTIVATE VASI Rwy 20—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.525 (940) 552-8600

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ ALTUS APP/DEP CON 125.1 (Mon-Fri 1430-0830Z† except Federal hols)

FORT WORTH CENTER APP/DEP CON 128.4 133.5 (Mon-Fri 0830-1430Z†, Sat-Sun and Federal hols 24 hrs)

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.


WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 283° 37.2 NM to fld. 1100/10E.

NDB (MHW) 230 VRT N34°13.56' W99°16.76' at fld. NOTAM FILE F05. Unmonitored.

DALLAS-FT. WORTH

H-6H, L-17B

IAP



VICTORIA RGNL (VCT) 5 NE UTC-6(-5DT) N28°51.15' W96°55.11'

115 B S2 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE VCT

RWY 12L-30R: H9101X150 (ASPH-CONC-GRVD) S-28, D-49, ST-64, DT-87 HIRL

RWY 12L: MALSR.

RWY 30R: PAPI(P4L)—GA 3.0° TCH 55'. Rgt ttc.

RWY 17-35: H4899X150 (ASPH-GRVD) S-28, D-49, DT-87 MIRL

RWY 17: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Fence.

RWY 35: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Pole.

RWY 12R-30L: H4643X150 (CONC) S-28, D-49, DT-87

RWY 12R: Thld dsplcd 431'. Rgt ttc.

RWY 30L: Thld dsplcd 551'. Pole.

RWY 06-24: H4200X75 (ASPH) S-28, D-49, DT-87

RWY 06: P-line.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 06: TORA-4200 TODA-4200 ASDA-4200 LDA-4200

RWY 24: TORA-4200 TODA-4200 ASDA-4200 LDA-4200

RWY 12R: TORA-4643 TODA-4643 ASDA-4643 LDA-4212

RWY 30L: TORA-4643 TODA-4643 ASDA-4643 LDA-4092

RWY 12L: TORA-9101 TODA-9101 ASDA-9101 LDA-9101

RWY 30R: TORA-9101 TODA-9101 ASDA-9101 LDA-9101

RWY 17: TORA-4899 TODA-4899 ASDA-4899 LDA-4899

RWY 35: TORA-4899 TODA-4899 ASDA-4899 LDA-4899

AIRPORT REMARKS: Attended Mon-Sat 1200-0200Z†, Sun 1400-0200Z†. CLOSED to unscheduled air carrier ops with more than 9 passenger seats except PPR, call 361-578-2704, after hours 361-575-0651. Rwy 06-24, Rwy 12R-30L and Rwy 17-35 not available for air carrier ops with more than 9 passenger seats. Rwy 06-24 northwest 2800' of rwy grd. HIRL Rwy 12L-30R preset low ints, to increase ints and ACTIVATE MALSR Rwy 12L—CTAF. MIRL Rwy 17-35 preset med ints only. PAPI Rwy 30R, Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: ASOS 119.025 (361) 578-9916.

COMMUNICATIONS: CTAF 126.075 ATIS 119.025 UNICOM 122.7

RCO 122.2 (MONTGOMERY COUNTY RADIO)

Ⓡ HOUSTON CENTER APP/DEP CON 135.05

TOWER 126.075 (1300-0400Z†) GND CON 120.525

AIRSPACE: CLASS D svc (1300-0400Z†) other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE VCT.

(L) VORW/DME 109.0 VCT Chan 27 N28°54.02' W96°58.74' 126° 4.3 NM to fld. 130/6E.

FOSTR NDB (LOM) 226 VC N28°54.91' W97°00.03' 125° 5.7 NM to fld.

ILS/DME 111.5 I-VCT Chan 52 Rwy 12L. Class IE. LOM FOSTR NDB. LOC unmonitored.

• • • • •
HELIPAD H1: H60X60 (ASPH)



HOUSTON

H-7C, L-201, 21A

IAP

WACO

BOYD FIELD (54X) 8 W UTC-6(-5DT) N31°04.11' W097°18.06'
 570 NOTAM FILE FTW Not Insp
RWY 03-21: 1950X60 (TURF)
RWY 05-23: 1950X60 (TURF)
AIRPORT REMARKS: Attended 1400-0200Z.
COMMUNICATIONS: CTAF 122.9

SAN ANTONIO

MCGREGOR EXECUTIVE (PWG) 4 W UTC-6(-5DT) N31°29.10' W97°18.99'

SAN ANTONIO

592 B S4 FUEL 100LL, JET A1 + OX 3, 4 NOTAM FILE PWG

H-6H, L-19D, 21A

RWY 17-35: H5501X75 (ASPH) S-30 MIRL 0.4% up N

IAP

RWY 17: REIL. PAPI(P4L)-GA 3.0° TCH 37'. Trees.

RWY 35: PAPI(P4L)-GA 3.0° TCH 45'. Trees.

RWY 04-22: H3484X55 (ASPH) S-12

RWY 04: Trees.

AIRPORT REMARKS: Attended 1300-2200Z. For fuel after hours call 254-848-2345. Military fuel contract. Calm wind less than 5 kts use Rwy 17. MIRL Rwy 17-35 preset low ints, to increase ints ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 135.525 (254) 848-4581.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **WACO APP CON** 135.2 **DEP CON** 126.125 (1200-0600Z)

FORT WORTH CENTER APP/DEP CON 133.3 (0600-1200Z)

GCO 121.725 (WACO CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

WACO (H) VORTACW 115.3 ACT Chan 100 N31°39.74' W97°16.14' 184° 10.9 NM to fld. 510/9E.

HIWAS.

ASR (1200-0600Z)

TSTC WACO (CNW) 8 NE UTC-6(-5DT) N31°38.27' W97°04.45'

SAN ANTONIO

470 B S2 FUEL 100LL, JET A NOTAM FILE FTW

H-6H, L-19D, A

RWY 17L-35R: H8600X75 (ASPH) S-50, D-200, ST-175, DT-450 MIRL

IAP, AD

RWY 17L: MALSR. VASI(V4R)-GA 3.0° TCH 53'.

RWY 35R: VASI(V4L)-GA 3.0° TCH 39'. Rgt tfc.

RWY 17R-35L: H6292X75 (CONC) S-25, D-76, ST-96, DT-140

RWY 17R: Rgt tfc.

RWY 35L: Tree.

AIRPORT REMARKS: Attended 1300-0000Z. Seasonal migratory birds and waterfowl. Radio blind spots at the south end of the arpt.

Areas not visible from the twr at the south end of the arpt. Night

ops 24 hours advance notice, call 254-867-3866. Auxiliary

power unit available for jet acft. Rwy 17R-35L CLOSED SS-SR,

avbl ngt for taxiing only. Rwy 17R-35L green centerline reflectors

along full length of rwy. When twr clsd MIRL Rwy 17L-35R preset

low ints, to increase ints and ACTIVATE MALSR Rwy 17L and VASI

Rwy 17L and Rwy 35R-121.7.

WEATHER DATA SOURCES: AWOS-3 134.225 (254) 867-3880. LAWRS.

COMMUNICATIONS: CTAF 124.0 UNICOM 122.95

WACO RCO 122.15 (FORT WORTH RADIO)

Ⓡ **WACO APP CON** 135.2 **DEP CON** 126.125 (1200-0600Z)

FORT WORTH CENTER APP/DEP CON 133.3 (0600-1200Z)

TOWER 124.0 (1300-0500Z) **GND CON** 121.7

AIRSPACE: CLASS D svc 1300-0500Z other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

WACO (H) VORTACW 115.3 ACT Chan 100 N31°39.74' W97°16.14' 089° 10.1 NM to fld. 510/9E.


HIWAS.

LEROI NDB (LOM) 378 CN N31°44.46' W97°04.69' 171° 6.2 NM to fld.

ROBINSON NDB (MHW) 400 ROB N31°30.23' W97°04.18' 351° 8.0 NM to fld. NOTAM FILE FTW.

ILS 110.7 I-CNW Rwy 17L. LOM LEROI NDB. ILS unmonitored.

ASR (1200-0600Z)



WACO RGNL (ACT) 5 NW UTC-6(-5DT) N31°36.68' W97°13.83'

SAN ANTONIO

516 B S4 FUEL 100LL, JET A OX 1 Class I, ARFF Index A NOTAM FILE ACT

H-6H, L-19D, A

RWY 01-19: H6596X150 (ASPH-GRVD) S-50, D-82, ST-121 HIRL

IAP, AD

RWY 01: VASI(V4R)—GA 3.0° TCH 54'. Road. RWY 19: MALSR.

RWY 14-32: H5896X150 (ASPH) S-50, D-82, ST-104 MIRL

RWY 14: REIL. VASI(V4L)—GA 3.0° TCH 59'.

RWY 32: VASI(V4L)—GA 3.0° TCH 59'. Road.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 14	01-19	5150
RWY 19	14-32	6050

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01:	TORA-6596	TODA-6596	ASDA-6596	LDA-6596
RWY 14:	TORA-5896	TODA-5896	ASDA-5896	LDA-5896
RWY 19:	TORA-6596	TODA-6596	ASDA-6596	LDA-6596
RWY 32:	TORA-5896	TODA-5896	ASDA-5896	LDA-5896

AIRPORT REMARKS: Attended 1045-0500Z†. PPR for unscheduled air carrier ops call arpt manager 254-750-8657. Twy C exit only. MIRL Rwy 14-32, REIL Rwy 14 and twy lgts preset low ints, when wind favors, otherwise not available. When twr clsd HIRL Rwy 01-19 and MALSR Rwy 19 preset low ints, to increase ints ACTIVATE—CTAF. NOTE: See Special Notices Section—Model Aircraft Activity.

WEATHER DATA SOURCES: ASOS (254) 754-6148. HIWAS 115.3 ACT.

COMMUNICATIONS: CTAF 119.3 ATIS 123.85 UNICOM 122.95

RCO 122.15 (FORT WORTH RADIO)

Ⓡ APP CON 135.2 (1200-0600Z†)

Ⓡ DEP CON 126.125 (1200-0600Z†)

FORT WORTH CENTER APP/DEP CON 133.3 (0600-1200Z†)

TOWER 119.3 (1200-0600Z†) GND CON 121.9

AIRSPACE: CLASS D svc 1200-0600Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE ACT.

(H) VORTACW 115.3 ACT Chan 100 N31°39.74' W97°16.14' 138° 3.6 NM to fld. 510/9E. HIWAS.

COFFI NDB (LOM) 358 AC N31°41.64' W97°12.23' 186° 4.5 NM to fld.

ILS/DME 109.7 I-ACT Chan 34 Rwy 19. Class 1E. LOM COFFI NDB. Unmonitored when twr clsd.

ASR (1200-0600Z†)



WINGS FOR CHRIST INTL FLIGHT ACADEMY (73F) 8 NE UTC-6(-5DT)

SAN ANTONIO

N31°37.43' W97°01.35'

455 NOTAM FILE FTW

RWY 16-34: 3000X80 (TURF) LIRL

RWY 16: Thld dsplcd 315'. Road. RWY 34: Tree. Rgt tfc.

AIRPORT REMARKS: Attended continuously. +4' fence along both sides of rwy 70' from centerline south half of rwy.

ACTIVATE LIRL Rwy 16-34—CTAF.

COMMUNICATIONS: CTAF 122.9

WALDRON FLD NOLF (NWL) N27°38.00' W97°18.78' NOTAM FILE SJT.

BROWNSVILLE

AIRSPACE: CLASS D svc Mon-Fri 1330Z†-SS except holidays other times Class G.

L-21A

WALLER

SKYDIVE HOUSTON (37X) 4 S UTC-6(-5DT) N29°59.60' W95°55.82'

HOUSTON

235 B S2 NOTAM FILE CXO

RWY 17-35: 4190X50 (ASPH-TRTD)

RWY 17: Trees.

RWY 35: Trees.

RWY N-S: 3030X53 (TURF) LIRL

RWY N: Brush.

RWY S: Trees.

AIRPORT REMARKS: Unattended. High concentration of skydiving activity within 3NM radius of arpt. For repairs call 936-931-1600. Rwy 17-35 CLOSED indef. Rwy 17-35 severely grass encroached. 2950' of Rwy N-S avbl for ngt ops, Rwy N thld relocated 440' at ngt. Rotating bcn OTS indef. Rwy N-S LIRL OTS indef. ACTIVATE LIRL RWY N-S—CTAF. Call 832-607-5698 for availability.

COMMUNICATIONS: CTAF 122.9

WARD AIRPARK (See BEASLEY)

WEATHERFORD**HORSESHOE BEND** (F78) 12 SW UTC-6(-5DT) N32°34.37' W97°52.35'

DALLAS-FT. WORTH

715 NOTAM FILE FTW

RWY 17-35: 3000X30 (GRVL)

RWY 17: Fence. RWY 35: Tree.

AIRPORT REMARKS: Unattended. Watch for deer and motor vehicles on rwy. Rwy 35 +70' trees at 635' 80' east of centerline and +20' p-line at 650' on centerline. Rwy 17-35 grass growing thru the entire length of rwy. Use extreme care ultralight activity on and in/ov arpt. Off arpt strobe light by prior request call 817-596-9335.

COMMUNICATIONS: CTAF 122.9**PARKER CO** (WEA) 5 E UTC-6(-5DT) N32°44.78' W97°40.95'

DALLAS-FT. WORTH

990 S4 FUEL 100LL NOTAM FILE FTW

L-17C, A

RWY 17-35: H2889X40 (ASPH) S-7.5 LIRL (NSTD)

IAP

RWY 17: Thld dsplcd 219'. Tree. RWY 35: Tree.


AIRPORT REMARKS: Attended 1400-0200Z+. Fuel avbl 24 hrs self serve. Wildlife in/ov arpt. Rwy 17-35 restricted to acft 7500 lbs or less. Arpt CLOSED to transient student training. Rwy 17-35 NSTD LIRL. Rwy 17 night dsplcd thld 2 clear lgts, 2 red lgts on rwy end.

COMMUNICATIONS: CTAF/UNICOM 122.7

® RGNL APP/DEP CON 135.975

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

MILLSAP (H) VORTACW 117.7 MQP Chan 124 N32°43.58' W97°59.84' 077° 16.0 NM to fld. 890/9E.

**WEISER AIR PARK** (See HOUSTON)**WELLINGTON****MARIAN AIRPARK** (F06) 1 SE UTC-6(-5DT) N34°50.74' W100°11.76'

DALLAS-FT. WORTH

L-17B

2008 B FUEL 100LL NOTAM FILE FTW

RWY 12-30: H4035X60 (ASPH) S-2.5 MIRL

RWY 12: Thld dsplcd 525'. Road. RWY 30: Road.

RWY 17-35: 1700X175 (TURF)

RWY 17: Road.

RWY 04-22: 1010X135 (TURF)

RWY 22: Pole.

AIRPORT REMARKS: Attended 1300-2300Z+. Rotating bcn OTS indef. Extensive agricultural ops during spring and summer. Rwy 17-35 marked with +2' barrel halves painted black and yellow. Rwy 04-22 marked with +3' barrel halves painted black and yellow.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CDS.

CHILDRESS (L) VORTACW 117.6 CDS Chan 123 N34°22.14' W100°17.34' 359° 28.9 NM to fld. 1920/10E. HIWAS.

WESLACO**MID VALLEY** (T65) 2 NE UTC-6(-5DT) N26°10.66' W97°58.38'

70 B S4 FUEL 100LL, JET A NOTAM FILE T65

RWY 13-31: H4998X70 (ASPH) S-12.5 MIRL

RWY 13: LDIN. REIL. PAPI(P4L)—GA 3.0° TCH 50'. Thld dsplcd 172'. Road.

RWY 31: REIL. PAPI (P4L)—GA 3.0° TCH 40'. Pole. Rgt tfc.

AIRPORT REMARKS: Attended 1300-0100Z+. Prior arrangement required other times for airport attendant. Fuel svcs available 24 hours. MIRL Rwy 13-31 and LDIN Rwy 13 preset low ints, to increase ints and ACTIVATE REIL Rwy 13 and Rwy 31—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.575 (956) 447-0502.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ VALLEY APP/DEP CON 121.0 CLNC DEL 125.95


RADIO AIDS TO NAVIGATION: NOTAM FILE HRL.

HARLINGEN (L) VORW/DME 109.2 HRL Chan 29 N26°13.75' W97°39.12' 251° 17.6 NM to fld. 30/5E. HIWAS.

BROWNSVILLE

L-20H

IAP

**WESTHEIMER AIR PARK** (See HOUSTON)**WEST HOUSTON** (See HOUSTON)**WHARTON****LACKEY AVIATION** (94R) 5 SE UTC-6(-5DT) N29°15.97' W96°00.46'**HOUSTON**

90 NOTAM FILE CXO

RWY 15-33: H2167X20 (ASPH)

RWY 15: Fence. RWY 33: Building.

AIRPORT REMARKS: Unattended. For arpt attendant call 979-532-4931.**COMMUNICATIONS:** CTAF 122.9**WHARTON RGNL** (ARM) 5 SW UTC-6(-5DT) N29°15.26' W96°09.26'**HOUSTON**

100 B S4 FUEL 100LL, JET A NOTAM FILE ARM

H-7C, L-19D, 21A

RWY 14-32: H5004X75 (ASPH) S-22 MIRL

IAP

RWY 14: PAPI(P4L)—GA 3.0° TCH 35'. P-line.

RWY 32: PAPI(P4L)—GA 3.0° TCH 31'.

AIRPORT REMARKS: Attended 1400-0000Z+. Self serve fuel after hrs with credit card. ACTIVATE MIRL Rwy 14-32 —CTAF.

WEATHER DATA SOURCES: AWOS-3 118.475 (979) 532-2791.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ HOUSTON CENTER APP/DEP CON 128.6


RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

EAGLE LAKE (H) VORW/DME 116.4 ELA Chan 111 N29°39.75'

W96°19.03' 153° 25.9 NM to fld. 190/8E.

NDB (MHW) 245 ARM N29°15.28' W96°09.12' at fld.

NOTAM FILE ARM.



WHEELER MUNI (T59) 4 E UTC-6(-5DT) N35°27.07' W100°12.00'

DALLAS-FT. WORTH

2470 B FUEL 100LL NOTAM FILE FTW

L-15C

RWY 17-35: H3565X60 (ASPH) S-12 LIRL 1.1% up S

IAP

RWY 35: Thld dsplcd 57'. Road.

AIRPORT REMARKS: Unattended. For fuel call 806-826-5537 (Sheriff's office). 407' AGL tower 19 NM SSW of arpt.


COMMUNICATIONS: CTAF: 122.9

① ALBUQUERQUE CENTER APP/DEP CON 127.85

RADIO AIDS TO NAVIGATION: NOTAM FILE MLC.

SAYRE (L) VORTAC 115.2 SYO Chan 99 N35°20.71'

W99°38.12' 273° 28.4 NM to fld. 1990/10E.

**WHITESBORO****FLYING H RANCH** (T29) 2 SW UTC-6(-5DT) N33°37.94' W96°56.45'

DALLAS-FT. WORTH

760 NOTAM FILE FTW

Not insp.

RWY 18-36: 2500X200 (TURF)

RWY 18: Thld dsplcd 600'. P-line.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. No student training. No touch and go ops. Rwy 18 dsplcd thld marked with white conc tiles on each side of rwy.

COMMUNICATIONS: CTAF 122.9

WHITNEY**LAKE WHITNEY STATE PARK** (F50) 3 SW UTC-6(-5DT) N31°55.51' W97°21.88'

SAN ANTONIO

564 NOTAM FILE FTW

RWY 17-35: H2000X50 (ASPH) S-10

RWY 17: Tree. RWY 35: Tree.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. Turn-around on Rwy 35 often used for acft parking. Ultralight aircraft prohibited.

COMMUNICATIONS: CTAF 122.9

WICHITA FALLS N33°59.24' W98°35.61' NOTAM FILE SPS.

DALLAS-FT WORTH

(H) VORTACW 112.7 SPS Chan 74

H-6H, L-17B

196° 2.6 NM to Wichita Valley. 1100/10E.

RC0 122.65 (FORT WORTH RADIO).

WICHITA FALLS**KICKAPOO DOWNTOWN** (CWC) 3 S UTC-6(-5DT) N33°51.64' W98°29.42'

DALLAS-FT. WORTH

1003 B S4 FUEL 100LL, JET A TPA-1800(797) NOTAM FILE FTW

L-17B

RWY 17-35: H4450X75 (CONC) S-30 MIRL 0.5% up S

IAP

RWY 17: REIL. PAPI(P4L)—GA 3.0°TCH 37'. Thld dsplcd 150'. Road.

RWY 35: REIL. PAPI(P4L)—GA 3.0° TCH 41'. Thld dsplcd 250'. Highway.

AIRPORT REMARKS: Attended 1200-0200Z†. CAUTION: Do not mistake KICKAPOO DOWNTOWN for SHEPPARD AFB/WICHITA FALLS MUNI 7 miles N. Intensive jet trainer tfc 2300-3000' MSL within Alert Area A-636. Remain blo 1800' MSL until in radar ctc with apch ctl for tfc advisories. Antennas 2051' and 2047' MSL 3-5 miles NW of arpt. ACTIVATE MIRL Rwy 17-35, PAPI Rwy 17 and REIL Rwy 17 and Rwy 35—CTAF. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: AWOS-3 119.625 (940) 766-2967.

COMMUNICATIONS: CTAF/UNICOM 122.7

① SHEPPARD APP/DEP CON 120.4 (Mon-Fri 1200-0300Z† Sun 1800-2300Z†, exc hol.) CLNC DEL 121.2 940-676-8354

FORT WORTH CENTER APP/DEP CON 133.5 (Mon-Fri 0300-1200Z†, Sun 2300-1800Z†, Sat and holidays 24 hrs.)

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 136° 9.2 NM to fld. 1100/10E.

SCOTLAND NDB (MHW) 344 SKB N33°46.94' W98°29.29' 359° 4.7 NM to fld. Unmonitored 0200-1200Z†.

SHEPPARD AFB/WICHITA FALLS MUNI

(SPS)(KSPS) CIV/MIL 5 N UTC-6(-5DT)

DALLAS-FT. WORTH

N33°59.33' W98°29.51'

H-6H, L-17B1019 B S2 **FUEL** 100LL, JET A OX 3, 4 TPA—See Remarks Class I, ARFF Index A**IAP, DIAP, AD**

NOTAM FILE SPS

RWY 15R-33L: H13101X300 (CONC) S-60, D-200, ST-175, DT-345, SBT-593, DDT-840, TRT-585

PCN 94 R/B/W/T HIRL

RWY 15R: MALSR. PAPI(P4L)—GA 3.0° TCH 55'. Rgt tfc.**RWY 33L:** MALSR. PAPI(P4L)—GA 3.0° TCH 56'.**RWY 15C-33C:** H10003X150 (ASPH-CONC) S-60, D-160, ST-175, DT-250 PCN 34 F/B/W/T HIRL**RWY 15C:** ALSF1. PAPI(P4L)—GA 3.0° TCH 46'.**RWY 33C:** ALSF1. PAPI(P4L)—GA 3.0° TCH 48'.**RWY 17-35:** H7021X150 (ASPH) S-20, D-45, DT-80 PCN 13 F/C/W/T HIRL**RWY 17:** LDIN. Rgt tfc.**RWY 35:** REIL.**RWY 15L-33R:** H6000X150(ASPH-CONC) S-20, D-45, DT-80 PCN 26 R/B/W/T HIRL 0.3% up NW**RWY 15L:** REIL.**RWY 33R:** REIL.**ARRESTING GEAR/SYSTEMS****RWY 15R MA-1A CHAG** (145' OVRN)**MA-1A CHAG** (144' OVRN) → **RWY 33L****RWY 15C** ← **BAK-15 CHAG** (175' OVRN)**BAK 15 CHAG** (175' OVRN) → **RWY 33C****MILITARY SERVICE: A-GEAR MA-1A** Rwy 15R-33L not raised, unless 80th FTW is flying, rqr 30 minutes prior notice when twr opr. **JASU** 3(AM32-95) 1(MC-1) 3(AM/32A-86D) **FUEL** J8 (Mil) J8+100 (Mil) (NC 100LL, A) **FLUID****SP PRESAIR LH0X LOX OIL** O-148-156(MIL) JOAP results avbl weekdays except holidays 1345-2100Z.**TRAN ALERT** Opr weekday 1130-0300Z, Sun 1800-2230Z. Clsd Sat and holidays. Qualified weapons/munitions personnel not avbl to safe fighter type acft.

AIRPORT REMARKS: Attended continuously. Military arpt conducts high performance jet training in a high density environment Mon-Fri 1300-0300Z and when twr hrs extended by NOTAM, occasionally Sat and Sun. Migratory bird activity on and in/ov arpt from Oct-Apr. Do not confuse parallel twr with Rwy 15R-33L. During periods when control twr is clsd, exercise caution when taxiing, the civil arpt is located to the S and the military ramp is located to the W of the rws. Rwy 15C first 2000' and last 1000' conc, middle zone asph. Rwy 15L-33R first and last 1000' conc, middle zone asph. Due to close proximity of Rws 33L and 33C use vigilance with monitor ground track for the Hi-TACAN Rwy 33C apch. Solo students not authorized. Transient acft limited to 1 apch to a full stop ldg during student training. Weather observation limited to west due to hangar restricted view. **TFC PAT** TPA—light acft 1819(800), conventional and jet acft 2319(1300). Overhead Rwy 15R-33L 2819(1800). Arresting gear Rwy 15C-33C BAK-15 has cable with interconnect. Rwy 15C BAK-15 located 175' into overrun. Rwy 33C BAK-15 located 175' into overrun. Rwy 15R-33L MA-1A raised, unless 80th FTW is flying, require 30 minutes prior notice when twr operational. Rwy 15R-33L PAPI Runway Reference Point and PAR/ILS Runway Point of Intercept not coincidental. Rwy 15C-33C PAPI glide slope and PAR/ILS glide slope not coincidental. When twr clsd **ACTIVATE** MALSR Rwy 33L—CTAF. Rws 17-35, 15L-33R and 15C-33C are unlgtd.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** PPR, 24 hr prior notice rqr, ctc afd OPS DSN 736-2180/6474, C940-676-2180/6474. All tran acft must be chocked 30 minutes prior to tran alert closing; PPR expires 30 minutes prior to afd closing. **CAUTION** Air Traffic Control personnel in accordance with the cooperative WX Watch (CWW) will alert WX personnel on any unreported WX condition that could affect flt safety. Mil arpt conducts high performance jet training in a high density environment within 95 NM of KSPS Mon-Fri 1200-0300Z to FL390 and when twr hrs extd by NOTAM, occasionally Sat and Sun. **MISC** Base OPS weekdays 1130-0300Z, Sun 1800-2300Z, clsd Sat and holidays. AETC fighter acft expect reduced rwy separation: Day/VFR, similar type acft 3000', dissimilar type acft 6000', ngt 6000' all AETC acft. Tran AETC acft notify twr on initial ctc if reduced rwy separation is not desired. Military wx advisory/warning avbl on req METRO. Parking for tran acft is not co-located with flight planning and wx facilities. Ctc Base taxi DSN-736-1843 C940-676-1843, or U-Drive DSN 736-6813 C940-676-6813 prior to arr. Tran Mil acft will not receive support from Sheppard AFB outside of published hrs. Expect no Air Force svc while parked at the municipal arpt. For arr/dep req outside of published hrs ctc the Airfield Ops Flight/Command Center at C940-782-1597. NOTE: See Special Notices Section—Aerobatic Practice Area.

WEATHER DATA SOURCES: ASOS (940) 855-9045.**COMMUNICATIONS:** CTAF 119.75 279.525 **ATIS** 132.05 269.9 **UNICOM** 122.95**WICHITA FALLS RCO** 122.65 255.4 (FORT WORTH RADIO)**(R) SHEPPARD APP CON** 118.2 269.025 (Mon-Fri 1200-0300Z, Sun 1800-2300Z, exc hol.)**(R) SHEPPARD DEP CON** 118.2 120.4 269.025 316.075 (Mon-Fri 1200-0300Z, Sun 1800-2300Z, exc hol.)**FORT WORTH CENTER APP/DEP CON** 133.5 350.35 (Mon-Fri 0300-1200Z, Sun 2300-1800Z, Sat and holidays 24 hrs.)**SHEPPARD TOWER** 119.75 279.525 (Mon-Fri 1130-0300Z, Sun 1800-2300Z, clsd Sat and holidays. Other times use CTAF 119.75 279.525) **GND CON** 125.5 289.4 **CLNC DEL** 121.2 282.225**PMSV METRO** 339.65 Full svc avbl Mon-Fri 1000-0300Z, Sun 1700-2300Z, clsd holidays. OT ctc 26

Operational Weather Squadron DSN 781-4775 C318-456-4775.

AIRSPACE: CLASS D svc Mon-Fri 1130-0300Z, Sun 1800-2300Z exc Sat and holidays, other times CLASS E.**CONTINUED ON NEXT PAGE**

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 079° 5.1 NM to fld. 1100/10E.
(L) TACAN Chan 45 SHP (110.8) N33°58.96' W98°29.26' at fld. 1020/10E. No NOTAM MP Wed
0600-1100Z±.

ILS/DME 109.7 I-SPS Chan 34 Rwy 33L Class IE. ILS unmonitored 0300-1200Z±.

LOM unmonitored. ILS apch not monitored weekends and holidays. MP Mon, Tue 0600-1100Z±. LOM SHUT
DOWN.

ILS 110.5 I-SHP Rwy 15C. Class IT. ILS unmonitored 0300-1200Z±. ILS apch not monitored weekends
and holidays. MP Mon, Tue 1000-1200Z±.

ASR (1200-0300Z±) PAR (1230-0300Z±)

COMM/NAV/WEATHER REMARKS: When ASR and Identification Friend/Foe-Selective Identification Feature out PAR avbl via
radar pickup from ILS Rwy 33L or LOC back course Rwy 15R apch as appropriate. ASOS observation augmented
during afld opr hr. ASOS is fixed sensor located near S end Rwy 15R-33L, measures clouds up to maximum
height 12,000 feet. Radar see Terminal FLIP for Radar Minima

WICHITA VALLEY (F14) 8 NW UTC-6(-5DT) N33°56.86' W98°37.00'

DALLAS-FT. WORTH

1005 FUEL 100LL NOTAM FILE FTW

L-17B

RWY 13-31: H3320X40 (ASPH) S-8, D-12.5 LIRL (NSTD) 0.7% up NW

IAP

RWY 13: Road. RWY 31: Trees.

RWY 04-22: 3050X100 (TURF)

RWY 04: P-line. RWY 22: Trees.

RWY 16-34: 2000X42 (TURF) 0.6% up S

RWY 16: Fence. RWY 34: P-line.

AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with major
credit card. Intensive jet training tfc 2800-4500' MSL vicinity of
arpt and Sheppard AFB 6 miles NE. Ctc apch control for tfc
advisories. Unlighted tower 150' AGL 2 miles S. Rwy 13-31 NSTD
LIRL. Rwy 13 thld lgts are a green/red, Rwy 31 thld lgts are 2
green/red obstruction lgts on bank across rwy end.

NOTE: See Special Notices Section—Aerobatic Practice Area.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ SHEPPARD APP/DEP CON 118.2 (Mon-Fri 1200-0300Z±, Sat-Sun
1800-2300Z±, exc hol.)

FORT WORTH CENTER APP/DEP CON 133.5 (Mon-Fri 0300-1200Z±, Sun
2300-1800Z±, Sat and holidays 24 hrs.)

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24'
W98°35.61' 196° 2.6 NM to fld. 1100/10E.



WICHITA VALLEY (See WICHITA FALLS)

WILBARGER CO (See VERNON)

WILLIAM P. HOBBY (See HOUSTON)

WILLIAMS (See PORTER)

WILLS POINT

VAN ZANDT COUNTY RGNL (76F) 3 SE UTC-6(-5DT) N32°40.89' W95°59.05'

DALLAS-FT. WORTH

518 B S2 NOTAM FILE FTW

L-17D

RWY 17-35: H3230X50 (ASPH) S-12 LIRL

RWY 17: Tree.

AIRPORT REMARKS: Unattended. Airframe and powerplant repairs by prior arrangement, call 903-873-2578.

NOTE: See Special Notices Section—Model Aircraft Activity.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14' W96°13.09' 016° 32.0 NM to fld. 400/6E.

WINGS FOR CHRIST INTL FLIGHT ACADEMY (See WACO)

WINK N31°52.49' W103°14.63' NOTAM FILE INK.

EL PASO

(H) VORTACW 112.1 INK Chan 58

H-66, L-66

148° 6.1 NM to Winkler Co. 2860/11E.

RCO 122.05 (SAN ANGELO RADIO)

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 079° 5.1 NM to fld. 1100/10E.
(L) TACAN Chan 45 SHP (110.8) N33°58.96' W98°29.26' at fld. 1020/10E. No NOTAM MP Wed
0600-1100Z†.

ILS/DME 109.7 I-SPS Chan 34 Rwy 33L Class IE. ILS unmonitored 0300-1200Z†.

LOM unmonitored. ILS apch not monitored weekends and holidays. MP Mon, Tue 0600-1100Z†. LOM SHUT DOWN.

ILS 110.5 I-SHP Rwy 15C. Class IT. ILS unmonitored 0300-1200Z†. ILS apch not monitored weekends and holidays. MP Mon, Tue 1000-1200Z†.

ASR (1200-0300Z†) PAR (1230-0300Z†)

COMM/NAV/WEATHER REMARKS: When ASR and Identification Friend/Foe-Selective Identification Feature out PAR avbl via radar pickup from ILS Rwy 33L or LOC back course Rwy 15R apch as appropriate. ASOS observation augmented during afld opr hr. ASOS is fixed sensor located near S end Rwy 15R-33L, measures clouds up to maximum height 12,000 feet. Radar see Terminal FLIP for Radar Minima

WICHITA VALLEY (F14) 8 NW UTC-6(-5DT) N33°56.86' W98°37.00'

DALLAS-FT. WORTH

1005 FUEL 100LL NOTAM FILE FTW

L-17B

RWY 13-31: H3320X40 (ASPH) S-8, D-12.5 LIRL (NSTD) 0.7% up NW

IAP

RWY 13: Road. RWY 31: Trees.

RWY 04-22: 3050X100 (TURF)

RWY 04: P-line. RWY 22: Trees.

RWY 16-34: 2000X42 (TURF) 0.6% up S

RWY 16: Fence. RWY 34: P-line.

AIRPORT REMARKS: Unattended. Self svc fuel avbl 24 hrs with major credit card. Intensive jet training tfc 2800-4500' MSL vicinity of arpt and Sheppard AFB 6 miles NE. Ctc apch control for tfc advisories. Unlighted tower 150' AGL 2 miles S. Rwy 13-31 NSTD LIRL. Rwy 13 thld lgts are a green/red, Rwy 31 thld lgts are 2 green/red obstruction lgts on bank across rwy end.

NOTE: See Special Notices Section—Aerobatic Practice Area.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ SHEPPARD APP/DEP CON 118.2 (Mon-Fri 1200-0300Z†, Sat-Sun 1800-2300Z†, exc hol.)

FORT WORTH CENTER APP/DEP CON 133.5 (Mon-Fri 0300-1200Z†, Sun 2300-1800Z†, Sat and holidays 24 hrs.)

RADIO AIDS TO NAVIGATION: NOTAM FILE SPS.

WICHITA FALLS (H) VORTACW 112.7 SPS Chan 74 N33°59.24' W98°35.61' 196° 2.6 NM to fld. 1100/10E.



WICHITA VALLEY (See WICHITA FALLS)

WILBARGER CO (See VERNON)

WILLIAM P. HOBBY (See HOUSTON)

WILLIAMS (See PORTER)

WILLS POINT

VAN ZANDT COUNTY RGNL (76F) 3 SE UTC-6(-5DT) N32°40.89' W95°59.05'

DALLAS-FT. WORTH

518 B S2 NOTAM FILE FTW

L-17D

RWY 17-35: H3230X50 (ASPH) S-12 LIRL

RWY 17: Tree.

AIRPORT REMARKS: Unattended. Airframe and powerplant repairs by prior arrangement, call 903-873-2578.

NOTE: See Special Notices Section—Model Aircraft Activity.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

CEDAR CREEK (L) VORTACW 114.8 CQY Chan 95 N32°11.14' W96°13.09' 016° 32.0 NM to fld. 400/6E.

WINGS FOR CHRIST INTL FLIGHT ACADEMY (See WACO)

WINK N31°52.49' W103°14.63' NOTAM FILE INK.

EL PASO

(H) VORTACW 112.1 INK Chan 58

H-66, L-66

148° 6.1 NM to Winkler Co. 2860/11E.

RCO 122.05 (SAN ANGELO RADIO)

WINK**WINKLER CO** (INK) 3 NW UTC-6(-5DT) N31°46.79' W103°12.10'EL PASO
H-6G, L-6G
IAP

2822 B FUEL 100LL, JET A+ NOTAM FILE INK
 RWY 13-31: H5000X100 (ASPH) S-26, D-40 MIRL
 RWY 13: PAPI(P2L)—GA 3.0° TCH 22'.
 RWY 04-22: H3515X100 (ASPH) S-26, D-40 MIRL
 RWY 22: P-line.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z+. Fuel avbl 24 hrs.
 MIRL Rwy 04-22 and Rwy 13-31 preset low ints, to increase ints
 and ACTIVATE PAPI Rwy 13—CTAF.


WEATHER DATA SOURCES: ASOS 118.325 (432) 527-3320.**COMMUNICATIONS:** CTAF/UNICOM 123.0

WINK RCO 122.05 (SAN ANGELO RADIO)

Ⓡ FORT WORTH CENTER APP/DEP CON 133.1

RADIO AIDS TO NAVIGATION: NOTAM FILE INK.

WINK (H) VORTACW 112.1 INK Chan 58 N31°52.49'
 W103°14.63' 148° 6.1 NM to fld. 2860/11E.

**WINKLER CO** (See WINK)**WINNIE/STOWELL****CHAMBERS CO-WINNIE STOWELL** (T90) 3 W UTC-6(-5DT) N29°48.25' W94°25.86'HOUSTON
L-19E, 21A

25 B S4 FUEL 100LL NOTAM FILE CXO

RWY 17-35: H3600X75 (ASPH) MIRL

RWY 17: PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 35: Trees.

AIRPORT REMARKS: Unattended. Fuel self-service, major credit cards accepted. Rotating bcn OTS indef. MIRL Rwy
 17-35 preset low ints dusk-0530Z+, to increase ints ACTIVATE—CTAF. After 0530Z+ ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CXO.

TRINITY (L) VORW/DME 113.6 MHF Chan 83 N29°32.78' W94°44.85' 040° 22.6 NM to fld. 38/7E.

COMM/NAV/WEATHER REMARKS: For clearance delivery ctc Houston apch ctl at 409-720-5136.**WINNSBORO MUNI** (F51) 2 SE UTC-6(-5DT) N32°56.33' W95°16.73'DALLAS-FT. WORTH
L-17D
IAP

513 B S2 FUEL 100LL, MOGAS NOTAM FILE FTW

RWY 01-19: H3213X50 (ASPH) S-12 MIRL 0.6% up N

RWY 01: Trees. Rgt tfc.

RWY 19: Trees.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs self svc with credit
 card. ACTIVATE MIRL RWY 01-19—CTAF.


COMMUNICATIONS: CTAF 122.9

Ⓡ LONGVIEW APP/DEP CON 128.75 (1200-0400Z+)

Ⓡ FORT WORTH CENTER APP/DEP CON 132.85 (0400-1200Z+)

RADIO AIDS TO NAVIGATION: NOTAM FILE FTW.

QUITMAN (L) VORW/DME 114.0 UIM Chan 87 N32°52.82'
 W95°22.01' 044° 5.7 NM to fld. 520/8E.

**WINSTON FLD** (See SNYDER)

WINTERS MUNI (77F) 2 SW UTC-6(-5DT) N31°56.83' W99°59.15'

SAN ANTONIO

1871 B NOTAM FILE SJT

L-17B

RWY 17-35: H3204X40 (ASPH) S-12 LIRL

IAP

RWY 17: Fence. RWY 35: Fence.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

ABILENE APP/DEP CON 127.2


RADIO AIDS TO NAVIGATION: NOTAM FILE ABI.

ABILENE (H) VORTACW 113.7 ABI Chan 84 N32°28.88'

W99°51.81' 181° 32.6 NM to fld. 1810/10E.

NDB (MHW) 396 IEW N31°56.76' W99°59.28' at fld.

NOTAM FILE SJT.



WOLFE AIR PARK (See MANVEL)

WOOD CO (See MINEOLA-QUITMAN)

WOODVILLE

TYLER CO (Ø9R) 2 W UTC-6(-5DT) N30°46.51' W94°27.51'

HOUSTON

L-19E, 21A

388 B S4 NOTAM FILE CXO

RWY 16-34: H4000X60 (ASPH) S-30 MIRL

RWY 16: PAPI(P2L)—GA 3.0° TCH 38'. Thld displd 178'. Trees. RWY 34: Trees.

AIRPORT REMARKS: Unattended. Rwy 16 safety area obstruction: 5' drop-off 25' from W side 400' S of thld and 20' drop-off 100' N of thld. MIRL Rwy 16-34 preset low ints, to increase ints ACTIVATE—122.8.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LFK.

LUFKIN (H) VORTACW 112.1 LFK Chan 58 N31°09.74' W94°43.02' 145° 26.7 NM to fld. 200/5E.

HIWAS.

WOOLE N31°16.79' W100°34.57' NOTAM FILE SJT.

SAN ANTONIO

NDB (LOM) 356 SJ 032° 6.3 NM to San Angelo Rgnl Mathis Fld.

L-19B

YOAKUM CO (See PLAINS)

YOAKUM MUNI (T85) 1 N UTC-6(-5DT) N29°18.79' W97°08.31'

SAN ANTONIO

365 B NOTAM FILE CXO

L-19D, 21A

RWY 13-31: H3445X60 (ASPH) S-12 MIRL 0.7% up NW

IAP

RWY 13: Pole. RWY 31: Pole.

AIRPORT REMARKS: Attended 1400-0000Z+. For attendant after hrs Mon-Fri call 361-741-2510. ACTIVATE MIRL Rwy 13-31—CTAF.

COMMUNICATIONS: CTAF 122.9

HOUSTON CENTER APP/DEP CON 132.8


RADIO AIDS TO NAVIGATION: NOTAM FILE CXO.

EAGLE LAKE (H) VORW/DME 116.4 ELA Chan 111 N29°39.75'

W96°19.03' 236° 47.8 NM to fld. 190/8E.

NDB (MHW) 350 OKT N29°18.72' W97°08.32' at fld.

Unmonitored.



ZAPATA CO (APY) 4 NE UTC-6(-5DT) N26°58.13' W99°14.93'**BROWNSVILLE**

422 B FUEL 100LL, JET A NOTAM FILE SJT

H-7B, L-20G

RWY 12-30: H5000X60 (ASPH) S-12.5 MIRL

RWY 12: Thld dsplcd 112'. Tree.

RWY 30: Thld dsplcd 113'. Trees.

AIRPORT REMARKS: Attended 1400-0000Z†. For svc call 956-765-9794 between 1400-0000Z†. Rwy 12 3' fence 204' from Rwy end across apch. MIRL Rwy 12-30 preset medium ints, to incr ints ACTIVATE—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.225 (956) 765-4069.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE LRD.

LAREDO (H) VORTACW 117.4 LRD Chan 121 N27°28.72' W99°25.06' 154° 31.8 NM to fld. 583/9E. HIWAS.

2009 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2009, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2009 aerial demonstration locations, subject to change without notice, are:

DATE:		USAF Thunderbirds	USN Blue Angels	Canadian Snowbirds	USA Golden Knights
October	24-25		Fort Worth, TX		Fort Worth, TX
	24-25				Pinehurst, NC
	31		Houston, TX		
November	1		Houston, TX		
	7-8	Homestead AFB, FL	Jacksonville Beach, FL		
	13-14		NAS Pensacola, FL		
	14-15	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

PROHIBITED AREA P-49, CRAWFORD, TEXAS

In response to a request from the United States Secret Service, the FAA has established a prohibited area over President George W. Bush's ranch in Crawford, Texas. The prohibited area extends from the SFC up to 5,000' MSL within a 3 NMR of lat. N31°34'45", long. W97°32'00" (ACT242R/15).

**Bomb Disposal Area
McAlester, Oklahoma Vicinity**

Bomb disposal area, one NM radius, MLC 240°/006, SFC to 2000 AGL. Times of use: Daily, 30 min after SR to 30 min before SS. Avoidance advised. For further information contact McAlester AFSS.

AEROBATIC PRACTICE AREA**Coushatta, LA, Red River Airport (OR7)**

Aerobatic practice will be conducted at Red River Airport between the surface and 5,000 feet AGL within the boundaries of the airspace bounded on the west by the western edge of Rwy 17/35, extending northward and southward to the respective airport boundaries, extending eastward for 1.5 miles to an imaginary line connecting to the northeast and southeast corners, to create the practice area. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Esterwood, LA, Le Gros Airport (3R2)

Aerobatic practice will be conducted at Le Gros Airport within the area defined as a semicircle extending southward from its diameter centered on the north end of the north/south taxiway at its intersection with the south edge of the east/west taxiway extending eastward 6,000 feet and westward 6,000 feet from the surface to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Farmerville, LA, Union Parish Airport (F87)

Aerobatic practice will be conducted within a 2 NM radius of the Union Parish Airport, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Jennings, LA, Jennings Airport (3R7)

Aerobatic practice will be conducted centered from 1 NM northwest of Jennings Airport, within an approx. 2.5 NM radius, 500 feet to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Opelousas, LA, St. Landry Parish Airport (OPL)

Aerobatic practice will be conducted at St. Landry Parish Airport within 1 NM radius of the Lafayette VORTAC, LFT343022, SFC to 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Springhill Airport (SPH), Springhill, LA

Aerobatic practice conducted at the Springhill (SPH) Airport, from SFC to 5000 MSL, within the area defined as having its western boundary along the western edge of Rwy 18/36, extending northward 1000 feet beyond the north end of the runway; then eastward 150 feet to the eastern boundary; then southward parallel to the runway to a line which runs along the southern edge of Rwy 18/36, extending from its western edge 1500 feet to a point where it intersects the eastern boundary. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information, contact DeRidder AFSS on 1-800-WX-BRIEF (992-7433).

Sulphur, LA, West Calcasieu Airport, Southland Field (UXL)

Aerobatic practice will be conducted at West Calcasieu Airport, Southland Field within a 2 NM radius of the Lake Charles VORTAC, LCH261014, SFC to 4,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information Flight Services at 1-800-WX-BRIEF (992-7433).

Bristow, OK, Jones Memorial Airport (3F7)

Aerobatic practice will be conducted within 2 NM radius of Jones Memorial Airport (3F7), SFC to 6,000 feet AGL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Cookson, OK, Tenkiller Airpark (44M)

Aerobatic practice will be conducted at Tenkiller Airpark in a 3,000 foot box, beginning at the centerline of the approach end of RY23 and extending 400 feet beyond the departure end of RY23, thence extending 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

Ketchum, OK, South Grand Lake Regional Airport (1K8)

Aerobatic practice will be conducted within 1 NM radius of the South Grand Lake Regional Airport (1K8), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Muskogee, OK, Davis Field (MKO)

Aerobatic practice will be conducted within 1.25 NM radius of Davis Field, Muskogee, OK (MKO), SFC to 4,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Nowata, OK, Nowata Airport (H66)

Aerobatic practice will be conducted centered from 3 NM northwest of the Nowata Airport (H66), SFC to 3,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Tulsa, OK

Aerobatic practice will be conducted within 3 NM radius of TUL350022, SFC to 5,000 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Brenham, TX, Brenham Muni Airport (11R)

Aerobatic practice will be conducted within 2 NM radius of the Brenham Muni Airport (11R), SFC to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Celina, TX, Four Winds Ranch (1TS9)

Aerobatic flight activity will be conducted at Four Winds Ranch, bound on the north by County Road 102, on the south by an imaginary line parallel to and 800 feet south of County Road 134, on the west by an imaginary line just east of the three lakes, and on the east by a tree line, SFC to 4,500 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Edna, TX, Jackson County Airport (26R)

Aerobatic practice will be conducted within a 1 NM radius of the Jackson County Airport (26R), from SFC to 1,500 feet AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Fort Worth, TX, Naval Air Station JRB (NFW)

Aerobatic practice will be conducted centered from 1 NM East and 3 NM West, North and South of NAS JRB Fort Worth (NFW) runway 17/35, from SFC to 6,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Georgetown (GTU), TX

Aerobatic practice will be conducted within 1 NM radius of CWK342019, SFC to 4000' AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. Pilots should use caution within this area. For further information, contact San Angelo AFSS on 1-325-223-6041.

Graford, TX, Possum Kingdom (F35)

Aerobatic practice will be conducted within 1 NM radius of MQP289929 3.5 NM west of Possum Kingdom Airport, SFC to 5,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Grayson City Arpt, Denison, TX (GYI)

Aerobatic flight activity will be conducted within a 2 NM radius of the BYP290024.4, SFC to 5700 feet MSL, SR-SS daily. The practice area is for waiver holders only. Pilots should use caution when operating in this area. For further information contact Fort Worth AFSS on 1-800-992-7433.

Hondo Muni (HDO), Hondo, TX

Aerobatic flight activity will be conducted in a 2 NM radius of Hondo Muni Airport. Flights will occur SR-SS, SFC to 3,500 AGL. Pilots should use caution when operating within this area. For further information, contact San Angelo AFSS, 325-223-6041.

Huber Airpark, Sequin, TX

Aerobatic flight activity will be conducted within an area 3300 feet by 3300 feet located on the SAT 089/25. Flights will occur SR-SS Sat/Sun, SFC to 4600 MSL. Pilots should use caution when operating in this area. For further information contact San Angelo AFSS on 1-325-223-6041.

LaGrange, TX, Fayette Regional Airport (3T5)

Aerobatic flight activity will be conducted within a 2 NM radius of the Fayette Regional Airport (3T5), from 900 feet MSL up to and including 4,000 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Lubbock, TX, Biggin Hill Strip (TA67)

Aerobatic flight activity will be conducted within 0.5 NM radius of the LBB280008.3/TA67, SFC to 6,500 MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Navasota, TX

Glider operations will be conducted within a 5 NM radius of the TNV VOR 130/007, from SFC to 8000 feet MSL, SR-SS. Pilots should use caution when operating in this area. For further information, contact Montgomery County AFSS on 866-689-5992.

O'Brien Airpark, Waxahachie, TX

Aerobatic flight practice will be conducted within 1 1/2 NM radius of TTT 148/024 from SFC to 3500 MSL. Pilots should use caution when operating within this area. For further information contact Fort Worth AFSS on 1-800-992-7433.

Olney, TX, Olney Muni (ONY)

Aerobatic flight activity will be conducted within a 4,000 square foot area located over the Olney Muni airport property commencing from the west side of Rwy 17-35, SFC to 3,500 AGL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Skywest Inc. Airport, Midland, TX

Aerobatic flight activity will be conducted within a 3300' by 3300' square box, located 1/4 mile south southeast of the approach end of Rwy 34 at Skywest airport, Midland, Texas. Flights will occur between sunrise and sunset, from the surface to 6,500 feet MSL.

Slidell, TX, Akroville Airport (XA68)

Aerobatic practice will be conducted within 1.5 NM radius of the UKW108026, SFC to 4,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Songbird Airport, Friendswood, Texas

Aerobatic flight activity will be conducted within a 2 NM radius of the Houston Hobby VOR 185° radial at the 18 mile DME fix. Flight will occur from sunrise to sunset, from the surface to 3500 feet AGL. Pilots should use caution when operating within this area. For further information contact Montgomery County AFSS, 866-689-5992.

Waller, TX, Simaron Ranch Airport, (9TS3)

Aerobatic practice will be conducted within 1 NM radius of TNV130007.5/3.8 NNE 9TS3, 800 feet MSL to 3,500 feet MSL. SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wichita Falls, TX, Kickapoo Downtown Airport (CWC)

Aerobatic practice will be conducted within 1.5 NM radius of the SPS136009.2, SFC to 4,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wichita Falls, TX, Sheppard AFB (SPS)

Aerobatic practice will be conducted within a 1.5 NM radius of the SPS200007, SFC to 4,500 feet MSL. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wichita Falls, TX, Wichita Valley Airport (F14)

Aerobatic practice will be conducted within a 1 NM radius of the SPS190003, SFC to 4,000 feet AGL. The activation of this practice area is only authorized when 80th Flying Training Wing Flying operations are not active at Sheppard Air Force Base. The practice area is for waiver holders only. Pilots should use caution when operating within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Zuehl Airport, Marion, Texas

Aerobatic flight activity will be conducted within a 4,000 foot square box, on the northeast side of Zuehl Airport, Marion, Texas, or 8 miles southeast of Randolph AFB. Flights will occur SR-SS, SFC to 4,000 feet AGL. Pilots should use caution when operating within this area. For further information contact San Angelo AFSS, 1-325-223-6041.

MODEL AIRCRAFT ACTIVITY**Haskell, OK (2K9)**

Model rocket activity will be conducted within a 1 NM radius of GNP292008, SFC to 9,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Oklahoma City, OK

Model rocket activity will be conducted within a 1 NM radius of IRW270023, SFC to 6,400 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

Fort Stockton (FST), TX

Model rocket activity will be conducted within a 2.6 NM radius of FST 146/014, SFC to 20,000 MSL, SR-SS. For further information, contact San Angelo AFSS on 1-325-223-6041. Model rocket activity will be conducted within a 2 NM radius of FST 212/9, SFC to 23,100 MSL, SR-SS. For further information, contact San Angelo AFSS on 1-325-223-6041.

Kileen (ILE), Texas, Vicinity

Model airplane activity conducted 1 NM radius ILE 138R/006NM, 10008 AGL and below. Intermittent launches daily. For further information, contact San Angelo AFSS on 1-325-223-6041.

Lake Jackson TX (LHB)

Model rocket activity will be conducted within a 1 NM radius of the Hearne Muni Airport (LHB) or the CLL 319/018 SFC to 12,500' MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

Nacogdoches, TX (OCH)

Model Rocket activity will be conducted within a 1 NM radius of the Mangham Rgnl Arpt (OCH) 045018, SFC to 3,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Wills Point, TX (76F)

Model rocket activity will be conducted within a 5 NM radius of TTT100051, SFC to 24,000 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

Waco, TX (ACT)

Model rocket activity will be conducted within a 5 NM radius of ACT 131014, SFC to 24,000 feet MSL, SR-SS. For further information, contact Flight Services at 1-800-992-7433.

UNMANNED AIRCRAFT SYSTEM (UAS)**Hondo, TX**

Unmanned Aircraft System (UAS) activity will be conducted within 2 NM radius of HDO 220/010, SFC to 1,700' MSL 0800-1600 LCL, Mon-Fri, through April 27, 2009. For further information, contact Fort Worth AFSS on 1-800-WX-BRIEF.

**DALLAS-FORT WORTH, TX, DALLAS/FORT WORTH INTL AIRPORT (DFW)
NOISE ABATEMENT PROCEDURES**

Successive or simultaneous departures from Runways 17R, 17C, 18R, 18L, 35L, 35C, 36L and 36R are authorized, with course divergence beginning within 5 miles from the departure end of parallel runways, due to noise abatement restrictions.

LASER LIGHT DEMONSTRATIONS**Biloxi, Mississippi**

A permanent Laser Light Demonstration will be conducted at Casino Magic, located in Biloxi, Mississippi, on Gulfport VORTAC 096° Radial, 12 NM Lat 30°23'N/Long 88°51'W, nightly from dusk until 2 AM. Laser light beam is not expected to elevate above the horizon from a 120 foot high platform. Laser light beam may be injurious to eyes if viewed within 1 nautical mile laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

Biloxi, Mississippi

A permanent Laser Light Demonstration will be conducted at Palace Casino, located in Biloxi, Mississippi, on the Gulfport VORTAC 094° Radial, 12 NM Lat 30°23'N/Long 88°51'W, nightly 8:00 P.M. until 4:00 A.M. Laser light beam is not expected to elevate above the horizon from a 70 foot high platform. Laser light beam may be injurious to eyes if viewed within 1 nautical mile laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

Robinsonville, Mississippi

Laser light activity will be conducted at the Grand Casino, Robinsonville, MS, N34°52'22"/W90°17'40" MEM VOR 243R/18.3 NM, from 0000 to 0700 UTC daily. Laser light beams may be injurious to eyes within 300 feet vertically and 21,000 feet laterally. Flash blindness or cockpit illumination may occur beyond these distances.

Vicksburg, Mississippi

A permanent Laser Light Demonstration will be conducted at Harrah's Casino Hotel, Vicksburg, MS, (JAN VORTAC 255° Radial, 38 Nautical Miles, Latitude 32°21'N, Longitude 90°53'W), nightly from sunset until 12:00 A.M. Laser Light beam may be injurious to eyes if viewed within 1000 feet vertically and/or 3000 feet laterally of the light source. Cockpit illumination—flash blindness may occur beyond these distances.

DFW INTERNATIONAL AIRPORT LAND AND HOLD SHORT OPERATIONS

DFW is authorized to instruct aircraft to land on a runway and hold short of an intersecting taxiway while aircraft/vehicles simultaneously taxi across the runway at beyond the hold-short point for the following runway/taxiway combinations.

18R	AND	TAXIWAY B	10,100 feet
17C	AND	TAXIWAY B	10,460 feet
35C	AND	TAXIWAY EJ	9,050 feet
36L	AND	TAXIWAY Z	10,650 feet

These procedures are governed by the following conditions and limitations:

- The tailwind on the hold short runway shall be calm (less than 3 knots).
- A statement that simultaneous landings and runway crossings are being conducted shall be included on the ATIS.
- LAHSO wet runway operations are authorized provided pilot reported braking action is not less than good, the runway is not classified as contaminated by the airport operator, and the hold short position lights are operational and "on".
- The weather conditions must be at or greater than ceiling 1,000 feet, and visibility 3 miles.
- Traffic information shall be exchanged and a readback shall be obtained from the landing aircraft with a LAHSO clearance. An acknowledgment shall be received from the crossing aircraft/vehicle.
- Operations beyond the hold short point except for runway crossings are not authorized during LAHSO.
- Hold short markings, taxiway identification signs, and in-pavement lights will be used to identify the hold-short points. The lighting system consists of six or seven in-pavement white lights, flashing/pulsing simultaneously, arranged in a line across the landing runway perpendicular to the runway centerline.

The safety and operation of an aircraft remain the responsibility of the pilot. A pilot must inform air traffic control if the full length of the runway or another runway is desired. The runway distance from the landing threshold to the hold short point will be provided to the pilot upon request.

- Vertical guidance required for LAHSO (Glideslope, VASI, PAPI).

INTERSECTION DEPARTURES DURING PERIODS OF DARKNESS DALLAS-FORT WORTH INTERNATIONAL AIRPORT (DFW) DALLAS-FORTH WORTH, TEXAS

Dallas-Fort Worth Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 17R at Taxiway Yankee
Runways 17R/C and 18R/L at Taxiway Zulu
Runway 18L at Taxiway Yankee
Runways 35L/C and 36L/R at Taxiway Alpha
Runways 35L/C and 36L/R at Taxiway Bravo
Runway 13L at Taxiway Papa
Runway 31L at Taxiway "A5"

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Simultaneous taxi into position and hold are not authorized on the same runway. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

**SPECIAL NORTH ATLANTIC, CARIBBEAN AND
PACIFIC AREA COMMUNICATIONS**

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area:	123.45 MHz
Caribbean area:	123.45 MHz
Pacific area:	123.45 MHz

**ALBUQUERQUE ARTCC
VFR Services South of El Paso, Texas**

VFR radar advisory service and merging target service available to transponder equipped aircraft above 10,000 feet MSL from a point 75 miles south of El Paso, Texas, to the U.S./Mexican border.

**HOUSTON ARTCC
Secondary-Only Radar in the Vicinity of Lufkin, Texas**

The Air Traffic Control Beacon Interrogator-6 (ATCBI-6) located at the Angelina County Airport (LFK), Lufkin, Texas, is the only source of radar data within an approximate 50 NM radius of LFK. This is a secondary radar system; therefore radar services are available on transponder equipped aircraft only.

**CAUTION-HIGH DENSITY STUDENT FLYING
Little Rock AFB, AR**

High density student flying training in the vicinity of Little Rock AFB and on low level Slow Routes (SR) within Arkansas; 0600-0200 Mon-Fri, occasional weekend. Extensive use of All American Drop Zone, Little Rock VORTAC 332° radial 15.0 NM, and Blackjack Drop Zone, Little Rock VORTAC 009° radial 33.0 NM; 0600-0200, Mon-Fri, occasional weekend. Drop Zones are used for personnel and cargo, including IMC (AWDS) drops. For further information, contact Little Rock AFB, Base Operations, on 1-501-988-6125.

**CAUTION-VERTICAL LIGHTS ON BUILDING
Downtown Tulsa, Oklahoma**

Approximately ten miles southwest of Tulsa International Airport in the area of downtown Tulsa, four 4,000-watt xenon lights are mounted on each corner of the roof of a 40-story building. Illumination is vertical and hours of use are daily, dusk to midnight.

BAYOU SAUVAGE NATIONAL WILDLIFE REFUGE, LA

Request aircraft remain at or above 2,000 ft in the vicinity of Bayou Sauvage National Wildlife Refuge bounded by Lake Pontchartrain to the Northwest and Northeast, Lake Borgue to the Southeast and New Orleans to the Southwest.

**CAUTION-LARGE CONCENTRATION OF BATS
San Antonio, Texas, Vicinity**

From April to October large concentration of bats are observed in the vicinity of Braken Cave located 5.5 miles east of SAT VORTAC. Most activity is observed around sunset and sunrise at altitudes up to 10,000 feet.

U.S. SPECIAL CUSTOMS REQUIREMENT

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville International, Corpus Christi International, Del Rio International, Eagle Pass Airport, El Paso International, Hobby Airport, Jefferson County Airport, Laredo International, Miller International, or Presidio-Lely International in Texas; Calexico International, or Brown Field in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale Executive, Fort Lauderdale-Hollywood International, Key West Airport, Miami International, Opa-Locka Airport, St. Lucie County International, Tampa International, or West Palm Beach Airport in Florida.

CAUTION-HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

FEDERAL AVIATION REGULATION 91.713

The provisions of FAR 91.713 will apply as follows:

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

CONTROLLED FIRING

Camden, Harrell Fld, AR

6E Camden 2 NM radius surface—005 avoidance advised Mon–Fri daylight hours.

El Dorado, South Arkansas Rgnl

ELD 021/024 2 NM radius surface—500 AGL avoidance advised Mon–Fri daylight hours.

Texarkana Rgnl Webb Fld, AR.

.25 NM radius TXK 223010 2000/blo Mon–Thu. 1900–0500Z†

.5 NM radius TXK 240014 1000/blo Mon–Sat SR–SS.

**Camp Bullis Training Site
Controlled Firing Area (CTA)
Camp Bullis, TX**

1. CFA Description:

- a. Boundaries: Beginning at
Lat. 29°41'10.07"N., Long. 98°31'41.40"W. to
Lat. 29°40'25.05"N., Long. 98°33'57.40"W. to
Lat. 29°39'20.22"N., Long. 98°34'44.18"W. to
Lat. 29°38'03.77"N., Long. 98°34'13.26"W. to
Lat. 29°37'53.94"N., Long. 98°33'46.90"W. to
Lat. 29°38'36.77"N., Long. 98°31'55.13"W. to
Lat. 29°39'48.07"N., Long. 98°31'06.07"W. to
Point of beginning.

- b. Altitudes: Surface to 3,000 feet AGL.

c. Times of use: Approximately 70 times per year. Utilization will normally be 7 days per week, 0700–2300 local time. Give prior notice of all activities to the San Angelo Automated Flight Service Station (AFSS). Notify the AFSS when activities are terminated each day.

2. Activities:

- a. M203 40mm Grenade Launcher, HE/Target Practice Training (TPT) rounds, average use 50 times per year.

b. Heavy Demolitions Range, types of explosives will vary, but all are conventional (no nuclear, biological, or chemical), 20 times per year.

- c. Emergency destruction of illegal explosive devices will be unscheduled due to the nature of the event.

3. Using Agency: U.S. Army, Commander, Camp Bullis Training Site, Camp Bullis, TX

4. Effective date: The effective date is February 1, 2004. Biannual approval of the CFA is automatic upon receipt of a biannual status report from the Department of the Army Regional Representative containing a statement that the activities for which the area was established have not changed.

5. Conditions, Operating Limitations, and Safety Precautions:

a. Camp Bullis Training Site will maintain observers with direct communications to the Range Towers located in positions that allow for sufficient visual surveillance of the entire area.

- b. Firing will cease upon observation of low-flying aircraft.

- c. The ceiling shall be at least 1,000 feet above the maximum ordinate of projectiles and/or debris.

d. Visibility shall be sufficient to maintain visual surveillance of the entire CFA plus a distance of 5 statute miles beyond the CFA in all directions.

e. All user responsibilities, precautionary measures, and surveillance requirements listed in FAA Order 7400.2 shall be complied with.

- f. All activities will be contained within the designated impact area at Camp Bullis.

6. With the exception of the emergency destruction of unsafe explosive devices, the following information shall be filed with the San Angelo AFSS in sufficient time to permit a NOTAM to be transmitted at least 2 hours prior to scheduled operations:

- a. Location of the CFA.

- b. Time of use.

- c. Activity to be conducted.

- d. Maximum altitudes.

- e. User.

7. Any violation of the conditions, as outlined above, shall be the basis for the FAA to withdraw authorization of the CFA.

CONTROLLED FIRING AREA CAMP STANLEY, SAN ANTONIO, TEXAS

The Military has established a controlled firing area bordered by the following geographic coordinates: beginning at N29°40'37"/W98°37'53"; thence to N29°41'17"/W98°35'49"; to N29°43'51"/W98°35'50"; to N29°43'51"/W98°37'23"; to point of beginning. Operating SR-SS daily, SFC to 1,500 feet AGL (2,500 feet MSL). For further information contact San Angelo AFSS on 1-325-223-6041.

CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.


In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.

1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
2. Wind Measuring Capability
3. Approach Light System (ALS) or Short ALS (SALS)
4. Ceiling Measuring Capability
5. Touchdown Zone Lighting (TDZL)
6. Centerline Lighting (CL)
7. Runway Visual Range (RVR)
8. High Intensity Runway Lighting (HIRL)
9. Taxiway Lighting
10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ)	08	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA)	14R
Chicago, IL (ORD)	14R	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09
Fairbanks, AK (FAI)	01L	San Francisco, CA (SFO)	28R
Great Falls, MT (GTF)	03	San Juan, PR (SJU)	08
Honolulu, HI (HNL)	08L	Seattle, WA (SEA)	16C
Houston, TX (IAH)	26L	St. Louis, MO (STL)	30R
Indianapolis, IN (IND)	05L	Tampa, FL (TPA)	36L
Jacksonville, FL (JAX)	07	Tulsa, OK (TUL)	36R
Kansas City, MO (MCI)	19R	Washington, DC (DCA)	01
Los Angeles, CA (LAX)	24R	Washington, DC (IAD)	01R
Memphis, TN (MEM)	36L	Wichita, KS (ICT)	01L
Miami, FL (MIA)	08R		

NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.

FIREFIGHTING TRAFFIC AREAS

Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93-1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at <http://www.faa.gov>. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll-free telephone number for accessing e-CVRS is 1-800-875-9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll-free areas may access e-CVRS by calling the toll number of 703-707-0568. The Internet web address for accessing the e-CVRS is <http://www.fly.faa.gov/ecvrs>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904-4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904-4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e-CVRS.

FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

Telephone Information Briefing Service (TIBS) is the FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

Pilot Weather Briefings 1-800-WX-BRIEF (1-800-992-7433)

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above) 1-800-4TIBS-WX (1-877-484-2799)

Clearance Delivery Only 1-888-766-8267

Lifeguard Flights Only 1-877-LIF-GRD3 (1-877-543-4733)

Flights within DC SFRA & FRZ * 1-866-225-7410

* District of Columbia Special Flight Rules Area & Flight Restricted Zone

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT
FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA
OVC008CB
FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR
FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB
18/16 A2992 RMK SLP045 T01820159

Forecast	Explanation	Report
TAF	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	METAR
KPIT	ICAO location indicator	KPIT
091730Z	Issuance time: ALL times in UTC " <u>Z</u> ", 2-digit date, 4-digit time	091955Z
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times	
	In U.S. METAR : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	COR
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>Var</u> ia <u>ble</u>); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>Gust</u> and maximum speed; 00000KT for calm; for METAR , if direction varies 60 degrees or more, <u>Variability</u> appended, e.g. 180 <u>V</u> 260	22015G25KT
5SM	Prevailing visibility: in U.S., <u>Statute</u> <u>M</u> iles & fractions; above 6 miles in TAF <u>Plus</u> 6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM
	Runway Visual Range: <u>R</u> ; 2-digit runway designator <u>Left</u> , <u>Center</u> , or <u>Right</u> as needed; <u>'/'</u> ; <u>Minus</u> or <u>Plus</u> in U.S., 4-digit value, <u>Fee</u> <u>T</u> in U.S., (usually meters elsewhere); 4-digit value <u>Variability</u> 4-digit value (and tendency <u>Down</u> , <u>Up</u> or <u>No</u> change)	R28L/2600FT
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA
FEW020	Cloud amount, height and type: <u>SKY</u> <u>C</u> lear 0/8, <u>FEW</u> >0/8-2/8, <u>SCa</u> tered 3/8-4/8, <u>Bro</u> ke <u>N</u> 5/8-7/8, <u>O</u> ver <u>C</u> ast 8/8; 3-digit height in hundreds of ft; <u>T</u> owering <u>C</u> umulus or <u>C</u> umulonim <u>B</u> us in METAR ; in TAF , only <u>CB</u> . <u>V</u> ertical <u>V</u> isibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated METAR reports only, <u>C</u> lea <u>R</u> for "clear below 12,000 feet"	OVC010CB
	Temperature: degrees Celsius; first 2 digits, temperature <u>'/'</u> last 2 digits, dew-point temperature; <u>Minus</u> for below zero, e.g., M06	18/16
	Altimeter setting: indicator and 4 digits; in U.S., <u>A</u> -inches and hundredths; (<u>Q</u> -hectoPascals, e.g., Q1013)	A2992

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. TAF , non-convective low-level ($\leq 2,000$ ft) <u>Wind Shear</u> ; 3-digit height (hundreds of ft); <u>"Z"</u> ; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u>	RMK SLP045 T01820159
FM1930	In METAR , <u>ReMark</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	
TEMPO 2022	<u>From</u> and 2-digit hour and 2-digit minute beginning time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
PROB40 0407	TEMPO rary: changes expected for < 1 hour and in total, < half of 2-digit hour beginning and 2-digit hour ending time period	
BECMG 1315	PROB ability and 2-digit percent (30 or 40): probable condition during 2-digit hour beginning and 2-digit hour ending time period	
	BECOM ing: change expected during 2-digit hour beginning and 2-digit hour ending time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

QUALIFIER

Intensity or Proximity

- Light "no sign" Moderate + Heavy

VC Vicinity: but not at aerodrome; in U.S. **METAR**, between 5 and 10SM of the point(s) of observation; in U.S. **TAF**, 5 to 10SM from center of runway complex (elsewhere within 8000m)

Descriptor

MI Shallow	BC Patches	PR Partial	TS Thunderstorm
BL Blowing	SH Showers	DR Drifting	FZ Freezing

WEATHER PHENOMENA

Precipitation

DZ Drizzle	RA Rain	SN Snow	SG Snow grains
IC Ice crystals	PL Ice pellets	GR Hail	GS Small hail/snow pellets
UP Unknown precipitation in automated observations			

Obscuration

BR Mist ($\geq 5/8$ SM)	FG Fog ($< 5/8$ SM)	FU Smoke	VA Volcanic ash
SA Sand	HZ Haze	PY Spray	DU Widespread dust

Other

SQ Squall	SS Sandstorm	DS Duststorm	PO Well developed dust/sand whirls
FC Funnel cloud	+FC tornado/waterspout		

- Explanations in parentheses "()" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS **TAFs** exclude turbulence, icing & temperature forecasts; NWS **METARs** exclude trend fcsts
- Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥ 10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052

National Oceanic and Atmospheric Administration—National Weather Service

FAA AND NWS

KEY AIR TRAFFIC FACILITIES

Air Traffic Control System Command Center

Main Number.....703-904-4400

RGNL AIR TRAFFIC DIVISIONS

REGION	TELEPHONE
Alaskan	907-271-5464
Central	816-329-2500
Eastern	718-553-4502
Great Lakes	847-294-7202
New England	781-238-7500
Northwest Mountain	425-227-2500
Southern	404-305-5500
Southwest	817-222-5500
Western Pacific	310-725-6500

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m.-4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m.-4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m.-5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m.-4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m.-4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	817-858-7503
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m.-4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m.-4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m.-4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m.-4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m.-4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m.-3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m.-4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m.-4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m.-3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m.-4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m.-4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m.-4:30 p.m.	703-771-3401

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m.-4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m.-3:30 p.m.	916-366-4001
Southern CA	310-725-3300	7:30 a.m.-4:00 p.m.	858-537-5800

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

KEY AIR TRAFFIC FACILITIES **DAILY NAS REPORTABLE AIRPORTS**

AIRPORT NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m.-5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m.-4:30 p.m.	301-735-2380
Baltimore/Washington Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m.-4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781-238-7001	7:30 a.m.-4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m.-4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310-725-3300	7:00 a.m.-5:30 p.m.	818-567-4806
Charlotte Douglas Intl, NC	404-305-5180	8:00 a.m.-4:30 p.m.	704-344-6487
Chicago Midway, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m.-4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m.-4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.-5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m.-4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m.-4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404-305-5180	7:00 a.m.-3:30 p.m.	305-356-7932
George Bush Intercontinental/Houston, TX	817-222-5006	7:30 a.m.-4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-840-6100
Houston Hobby, TX	817-222-5006	8:00 a.m.-5:00 p.m.	713-847-1400
Indianapolis Intl, IN	847-294-8400	8:00 a.m.-4:00 p.m.	317-484-6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.-4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.-4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m.-3:30 p.m.	310-342-4900
Louis Armstrong New Orleans Intl, LA	817-222-5006	7:00 a.m.-4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m.-4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m.-4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m.-4:00p.m.	612-713-4000
Nashville Intl, TN	404-305-5180	7:00 a.m.-3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-656-0335
New York La Guardia, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-335-5461
Newark Liberty Intl, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	973-645-3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.-5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m.-4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m.-4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m.-4:30 p.m.	919-840-5544
Ronald Reagan Washington National, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-413-1535
Salt Lake City, UT	425-227-1389	7:30 a.m.-4:00 p.m.	801-325-9600
San Antonio Intl, TX	817-222-5006	8:00 a.m.-4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA	310-725-3300	8:00 a.m.-4:30 p.m.	619-299-0677
San Francisco Intl, CA	310-643-3200	7:00 a.m.-3:30 p.m.	650-876-2883
San Juan Intl, PR	404-305-5180	7:30 a.m.-5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m.-4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.-4:00 p.m.	314-890-1000
Tampa Intl, FL	404-305-5180	7:30 a.m.-4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m.-4:30 p.m.	407-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m.-4:30 p.m.	914-948-6520

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel) spacing is required.

®ALBUQUERQUE CENTER 134.6 132.8	H-4-5-6-7, L-5-6-7-8-10-15-17-19 (KZAB)
Amarillo Nr 1 – 127.85	
Amarillo Nr 2 – 134.75	
El Paso A – 135.875 134.175	
El Paso B – 128.2 125.525	
Fort Stockton – 135.875 132.2 120.975	
Mount Dora – 133.05 127.852	
®FORT WORTH CENTER 134.4	H-6, L-6-15-17-18-19-21-22 (KZFW)
Abilene – 134.25 127.45	
Ardmore – 132.975 128.1	
Big Spring – 133.7	
Blue Ridge A – 124.875	
Blue Ridge B – 127.6	
Brownwood – 127.45	
Clinton-Sherman – 132.45 128.4 126.3	
Cumby – 132.85 132.02 126.575	
Dublin – 128.325	
Dublin A – 135.375	
Dublin B – 127.15	
El Dorado – 128.2	
Frankston – 135.25 134.025	
Gainsville – 126.775 124.75	
Keller – 135.275 134.15 133.25	
Lubbock – 132.6 126.45 120.775	
Marshall – 135.1 128.125	
McAlester – 135.45 132.2	
Midland A – 133.1 132.075	
Mineral Wells – 127.0 120.35	
Monroe – 126.325	
Oklahoma City – 133.9 132.45	
Paducah – 134.55 133.5 126.45 120.775	
Paris – 124.875	
Plainview – 126.45	
San Angelo – 126.15 120.275	
Scurry – 135.75 126.725	
Shreveport – 133.875 132.275 126.325	
Snyder – 132.6	
Texarkana – 134.475 126.575 123.925	
Tyler – 135.25 134.025	
Waco – 133.3	
Wichita Falls Nr1 – 132.925 124.525	
Wichita Falls Nr2 – 133.5 127.95	

® HOUSTON CENTER – 134.35	H-6-7-8-9, L-17-18-19-20-21-22
Arr-Dep US – 135.77 134.95 133.75 133.4 132.65 132.4 128.3 127.8 125.75 120.35	(KZHU)
Alexandria – 132.7 127.85 120.975	
Austin – 132.725 125.65	
Beaumont – 133.8 126.95	
Cameron County – 132.65 132.65	
College Station – 135.325 134.8 134.5 125.15 120.4	
Fredericksburg – 134.2 132.725	
Galveston – 133.8	
Galveston A – 133.4	
Grand Isle – 134.9 132.175	
Hattiesburg – 126.8 119.725	
Houma – 132.65 132.65	
Intracoastal City – 120.35	
Kerrville – 134.95	
Kingsville – 133.75 128.15	
Lacombe – 126.875	
Lafayette – 133.65 126.35	
Lake Charles – 132.95 124.7	
Laredo – 128.6 127.8 126.75	
Lometa – 132.35	
Lufkin – 134.8 133.575 132.775 126.95 125.17	
McComb – 126.8	
Mobile – 132.6 125.775	
Natchez – 120.97	
Newton – 134.8 126.95	
New Orleans – 126.35 127.0	
Palacios – 132.15 128.6	
Rockport – 135.47 134.6 128.15	
Rocksprings – 132.4 125.75	
San Antonio – 134.95 132.8 125.25	
San Antonio A – 134.6 126.425 120.6	
Sealy – 132.15 126.425 119.175	
Uvalde – 134.95 126.1	
Vermillion – 120.35	
Victoria – 135.05	

® KANSAS CITY CENTER – 132.325	H-5-6, L-10-15-16-27, A-2
Chanute – 132.9	(KZKC)
Gage – 126.95	
Liberal – 134.675 134.0	
Oklahoma City – 128.3	
Ponca City – 127.8	
Tulsa – 125.825 128.8	

® MEMPHIS CENTER – 127.975 124.025	H-5-6-9, L-15-16-17-18-22-25-26
Brinkley – 135.3 124.025 126.85	(KZME)
Columbus – 134.775 133.125 127.1	
Fayetteville – 132.55 126.1	
Fort Smith – 126.1	
Greenville – 135.875 133.075 124.925	
Greenwood – 132.5 127.425	
Harrison – 126.85	
Hot Springs – 128.475	
Jackson – 132.5	
Louisville – 132.75	
McKellar – 134.65 127.975 126.45 124.35	
Meridian – 128.275 125.975	
Pine Bluff – 135.875 132.425 125.475	
Russellville – 128.475	
Tupelo – 135.9 135.9 134.4 128.5 127.375	
Walnut Ridge – 132.375 120.075	

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAID's are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

ALBUQUERQUE AFSS 122.55

EL PASO RCO **122.4** 122.55
 FORT STOCKTON VORTAC 116.9T 122.1R
 GUADALUPE PASS RCO 122.35
 MARFA VOR/DME 115.9T 122.1R

DE RIDDER AFSS

BATON ROUGE RCO 122.2
 DE RIDDER RCO 122.2
 DRISKILL MOUNTAIN RCO 122.35
 ESLER RCO **122.55**
 HOUMA RCO 122.45
 LAFAYETTE RCO 122.35
 LAKE CHARLES RCO **122.3**
 LEEVILLE VORTAC 113.5T 122.1R
 MANY RCO 122.15
 MONROE RCO 122.25
 NEW ORLEANS RCO **122.6**
 PATTERSON RCO 122.5
 SHREVEPORT RCO **122.6**
 SOUTH TIMBALIER RCO 122.6
 TIBBY VORTAC 112.0T 122.1R
 VERMILLION RCO 122.6

FORT WORTH AFSS 122.6

ABILENE RCO **122.65**
 AMARILLO RCO **122.65**
 BRECKENRIDGE RCO 122.5
 BROWNWOOD RCO 122.5
 CHILDRESS RCO 122.45
 DALHART RCO 122.2
 DALLAS RCO 122.3
 GREGG COUNTY RCO 122.2
 JACKSBORO RCO 122.4
 LUBBOCK RCO 122.55
 MINERAL WELLS RCO 122.2
 PARIS RCO 122.25
 PLAINVIEW RCO 122.55
 SHERMAN/DENISON RCO 122.3
 SNYDER RCO 122.45
 TYLER RCO 122.3
 WACO RCO **122.15**
 WICHITA FALLS RCO 122.65

GREENWOOD AFSS

BIGBEE RCO 123.65
 EATON VORTAC 110.6T 122.1R
 GREENVILLE VOR/DME 110.2T 122.1R
 GREENWOOD RCO 122.2 **122.55**
 GULFPORT VOR/DME 109.0T 122.1R
 HOLLY SPRINGS VORTAC 112.4T 122.1R 122.3
 JACKSON VORTAC 112.6T 122.1R 122.2 122.65
 KEWANEE VORTAC 113.8T 122.1R
 LAUREL RCO 122.3
 MC COMB RCO 122.2 122.4
 MC COMB VORTAC 116.7T 122.1R 122.2 122.4
 MERIDIAN VORTAC 117.0T 122.1R 122.2 122.6
 NATCHEZ VOR/DME 110.0T 122.1R
 PICAYUNE VOR/DME 112.2T 122.1R
 SIDON VORTAC 114.7T 122.1R
 TUPELO RCO 122.5

JONESBORO AFSS 122.2 122.3

BATESVILLE RCO 122.25
EL DORADO RCO 122.65
FAYETTEVILLE RCO 122.3
FAYETTEVILLE (SPRINGDALE) RCO 122.55
FLIPPIN RCO 122.35
FORT SMITH RCO 122.2
HARRISON RCO 122.45
HOT SPRINGS VOR/DME 110.0T 122.1R
JONESBORO RCO 122.2 122.3 123.6
LITTLE ROCK RCO **122.55**
MONTICELLO VOR/DME 111.6T 122.1R
PINE BLUFF RCO 122.6
SOCIAL HILL RCO 122.075
TEXARKANA RCO **122.45**
WALNUT RIDGE VORTAC 114.5T 122.1R

MC ALESTER AFSS

ADA RCO **122.45**
ARDMORE RCO **122.55**
BARTLESVILLE RCO 123.6
GAGE RCO **122.55**
HOBART RCO 122.2
MC ALESTER RCO **122.65** 123.6
MUSKOGEE RCO 122.5
NORMAN RCO **122.15**
PONCA CITY RCO **122.25**
RICH MOUNTAIN RCO 122.6
SAYRE VORTAC 115.2T 122.1R
STILLWATER VOR/DME 108.4T 122.1R 122.3
TULSA RCO 122.2 **123.65**
WILEY POST RCO 122.4 **122.65**
WOODRING RCO 122.6

MONTGOMERY COUNTY AFSS

BEAUMONT RCO 122.2
CENTER RCO 122.6
COLLEGE STATION RCO 122.2 **122.65**
EAST BREAKS RCO 122.5
GALVESTON RCO **122.15** 122.2
HIGH ISLAND RCO **122.35**
HOBBY RCO **122.35**
HOUSTON RCO **122.4**
HUNTSVILLE RCO 122.3
JASPER RCO **122.5**
LUFKIN RCO 122.2
MONTGOMERY COUNTY RCO 122.0 122.2
PALACIOS RCO **122.25**
VICTORIA RCO 122.2

SAN ANGELO AFSS

ALICE RCO 122.6
AUSTIN RCO 122.55
BIG SPRING RCO 122.4
BROWNSVILLE RCO 122.3
CENTER POINT VORTAC 117.5T 122.1R
CORPUS CHRISTI RCO **122.65**
COTULLA RCO 122.2
DEL RIO RCO 122.3
EAGLE PASS RCO **122.3**
HARLINGEN RCO **122.35**
JUNCTION RCO 122.3
LAMPASAS RCO 122.55
LAREDO RCO 122.3
MC ALLEN RCO 122.2
MIDLAND RCO 122.6
PECOS VOR/DME 111.8T 122.1R
ROCKSPRINGS VORTAC 111.2T 122.1R
SAN ANGELO RCO 122.25
SAN ANTONIO RCO 122.2 122.3
STONEWALL VORTAC 113.8T 122.1R
TEMPLE VOR/DME 110.4T 122.1R
THREE RIVERS VORTAC 111.4T 122.1R
UVALDE RCO 123.65
WINK RCO 122.05

FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office—Federal Aviation Administration.

ARKANSAS

1701 Bond Street
Little Rock, AR 72202
Telephone: 501-918-4400
1-800-632-9566 (AR only)

LOUISIANA

9191 Plank Road
Baton Rouge, LA 70811
Telephone: 225-358-6800
1-800-821-1960

MISSISSIPPI

100 W. Cross Street, Suite C
Jackson-Evers Intl Airport
Jackson, MS 39208
Telephone: 601-664-9800

OKLAHOMA

The Parkway Building
1300 S. Meridian, Suite 601
Oklahoma City, OK 73108
Telephone: 405-951-4200

TEXAS

1431 Greenway Drive, Suite 1000
Irving, TX 75038
Telephone: 972-582-1800
972-582-1872 (Fax)
972-582-1862 (Fax)

14800 Trinity Blvd., Suite 200
Fort Worth, TX 76155
Telephone: 817-684-6700
817-684-6757 (Fax)

Route 3, Box 51
Lubbock, TX 79403-9712
Telephone: 806-740-3800
806-740-3809 (Fax)
1-800-858-4115

10100 Reunion Place, Suite 200
San Antonio, TX 78216-4128
Telephone: 210-308-3300
1-800-292-2023

2221 Alliance Blvd, Suite 400
Fort Worth, TX 76177
Telephone: 817-491-5000

13100 Space Center Blvd., Suite 5400
Houston, TX 77059-3598
Telephone: 281-212-9700
888-285-2127 (Toll free)
281-212-9759 (Fax)

PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their routes of flight to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and enroute flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, enroute and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
5. Where more than one route is listed the routes have equal priority for use.
6. Official location identifiers are used in the route description for VOR/VORTAC nav aids.
7. Intersection names are spelled out.
8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39; another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
9. Where two nav aids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
11. (90–170 incl) altitude flight level assignment in hundred of feet.
12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.
 Sun 1300–2259 local time.
 Mon thru Fri 0701–2259 local time.
 Sat 0701–1459 local time.
14. Use current SIDs and STARs for flight planning.
15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
DALLAS/FORT WORTH AREA		
Atlanta (ATL)	TTT084 SOLD0 UIM V54 TXK V278 VUZ V417 MAYES V325 DALAS ATL	0000–2359
Chicago Midway (MDW)	FUZ022 MLC206 MLC V63 UIN V586 PIA PIA056 MOTIF JOT	0000–2359
Chicago O'Hare (ORD)	FUZ022 MLC206 MLC V63 UIN V586 PIA V262 BDF V10 PLANO	0000–2359
Houston Hobby (HOU)	V369 TNV	0000–2359
Memphis (MEM)	TTT084 SOLD0 UIM V54 TXK V16 UJM	1200–1400 and 1800–0000
New Orleans (MSO)	TTT084 SOLD0 UIM V114 VEILS	0000–2359
San Antonio (SAT)	ACT V358 STV	0000–2359
HOUSTON METRO AREA		
Dallas/Fort Worth Area (DFW)	V477 CQY	0000–2359
From GEORGE BUSH INTCNL/HOUSTON (IAH): New Orleans (MSO)	(below FL180) TRIOS V222 LCH V20	1100–0300

Terminals	Route	Effective Times (UTC)
From HOUSTON WILLIAM P HOBBY (HOU): New Orleans (MSO)	(below FL180) V198 TBD V552	1100-0300
NEW ORLEANS METRO AREA		
Dallas/Fort Worth (DFW)	RQR V566 AEX V114 GGG V94 CQY	0000-2359
TULSA (TUL)		
Indianapolis (IND)	V14 SGF V190 PXV V11	0000-2359
Springfield (SPI)	V14 SGF V63 UIN V50	0000-2359
Terre Haute (HUF)	V14 SGF V190 PXV V7	0000-2359

Terminals	Route	Effective Times (UTC)
BATON ROUGE METRO AREA		
Atlanta (ATL)	GCV LGC-STAR	
	or	
	(RNAV only) GCV HONIE (RNAV)-STAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SALVO LFT ELAAN CLMBA COLUMBIA (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SALVO LFT LCH DAISETTA-STAR	
Houston (IAH)	(GPS OR DME/DEM-IRU EQUIPPED) SALVO LFT GIRLY WOLDE WOLDE (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SALVO LFT LCH DAISETTA-STAR	
DALLAS/FORT WORTH METRO AREA		
Baltimore (BWI)	TXK J42 BKW J147 CSN OTT-STAR	
	or	
	(GPS or DME/DME-IRU equipped) TXK J42 BKW J147 CSN RAVNN (RNAV)-STAR	
Boca Raton (BCT)	(GPS OR DME/DEM-IRU EQUIPPED) SWB MCB J50 CEW J2 SZW PRRIE (RNAV) STAR	
	or	
	(GPS OR DME/DME-IRU EQUIPPED) SWB HRV Q105 REDFN Q100 SRQ PRRIE (RNAV STAR) TTT064 LIT235 LIT J131 PXV J29 JHW J82 ALB GDM-STAR	
	or	
	SQS J52 ATL GRD J209 RDU J207 FKN J79 JFK060060 ORW PVD V151 INNDY	
Charlotte (CLT)	SQS J52 ATL UNARM-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) SQS J52 ATL ADENA (RNAV)-STAR	
Chicago Midway (MDW)	FUZ J181 MAGOO MOTIF-STAR	
Chicago O'Hare (ORD)	FUZ J181 BDF BDF-STAR	1200-0400
Cincinnati (CVG)	(RNAV only) TXK J42 MEM J29 PXV SARGO (RNAV)-STAR	
Cleveland Metro Area (CLE) (CGF) (BLK) (LNN) (LPR)	PXV ABERZ-STAR	
Denver (DEN)	ADM ADM303 ROLLS J52 LAA QUAIL-STAR	
Detroit Metro-Wayne (DTW)	LIT J131 PXV VHP FWA MIZAR-STAR	1200-0400
Detroit Metro Area (PTK), (YIP), (ARB)	TXK J131 PXV VHP FWA CRUXX-STAR	
(DET), (CYQG)	TXK J131 PXV VHP FWA V96 VVV VVV051 POOFE	
Fort Lauderdale (FLL)	(DME/DME-IRU OR GPS) SWB HRV Q105 BLVNS Q102 BAGGS JINGL (RNAV) STAR	
	or	
	(all others) SWB HRV Q105 BLVNS Q102 BAGGS RSW FORTL-STAR	
Houston (HOU)	(Turbojets) JPOOL-DP ELLVR TEXNN-STAR	
	or	
	(Non-Turbojets) JPOOL-DP CLL BLUBL-STAR	
Houston (IAH)	JPOOL-DP BILEE RIICE-STAR	

Terminals	Route	Effective Times (UTC)
Kennedy (JFK)	SQS J52 ATL GRD J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	SQS J52 ATL AHN J208 HPW J191 PXT KORRY-STAR	
Louisville (LUV)	TXK J42 BNA BNA037 BARRY EWO	
Miami (MIA)	(all others) SWB HRV Q105 BLVNS Q102 CYY CYY-STAR	
	or (all others) SWB MCB J50 CEW J2 SZW J43 PIE CYY-STAR	
	or (DME/DME/IRU OR GPS TURBOJET) SWB MCB J50 CEW J2 SZW SSCOT (RNAV)-STAR	
	or (DME/DME/IRU OR GPS TURBOJET) SWB HRV Q105 BLVNS Q102 BAGGS SSCOT (RNAV)-STAR	
Newark (EWR)	TXK J42 GVE DYLIN-STAR	
	or (GPS or DME/DME-IRU equipped) TXK J42 GVE PHLBO (RNAV)-STAR	
Philadelphia (PHL)	TXK J42 OTT DQO-STAR	
Phoenix (PHX)	ABI J4 SSO J50 TOTEC	0100-0500
Pittsburgh (PIT)	TXK J42 MEM J29 PAV HNN WISKE-STAR	
San Francisco (SFO)	TTT275 GTH119 GTH GTH288 TCC105 TCC J76 FTI J58 OAL MOD	
San Jose (SJC)	TTT275 GTH119 GTH GTH288 TCC105 TCC J76 FTI J58 OAL HYP	
West Palm Beach (PBI)	SWB HRV Q105 REDFN Q100 SRQ WLACE (RNAV)-STAR	
	or SWB MCB J50 CEW J2 SZW WLACE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) SWB MCB J50 CEW J2 SZW WLACE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) SWB HRV Q105 REDFN Q100 SRQ WLACE (RNAV)-STAR ..	
GULFPORT		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) HRV COLUMBIA (RNAV)-STAR	
Houston (IAH)	(DME/DME-IRU or GPS-equipped) HRV WOLDE (RNAV)-STAR	
HOUSTON METRO AREA (HOU, IAH)		
Atlanta (ATL)	LAKE CHARLES-DP BTR GCV LGC-STAR	
	or (RNAV only) LAKE CHARLES-DP BTR GCV HONIE (RNAV)-STAR	
Baltimore (BWI)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 RIC OTT-STAR	
	or (GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 RIC RAVNN (RNAV)-STAR	
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q100 SRQ PRRIE (RNAV)-STAR ..	
	or (GPS or DME/DME-IRU equipped) SABINE PASS (RNAV)-DP LEV Q102 BAGGS JINGL (RNAV)-STAR	
Boston (BOS)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM MGM048/138 GRD J209 RDU J207 FKN J79 JFK ORW-STAR	
Charlotte (CLT)	LAKE CHARLES-DP BTR KALBE MEI J239 ATL UNARM-STAR	1400-0100
	or	

Terminals	Route	Effective Times (UTC)
	(Turbojets—GPS or DME/DME—IRU equipped)	
	LAKE CHARLES—DP BTR KALBE MEI J239 ATL	
	ADENA (RNAV)—STAR	1400–0100
Chicago (ORD)	LUFKIN—DP LIT J101 STL STL349 MAG00	
	BDF—STAR	0111–2024 and 2126–2359
	or	
	J33 FUZ J105 BDF—STAR.....	2025–2125 and 0000–0110
	or	
	LUFKIN—DP LIT J180 FTZ BDF—STAR	
Cincinnati (CVG).....	(RNAV only) LUFKIN—DP LIT J131 PXV SARGO	
	(RNAV)—STAR	
	or	
	(all others) LUFKIN—DP LIT J131 PXV	
	MOSEY—STAR	
Cleveland (CLE)	LUFKIN—DP LIT J131 PXV JUDDI CVG	
	ZABER—STAR	
Detroit—Wayne (DTW)	LUFKIN—DP LIT J131 PXV VHP FWA MIZAR—STAR ..	
	or	
	ALAMO—DP LFK J101 LIT J131 PXV VHP FWA	
	MIZAR—STAR	
Fort Lauderdale (FLL)	(GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q102 BAGGS	
	RSW FORTL—STAR	
	or	
	(GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q102 BAGGS	
	JINGL (RNAV)—STAR	
Kennedy (JFK)	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI J37 MGM MGM048138 GRD	
	J209 ORF J121 SIE CAMRN—STAR	
La Guardia (LGA)	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI J37 MGM AHN J208 HPW J191	
	PXT KORRY—STAR.....	
Miami (MIA)	(GPS or DME/DME—IRU equipped) SABINE PASS	
	(RNAV)—DP LEV Q102 CYY CYY—STAR	
	or	
	(Turbojets—GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q102 BAGGS	
	SSCOT (RNAV)—STAR	
Newark (EWR)	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI SPA J14 J51 FAK PHLBO	
	(RNAV)—STAR	
Orlando (MCO)	(all others) SABINE PASS (RNAV)—DP LEV Q100	
	REMIS BOXKR MINEE—STAR	
	or	
	(Turbojets, GPS or DME/DME—IRU equipped)	
	SABINE PASS (RNAV)—DP LEV Q100 REMIS	
	BOXKR COSTR (RNAV)—STAR	1100–0400
Palm Beach (PBI)	(GPS or DME/DME—IRU equipped) SABINE PASS	
	(RNAV)—DP LEV Q100 SRQ WLACE	
	(RNAV)—STAR	
Philadelphia (PHL)	(GPS or DME/DME—IRU equipped) GUSTI	
	(RNAV)—DP SJI J37 SPA J14 J51 FAK	
	DPNT—STAR	
Pittsburgh (PIT)	LUFKIN—DP LIT J131 PXV IJU HNN WISKE—STAR ...	
	or	
	(GPS or DME/DME—IRU equipped) LEV Q100	
	REMIS BLOND BLOND(RNAV)—STAR	
Tampa (TPA)	(GPS or DME/DME—IRU equipped) SABINE PASS	
	(RNAV)—DP LEV Q102 REMIS BLOND BLOND	
	(RNAV)—STAR	

Terminals	Route	Effective Times (UTC)
Washington (DCA)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 RIC OJAAY (RNAV)-STAR.....	1630-1800
Washington (IAD)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 SPA J14 CREWE J51 FAK BARIN COATT-STAR.....	
Windsor Locks (BDL)	(GPS or DME/DME-IRU equipped) GUSTI (RNAV)-DP SJI J37 MGM MGM 048/138 GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR ..	
JACKSON (JAN)		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) AEX ROKIT (RNAV)-STAR..... or (Non-advanced NAV only) AEX DAS-STAR.....	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) AEX TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) AEX DAS STAR	
LITTLE ROCK (LIT)		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) J180 SWB DAS-STAR ..	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) J180 SWB DAS-STAR ..	
NEW ORLEANS (MSY)		
Atlanta (ATL)	GCV LGC-STAR	
Baltimore (BWI)	J37 SPA J14 RIC OTT-STAR	
	or (GPS or DME/DME-IRU equipped) J37 SPA J14 RIC RAVVN (RNAV)-STAR.....	
Boston (BOS)	J37 MGM MGM048138 GRD J209 RDU J207 FKN J79 JFK ORW-STAR	
Cincinnati (CVG)	(RNAV only) J35 MEM J29 PVX SARGO (RNAV)-STAR.....	
	or (all others) J35 MEM J29 PVX MOSEY-STAR.....	
Charlotte (CLT)	(Turbojets-GPS or DME/DME-IRU Equipped) MEI J239 ATL ADENA (RNAV)-STAR	
Cleveland Metro Area (CLE) (CGF) (BKL) (LNN) (LPR)	IIU ZABER-STAR.....	
Denver (DEN)	J58 FUZ J21 ADM J52 LAA QUAIL-STAR	
Detroit Metro-Wayne (DTW)	MEM J29 IMPEL VHP FWA MIZAR-STAR	
Houston (HOU)	(DME/DME-IRU or GPS-equipped) KCEEE COLUMBIA (RNAV)-STAR	
	or (Non-advanced NAV only) AEX DAS-STAR.....	
Houston (IAH)	(DME/DME-IRU or GPS-equipped) JEPEG KUGLE WOLDE WOLDE (RNAV)-STAR.....	
	or (Non-advanced NAV only) AEX DAS-STAR.....	
Kennedy (JFK)	J37 MGM MGM048138 GRD J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	J37 MGM AHN J208 HPW J191 PXT KORRY-STAR.....	
Louisville (IIU)	J35 MEM BWG EWO	
Newark (EWR)	J37 SPA J14 J51 FAK DYLIN-STAR	
	or (GPS or DME/DME-IRU equipped) J37 SPA J14 J51 FAK PHLBO (RNAV)-STAR	
Washington Dulles (IAD)	J37 SPA J14 J51 FAK COATT-STAR	
Washington Natl (DCA)	J37 SPA J14 RIC IRONS-STAR	
	or	

Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL)	(GPS or DME/DME-IRU equipped) J37 SPA J14 RIC OJAAY (RNAV)-STAR	
	J37 MGM MGM048138 GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	
OKLAHOMA CITY (OKC)		
Houston HOU)	(Turbojets) CVE TEXNN-STAR..... or (Non-Turbojets) CVE ELLVR BLUBL-STAR	
Houston (IAH)	CVE RIICE-STAR.....	
SAN ANTONIO (SAT)		
Atlanta (ATL)	J2 LCH J590 GCV LGC STAR..... or (RNAV only) J2 LCH J590 GCV HONIE RNAV-STAR J17 AMA TBE J171 TODDE QUAIL-STAR	
Denver (DEN)	ALAMO-DP LFK J101 LIT J131 PXV VHP FWA MIZAR-STAR	
Detroit Metro-Wayne Co (DTW)	ALAMO ELA LISSE-STAR	
Houston (HOU)	ALAMO ELA GLAND-STAR	
Houston (IAH)		
TULSA (TUL)		
Houston (HOU)	(Turbojets) OKM CVE TEXNN-STAR	
Houston (IAH)	OKM CVE RIICE-STAR.....	

SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Terminals	Route	Effective Times (UTC)
Traffic(OCEANIC) originating South of Houston Center northbound:		
HOU	(GPS or DME/DME-IRU equipped) A766 KLAMS COLUMBIA (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) B753 MAHEE MCOOL COLUMBIA (RNAV)-STAR	
IAH	(GPS or DME/DME-IRU equipped) A766 KLAMS WOLDE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) B753 MAHEE KUGLE WOLDE (RNAV)-STAR	

HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J6	Lancaster, PA to Little Rock, AR	Southwest	1100-0300
J42	Texarkana, AR to Robbinsville, NJ	Northeast	1100-0300
J180	Little Rock, AR to Humble, TX	Southwest	1200-0400

GULF OF MEXICO "Q ROUTES"

These area navigation routes extend more than 12 miles offshore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3, International Notices to Airmen.

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL)

Q100

LEV VORTAC
 REDFN N28°52.98' /W088°42.11'
 ROZZI N28°18.87' /W086°42.31'
 REMIS N27°53.04' /W085°15.47'
 SRQ VORTAC

Q102

LEV VORTAC
 BLVNS N28°22.94' /W088°02.05'
 BUNNZ N28°00.58' /W086°45.76'
 BACCA N27°35.51' /W085°20.66'
 CIGAR N27°29.61' /W084°46.99'
 BAGGS N27°08.06' /W082°50.45'
 CYY VORTAC

Q105

HRV VORTAC
 FATSO N29°41.40' /W089°47.08'
 REDFN N28°52.98' /W088°42.11'
 BLVNS N28°22.94' /W088°02.05'

Q-ROUTES REGULATORY

Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this A/FD volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route	Segment	DME
Q1	ELMAA-ERAVE	BTG, OLM, HQM, HUH, UBG
	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
Q2	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
Q3	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
Q4	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
	ZEBOL-SKTTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
Q5	SKTTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME
	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL

Route	Segment	DME
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
Q9	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED, EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
Q11	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED, SWR
	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV, OED, SEA
Q13	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
Q15	All segments	None; GNSS required
Q19	All segments	None; GNSS required
Q20	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IJU, FAM, BWG, CSX
	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
Q21	UNNOS-FUSCO	FST, ACH, INK, CME, SGT, TXO, TCC
	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SGT, STV, FST
	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
Q22	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
Q23	FORT SMITH-RAZORBACK	OKM, RZC, EOS, TUL
Q24	LAKE CHARLES-BATON ROUGE	AEX, DAS, LCH, MCB, LFT, BTR
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
Q26	WALNUT RIDGE-DEVAC	LIT, JKS, GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
Q27	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
Q29	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
Q30	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
	DHART-JODOX	SQS, LIT, TXK
Q31	JODOX-MARVELL	SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
Q33	NASHVILLE-SWAPP	BWG, IJU, PXV, VXV, BNA, GQO
	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
Q34	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS, PXV, BNA, GQO, IJU, VXV
Q35	KIMBERLY-NEERO	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	NEERO-WINEN	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
Q36	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
	RAZORBACK-TWITS	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT
	TWITS-DEPEC	MEM, GQO, BNA, BWG, FAM, ARG, PXV, IJU
Q36	DEPEC-NASHVILLE	GQO, BWG, BNA, PXV, IJU
	NASHVILLE-SWAPP	VXV, BWG, BNA, GQO, PXV, IJU

Route	Segment	DME
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX
	INCIN-LAREY	JAN, MCB, SWB, AEX
	LAREY-BESOM	JAN, JYU, MEI, SQS, VUZ
Q40	ALEXANDRIA-DOOMS	AEX, SWB, LCH, JAN, HEZ, MCB
	DOOMS-WINAP	JAN, SQS, MEI, MCB
	WINAP-MISLE	MEI, VUZ, JYU
Q42	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX
	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, OBK, GIJ, FWA, GSH, IRK
	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVQ, CXR, EWC
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB
	BUBAA-PSYKO	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB
	PSYKO-BRNAN	PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT
	BRNAN-MAALS	EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE
	MAALS-SUZIE	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK
	SUZIE-EAST TEXAS	JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN
	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
Q104	DEFUN-HEVVN	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG
	HEVVN-PLYER	PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY
	SWABE-ST PETERSBURG	LAL, ORL, OMN, SRQ, PHK, PIE
	ST PETERSBURG-CYPRESS	PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN
Q106	SMEIZ-BULZI	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
Q108	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNDR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
Q112	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB
Q116	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
Q118	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU, DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
Q502	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW, MSP, MNM, ASP, TVC, GEP, RWF, BRD
	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
Q504	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC, SAW, GRB, BRD
	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
Q505	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB

*Denotes Critical DME Facility

RNAV Routing and Catch Points

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by **pitch** (entry into) and **catch** (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: <http://sua.faa.gov/sua/Welcome.do>. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.

HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE.

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque	ABQ, GUP, HANOS or ZUN
Austin	ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV
Boca Raton, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Burbank includes Santa Monica and Van Nuys	GMN, MARKS or DAG LAS or HEC EED or PMD BLH
Chicago Terminal Area	IOW, PLL275065, MZV or BAE
Dallas/Fort Worth Terminal Area	ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB or Aircraft destined the Chicago terminal area Except MDW EAKER MIDEE BDF BRADFORD-STAFF Or MLC J105 SGF BDF BRADFORD-STAF
Denver Terminal Area	PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE, CABET, WEEDS, OR BINKE
Fort Lauderdale (or) Fort Lauderdale Executive	THNDR KPASA Q118 LENIE or THNDR KPASA Q116 CEEYA or THNDR KPASA Q110 FEONA or THNDR SMELZ Q106 GADAY or THNDR SMELZ Q106 BULZI
Houston Bush	LIT, EMG, MLC, JCT or Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR or Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN or Aircraft joining J42 to the northeast, ELD Q32 J42

Houston Hobby	LIT, EMG, MLC, JCT, or Aircraft joining J42 to the northeast, ELD Q32 J42
Jacksonville, FL	TAY
Kansas City Terminal Area	TIFTO, CATTs or KENTN
Los Angeles, includes Ontario	GMN, RZS or DAG LAS or TRM EED or TRM PKE
Las Vegas	DOBNE, MOSBI, NICLE, TRALR or ZELOT
Long Beach includes Orange County	GMN SNS, EHF, LANDO or TRM PKE or TRM EED
Memphis	BNA, HAAWK, SALMS or SQS
Miami Terminal Area	WINCO KPASA Q118 LENIE or WINCO KPASA Q116 CEEYA or WINCO KPASA Q110 FEONA or WINCO SMELZ Q106 GADAY or WINCO SMELZ Q106 BULZI
Milwaukee	GREAS
Minneapolis Terminal Area*	ONL, ABR, FAR, OBH, OVR, FOD
New Orleans Terminal Area	AEX, MEI, SQS, KAPLN
Orlando Terminal Area	WEBBS BRUTS Q118 LENIE or WEBBS GULFR Q116 CEEYA or WEBBS BULZI Q106 GADAY or WEBBS FEONA or WEBBS BULZI
Palm Beach, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Palm Springs	TRM JOTNU BLD or TRM EED or TRM PKE
Phoenix	CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK
Portland, OR	PDT, TIMEE

Salt Lake City	HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI or TCH J56 CHE or TCH J173 EKR
Saint Louis	VIH, MAP, MYERZ, MCM or HLV MCI
San Antonio Terminal Area	FUZ, SJT, MQP, ABI or Aircraft North of LFK, LFK or Aircraft South of HUB, ELA or Aircraft South of LFK and North of HUB LCH
San Diego	TRM EED or TRM PKE or TRM JOTNU BLD
San Francisco Bay Area	GALLI, INSLO, HAROL JSICA
Oakland	GALLI, INSLO, HAROL JSICA
San Jose	GALLI or INSLO
Seattle	BLUIT
Southwest Florida Airports (RSW/FMY)	JOCKS KPASA Q118 LENIE or JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or JOCKS SMELZ Q106 GADAY or JOCKS SMELZ Q106 BULZI
Tampa Terminal Area	FEONA, BULZI or BRUTS Q118 LENIE or GULFR Q116 CEEYA or BULZI Q106 GADAY

*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area	Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA or Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC or MEM or Aircraft through ZME airspace from ZID airspace west of a line from VHP to BWG, BNA or Aircraft through ZME airspace from ZID airspace east of a line from VHP to BWG, BWG or Aircraft through ZME airspace from ZFW airspace, MEM or MEI HONIE (RNAV)–STAR or PATYN HONIE (RNAV)–STAR
-----------------------	---

Baltimore–Washington*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA or VUZ
Boston*	GEP, CRL, ECK, IIU, BNA or VUZ
Buffalo*	GEP, CRL
Hartford Bradley*	GEP, CRL
Canton–Akron*	GIJ, VHP, GEP
Charlotte	BNA, VUZ
Cincinnati Terminal Area	BNA, PXV or Aircraft north of SLC, JOT or Aircraft over or south of SLC, ENL or SLC or SFO departures, ENL, JOT
Cleveland Terminal Area*	OBK
Detroit Terminal Area	BAE MKG POLAR–STAR or VHP FWA MIZAR–STAR
Detroit Young	VHP FWA or LAN SPRTN–STAR
Indianapolis Terminal Area	BIB, SPI, JOT
Louisville	ENL, MEM
Newark*	GEP, VHP, FLM, IIU, BNA, VUZ or IOW GIJ J554 CRL J584 SLT FQM
New York Kennedy*	GEP, VHP, FLM, IIU, BNA, VUZ or DBQ J94 PMM J70 LVZ LENDY–STAR
New York LaGuardia*	GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area*	GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ
Pittsburgh Terminal Area*	VHP, GIJ, BAE, GEP
Pontiac	LFD, LAN, VHP, FWA, GEP
Providence	JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ
Raleigh–Durham	FLM, IIU, BNA, VUZ
Toronto Terminal Area	ECK, SVM, SSM, GEP
Teterboro*	GEP, VHP, CRL, BNA, VUZ
Washington Dulles/National*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ
White Plains*	GEP, VHP, CRL, FLM, IIU, BNA, VUZ
Willow Run*	LAN, LFD, VHP, FWA, GEP

*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area	CURLY CURLY-STAR or ESPAN FRIHO-STAR or LAVAN LAVAN-STAR or FTI FRIHO-STAR or MIERA MIERA-STAR
Austin Terminal Area	Aircraft west of a north-south line at LFK, BLEWE or Aircraft east of a north-south line at LFK, IDU or LLO
Boca Raton, FL	CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or SZW INPIN SHDAY (RNAV)-STAR
Chicago Midway	CVA MOTIF-STAR or PIA MOTIF-STAR or DBQ CVA MOTIF-STAR or LMN MOTIF-STAR
Chicago O'Hare Terminal Area	GEP DLL MSN JVL JANESVILLE-STAR or TVC PULLMAN-STAR or FOD DBQ JVL JANESVILLE-STAR or MCW JANESVILLE-STAR or GCK IRK BRADFORD-STAR
Dallas/Fort Worth Terminal Area	IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM or Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW or Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS or Aircraft through ZME airspace from J52 and south of J52, SQS

Denver Terminal Area	OATHE DANDD-STAR
	or
	HGO QUAIL-STAR
	or
	LOPEC-STAR
	or
	ALS LARKS-STAR
	or
	HBU POWDR-STAR
	or
	EKR TOMSN-STAR
	or
	CHE TOMSN-STAR
	or
	BFF LANDR-STAR
	or
	LBF SAYGE-STAR
	or
	HCT SAYGE-STAR
	or
	RSK LARKS-STAR
	or
	LAA QUAIL-STAR
	or
	GCK J154 RYLIE DANDD-STAR
	or
	OCS J154 ALPOE RAMMS-STAR
	or
	YANKI J114 SNY LANDR-STAR
	or
	Aircraft filed BIL or east, MBW RAMMS-STAR
Ft Lauderdale or Ft Lauderdale Executive	CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR
	Aircraft through ZHU airspace remain south ZME and ZTL airspace
	or
Houston Bush	SZW HEVVN Q104 PIE SWAGS (RNAV)-STAR
	CRP, CVE, LLO, LUKIY, SAT
	or
	Aircraft south and east of LLA, LLA
	or
	MISLE Q40 AEX
	or
	Aircraft north and east of SJI, SJI
	or
	Aircraft east of PXV, PXV Q31 DHART SWB
	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
Houston Hobby	CRP, ELLVR, SAT, SWB
	or
	Aircraft south and east of GIRLY, GIRLY
	or
	Aircraft north and east of SJI, SJI
	or
	BESOM Q38 ROKIT ROKIT-STAR
	or
Jacksonville	Aircraft east of PXV, PXV Q29 HARES SWB
	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
	GADAY ZOOSS TAY
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	ZOOSS TAY

John Wayne–Orange County	HEC, PGS, BLD or Aircraft south of TBC from ZAB airspace, HIPPI
Kansas City Terminal Area	LMN BRAYMER–STAR or PWE ROBINSON–STAR or EMP JHAWK–STAR
Las Vegas	DILCO, LIDAT, IGM or Aircraft over PGA or north of PGA KSINO or Aircraft south of PGA PGS LYNSY
Los Angeles Terminal Area	Aircraft North of TBC, HEC, PGS or Aircraft South of TBC from ZAB airspace, HIPPI, MESSI
Miami Terminal Area	CEW DEFUN Q104 CYY DEEDS (RNAV)–STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVNV Q104 CYY DEEDS (RNAV)–STAR
Minneapolis Terminal Area	Aircraft from north, west, south, FAR GOPHER–STAR or RWF SKETR–STAR or ALO KASPR–STAR or BRD GOPHER–STAR or BAE EAU CLAIRE–STAR or FOD TWOLF–STAR
Memphis Terminal Area	ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD
Naples, FL	CEW DEFUN Q104 PLYER PIKKR (RNAV)–STAR Aircraft through ZHU AIRSPACE remain south of ZME and ZTL airspace or SZW HEVNV Q104 PLYER PIKKR (RNAV)–STAR
Nashville	CCT, GHM, GUITR, TINGS, VOLLS
New Orleans Terminal Area	BLUEZ, GPT, LCH, MCB, TBD, FATSO
Oakland	ILA or KATTS PAMMY or Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY or Aircraft from north of ILC, JOPER PAMMY or KATTS PAMMY or Aircraft over or south of ILC, REANA KATTS PAMMY
Orlando Terminal Area	GADAY Q108 CLAWZ LEESE–STAR Aircraft through ZHU airspace remain south of ZME/ZTL airspace or OTK LEESE–STAR

Palm Beach, FL	CEW DEFUN Q112 INPIN GULLO (RNAV)–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW INPIN GULLO (RNAV)–STAR
Phoenix	CORKR DRK or Aircraft from ZDV airspace, GUP or Aircraft from ZAB airspace, ZUN, MOHAK, SSO or VYLLA TUS
Phoenix Satellites	FLG, SSO, MOHAK or VYLLA, TUS
Portland, OR Terminal Area	ARNIT BONVL–STAR or LARNO BONVL–STAR or MOXEE MOXEE–STAR
St. Louis Terminal Area	SGF TRAKE–STAR or BUM TRAKE–STAR or ANX TRAKE–STAR or LMN IRK RIVRS–STAR or RBS VANDALIA–STAR
Salt Lake City Terminal Area	JNC J12 HELPR SPANE–STAR or EKR MTU SPANE–STAR or BCE DTA–TCH or MLF DTA–TCH or BVL BONNEVILLE–STAR or BYI BEARR–STAR or PIH BEARR–STAR or DBS BRIGHAM CITY–STAR or JAC BRIGHAM CITY–STAR or BPI BRIGHAM CITY–STAR or OCS BRIGHAM CITY–STAR
San Diego Terminal Area	EED, LAX, GBN
Santa Ana	HEC, PGS, BLD, HIPPI
San Antonio Terminal Area	IDU, CSI, JCT, LLO, CRP, LRD or West of a north–south line at LFK, BLEWE or East of a north–south line at LFK, IDU

San Francisco	FMG GOLDEN GATE–STAR
	or
	MVA MODESTO–STAR
	or
	ENI GOLDEN GATE–STAR
	or
	OAL MODESTO–STAR
San Jose	or
	South of a line ILC to DVC, REANA KATTS OAL MODESTO–STAR
	FMG HYP EL NIDO–STAR
	or
	OAL HYP EL NIDO–STAR
	or
	ENI GOLDEN GATE–STAR
Seattle Terminal Area	or
	South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO–STAR
	Aircraft From northeast, southeast, south, TEMPL GLASR–STAR
	or
	SUNED CHINS–STAR
	or
	BTG OLMYPIA–STAR
Southwest Florida Airports RSW and FMY	CEW DEFUN Q104 SWABE JOSFF–STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW HEVVN Q104 SWABE JOSFF–STAR
Tampa Terminal Area	CEW DEFUN Q104 HEVVN DARBS–STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW DARBS–STAR
Tucson	DRK PXR
	or
	MOHAK GBN

VISUAL FLIGHT RULES (VFR) WAYPOINTS

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

BALTIMORE–WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI	_____	N38°34.57' /W076°20.38'
VPONX	_____	N39°06.65' /W076°55.92'
VPOOP	_____	N38°56.32' /W076°36.90'

BOSTON HELICOPTER CHART

VPBAY	_____	N42°16.17' /W070°49.48'
VPBLT	_____	N42°19.67' /W070°53.40'
VPCGS	_____	N42°22.08' /W071°03.13'
VPEVS	_____	N42°23.52' /W071°04.10'
VPFEN	_____	N42°12.58' /W071°08.88'
VPFRE	_____	N42°25.03' /W071°12.32'
VPGLV	_____	N42°21.88' /W070°52.18'
VPHAM	_____	N42°30.13' /W071°07.15'
VPPIK	_____	N42°20.37' /W071°15.93'
VPQUA	_____	N42°12.10' /W071°04.78'
VPQUB	_____	N42°12.60' /W070°59.83'
VPSPF	_____	N42°24.20' /W071°09.47'
VPTOB	_____	N42°31.42' /W070°59.82'
VPWAN	_____	N42°36.88' /W071°19.45'

BOSTON TERMINAL AREA CHART

VPCOH	Cohasset	N42°13.58' /W070°48.94'
VPCUT	Cuttyhunk Harbor	N41°25.50' /W070°55.03'
VPFRA	Framingham Shopping Center	N42°18.16' /W071°23.65'
VPHOL	Woods Hole	N41°31.06' /W070°40.60'
VPHUL	Hull	N42°18.20' /W070°55.30'
VPLPT	Nantucket Great Point	N41°23.41' /W070°02.78'
VPNED	Needham Towers	N42°18.51' /W071°14.64'
VPPEA	Peabody Shopping Center	N42°32.52' /W070°56.69'
VPROC	Rockingham Race Track	N42°46.29' /W071°13.57'
VPSCI	Scituate	N42°11.89' /W070°43.69'
VPTPT	Nantucket Third Point	N41°18.51' /W070°03.37'
VPTUC	Tuckernuck	N41°18.31' /W070°15.43'
VPWAK	Wakefield	N42°30.72' /W071°05.24'
VPWAN	Wang Towers	N42°36.88' /W071°19.45'

CHARLOTTE SECTIONAL CHART

VPATO	_____	N34°37.37' /W076°31.47'
VPAVA	_____	N34°57.00' /W077°16.50'
VPBFE	_____	N32°16.38' /W080°47.50'
VPBRA	_____	N36°13.75' /W076°08.08'
VPGCE	_____	N36°03.90' /W076°36.42'
VPGHI	_____	N35°15.30' /W075°31.25'
VPGIO	_____	N35°32.50' /W076°37.33'
VPKJU	_____	N35°26.58' /W076°10.22'
VPLMN	_____	N34°55.43' /W077°46.42'
VPMAB	_____	N34°42.20' /W077°03.50'
VPNPO	ISLE OF PALMS	N32°47.78' /W079°46.45'
VPOKY	_____	N35°06.53' /W075°59.17'
VPREP	_____	N32°33.98' /W080°21.82'
VPRRS	_____	N33°25.45' /W079°07.60'
VPUMO	_____	N35°35.63' /W075°28.08'
VPWZO	_____	N36°00.87' /W075°40.07'
VPZIE	_____	N32°01.62' /W080°53.42'

CHICAGO SECTIONAL CHART

WAYPOINT IDENT
VPCOHCOLLOCATED VFR CHECKPOINT
_____LOCATION
N31°49.35' / W081°51.07'

DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN
VPFTG
VPNIC_____

NORTH INTERCHANGEN39°44.28' / W104°26.00'
N39°44.35' / W104°32.75'
N39°58.90' / W104°59.27'

HOUSTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT
VPBWY
VPDTN
VPGLA
VPGLB
VPKTY
VPPLN
VPRSN
VPSND
VPSNT
VPTNE
VPTNW
VPTRKCOLLOCATED VFR CHECKPOINT

_____LOCATION
N29°46.25' / W095°09.24'
N29°46.59' / W095°22.01'
N30°08.32' / W095°06.62'
N30°07.80' / W094°55.70'
N29°47.05' / W095°44.92'
N30°08.80' / W095°50.42'
N29°30.00' / W095°41.00'
N29°23.13' / W095°28.86'
N29°49.29' / W094°53.94'
N29°47.48' / W095°03.34'
N29°47.06' / W095°33.81'
N29°24.06' / W095°10.44'

JACKSONVILLE SECTIONAL CHART

VPAFI
VPAFY
VPBEC
VPCJA
VPCKY
VPCNY
VPDAD
VPDAR
VPDFI
VPDUT
VPEAR
VPEGV
VPPFU
VPGPE
VPHAA
VPHUC
VPIWA
VPJMY
VPKER
VPLEV
VPLJA
VPMIA
VPTLH
VPXZY
VPYIW
VPZIE_____

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

MIDWAY

LAKE PARKER

_____N31°49.35' / W081°51.07'
N30°07.00' / W081°21.33'
N29°46.25' / W081°15.10'
N29°30.00' / W081°06.00'
N28°46.50' / W082°34.00'
N28°30.00' / W080°45.00'
N28°22.57' / W082°11.25'
N31°22.38' / W081°24.13'
N29°00.17' / W081°20.85'
N27°37.70' / W082°09.10'
N27°58.67' / W082°49.83'
N29°39.97' / W081°24.87'
N28°57.08' / W081°00.33'
N27°43.50' / W082°44.67'
N30°04.02' / W083°40.02'
N28°19.87' / W082°43.77'
N31°48.33' / W081°25.85'
N29°26.92' / W081°18.27'
N28°04.00' / W081°56.00'
N28°48.00' / W080°52.00'
N29°00.00' / W080°51.00'
N30°50.02' / W084°56.63'
N30°32.70' / W083°52.22'
N29°35.00' / W083°10.00'
N30°42.28' / W081°27.25'
N32°01.62' / W080°53.42'

KANSAS CITY SECTIONAL CHART

VPAGO
VPBEK
VPDEN
VPENE
VPESSE
VPFME
VPGXY
VPMBE
VPMKE
VPROV
VPUTT_____

_____N37°50.33' / W090°29.03'
N37°15.07' / W092°30.67'
N37°46.75' / W092°19.20'
N37°44.75' / W091°55.78'
N36°59.48' / W091°00.88'
N37°41.00' / W092°38.33'
N37°15.50' / W091°40.17'
N37°11.08' / W090°27.92'
N37°24.47' / W092°40.00'
N38°01.72' / W091°12.81'
N37°52.05' / W092°01.20'

KANSAS CITY TERMINAL AREA CHART

KLAMATH FALLS SECTIONAL CHART

LOS ANGELES HELICOPTER CHART

SC, 22 OCT 2009 to 17 DEC 2009

LOS ANGELES SECTIONAL CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71'/W119°10.39'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART

VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPGETY	GETTY CENTER	N34°04.84'/W118°28.66'
VPLBP	BANNING PASS	N33°56.05'/W116°59.63'
VPLCC	CHAFFEY COLLEGE	N34°08.87'/W117°34.33'
VPLCP	CAJON PASS	N34°18.07'/W117°27.68'
VPLDL	DISNEYLAND	N33°48.72'/W117°55.13'
VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLDS	DODGER STADIUM	N34°04.42'/W118°14.42'
VPLFX	91/605 INTERCHANGE	N33°52.38'/W118°06.08'
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10'/W118°18.02'
VPLHF	110/405 FWYS	N33°51.42'/W118°17.10'
VPLHP	HUNTINGTON PIER	N33°39.32'/W118°00.25'
VPLKH	KING HARBOR	N33°50.75'/W118°23.88'
VPLLC	L.A. COLISEUM	N34°00.83'/W118°17.27'
VPLLM	LAKE MATHEWS	N33°50.58'/W117°26.85'
VPLMM	MAGIC MOUNTAIN	N34°26.20'/W118°36.28'
VPLMS	MILE SQUARE PARK	N33°43.40'/W117°56.77'
VPLPD	PRADO DAM	N33°53.40'/W117°38.48'
VPLPP	PACIFIC PALISADES	N34°02.13'/W118°32.15'
VPLQM	QUEEN MARY	N33°45.17'/W118°11.37'
VPLRB	ROSE BOWL	N34°09.67'/W118°10.05'
VPLRT	SANTA ANITA RACE TRACK	N34°08.45'/W118°02.65'
VPLSA	SANTA ANA CANYON	N33°52.03'/W117°42.68'
VPLSB	SANTA FE FLOOD BASIN	N34°07.72'/W117°57.30'
VPLSC	STATE COLLEGE	N33°52.97'/W117°53.13'
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87'/W118°29.00'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07'/W118°21.13'
VPLSS	SANTA SUSANA PASS	N34°16.00'/W118°38.43'
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40'/W118°20.30'
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32'
VPLWT	WATER TANK	N34°10.82'/W118°46.27'
VPNEW	NEWHALL PASS	N34°20.18'/W118°30.72'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

MIAMI SECTIONAL CHART

VPACH	HOLLYWOOD BEACH	N26°00.92'/W080°06.93'
VPBOV	_____	N27°57.00'/W080°46.75'
VPCLC	_____	N26°27.07'/W082°00.88'
VPCTE	_____	N26°09.28'/W081°20.70'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDUT	_____	N27°37.70'/W082°09.10'
VPDZE	_____	N27°19.00'/W080°44.17'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78'/W080°28.00'
VPFAH	_____	N26°25.40'/W081°29.67'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHRO	_____	N27°05.97'/W082°12.20'
VPHUC	_____	N28°19.87'/W082°43.77'
VPIBR	_____	N27°12.47'/W081°40.22'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPKOE	_____	N24°40.08'/W081°20.55'
VPLYY	_____	N24°49.07'/W080°49.17'
VPMBO	GULFSTREAM PARK	N25°58.57'/W080°08.17'
VPOBA	PUMPING STATION	N26°28.30'/W080°26.75'
VPRBI	_____	N25°50.67'/W080°55.18'
VPRNL	RANGER STATION	N25°22.92'/W080°36.58'
VPWMO	_____	N27°03.00'/W080°35.00'

MIAMI TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92' / W080°06.93'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78' / W080°28.00'
VPMB0	GULFSTREAM PARK	N25°58.57' / W080°08.17'
VPOBA	PUMPING STATION	N26°28.30' / W080°26.75'
VPRBI		N25°50.67' / W080°55.18'
VPRNL	RANGER STATION	N25°22.92' / W080°36.58'

NEW ORLEANS SECTIONAL CHART

VPGPT		N30°25.95' / W089°05.62'
VPLIP	PHILLIPS INLET	N30°16.23' / W085°59.25'
VPMAI		N30°50.02' / W084°56.63'
VPMOB		N30°23.00' / W088°31.72'
VPRAM		N30°18.95' / W089°35.88'
VPRER		N30°13.87' / W085°20.67'
VPRIV		N30°54.85' / W087°57.82'
VPSAW		N30°49.65' / W089°07.42'
VPTHR		N30°19.93' / W087°08.50'

NEW YORK HELICOPTER CHART

VPJAY		N40°59.00' / W073°07.00'
VPLYD		N40°57.37' / W073°29.59'
VPROK		N40°52.70' / W073°44.24'

PHOENIX TERMINAL AREA CHART/FLYWAY CHART

VPALL	ALLENVILLE	N33°20.97' / W112°35.20'
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05' / W112°41.38'
VPARM	ARROWHEAD MALL	N33°38.52' / W112°13.48'
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98' / W111°59.08'
VPAZM	ARIZONA MILLS	N33°23.43' / W111°57.88'
VPBAR	BARTLETT DAM	N33°49.10' / W111°37.92'
VPCCC	COUNTRY CLUB & CANAL	N33°30.73' / W111°50.37'
VPCNL	CANAL	N33°33.23' / W111°46.89°
VPFRB	FIREBIRD LAKE	N33°16.35' / W111°58.10'
VPFTN	FOUNTAIN HILLS	N33°36.12' / W111°42.72'
VPGLX	GILA CROSSING	N33°16.55' / W112°10.08'
VPGPP	GLENDALE POWER PLANT	N33°33.27' / W112°13.00'
VPMAR	MARICOPA	N33°03.42' / W112°02.88'
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53' / W111°49.58'
VPNRV	NEW RIVER	N33°55.08' / W112°08.45'
VPNTT	NORTH TEST TRACK	N33°03.50' / W111°55.83'
VPPIR	PIR	N33°22.52' / W112°18.90'
VPQTR	QUINTERO GOLF COURSE	N33°49.53' / W112°23.58'
VPRVC	RIO VERDE COMMUNITY	N33°44.37' / W111°39.62'
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02' / W112°02.12'
VPSQP	SQUAW PEAK	N33°32.83' / W112°01.27'
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50' / W111°41.37'
VPSTN	SANTAN MOUNTAINS	N33°09.23' / W111°40.92'
VPSTT	SOUTH TEST TRACK	N32°56.25' / W111°59.67'
VPZZZ		N33°20.18' / W111°26.53'

ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

VPAGN	TV ANTENNA	N38°32.08' / W090°22.42'
VPBPE		N38°23.80' / W090°20.38'
VPCJY	HOLIDAY SHORES	N38°55.00' / W089°56.00'
VPCOJ	WINFIELD DAM	N39°00.28' / W090°41.23'
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18' / W090°16.47'
VPEAZ	BUSCH STADIUM	N38°37.43' / W090°11.55'
VPEDZ	WATER TANKS	N38°45.30' / W090°34.87'
VPEGR	GAS TANKS	N38°35.80' / W090°19.32'
VPEOX	ST PETERS	N38°47.17' / W090°39.25'

WAYPOINT IDENT

COLLOCATED VFR CHECKPOINT

LOCATION

VPFAI	HOWELL ISLAND	N38°40.00'/W090°43.00'
VPFFY		N38°55.37'/W090°17.30'
VPGPF		N38°35.60'/W090°26.92'
VPGVI		N38°32.30'/W090°27.80'
VPHRQ	CHAIN OF ROCKS BRIDGE	N38°45.88'/W090°10.42'
VPIBO	WATERLOO	N38°20.00'/W090°09.00'
VPJMU	HORSESHOE LAKE	N38°41.00'/W090°05.00'
VPKNY	PACIFIC	N38°29.00'/W090°44.00'
VPLES	ST CHARLES	N38°47.00'/W090°30.00'
VPLIW	SIX FLAGS	N38°30.67'/W090°40.47'
VPLXU	GATEWAY ARCH	N38°37.50'/W090°11.00'
VPNSY	WOOD RIVER REFINERIES	N38°50.00'/W090°05.00'
VPNZY	WENTZVILLE	N38°48.83'/W090°50.98'
VPRAZ	JERSEYVILLE	N39°07.00'/W090°20.00'
VPRMO	FOREST PARK	N38°38.00'/W090°17.00'
VPWKO	COLUMBIA	N38°27.00'/W090°12.00'
VPXXI	MILLSTADT	N38°27.50'/W090°05.68'
VPYID	MOSENTHEIN ISLAND	N38°43.00'/W090°12.25'

SALT LAKE CITY HELICOPTER CHART

VPAIR	SALTAIR	N40°44.85'/W112°11.22'
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28'/W112°10.15'
VPCAP	STATE CAPITOL	N40°46.67'/W111°53.25'
VPCHS		N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38'/W112°09.00'
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFPK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28'/W112°11.88'
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH		N41°01.67'/W112°02.47'
VPNSL		N40°50.15'/W111°54.90'
VPNTP		N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEN	STATE PRISON	N40°29.88'/W111°53.62'
VPPPT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPVPO	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY		N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VPTIP	SOUTH TIP	N40°50.93'/W112°10.92'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT		N40°38.00'/W112°03.33'

SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR	SALTAIR	N40°44.85'/W112°11.22'
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28'/W112°10.15'
VPCAP	STATE CAPITOL	N40°46.67'/W111°53.25'
VPCHS		N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38'/W112°09.00'
VPVCI	CENTERVILLE INTERCHANGE	N40°55.30'/W111°53.43'
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFPK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28'/W112°11.88'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH	_____	N41°01.67'/W112°02.47'
VPNSL	_____	N40°50.15'/W111°54.90'
VPNTPE	_____	N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEP	STATE PRISON	N40°29.88'/W111°53.62'
VPPTT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPVPO	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY	_____	N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VP TIP	SOUTH TIP	N40°50.93'/W112°10.92'
VPUOU	U OF U EVENTS CENTER	N40°45.73'/W111°50.28'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT	_____	N40°38.00'/W112°03.33'
VPZOO	HOGLE ZOO	N40°45.00'/W111°48.95'

SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPOCN	_____	N33°14.15'/W117°26.63'
VPSBC	BARONA CASINO	N32°56.25'/W116°52.60'
VPSBL	_____	N33°05.18'/W117°18.55'
VPSBM	BLACK MOUNTAIN	N32°58.87'/W117°07.00'
VPSCF	_____	N32°48.55'/W117°09.17'
VPSCM	COWLES MOUNTAIN	N32°48.72'/W117°01.97'
VPSCP	CRYSTAL PIER	N32°47.77'/W117°15.42'
VPSCR	_____	N32°39.37'/W117°07.30'
VPSFB	IRON MOUNTAIN	N32°58.25'/W116°57.33'
VPSLJ	LAKE JENNINGS	N32°51.53'/W116°53.28'
VPSMB	_____	N32°45.57'/W117°12.22'
VPSMP	_____	N33°22.70'/W117°36.75'
VPSMS	MOUNT SOLEDAD	N32°50.40'/W117°15.10'
VPSMV	_____	N32°45.75'/W117°09.80'
VPSMW	MOUNT WOODSON	N33°00.52'/W116°58.23'
VPSOP	OTAY MESA PRISON	N32°35.82'/W116°55.28'
VPSOT	LOWER OTAY LAKE	N32°37.73'/W116°55.38'
VPSPL	SOUTH POINT LOMA	N32°39.90'/W117°14.55'
VPSPP	POWER PLANT	N33°08.25'/W117°20.23'
VPSQS	QUALCOMM STADIUM	N32°46.98'/W117°07.23'
VPSRT	DEL MAR RACE TRACK	N32°58.58'/W117°15.95'
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78'/W116°56.18'
VPSSV	SAN VICENTE ISLAND	N32°55.53'/W116°55.00'
VPSTP	TORREY PINES GOLF COURSE	N32°54.17'/W117°14.68'
VPSVA	_____	N33°11.48'/W117°16.38'

SAN FRANCISCO SECTIONAL CHART

VPKBG	KINGSBURY GRADE	N38°58.75'/W119°53.20'
-------	-----------------	------------------------

SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT	ALTAMONT PASS	N37°44.35'/W121°35.42'
VPANT	ANTIOCH BRIDGE	N38°01.45'/W121°45.02'
VPBBR	BENICIA BRIDGE	N38°02.50'/W122°07.45'
VPCL	CALAVERAS RESERVOIR	N37°28.16'/W121°48.93'
VPGBT	LAKE CHABOT	N37°43.68'/W122°06.94'
VPCTO	COYOTE HILLS	N37°32.50'/W122°05.06'
VPCTZ	CARQUINEZ BRIDGE	N38°03.66'/W122°13.52'
VPCLL	_____	N37°11.00'/W121°41.06'
VPCTY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56'/W122°21.10'

WAYPOINT IDENT

VPCSH
VPDAM
VPDLR
VPDUB
VPEMB
VPGGF
VPGIL
VPHHH
VPKGO
VPLEX
VPMID
VPMOR
VPMUM
VPPAC
VPPRU
VPSAR
VPSLA
VPSTB
VPSUN
VPUTC
VPWAL
VPWAM
VPWFR

COLLOCATED VFR CHECKPOINT

CAL STATE UNIVERSITY
DEL VALLE DAM

DUBLIN
EMBASSY SUITES
GOLDEN GATE FIELDS
GILROY
HAMILTON
KGO
LEXINGTON RESERVOIR
MID-SPAN SAN MATEO BRIDGE
MORMON TEMPLE
NUMMI PLANT

PRUNEYARD
SARATOGA
SLAC/LINEAR ACCELERATOR
STINSON BEACH
SUNOL GOLF COURSE
U.T.C.
WALNUT CREEK

CEMENT PLANT

LOCATION

N37°39.52'/W122°03.52'
N37°36.91'/W121°44.78'
N37°07.00'/W121°47.06'
N37°42.06'/W121°55.36'
N37°26.05'/W121°53.83'
N37°53.07'/W122°18.71'
N37°01.37'/W121°33.99'
N38°03.58'/W122°30.66'
N37°31.58'/W122°06.10'
N37°11.66'/W121°59.18'
N37°36.28'/W122°11.81'
N37°48.46'/W122°11.95'
N37°29.56'/W121°56.58'
N37°38.00'/W122°32.07'
N37°17.33'/W121°56.01'
N37°15.26'/W122°02.33'
N37°24.75'/W122°14.35'
N37°54.45'/W122°40.41'
N37°34.85'/W121°53.23'
N37°13.93'/W121°41.35'
N37°53.78'/W122°04.30'
N37°30.28'/W122°10.00'
N37°30.88'/W122°12.26'

TAMPA/ORLANDO TERMINAL AREA CHART/FLYWAY CHART

VPBOV
VPCNY
VPDAD
VPDFI
VPDUT
VPEAR
VPFFU
VPGPE
VPHUC
VPKER
VPLEV
VPLJA

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

LAKE PARKER

N27°57.00'/W080°46.75'
N28°30.00'/W080°45.00'
N28°22.57'/W082°11.25'
N29°00.17'/W081°20.85'
N27°37.70'/W082°09.10'
N27°58.67'/W082°49.83'
N28°57.08'/W081°00.33'
N27°43.50'/W082°44.67'
N28°19.87'/W082°43.77'
N28°04.00'/W081°56.00'
N28°48.00'/W080°52.00'
N29°00.00'/W080°51.00'

WASHINGTON SECTIONAL CHART

VPACE
VPAXI
VPBRA
VPGCE
VPWZO

N38°07.82'/W076°48.75'
N38°34.57'/W076°20.38'
N36°13.75'/W076°08.08'
N36°03.90'/W076°36.42'
N36°00.87'/W075°40.07'

**INTENTIONALLY
LEFT
BLANK**

VOR RECEIVER CHECK VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300) or (1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

ARKANSAS

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Flippin	112.8/FLP	A/1900	053	6.0	Over water tower at Mountain Home.
Fort Smith (Fort Smith Rgnl)	110.4/FSM	G	226	5.2	On runup area on twy to Rwy 25.
	110.4/FSM	G	232	6.2	On runup area on twy to Rwy 07.
Gosnell	111.8/GOJ	A/1700	105	7.3	Over railroad bridge at Armorel.
Harrison (Boone County)	112.5/HRO	G	135	4.4	At int of N/S and E/W twys by trml bldg.
Jonesboro (Jonesboro Muni)	108.6/JBR	G	227	3.9	On NE ramp in front of airline terminal.
Little Rock (Adams Field)	113.9/LIT	G	312	3.8	At intersection of Twys G and F. VOR gnd chk point unusable.
	113.9/LIT	G	310	4.1	On Twy L at Twy A.
Pine Bluff (Grider Field)	116.0/PBF	G	182	4.4	Center E/W twys front of twr.

LOUISIANA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Alexandria (Alexandria Intl)	116.1/AEX	G	328	4.3	On runup Rwy 32.
Baton Rouge (Baton Rouge Metro, Ryan)	116.5/BTR	A/1500	063	7.2	Over water tank W side of arpt.
Downtown	108.6/DTN	A/1500	290	10.0	Over white water tower in factory complex.
Downtown (Shreveport Downtown)	108.6/DTN	G	278	.4	On NE side of Twy D by FBO parking area.
Lafayette (Lafayette Rgnl)	109.8/LFT	A/1000	343	22.1	Over rotating beacon at St. Landry Parish-Ahart Fld. arpt.

VOR RECEIVER CHECK

419

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
	109.8/LFT	G	355	0.5	On Twy F run up area Rwy 04L.
	109.8/LFT	G	341	0.9	On Twy B run up area Rwy 11.
	109.8/LFT	G	025	1.4	On Twy J run up area Rwy 22L.
Lake Charles (Lake Charles Rgnl)	113.4/LCH	A/1000	253	6.2	Over rotg bcn on twr.
Monroe (Monroe Rgnl)	117.2/MLU	G	212	0.7	On Twy G South of twr.
Natchez (Concordia Parish)	110.0/HEZ	A/1000	247	10.5	Over hangar NW end of fld.
Polk (Fort Polk AAF)	108.4/FXU	A/2000	167	4.5	Over water tower.
Reserve (St John The Baptist Parish)	110.8/RQR	A/1500	270	16.8	Over center of bridge.
Tibby (Houma-Terrebonne)	112.0/TBD	A/1000	117	10.7	Over intersection of Rwy 18-36 and 12-30.
Tibby (Thibodaux Muni)	112.0/TBD	A/1000	353°	5.0	Over microwave twr near arpt.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
New Orleans (Lakefront)	111.0	A/G	Within 5 NM radius between 2000'-3000'.
Shreveport Rgnl	108.2	G	

MISSISSIPPI

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Caledonia (Columbus AFB)	115.2/CBM	G	152	0.7	On S hammerhead.
		G	200	0.5	At base ops.
		G	298	1.5	On N hammerhead T-38 runup.
Greenville (Mid Delta Rgnl)	110.2/GLH	G	185	2.3	On North ramp.
McComb (McComb-Pike Co-John E Lewis Fld)	116.7/MCB	A/1400	234	13.3	Over hangar.
Meridian (Key Field)	117.0/MEI	G	127	4.0	On ramp in front of terminal building.
Natchez (Hardy-Anders Fld Natchez-Adams Co)	110.0/HEZ	G	143	0.5	On taxiway at apch end Rwy 31.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Jackson-Evers Intl	111.0	G	

VOR RECEIVER CHECK OKLAHOMA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Ada	117.8/ADH	A/2000	036	5.8	Over railroad and east/west highway in center of town of Francis.
Ardmore (Ardmore Muni)	116.7/ADM	A/2000	045	8.4	Over red and white water tower W side of arpt.
Bartlesville (Bartlesville Muni)	117.9/BVO	G	166	4.5	On parallel twy opposite terminal. OTS indef.
Duncan (Halliburton Field)	111.0/DUC	G	327	5.8	At compass rose.
Enid (Vance AFB)	115.4/END	G	015	0.6	On zero runup pad Rwy 17C.
	115.4/END	G	143	0.8	On zero runup pad Rwy 35R.
	115.4/END	G	160	0.9	On zero runup pad Rwy 35C.
Glenpool (Richard Lloyd Jones Jr)	110.6/GNP	A/2500	348	7.2	Over intersection of rwy south Rwy 13 and Rwy 19R.
Hobart (Hobart Rgnl)	111.8/HBR	A/3500	343	9	Railroad intersection east side of city.
Lawton (Lawton-Fort Sill Rgnl)	109.4/LAW	G	349	4.6	On taxiway between terminal and Rwy 17-35.
McAlester (McAlester Rgnl)	112.0/MLC	G	350	2	At intersection of ramp and twy.
Okmulgee (Okmulgee Rgnl)	114.9/OKM	A/2200	279	10.2	Over intersection N/S railroad and E/W highway.
Ponca City (Ponca City Rgnl)	113.2/PER	G	81	2.9	At Apch end Rwy 17 on Twy A
	113.2/PER	G	107	3.2	At South of ramp on Twy A
Sayre (Sayre Muni)	115.2/SYO	A/3000	175	10.4	VOR ground receiver checkpoints unusable. Over rotating beacon.
Stillwater (Stillwater Rgnl)	108.4/SWO	G	176	4	At intersection of NW ramp and twy D.
Wiley Post (Wiley Post)	113.4/PWA	G	157	0.5	On runup pad to Rwy 35R.
	113.4/PWA	G	007	0.7	On runup area to Rwy 17L.
Will Rogers (Clarence E. Page Muni)	114.1/IRW	A/2900	297	12.8	Over apch end Rwy 35L.
Woodring (Enid Woodring Rgnl)	109.0/ODG	G	352	.5	On ramp W of terminal.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Oklahoma City (Will Rogers World)	108.8	A/G	Within 10 NM radius between 3000' and 5000' VOT unusable on Twy H and Rwy 17L-35R N of Twy H-2 and Twy E N of Twy E-2/E-3 junction.
Tulsa International	109.0		

VOR RECEIVER CHECK TEXAS

421

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Abilene (Abilene Rgnl)	113.7/ABI	A/2800	047	10.1	Over silos in center of Ft Phantom Lake.
Alice (Alice International)	114.5/ALI	G	272	0.5	On twy near FBO.
Beaumont (Southeast Texas Reg)	114.5/BPT	G	309	0.8	On runup area for Rwy 12.
Borger (Hutchinson Co)	108.6/BGD	G	173	6.7	On twy intersection at N end of ramp.
Brownsville (Brownsville/South Padre Island Intl)	116.3/BRO	G	247	3.2	3.2 NM on hold line Rwy 13R.
Brownwood (Brownwood Rgnl)	108.6/BWD	A/2600	169	6.2	Over rotating bcn.
Childress (Childress Muni)	117.6/CDS	G	353	3.7	At intersection of edge of ramp at center twy.
College Station (Easterwood Field).....	113.3/CLL	G	097	3.2	On W edge of parking ramp.
Corpus Christi (Corpus Christi Intl).....	115.5/CRP	A/1100	187	9.3	Over Rwy 32 thld.
Daisetta (Liberty Muni).....	116.9/DAS	A/1200	195	7.5	Over hangar S of arpt.
Dalhart (Dalhart Muni).....	112.0/DHT	A/5000	176	4.1	Over water tower on arpt.
Eagle Lake (Eagle Lake)	116.4/ELA	A/1200	180	4.1	Over water tank 0.4 NM SW of arpt.
Fort Stockton (Fort Stockton-Pecos County)	116.9/FST	G	116	4.0	On ramp N of terminal building.
Gray (Skylark fld)	111.8/GRK	G	056	7.6	On NE runup area.
Gregg Co (East Texas Rgnl)	112.3/GGG	G	128	2.4	At N end of ramp on twy to Rwy 13.
Humble (George Bush Intercontinental/Houston)	116.6/IAH	G	339	2.2	On runup pad Rwy 08.
Laredo (Laredo International)	117.4/LRD	G	313	4.1	On runup area of Twy F.
	117.4/LRD	G	318	4.8	On runup area of Twy A.
Laughlin (Del Rio Intl).....	114.4/DLF	A/2000	268	7.7	Over rotating bcn.
	114.4/DLF	G	198	.5	On ramp AER 31L.
	114.4/DLF	G	275	.9	On ramp AER 13R.
Lubbock	109.2/LBB	A/4500	053	4.5	Over water tank at intersection of railroad & road in New Deal.
Lufkin (Angelina County)	112.1/LFK	A/1300	331	4.6	Over rotating bcn.
Marfa (Marfa Muni)	115.9/MRF	A/6000	280	3.6	Over gray-white tank north edge of town.
McAllen (McAllen Miller Intl)	117.2/MFE	G	331	0.6	.6 NM on cargo ramp.
Midland	114.8/MAF	A/4000	224	11	Over Odessa water tank.
Millsap (Mineral Wells)	117.7/MQP	A/2000	329	6.0	Over spillway of lake N of Mineral Wells arpt.
Paris (Cox fld)	113.6/PRX	G	348	5.6	At intersection of ramp and E/W twy.
Pecos	111.8/PEQ	A/3600	105	5.5	Over 419' transmission twr E of town of Pecos.
Quitman	114.0/UIM	A/1500	241	14.5	Over water tank in Alba.
Randolph (Randolph AFB)	112.3/RND	G	337	1.0	On AER 14R.

VOR RECEIVER CHECK

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Rocksprings	111.2/RSG	A/3800	085	4.8	Over 2804' antenna S of Rocksprings.
San Angelo (San Angelo Rgnl/Mathis Field)	115.1/SJT	G	237	2.6	On E edge of ramp in front of atct.
Scholes (Galveston Intl—Scholes Fld)	113.0/VUH	G	138	.8	Taxiway/runup area East of Rwy 35 thld.
Sinton (Alfred C 'Bubba' Thomas)	115.5/CRP	A/1000	318	9.8	Over rotating bcn on arpt.
Stinson (Stinson Muni)	108.4/SSF	A/2000	337	5.0	Over atct.
Sulphur Springs	109.0/SLR	A/1600	223	7	Over projector booth and snackbar within outdoor theater.
Temple (Draughon—Miller Central Texas Rgnl)	110.4/TPL	G	160	3.6	At edge of ramp and twy in front of refueling office.
Tyler (Tyler Pounds Rgnl)	114.2/TYR	G	082	.5	At intersection twys D and H
Victoria (Victoria Rgnl)	109.0/VCT	G	128	3.2	At approach end of Rwy 12L.
Wichita Falls	112.7/SPS	A/2000	228	19.8	Over spillway at Lake Diversion.
Wichita Falls (Sheppard AFB/Wichita Falls Muni)	112.7/SPS	G	093	5.5	On Twy C runup area Rwy 33L.
	112.7/SPS	G	075	5.3	On Twy G AER 33R.
	112.7/SPS	G	064	5.2	On Twy K AER 15L.
	112.7/SPS	G	068	4.7	On Twy H runup area Rwy 15R.
Wink (Winkler County)	112.1/INK	A/3900	149	5.9	Over intersection of rwys 04—22 and 13—31.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Dallas Love Field	113.3	A/G	Airborne, use within 10 NM radius of Dallas Love field between 2000' and 10000'.
El Paso International	111.0	G	Used for ground only. Unusable on the west side of hangers south of the intersection of Twy A and the centerline of Rwy 04—22.
Fort Worth Meacham Intl	108.2	G	Used for ground and airborne test. For airborne use within 10 NM radius of Fort Worth Meacham Intl clockwise fr 220°—310° between 2000' and 5700'.
Houston (William P. Hobby)	108.4	G	
Midland Intl	108.2	G	
San Antonio International	110.4	G	

**INTENTIONALLY
LEFT
BLANK**

**INTENTIONALLY
LEFT
BLANK**

PARACHUTE JUMPING AREAS

425

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Been in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
ARKANSAS			
(c) Blackjack Drop Zone.....	33 NM; 009° Little Rock	3,000	Mon–Fri 0600–0200 and occasional weekends. Extensive activity, personnel and cargo, including instrument meteorological conditions drops.
Camp Chaffee, Arrowhead Drop Zone....	6 NM; 160° Ft. Smith	3,000	Mon–Fri 0600–2300 and occasional weekends.
Camp Robinson–All American Drop Zone	15 NM; 332° Little Rock	3,000	Mon–Fri 0600–0200 and occasional weekends. Extensive activity, personnel and cargo, including instrument meteorological conditions drops.
Conway Drop Zone	24 NM; 334° Little Rock	12,500	0800–SS weekends and occasional weekdays.
(c) Siloam Springs Muni.....	18 NM; 256° Razorback.....	15,000	5 NM radius. Sat–Mon 0700–0000.
Texarkana.....	9 NM; 160° Texarkana.....	13,000 AGL	0800–SS weekends and occasional weekdays
LOUISIANA			
(c) Baton Rouge	13NM; 060° Baton Rouge	13,000	Daily SR–SS
(c) Belle Chasse	2 NM; 054° Harvey.....	7,500	Daily SR–SS
Bodcaw.....	16 NM; 083° Shreveport	13,000	Daily SR–SS
(c) Breaux Bridge, Bordelon Airpark	9 NM; 042° Lafayette	12,000	Daily SR–SS
(c) Mansfield, CE 'Rusty' Williams Arpt..	22 NM; 196° Elm Grove	13,000	3 NM radius. Daily SR–SS
(c) Opelousas, St Landry Parish—Ahart Fld.....	25 NM; 340° Lafayette	11,500	3NM radius. Weekends 0700–1800.
Slidell Arpt.....	13.8 NM; 195° Picayune.....	14,500 AGL	3 NM radius. Daily SR–SS.
Louis Armstrong New Orleans Intl Tower 133.15.			
MISSISSIPPI			
Artesia, Carson Drop Zone	11 NM; 188° Bigbee.....	2,000 AGL	Occasional use.
(c) Batesville, Panola County Arpt	26 NM; 220° Holly Springs.....	10,500 AGL	5 NM radius. Sat–Sun 0900–SS.
Camp McCain Drop Zone.....	31.9 NM; 067° Sidon	17,999	5 NM radius. Weekdays and weekends, occasional nights, seldom holidays.
Coldwater, Coldwater Drop Zone	20 NM; 170° Memphis	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Edwards, Kelly Drop Zone	30 NM; 230° Jackson.....	2,000 AGL	Occasional use.
Edwards, Noble Drop Zone	31 NM; 225° Jackson.....	2,000 AGL	Occasional use.
Grenada Drop Zone	32.6 NM; 048° Sidon	17,999	5 NM radius. Weekends, occasional nights, seldom holidays.
Magee Drop Zone	50 NM; 148° Jackson.....	12,500	SR–SS weekends & holidays. Occasional use by National Guard.
Rolling Fork, Wade Arpt	32 NM; 180° Greenville	12,500	10 NM radius. SR–SS Daily.
Strong	6.5 NM; 289° Caledonia	12,500	Weekends and holidays SR–SS
Terry, Windy Drop Zone	28 NM; 190° Jackson	2,000 AGL	Occasional use.
West Point, King Drop Zone.....	7 NM; 305° Bigbee.....	2,000 AGL	Occasional use.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
Yazoo City, Yazoo Co Arpt.....	27 NM; 322° Jackson	13,000	3 NM radius. 0900-SS weekends and holidays.
OKLAHOMA			
(c) Chickasha, Redhills Arpt.....	23 NM; 212° Will Rogers	12,000	1 NM radius. Daily SR-SS.
(c) Claremore, Sam Riggs Arpt.....	7.8 NM; 070° Tulsa.....	11,000	2 NM radius. Weekends, and holidays, SR-SS. Occasional weekday and night jumps.
(c) Cushing Muni.....	50 NM; 245° Tulsa.....	14,000	5 NM radius SR until 1 hour after SS daily.
(c) Eldorado, Sooner Drop Zone.....	22 NM; 247° Altus	12,500 AGL	1 NM radius, Mon-Fri 0700-0200 and occasional weekends. Heavy jet activity, IFR and VFR conditions.
(c) Goldsby, Paradise Air Haven Arpt	16 NM; 150° Will Rogers	17,000	3 NM radius. Continuous.
(c) Grandfield Muni	21 NM; 324° Wichita Falls	13,500	5 NM radius. SR-SS weekends and holidays; occasional weekdays.
(c) Hinton Muni Arpt.....	37 NM; 277° Will Rogers	16,000	3 NM radius. Weekends SR-SS.
(c) Hugo, Nash Muni Arpt	52 NM; 155° McAlester	13,000	3 NM radius. Daily SR-SS.
Ketchum Craig Co South Grand Lake Arpt.....	34 NM; 230° Neosho	12,000	1 NM radius. Daily 0530-2000.
Miami Muni Arpt.....	21 NM; 126° Oswego	13,000	3 NM radius. SR-SS daily.
Okmulgee Rgnl Arpt.....	4.3 NM; 241° Okmulgee	15,000	3 NM radius. Sat, Sun and holidays SR-SS.
(c) Skiatook	15 NM; 310° Tulsa.....	13,000	5 NM radius. Daily SR-SS, occasional ngts.
Tahlequah Muni.....	41 NM; 105° Tulsa.....	13,500	5 NM radius. Daily SR-SS.
TEXAS			
Abilene, Dyess AFB.....	4 NM; 170° Abilene.....	3,300	Daily SR-SS
Amarillo, Buffalo Fld.....	13.5 NM; 213° Panhandle.....	15,000	Daily SR-SS
(c) Anahuac, Chambers Co Arpt.....	14.5 NM; 013° Trinity.....	17,500	5 NM radius. Daily SR-SS. Occasional ngts.
(c) Beaumont Muni Arpt.....	12.5 NM; 297° Beaumont	15,000 AGL	0800-1 hour past SS, occasional ngts.
(c) Beeville	21 NM; 102° Three Rivers.....	12,500	0900-SS weekends, holidays and occasional weekdays.
(c) Brookshire, Sport Flyers (Pvt) Arpt..	22 NM, 052° Eagle Lake.....	12,000	3 NM radius. Daily 1500-0045.
(c) Brownsville/South Padre Island Intl Arpt.....	15 NM, 045° Brownsville	15,500	5 NM radius. Daily SR-SS. Occasional ngts. Houston Center 119.5
(c) Bryan, Coulter Fld	8 NM; 026° College Station.....	13,500	5 NM radius. Daily SR-SS, occasional ngts, occasional weekdays Wed-Fri. Houston Center 120.4
(c) Caddo Mills.....	29 NM; 176° Bonham.....	15,000	Fri-Sun dalgt hrs, 0600-2100 during summer. UNICOM 122.8/Fort Worth Center 132.02.
Camp Bullis	6.5 NM; 305° San Antonio	2,500 AGL	2 NM radius. Continuous.
(c) Camp Swift, Blackwell Drop Zone....	15 NM; 119° Centex.....	1,500 AGL	Daily, occasional ngts.
Dumas, Moore Co Arpt.....	29 NM; 106° Dalhart.....	13,700	3 NM radius. SR-2359 weekends and holidays, 1700-2359 weekdays.
Ennis Muni Arpt.....	24 NM; 285° Cedar Creek.....	12,000	3 NM radius, Sat-Sun, Holidays
(c) Fentress Airpark.....	38.7 NM; 193° Centex.....	14,000	5 NM radius. Weekends SS-SR. Occasional weekdays and ngt jumps. Austin-Bergstrom Intl Tower 119.0
(c) Gladewater Muni Arpt	14 NM; 295° Gregg Co	14,000	3 NM radius. 0700-2200 daily.
(c) Hitchcock, Johnnie Volk Fld	8.5 NM; 302° Scholes	12,500 AGL	1 NM radius 0800-SS daily.
(c) Killeen, Ft. Hood, Antelope Drop Zone.....	14.5 NM; 084° Lampasas	13,000 AGL	Continuous
(c) Killeen, Ft. Hood, Rapido Drop Zone.....	25 NM; 050° Lampasas.....	13,000 AGL	0.5 NM radius. Continuous.

PARACHUTE JUMPING AREAS

427

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Kingsville, Kleberg Co Arpt	11.5 NM; 175° Alice.....	12,500	Weekdays, 1200–SS; Sat, Sun, holidays 0700–SS
(c) Lexington Airfield (Pvt) Arpt	30 NM; 238° College Station.....	15,500	2 NM radius, Daily SR–Midnight.
(c) Midlake Arpt.....	7 NM; 084° Stinson	15,000	1 NM radius. Daily SR–SS and occasional nghts.
(c) Nome, Farm Air Service (Pvt) Arpt...	21 NM; 278° Beaumont.....	13,500	3 NM radius. Sat, Sun and holidays, SR–SS.
(c) Port Isabel-Cameron Co Arpt	15 NM; 357° Brownsville	15,500	1 NM radius. Daily SR–SS.
(c) Rhome, Rhome Meadows Arpt.....	24 NM; 307° Ranger	11,500	Houston Center 119.5 2 NM radius. SR–SS Thu–Mon
(c) Rosharon, B&B Airpark (Pvt) Arpt ...	20 NM; 205° Hobby.....	15,000	2 NM radius. 1200–0200 daily.
(c) Salado Arpt	15.5 NM; 114° Gray	15,000 AGL	5 NM radius. Continuous.
Seagoville Arpt	30.3 NM; 115° Maverick.....	13,000	SR–SS weekends and holidays and occasional days.
(c) Stanton Muni	21 NM; 051° Midland	14,500	5 NM radius. SR–SS weekends and holidays.
Stephenville, Clark Fld Muni	15.5 NM; 279° Glen Rose.....	13,000	5 NM radius. SR–SS weekends and holidays. Ft. Worth Center 127.15
Terrell Muni Arpt	32 NM; 349° Cedar Creek.....	13,500	2 NM radius. SR–SS weekends and holidays, occasional weekdays.
(c) Trenton, Tri-Co Aerodrome.....	8.6 NM; 230° Bonham.....	14,500	2 NM radius. Daily 0800–2200. Hi-density jump area, pilots are advised to monitor UNICOM 123.075.
(c) Waller, Skydive Houston (Pvt) Arpt...	18.9 NM, 151° Navasota	24,000 AGL	3 NM radius, continuous.

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

ALBUQUERQUE SECTIONAL

84th Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

AIRPORTS

22 Oct 2009 No Major Changes.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

BROWNSVILLE SECTIONAL

83rd Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 628' MSL (253' AGL) UC, 27°40'23"N, 98°19'16"W.
Add windmill farm. 474' MSL is highest MSL UC, 27°54'44"N, 97°30'02"W.

Add obst 306' MSL (242' AGL) UC, 26°22'49"N, 97°56'01"W.

22 Oct 2009 Add obst 742' MSL (305' AGL) UC, 27°27'23"N, 98°30'47"W.

AIRPORTS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

2 Jul 2009 No Major Changes.

27 Aug 2009 Change CORPUS CHRISTI Class C freq from 385.6 to 273.45.

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

CG-19 WORLD AERONAUTICAL CHART
39th Edition, 4 Jun 2009**OBSTRUCTIONS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRPORTS****2 Jul 2009** Add arpt elev 1071, lighting code *L, runway length 71 and unicom at GLENDALE arpt, 33°31'36"W, 112°17'42"W.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

DALLAS—FT. WORTH HELICOPTER ROUTE CHART**4th Edition, 16 Mar 2006****OBSTRUCTIONS****13 Apr 2006** No Major Changes.**8 Jun 2006** Add obst 1049' MSL (318' AGL), 33°12'08"N, 96°48'14"W.**3 Aug 2006** No Major Changes.**28 Sep 2006** Add obst 975' MSL (470' AGL), 32°51'03"N, 96°35'30"W.**23 Nov 2006 – 15 Mar 2007** No Major Changes.**10 May 2007** Add obst 1046' MSL (470' AGL) UC, 33°07'51"N, 97°06'04"W.**5 Jul 2007** Add obst 1059' MSL (319' AGL), 32°37'08"N, 97°12'20"W.**30 Aug 2007 – 20 Nov 2008** No Major Changes.**15 Jan 2009** Add obst 947' MSL (300' AGL) UC, 33°06'56"N, 96°44'23"W.**12 Mar 2009** Add obst 1497' MSL (509' AGL) UC, 32°30'14"N, 97°31'48"W.**7 May 2009 – 22 Oct 2009** No Major Changes.**AIRPORTS****13 Apr 2006 – 8 Jun 2006** No Major Changes.**3 Aug 2006** Delete TURBOMECA heliport, 32°41'54"N, 97°02'59"W.

28 Sep 2006 Delete CARROLL arpt 32°33'25"N, 96°51'56"W.

23 Nov 2006 No Major Changes.

18 Jan 2007 Add Arlington ATCT 128.625, 32°39'49"N, 97°05'39"W.

15 Mar 2007 Delete Craig Airport, 32°55'00"N, 97°11'01"W.

10 May 2007 No Major Changes.

5 Jul 2007 Change Dallas Executive ATCT frequencies from 120.3 to 127.25, and from 257.8 to 335.6.

Add CTAF freq. 122.9 at PROPWASH arpt., 33°04'50"N, 97°21'32"W.

Change CTAF freq. 123.075 to 128.625 at ARLINGTON MUNI arpt, 32°39'49"N, 97°05'39"W.

30 Aug 2007 Delete ALPINE RANGE arpt, 32°36'27"N, 97°14'31"W.

Delete BOE—WRINKLE arpt, 32°54'17"N, 97°35'42"W.

Delete CARROLL LAKE—VIEW arpt, 32°27'45"N, 97°06'51"W.

Delete CIRCLE C arpt, 32°53'45"N, 97°17'16"W.

Delete EISENBECK arpt, 32°29'08"N, 96°35'20"W.

Delete FLYING CAP VALLEY arpt, 32°56'11"N, 97°08'07"W.

Delete INTERNATIONAL arpt, 32°56'55"N, 97°19'44"W.

Delete MARKUM arpt, 32°41'42"N, 97°30'42"W.

Delete MILLER arpt, 32°34'30"N, 97°05'13"W.

Delete RED ACE arpt, 33°14'30"N, 97°37'16"W.

25 Oct 2007 Change CTAF freq. 120.3 to 127.25 at DALLAS EXECUTIVE arpt, 32°40'51"N, 96°52'05"W.

Add CTAF 122.9 at Heritage Creek arpt, 33°10'7"N, 97°29'3"W.

20 Dec 2007 – 2 Jul 2009 No Major Changes.

27 Aug 2009 Delete SAGINAW arpt, 32°51'45"N, 97°22'41"W.

22 Oct 2009 Not Major Changes.

NAVAIDS

13 Apr 2006 No Major Changes.

8 Jun 2006 Add LANCASTER NDB, freq. 239, ident (LNC), 32°34'39"N, 96°43'17"W.

3 Aug 2006 – 5 Jul 2007 No Major Changes.

30 Aug 2007 Delete REDBIRD NDB, 32°40'36"N, 96°52'15"W.

25 Oct 2007 – 22 Oct 2009 No Major Changes.

AIRSPACE

13 Apr 2006 – 27 Aug 2009 No Major Changes.

22 Oct 2009 Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

SPECIAL USE AIRSPACE

13 Apr 2006 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

13 Apr 2006 – 22 Oct 2009 No Major Changes.

MISCELLANEOUS

13 Apr 2006 Change MEF 1⁴ to 1⁵ in quadrant 33°15'–33°30"N, 96°15'–96°30"W.

6 Jun 2006 – 22 Oct 2009 No Major Changes.

SC, 22 OCT 2009 to 17 DEC 2009

DALLAS–FT. WORTH SECTIONAL
83rd Edition, 24 Sep 2009**OBSTRUCTIONS****22 Oct 2009** Add obst 929' MSL (213' AGL), 33°56'44"N, 96°41'31"W.

Add obst 2223' MSL (388' AGL) UC, 34°49'50"N, 98°30'07"W.

Add obst 1364' MSL (350' AGL) UC, 34°21'46"N, 98°08'08"W.

Add obst 1325' MSL (350' AGL) UC, 34°17'30"N, 97°25'25"W.

Add obst 1302' MSL (350' AGL) UC, 34°17'11"N, 97°57'52"W.

Add obst 2423' MSL (263' AGL) UC, 32°06'09"N, 100°02'59"W.

AIRPORTS**22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** Add FLOYDADA, TX. Class E: That airspace extending upward from 700 feet above the surface within a 6.4-mile radius of Floydada Municipal Airport.

Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.

Revise ADA, OK. Class E: That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Ada Municipal Airport, and within 4 miles each side of the 000° bearing from the airport extending from the 6.5-mile radius to 10.3 miles north of the airport, and within 4 miles each side of the 180° bearing from the airport extending from the 6.5-mile radius to 10.9 miles south of the airport, and within 1.6 miles each side of the 354° radial of the Ada VOR extending from the 6.5-mile radius to 11 miles northeast of the airport.

SPECIAL USE AIRSPACE**22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

DALLAS FT. WORTH TERMINAL AREA CHART
74th Edition, 24 Sep 2009**OBSTRUCTIONS****22 Oct 2009** No Major Changes.**AIRPORTS****22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** Add FORT WORTH SPINKS, TX. Class D: That airspace extending upward from the surface up to but not including 3,000 feet MSL within a 4.1-mile radius of Fort Worth Spinks Airport, and within 1 mile each side of the 173° bearing from the airport extending from the 4.1-mile radius to 4.8 miles south of the airport. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airport/Facility Directory.**SPECIAL USE AIRSPACE****22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

EL PASO SECTIONAL

83rd Edition, 30 Jul 2009

OBSTRUCTIONS**27 Aug 2009** No Major Changes.**22 Oct 2009** Add obst 4390' MSL (310' AGL) UC, 32°04'52"N, 106°16'32"W.
Add obst 5015' MSL (250' AGL) UC, 30°23'40"N, 102°50'44"W.**AIRPORTS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****27 Aug 2009 – 22 Oct 2009** No Major Changes.

HOUSTON HELICOPTER ROUTE CHART

6th Edition, 13 Mar 2008

OBSTRUCTIONS**10 Apr 2008** Add obst 630' MSL (542' AGL) UC, 29°46'57"N, 95°32'44"W.

Add obst 454' MSL (307' AGL), 30°01'10"N, 95°35'57"W.

5 Jun 2008 – 20 Nov 2008 No Major Changes.**15 Jan 2009** Add obst 575' MSL (500' AGL), 29°50'37"N, 95°24'30"W.**12 Mar 2009** No Major Changes.**7 May 2009** Add obst 405' MSL (387' AGL) UC, 29°34'00"N, 95°03'45"W.**2 Jul 2009** No Major Changes.**27 Aug 2009** Add obst 341' MSL (309' AGL), 29°22'30"N, 95°15'85"W.**22 Oct 2009** Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.**AIRPORTS****10 Apr 2008** Delete TEXAS MEDICAL CENTER heliport, 29°42'26"N, 95°23'33"W.**5 Jun 2008** No Major Changes.**31 Jul 2008** Change CTAF 122.8 to 122.9 at FLYIN' B arpt, 29°32'15"N, 95°25'25"W.**25 Sep 2008 – 7 May 2009** No Major Changes.**2 Jul 2009** Delete SKYHAVEN arpt, 29°50'00"N, 95°08'54"W.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****10 Apr 2008 – 22 Oct 2009** No Major Changes.**AIRSPACE****10 Apr 2008 – 7 May 2009** No Major Changes.**2 Jul 2009** Add CONROE, TX. Class D: That airspace extending upward from the surface to and including 2,700 feet MSL within a 4.1-mile radius of Lone Star Executive Airport, excluding that airspace within the 4.1-mile radius northeast of the intersection of the IAH VORTAC 356° radial and the TNV VORTAC 081° radial. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

Add CONROE, TX. Class E: That airspace extending upward from the surface to and including 2,700 feet MSL within a 4.1-mile radius of Lone Star Executive Airport, excluding that airspace within the 4.1-mile radius northeast of the intersection of the IAH VORTAC 356° radial and the TNV VORTAC 081° radial. This Class E airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

27 Aug 2009 – 22 Oct 2009 No Major Changes.**SPECIAL USE AIRSPACE****10 Apr 2008 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****10 Apr 2008 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****10 Apr 2008 – 22 Oct 2009** No Major Changes.

HOUSTON SECTIONAL
84th Edition, 24 Sep 2009**OBSTRUCTIONS**

22 Oct 2009 Add obst 798' MSL (420' AGL) UC, 32°05'24"N, 90°39'59"W.

Add obst 315' MSL (310' AGL) UC, 29°50'32"N, 92°10'33"W.

Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.

AIRPORTS

22 Oct 2009 Change RP 5W to RP 23W at PINEVILLE MUNI arpt, 31°20'31"N, 92°26'36"W.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

HOUSTON TERMINAL AREA CHART
72nd Edition, 24 Sep 2009**OBSTRUCTIONS**

22 Oct 2009 Add obst 2013' MSL (2000' AGL) UC, 29°18'01"N, 95°06'40"W.

AIRPORTS

22 Oct 2009 No Major Changes.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

IFR GULF OF MEXICO VERTICAL FLIGHT REFERENCE CHART 12th Edition, 20 Nov 2008

OBSTRUCTIONS

20 Nov 2008 – 22 Oct 2009 No Major Changes.

AIRPORTS

20 Nov 2008 – 7 May 2009 No Major Changes.

2 Jul 2009 Add heliport (51XS) Evergreen Helicopters Pvt N29°41'43" W093°57'49".

Add heliport (2TA7) ERA Helicopters Sabine Base Pvt N29°43'03" W093°51'47"

Add heliport (TA12) ERA Petroleum Helicopters Inc Pvt N29°42'12" W093°56'42".

Add heliport (95XS) Air Logistics Sabine Pvt N29°42'45" W093°54'35".

Add heliport (7LA5) Petroleum Helicopters Cameron Pvt N29°46'37" W093°17'59".

Add heliport (81LA) Mobil Chevron Pvt N29°47'09" W093°19'30".

Add heliport (LA78) CAGC DOCK Pvt N29°47'21" W093°19'12".

Add heliport (24LA) ERA Helicopters Cameron Base Pvt N29°46'49" W093°17'34".

Add heliport (13LA) Evergreen Pvt N29°47'05" W093°12'35".

Add heliport (LA53) Air Logistics Pvt N29°45'43" W093°00'54".

Add heliport (LA09) Air Logistics Intracoastal City Pvt N29°47'02" W092°09'49".

Add heliport (1LA9) Chevron INtracoastal Pvt N29°46'58" W092°09'24".

Add heliport (2LA3) Exxon Intracoastal City Terminal Pvt N29°49'29" W092°07'58".

Add heliport (74LA) ERA Helicopters Pvt N29°49'20" W092°08'17".

Add heliport (7LS4) Petroleum Helicopters Intracoastal City Pvt N29°47'45" W092°09'00".

Add heliport (5LA2) Mobil Pvt N29°41'23" W091°11'40"

Add heliport (9LA4) Texaco Pvt N29°41'12" W092°10'18".

Add heliport (7LS3) Petroleum Helicopters Lake Palourde Base Pvt N29°41'36" W091°05'55".

Add heliport (25LA) ERA Morgan City Pvt N29°38'42" W091°07'08".

Add heliport (4LA4) Chevron USA Inc Pvt N29°13'18" W090°13'01".

Add heliport (09LA) ERA Helicopters Fourchon Helibase Pvt N29°07'28" W090°12'19".

Add heliport (9LA3) Air Logistics Fourchon Pvt N29°07'01" W090°12'02".

Add heliport (LS99) Petroleum Helicopters Fourchon Base Pvt N29°06'59" W090°12'17".

Add heliport (OLA7) Exxon Pvt N29°15'14" W089°57'59".

Add heliport (GNI) Grand Isle Pvt N29°15'46" W089°57'40".

Add heliport (LS08) Robert L Suggs Pvt N29°21'19" W089°26'18".

Add heliport (45LA) Air Logistics Venice/N Pvt N29°17'46" W089°22'21".

Add heliport (LS52) ERA Helicopters Venice Base Pvt N29°17'14" W089°22'04".

Add heliport (8LA1) Chevron USA Pvt N29°15'49" W089°21'21".

Add heliport (MS78) Pascagoula Refinery PAD NR1 Pvt N30°19'53" W088°30'32".

Add heliport (2AL4) Petroleum Helicopters Theodore Pvt N30°25'52" W088°10'45".

27 Aug 2009 – 22 Oct 2009 No Major Changes.

NAVAIDS

20 Nov 2008 – 12 Mar 2009 No Major Changes.

7 May 2009 Change name and ident of SULFY (UX) NDB to SULPHUR (AUR) N30°11'54"N, 93°25'14.3"W.

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

20 Nov 2008 – 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

20 Nov 2008 No Major Changes.

15 Jan 2009 Change W-147A TIMES USED/DAYS to: Continuous.

Change W-147C, D TIMES USED/DAYS to: Continuous.

Change W453 TIMES USED/DAYS to: Continuous, OTHER TIMES BY NOTAM.

Change TIMES USED/HOURS to: Intermittent Days.

Change W-602 TIMES USED/DAYS to: Continuous.

12 Mar 2009 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

20 Nov 2008 – 22 Oct 2009 No Major Changes.

MISCELLANEOUS

20 Nov 2008 – 22 Oct 2009 No Major Changes.

KANSAS CITY SECTIONAL

82nd Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 Add obst 1308' MSL (358' AGL) UC, 38°14'23"N, 94°56'37"W.
 Add obst 1682' MSL (310' AGL) UC, 37°02'18"N, 93°34'31"W.
 Add obst 1012' MSL (265' AGL) UC, 39°36'08"N, 93°06'18"W.
 Change obst from 1656' MSL (741' AGL) to 1949' MSL (1034' AGL), 38°21'40"N, 90°32'55"W.
 Add obst 1129' MSL (290' AGL) UC, 38°47'46"N, 91°21'16"W.
27 Aug 2009 Add obst 1265' MSL (290' AGL) UC, 37°32'46"N, 90°12'37"W.
 Add obst 560' MSL (260' AGL) UC, 36°40'24"N, 89°58'57"W.
 Add obst 1516' MSL (260' AGL) UC, 37°39'55"N, 91°35'29"W.
 Add obst 1490' MSL (320' AGL) UC, 36°27'39"N, 94°27'12"W.
 Add obst 995' MSL (260' AGL) UC, 39°04'38"N, 90°50'02"W.
22 Oct 2009 Add obst 1635' MSL (305' AGL) UC, 36°27'17"N, 93°25'52"W.
 Add obst 1641' MSL (238' AGL), 37°59'00"N, 96°52'21"W.
 Add obst 934' MSL (520' AGL), 38°06'35"N, 90°15'30"W.
 Add obst 1197' MSL (260' AGL), 37°44'20"N, 90°30'11"W.
 Add obst 1025' MSL (275' AGL), 37°21'50"N, 90°41'52"W.
 Add obst 1187' MSL (255' AGL) UC, 36°46'11"N, 96°12'35"W.
 Add obst 1481' MSL (310' AGL) UC, 37°49'56"N, 91°33'28"W.

AIRPORTS

2 Jul 2009 Delete MARTIN arpt, 39°25'01"N, 90°35'09"W.
 Delete JOAN LAKE arpt, 38°12'30"N, 90°52'00"W.
 Delete SONTIMER arpt, 38°48'30"N, 90°36'45"W.
27 Aug 2009 Change CTAF 122.825 to 123.0 at BARTLESVILLE arpt, 36°45'51"N, 96°00'40"W.
 Delete SMITH arpt, 39°18'47"N, 90°16'40"W.
22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 No Major Changes.
27 Aug 2009 Delete MOSBY NDB, 39°20'45"N, 94°18'27"W.
 Shutdown EL DORADO NDB, 37°46'46"N, 96°48'59"W.
22 Oct 2009 Shutdown BILMART NDB, 36°58'11"N, 92°40'39"W.

AIRSPACE

2 Jul 2009 No Major Changes.
27 Aug 2009 Revise MOUNT STERLING, IL Class E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport.
 Revise FULTON, MO Class E: That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Elton Hensley Memorial Airport and within 2.6 miles each side of the 069° bearing from the Guthrie NDB extending from the 6.5-mile radius of the airport to 7 miles northeast of the NDB, and within 2.6 miles each side of the 229° bearing from the NDB extending from the 6.5-mile radius of the airport to 7 miles southwest of the NDB.
22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

2 Jul 2009 - 27 Aug 2009 No Major Changes.
22 Oct 2009 Add SHIRLEY A MOA: Boundary beginning at 35°19'00"N, 92°38'00"W to 35°19'00"N, 93°12'00"W to 35°38'15"N, 93°35'00"W to 36°02'00"N, 93°13'00"W to 36°02'00"N, 93°06'15"W to 36°06'00"N, 93°06'15"W to 36°06'00"N, 92°38'00"W to the point of beginning. Altitude: 11,000' MSL to but not including FL 18,000'. Time of use: 0700-1200 and 1300-1700, Monday-Friday; other times by NOTAM. Controlling agency: Memphis Cntr. Frequency: 281.55.
 Add SHIRLEY B MOA: Boundary beginning at 35°19'00"N, 92°38'00"W to 36°06'00"N, 92°38'00"W to 36°06'00"N, 92°07'11"W to 35°58'53"N, 91°46'00"W to 35°19'00"N, 92°02'00"W to the point of beginning. Altitude: 11,000' MSL to but not including FL 18,000'. Time of use: 0700-1200 and 1300-1700, Monday-Friday; other times by NOTAM. Controlling agency: Memphis Cntr. Frequency: 281.55.

MILITARY TRAINING ROUTES

2 Jul 2009 No Major Changes.
27 Aug 2009 IR 504 Revised.
22 Oct 2009 No Major Changes.

MISCELLANEOUS

2 Jul 2009 - 22 Oct 2009 No Major Changes.

MEMPHIS SECTIONAL

83rd Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 Add obst 505' MSL (328' AGL), 34°21'56"N, 90°38'14"W.
 Add obst 798' MSL (420' AGL) UC, 32°05'24"N, 90°39'59"W.
 Add obst 979' MSL (499' AGL) UC, 34°13'53"N, 93°16'47"W.
 Add obst 495' MSL (330' AGL) UC, 33°39'16"N, 92°40'34"W.
 Add obst 945' MSL (645' AGL) UC, 33°38'59"N, 93°48'43"W.

AIRPORTS

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.

NAVAIDS

22 Oct 2009 Shutdown PINHOOK NDB, 35°15'14"N, 88°12'15"W. Change bearing 294° to 293° from HAMILTON VORTAC(HAB) 34°11'42"N, 88°00'45"W.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 Change MEF 1° to 1¹ in quadrant 33°30'00"-34°00'00"N, 93°30'00"-94°00'00"W.

MEMPHIS TERMINAL AREA CHART

41st Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

AIRPORTS

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

NEW ORLEANS SECTIONAL

84th Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 Add obst 400' MSL (380' AGL), 30°16'18"N, 87°34'27"W.
 Add obst 893' MSL (305' AGL), 32°04'34"N, 89°04'34"W.
 Add obst 1000' MSL (551' AGL), 31°36'32"N, 89°25'44"W.
 Add obst 603' MSL (318' AGL), 31°38'42"N, 90°12'53"W.
 Add obst 725' MSL (349' AGL), 31°07'43"N, 90°46'11"W.
 Add obst 949' MSL (620' AGL), 31°15'30"N, 89°55'59"W.
 Add obst 508' MSL (490' AGL), 30°34'00"N, 87°13'37"W.
 Add obst 497' MSL (305' AGL), 31°22'14"N, 88°15'01"W.
27 Aug 2009 Add obst 289' MSL (230' AGL), 30°34'24"N, 90°35'30"W.
 Add obst 983' MSL (498' AGL), 31°26'02"N, 90°34'46"W.
 Add obst 745' MSL (420' AGL), 31°35'40"N, 89°58'56"W.
 Add obst 434' MSL (315' AGL), 31°00'49"N, 89°47'46"W.
22 Oct 2009 Add obst 599' MSL (310' AGL), 31°30'06"N, 86°22'13"W.
 Add obst 793' MSL (420' AGL), 31°30'09"N, 86°42'18"W.
 Add obst 695' MSL (420' AGL), 31°44'23"N, 87°11'14"W.
 Add obst 964' MSL (420' AGL), 31°49'30"N, 89°54'01"W.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORTS**2 Jul 2009** No Major Changes.**27 Aug 2009** Delete PIKER-TOO, 31°00'42"N, 90°58'05"W.

22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

2 Jul 2009 – 27 Aug 2009 No Major Changes.

22 Oct 2009 Change TYNDALL AFB ATCT frequency from 384.4 to 263.15, 30°04'12"N, 85°34'35"W.

SPECIAL USE AIRSPACE

2 Jul 2009 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

2 Jul 2009 No Major Changes.

27 Aug 2009 15 IR Revise ceiling from 20 MSL to 50 MSL from Point D to Point H.

22 Oct 2009 No Major Changes.

MISCELLANEOUS

2 Jul 2009 No Major Changes.

27 Aug 2009 Change MEF 1⁰ TO 1¹ in quadrant 31°00'-31°30'N, 89°30'-90°00'W.

22 Oct 2009 No Major Changes.

NEW ORLEANS TERMINAL AREA CHART

69th Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 465' MSL (460' AGL), 29°45'16"N, 91°10'26"W.

Add obst 289' MSL (230' AGL), 30°34'24"N, 90°35'30"W.

22 Oct 2009 No Major Changes.

AIRPORTS

2 Jul 2009 Delete SIMPSON arpt, 30°18'09"N, 91°16'17"W.

27 Aug 2009 – 22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

AIRSPACE

2 Jul 2009 – 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

2 Jul 2009 – 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

2 Jul 2009 – 22 Oct 2009 No Major Changes.

MISCELLANEOUS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

ST. LOUIS SECTIONAL

80th Edition, 2 Jul 2009

OBSTRUCTIONS

2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 1144' MSL (258' AGL)UC, 38°42'07"N, 85°22'02"W.

Add obst 1328' MSL (350' AGL)UC, 37°37'05"N, 84°15'43"W.

Add obst 865' MSL (304' AGL)UC, 37°22'45"N, 88°39'47"W.

Add obst 1265' MSL (290' AGL)UC, 37°32'46"N, 90°12'37"W.

Add obst 560' MSL (260' AGL)UC, 36°40'24"N, 89°58'57"W.

Add obst 995' MSL (260' AGL)UC, 39°04'38"N, 90°50'02"W.

Add obst 792' MSL (270' AGL)UC, 37°38'14"N, 87°38'10"W.

Add obst 865' MSL (306' AGL)UC, 39°12'53"N, 87°20'48"W.

22 Oct 2009 Add obst 1224' MSL (300' AGL)UC, 39°44'58"N, 84°23'43"W.

Add obst 1629' MSL (285' AGL)UC, 36°04'48"N, 84°31'00"W.

Add obst 916' MSL (258' AGL)UC, 40°03'49"N, 87°42'44"W.

Add obst 934' MSL (520' AGL)UC, 38°06'35"N, 90°15'30"W.

Add obst 1197' MSL (260' AGL)UC, 37°44'20"N, 90°30'11"W.

Add obst 1025' MSL (275' AGL)UC, 37°21'50"N, 90°41'52"W.

Add obst 797' MSL (330' AGL)UC, 36°34'10"N, 88°50'13"W.

Add obst 754' MSL (320' AGL)UC, 36°47'55"N, 88°30'22"W.

CONTINUED ON NEXT PAGE

SC, 22 OCT 2009 to 17 DEC 2009

CONTINUED FROM PRECEDING PAGE

AIRPORTS**2 Jul 2009** No Major Changes.**27 Aug 2009** Change CAPE GIRARDEAU ATCT freq 119.0 to 125.525, 37°13'31"N, 89°34'15"W.

Change CTAF 119.0 to 125.525 at CAPE GIRARDEAU arpt, 37°13'31"N, 89°34'15"W.

Delete O'NEAL arpt, 38°41'29"N, 87°33'08"W.

Change CTAF 122.9 to 123.05 at MC CREARY CO arpt, 36°41'43"N, 84°23'29"W.

Delete HEMP RIDGE arpt, 38°09'11"N, 85°07'08"W.

Delete SMITH arpt, 39°18'47"N, 90°16'40"W.

22 Oct 2009 Delete CLARK arpt, 40°11'40"N, 86°31'23"W.

Delete POWELL arpt, 36°02'40"N, 84°00'16"W.

Delete HIGGINBOTHAM arpt, 39°20'29"N, 87°31'53"W.

NAVAIDS**2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009** No Major Changes.**27 Aug 2009** Revise MOUNT STERLING, IL CLASS E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport.

Delete DAYTON Class C freq 127.65.

Add DAYTON Class C freqs 118.425 and 127.225.

Revise DAYTON Class C freq from 316.7 to 352.05.

22 Oct 2009 No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**SAN ANTONIO SECTIONAL****83rd Edition, 7 May 2009****OBSTRUCTIONS****7 May 2009** No Major Changes.**2 Jul 2009** Add obst 767' MSL (756' AGL) UC, 28°25'13"N, 96°42'05"W.

Add obst 595' MSL (310' AGL) UC, 29°12'25"N, 97°28'18"W.

Add obst 1926' MSL (350' AGL) UC, 30°00'57"N, 98°42'55"W.

Add obst 714' MSL (255' AGL) UC, 29°10'50"N, 98°20'17"W.

27 Aug 2009 Add obst 622' MSL (300' AGL) UC, 29°01'06"N, 97°26'27"W.

Add obst 1134' MSL (250' AGL) UC, 31°26'56"N, 97°47'18"W.

Change windmill farm highest MSL from 3055' MSL to 3428' MSL 31°57'10"N, 100°45'40"W.

Add obst 1630' MSL (234' AGL) UC, 31°44'24"N, 98°57'52"W.

Add obst 775' MSL (363' AGL) UC, 30°35'58"N, 96°38'33"W.

Add obst 941' MSL (254' AGL) UC, 29°11'39"N, 98°51'48"W.

Add obst 833' MSL (340' AGL), 30°29'20"N, 97°18'00"W.

Add obst 2927' MSL (389' AGL) UC, 31°05'08"N, 100°40'53"W.

Add obst 1928' MSL (300' AGL) UC, 31°58'01"N, 98°55'49"W.

Add obst 1949' MSL (350' AGL) UC, 32°10'12"N, 98°58'02"W.

Add obst 1094' MSL (389' AGL) UC, 29°48'16"N, 98°02'26"W.

Add obst 917' MSL (500' AGL) UC, 30°53'06"N, 96°32'30"W.

22 Oct 2009 Add windmill farm. 2945' is highest MSL, 31°06'15"N, 100°41'44"W.

Add obst 1213' MSL (254' AGL) UC, 31°23'43"N, 97°48'25"W.

Add obst 1041' MSL (307' AGL) UC, 29°13'36"N, 98°50'38"W.

Add obst 1194' MSL (240' AGL) UC, 29°36'59"N, 98°27'32"W.

Add obst 3001' MSL (315' AGL) UC, 31°19'12"N, 101°03'12"W.

Add obst 2423' MSL (263' AGL) UC, 32°06'09"N, 100°02'59"W.

Add obst 5015' MSL (250' AGL) UC, 30°23'40"N, 102°50'44"W.

Add obst 2727' MSL (263' AGL) UC, 31°10'01"N, 100°36'40"W.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

AIRPORTS**7 May 2009** No Major Changes.**2 Jul 2009** Change LAUGHLIN AFB ATCT freq from 279.575 to 307.375, 29°21'34"N, 100°46'52"W.**27 Aug 2009** Delete BEICKER arpt, 29°31'45"N, 97°47'18"W.

Delete DE LEON arpt, 32°05'55"N, 98°31'31"W.

Add CTAF 122.9 at BOYD arpt, 31°34'30"N, 97°18'03"W.

22 Oct 2009 No Major Changes.**NAVAIDS****7 May 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****7 May 2009** No Major Changes.**2 Jul 2009** Revise COLEMAN, TX Class E: That airspace extending upward from 700 feet above the surface within an 8-mile radius of Coleman Municipal Airport.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****7 May 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****7 May 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****7 May 2009** No Major Changes.**2 Jul 2009** Change MEF 0⁸ to 0⁹ in quadrant 28°00'–28°30"N, 96°30'–97°00"W.**27 Aug 2009** Change MEF 3² to 3⁵ in quadrant 31°30'–32°00"N, 100°30'–101°00"W.**22 Oct 2009** No Major Changes.**WICHITA SECTIONAL****83rd Edition, 39 Jul 2009****OBSTRUCTIONS****27 Aug 2009** Add obst 2930' MSL (350' AGL) UC, 39°50'12"N, 100°10'48"W.

Add obst 1665' MSL (310' AGL) UC, 37°57'55"N, 97°09'08"W.

Add obst 2636' MSL (350' AGL) UC, 39°49'30"N, 99°35'27"W.

22 Oct 2009 Add obst 1641' MSL (238' AGL), 37°59'00"N, 96°52'21"W.

Add obst 1782' MSL (260' AGL), 37°56'06"N, 97°51'53"W.

Add obst 1604' MSL (314' AGL), 37°30'30"N, 97°11'19"W.

Add obst 2978' MSL (350' AGL) UC, 36°19'02"N, 100°15'34"W.

Add obst 3298' MSL (315' AGL) UC, 38°55'12"N, 101°11'02"W.

Add obst 1588' MSL (320' AGL) UC, 37°29'57"N, 97°30'51"W.

AIRPORTS**27 Aug 2009** No Major Changes.**22 Oct 2009** Change CTAF/UNICOM freq to 123.075 at STEARMAN arpt, 37°46'30"N, 97°06'47"W.**NAVAIDS****27 Aug 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****27 Aug 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****27 Aug 2009** IR-526 Revised

IR-513 Revised

IR-504 Revised

22 Oct 2009 No Major Changes**MISCELLANEOUS****27 Aug 2009 – 22 Oct 2009** No Major Changes.

SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private-use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

UNITED STATES

FACILITY NAME	CHART & PANEL
Frankfort, IL (LL40)	L-28H
Chicago App/Dep Con 133.1 285.6	
Glasgow Industrial, MT (07MT)	H-1E, 2F, L-13D
Salt Lake Center App/Dep Con 126.85 305.2	
USAF Academy Bullseye Aux Airstrip, CO (C090)	L-10F
ASOS 118.325	
West Kentucky Airpark, KY (5KY3)	L-16I
Memphis Center App/Dep Con 133.65 292.15	
William P Gwinn, FL (06FA)	H-8I, L-23C
Gwinn Tower 120.4 314.6 (Mon-Fri 1300-2100Z)	
Gnd Con 121.65 279.25	

CANADA

FACILITY NAME	CHART & PANEL
Abbotsford, BC (CYXX)	H-1B, L-12F
ATIS 119.8 (1500-0700Z)	
Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8	
Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500-0700Z) Gnd Con 121.8	
MF 119.4 295.0 (0700-1500Z) (Shape irregular to 4500')	
Amos/Magny, QC (CYEY)	H-11B
Montreal Center App/Dep Con 125.9	
Atikokan Muni, ON (CYIB)	L-14I
MF 122.3 (5 NM to 4500' No ground station)	
Barrie-Orillia (Lake Simcoe Rgnl), ON (CNB9)	H-11B, L-31D
AWOS 122.55 (Pvt)	
Toronto Center App/Dep Con 124.025	
Bar River, ON (CPF2)	L-31C
Toronto Center App/Dep Con 132.65	
Bathurst, NB (CZBF)	L-32J
Moncton Center App/Dep Con 134.25	
Boundary Bay, BC (CZBB)	H-1B, L-1E
ATIS 125.5 (1500-0700Z)	
Vancouver App/Dep Con 132.3 363.8	
Tower 118.1 (Inner) 127.6 (Outer) (1500-0700Z) Gnd Con 124.3	
MF 118.1 (0700-1500Z to 2000'. Vancouver Trml 125.2 above 2000'. Shape irregular to 2500'.)	
Brampton, ON (CNC3)	L-31D
Toronto Trml App/Dep Con 119.3 253.1	
Brandon Muni, MB (CYBR)	H-2H
Winnipeg Center App/Dep Con 132.25 285.4	
MF 122.1 (5 NM to 4000')	
Brantford, ON (CYFD)	L-31D
Toronto Trml App/Dep Con 128.27	
Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3)	L-32G
Montreal Center App/Dep Con 134.675	
Bromont, QC (CZBM)	L-32G
Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	
Burlington Airpark, ON (CZBA)	L-31D
Toronto Center App/Dep Con 119.3 253.1	
Castlegar, BC (CYCG)	H-1C
Vancouver Center App/Dep Con 134.2 227.3	
MF 122.1 (5 NM to 6500')	
Centralia/James T. Fld Muni, ON (CYCE)	H-10G, 11B, L-31D
Toronto Center App/Dep Con 135.30	
Charlottetown, PE (CYYG)	H-11E, L-32J
Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	
Chatham-Kent, ON (CNZ3)	H-10G, L-30G
Cleveland Center App/Dep Con 132.25	

FACILITY NAME	CHART & PANEL
Collingwood, ON (CNY3) Toronto Center App/Dep Con 124.02	H-11B, L-31D
Cornwall Rgnl, ON (CYCC) Boston Center App/Dep Con 135.25 377.1	L-32G
Cranbrook/Canadian Rockies Intl, BC (CYXC) Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	H-1C
Debert, NS (CCQ3) Halifax Trml App/Dep Con 119.2	H-11E, L-32J
Digby, NS (CYID) Moncton Center App/Dep Con 123.9	L-32J
Downsview, ON (CYZD) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 MF 126.2 (3 NM to 1900')	H-11B, L-31E
Drummondville, QC (CSC3) Montreal Center App/Dep Con 132.35	L-32H
Earlton (Timiskaming Rgnl), ON (CYXR) MF 122.0 (5 NM to 3800') AWOS 128.6	H-11B
Elliot Lake Muni, ON (CYEL) Toronto Center App/Dep Con 135.4	L-31C
Fort Frances Muni, ON (CYAG) Minneapolis Center App/Dep Con 120.9	L-14H
Fredericton Intl, NB (CYFC) ATIS 127.55 Moncton Center App/Dep Con 124.3 135.5 270.8 Cinc Del 121.7 (Ltd hrs) MF 119.0 (5 NM to 3500')	H-11E, L-32I
Goderich, ON (CYGD) Toronto Center App/Dep 135.3 266.3	H-11B, L-31D
Greenwood, NS (CYZX) ATIS 128.85 244.3 (1100-0000Z) App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3 Gnd Con 133.75 289.4 Cinc Del 128.05 283.9	H-11E, L-32J
Grimsby Air Park, ON (CNZ8) Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	L-31E
Halifax/Shearwater, NS (CYAW) ATIS 129.175 (Ltd hrs) App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) Gnd Con 121.7 250.1	H-11E, L-32J
Halifax/Stanfield Intl, NS (CYHZ) ATIS 121.0 Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8 Tower 118.4 236.6 Gnd Con 121.9 275.8 Cinc Del 123.95 Apron Advisory 122.125	H-11E, L-32J
Hamilton, ON (CYHM) ATIS 128.1 Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0 Gnd Con 121.6	H-10H, 11B, L-11B
Kingston, ON (CYGK) Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z) MF 122.5 (1115-0400Z \pm 5 NM to 3300')	H-11C, L-31E, 32F
Kitchener/Waterloo, ON (CYKF) ATIS 125.1 (1200-0400Z \pm) Toronto Trml App/Dep Con 128.275 Waterloo Tower 126.0 118.55 (1200-0400Z \pm) Gnd Con 121.8 MF 126.0 (0400-1200Z \pm 5 NM to 4000')	H-11B, L-31D
Lachute, QC (CSE4) Montreal Center App Con 124.65 132.85 268.3 Montreal Center Dep Con 132.85 268.3	L-32G
La Tuque, QC (CYLQ) Montreal Center App/Dep Con 134.5	H-11C
Langley, BC (CYNJ) ATIS 124.5 (1630-0230Z, DT 1530-0330Z) Victoria Trml 132.7 290.8 Tower 119.0 (1630-0230Z, DT 1530-0330Z) Gnd Con 121.9 MF 119.0 (0230-1630Z, DT 0330-1530Z 3 NM to 1900')	L-1E

FACILITY NAME	CHART & PANEL
Leamington, ON (CLM2) Cleveland Center App/Dep Con 132.45	L-30F
Lethbridge, AB (CYQL) ATIS 124.4 (1300-0545Z‡) Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	H-1D
Lindsay, ON (CNF4) Toronto Center App/Dep 134.25	L-31E, L-32F
Liverpool/South Shore Rgnl, NS (CYAU) Moncton Center App/Dep Con 123.9	L-32J
London, ON (CYXU) ATIS 127.8 (1120-0345Z‡) Toronto Center App/Dep 135.3 135.625 Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9 MF 119.4 (0345-1120Z‡ 5 NM to 3000')	H-10G, 11B, L-30G, 31D
Manitowaning/Manitoulin East Muni, ON (CYEM) Toronto Center App/Dep 135.4 260.9	L-31C
Maniwaki, QC (CYMW) Montreal Center App/Dep Con 126.57	L-32G
Mascouche, QC (CSK3) MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the N shore of Riviere des Milles-Iles and 1 NM around Lac Agile Mascouche arpt.)	L-32G
Medicine Hat, AB (CYXH) AWOS 124.875 (0345-1245Z‡) MF 122.2 (1245-0345Z‡ 5 NM to 5400')	H-1D
Midland/Huron, ON (CYEE) Toronto Center App/Dep 124.025	L-31D
Miramichi, NB (CYCH) Moncton Center App/Dep Con 123.7	H-11E, L-32J
Moncton/Greater Moncton Intl, NB (CYQM) ATIS 128.65 App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8 Apron Advisory 122.075	H-11E, L-32J
Mont-Laurier, QC (CSD4) Montreal Center App/Dep Con 126.57	L-32G
Montreal Intl (Mirabel), QC (CYMX) ATIS 125.7 Montreal Center App Con 124.65 132.85 268.3 Montreal Dep Con 132.85 MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	H-11C, 12K, L-32G
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL) ATIS 133.7 Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3 Tower 119.9 267.1 Gnd Con 121.9 275.8 Cinc Del 125.6 Apron 122.075 Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE) VFR Advisory 134.15	H-11C, 12K, L-32G
Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	H-11C, L-32G
Muskoka, ON (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900')	H-11B, L-31D
Nanaimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')	H-1B, L-1E
North Bay, ON (CYYB) ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000')	H-11B, L31D
Oshawa, ON (CYOO) ATIS 125.675 (1130-0330Z‡) Toronto Trml App Con 133.4 Tower 120.1 (1130-0330Z‡) Gnd Con 118.4 Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')	L-31E

FACILITY NAME	CHART & PANEL
Ottawa/Carp, ON (CYRP) ATIS 121.15 Ottawa Trml App/Dep Con 128.175 252.5	L-31E, 32F
Ottawa/Batineau, QC (CYND) Ottawa Trml App/Dep Con 127.7 128.175 252.5 MF 122.3 (5 NM shape irregular to 2500') VFR Advisory Ottawa Trml 127.7	H-11C, L-32G
Ottawa/MacDonald-Cartier Intl, ON (CYOW) ATIS 121.15 Ottawa App Con 135.15 Tower 118.8 120.1 341.3 Gnd Con 121.9 Clnc Del 119.4 Ottawa Dep Con 128.175	L-11C
Owen Sound/Billy Bishop Rgnl, ON (CYOS) Toronto Center App/Dep 132.575 290.6	L-31D
Pelee Island, ON (CYPT) Cleveland Center App/Dep Con 126.35 360.0	L-30F
Pembroke, ON (CYTA) Montreal Center App/Dep Con 135.2 Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z†, OT PPR)	H-11C, L-31E, 32F
Penticton, BC (CYPF) Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	H-1B
Peterborough, ON (CYPQ) AWOS 126.925 Toronto Center App/Dep 134.25	H-11B, L-31E, 32F
Pincher Creek, AB (CZPC) Edmonton Center App/Dep Con 132.75 265.2	H-1D
Pitt Meadows, BC (CYPK) ATIS 125.0 (1500-0700Z†) Vancouver Center App Con 128.6 352.7 (Outer) Pitt Tower 126.3 (1500-0700Z†) Gnd Con 123.8 Vancouver Center Dep Con 132.3 363.8 (South) MF 126.3 (0700-1500Z†) (3NM to 2500')	L-1E
Quebec/Jean Lesage Intl, QC (CYQB) ATIS 134.6 Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 (185.65 Quebec Twr VFR acft at or below 3000') Tower 118.65 236.6 Gnd Con 121.9 250.0	H-11D, L-32H
Riviere Du Loup, QC (CYRI) AWOS 122.025 (Pvt) Montreal Center App/Dep Con 125.1 299.6	H-11D
Rouyn Noranda, QC (CYUY) Montreal Center App/Dep Con 125.9 MF 122.2 (5 NM to 4000')	H-11B
Saint John, NB (CYSJ) Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	H-11E, L-32J
Sarnia (Chris Hadfield), ON (CYZR) Toronto Center 134.375	H-10G, 11B, L-30F
Sault Ste Marie, ON (CYAM) ATIS 133.05 (1300-0100Z†) Toronto Center App/Dep Con 132.65 344.5 Tower 118.8 (1300-0100Z†) Gnd Con 121.7 MF 118.8 (0100-1300Z† 5 NM irregular shape to 3000')	H-2K, L-31B
Sherbrooke, QC (CYAM) AWOS 126.25 Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	H-11D, L-32H
South Renfrew Muni, ON (CNP3) Montreal Center App/Dep 124.275	L-31E, 32F
Southport, MB (CYPG) ATIS 120.85 (Mon-Fri 1400-2300Z† except holidays) Tower 126.2 384.2 (Mon-Fri 1400-2300Z† except holidays) Gnd Con 121.7 275.8	H-2H

FACILITY NAME	CHART & PANEL
Springwater Barrie Airport, ON (CNA3) Toronto Center App/Dep Con 124.025	L-31D
St. Catharines/Niagara District, ON (CYSN) ATIS 128.525 (1215-0200Z) Toronto Trml App/Dep Con 133.4 253.1 MF 123.25 (1215-0200Z± 5 NM to 3300')	H-10H, 11B, L-31E
St. Frederic, QC (CSZ4) Montreal Center App/Dep Con 135.025 270.9	L-32H
St. Georges, QC (CYSG) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM 3900' ASL)	H-32H, L-11D
St. Jean, QC (CYJN) Montreal Center App/Dep Con 125.15 268.3 Tower 118.2 (Apr-Oct 1230-0230Z± Nov-Mar 1300-0200Z) Gnd Con 121.7	L-32G
Sudbury, ON (CYSB) ATIS 127.4 Toronto Center App/Dep Con 135.5 MF 125.5 (7 NM to 4000')	H-31B, 10G, L-31D
Summerside, PE (CYSU) AWOS 122.55 (Pvt) Moncton Center App/Dep Con 124.4 384.8	H-11E, L-32J
Thunder Bay, ON (CYQT) ATIS 128.8 (1100-0400Z) Winnipeg Center App/Dep Con 132.125 (0400-1100Z) Tower 118.1 (1100-0400Z) Gnd Con 121.9 App/Dep 119.2 MF 118.1 (0400-1100Z± 5 NM to 4000')	H-2J, L-14J
Timmins, ON (CYTS) ATIS 124.95 (1000-0500Z) Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	H-11B
Toronto/Buttonville Muni, ON (CYKZ) ATIS 127.1 (1200-0400Z) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 Tower 124.8 119.9 (1200-0400Z) Gnd Con 121.8 MF 124.8 (0400-1200Z± No gnd station. 5 NM shape irregular to below 2500')	L-31E
Toronto/City Centre, ON (CYTZ) ATIS 133.6 (1130-0400Z) App Con 133.4 Dep Con 133.4 Tower 118.2 119.2 226.5 (1130-0400Z) Gnd Con 121.7	L-31E
Toronto/Lester B Pearson Intl, ON (CYYZ) ATIS 120.825 App Con 124.475 125.4 132.8 Dep Con 127.575 128.8 Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9 Cinc Del 121.3 (1200-0400Z) VFR Advisory 119.3 133.4	H-11B, L-31D
Trenton, ON (CYTR) ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Cinc Del 124.35 286.4	H-11C, L-31E, 32F
Trenton/Mountain View, ON (CPZ3) Trenton Mil Advisory 268.0	H-11C, L-31E, 32F
Trois-Rivieres, QC (CYRQ) Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200')	H-11C, L-32H
Val-D'or, QC (CYVO) Montreal Center App/Dep Con 125.9 308.3 MF 118.5 (1030-0325Z± 5 NM to 4000')	H-11B
Vancouver Intl, BC (CYVR) ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner) Dep Con 126.125 (north) 132.3 (south) 363.8 Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Cinc Del 121.4	H-1B, L-1E

FACILITY NAME	CHART & PANEL
Victoria Intl, BC (CYYJ) ATIS 118.8 (1400-0800Z‡) App Con 125.95 308.4 Dep Con 133.85 308.4 Tower 119.1 (Outer) 119.7 (Inner) 239.6 Gnd Con 121.9 361.4 (1400-0800Z‡ OT ctc Kamloops 119.7) Cinc Del 126.4 (1400-0800Z‡)	H-1B, L-1E
Victoriaville, QC (CSR3) Montreal Center App Con 132.35	L-32H
Waterville/Kings Co Muni, NS (CCW3) Greenwood Trml App/Dep Con 120.6 335.9 Greenwood Tower 119.5 324.3	L-32J
Warton, ON (CYVY) Toronto Center App/Dep Con 132.575 MF 122.2 (5 NM to 3700')	H-11B, L-31D
Windsor, ON (CYQG) ATIS 134.5 (1130-0330Z‡) Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 Tower 124.7 (1130-0330Z‡) Gnd Con 121.7 MF 124.7 (0330-1130Z‡ 6 NM irregular shape to below 3000') VFR Advisory Detroit App Con 134.3	H-10G, L-8J
Yarmouth, NS (CYQI) Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	H-11E, L-32I

MEXICO

FACILITY NAME	CHART & PANEL
Abraham Gonzalez Intl (MMCS) Juarez App Con 119.9 Juarez Tower 118.9	H-4K, L-6F
Del Norte Intl (MMAN) ATIS 127.55 (1300-0300Z‡) Monterrey App 119.75 120.4 Tower 118.6	H-7B, L-20G
Durango Intl (MMDO) ATIS 132.1 Tower 118.1 Durango Info 122.3	H-7A
General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Cinc Del 122.35 Tijuana Info 132.1	H-4H, L-4H
General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8	H-7B, L-20H
General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H-7B, L-20G
General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	L-6I
General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	H-4H, L-4J, 5A
General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0	H-7C, L-21A
Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4	H-7B
Quetzalcoatl Intl (MMNL) Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	H-7B, L-20G
Torreon Intl (MMTC) App Con 119.6 Tower 118.5	H-7A

**INTENTIONALLY
LEFT
BLANK**

**INTENTIONALLY
LEFT
BLANK**









In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

GENERAL INFORMATION





PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., , , .
2. Approach lighting systems that do not bear a system identification are indicated with a negative "0" beside the name. A star (★) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., ★. To activate lights use frequency indicated in the communication section of the chart with a  or the appropriate lighting system identification e.g., UNICOM 122.8 , , .

<u>KEY MIKE</u>	<u>FUNCTION</u>
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-off)

CHART CURRENCY INFORMATION

FAA procedure amendment number  Amdt 11A 99365  Date of latest change
 Orig 00365 

The Chart Date identifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

MISCELLANEOUS

- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.


09071

LEGEND


INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM

Runways



ARRESTING GEAR: Specific arresting gear systems; e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to appropriate DOD publications.



ARRESTING SYSTEM

REFERENCE FEATURES

Buildings.....	■
Tanks.....	●
Obstructions.....	▲
Airport Beacon #.....	☆
Runway	
Radar Reflectors.....	▼
Control Tower #.....	■
Hot Spot.....	○

When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR.

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A **D** symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information.

Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325
PCN 80 F/D/X/U

Helicopter Alighting Areas ① ⊕ ⊕ ⊕ ⊕

Negative Symbols used to identify Copter Procedures landing point..... ⊖ ⊕ ⊕ ⊕ ⊕

Runway Threshold elevation.....THRE 123

Runway TDZ elevation.....TDZE 123

Runway Slope.....0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

NOTE:

Runway Slope measured to midpoint on runways 8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport diagram scales are variable.


True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.

Positional accuracy within ±600 feet unless otherwise noted on the chart.

NOTE:

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FUP. (Foreign Only)



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

LEGEND

HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.


A "hot spot" is a runway safety related problem area on a airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles or polygons designated as "HOT¹", "HOT²", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
TEXAS		
MIDLAND		
MIDLAND INTL (MAF)	HOT ¹	Twy B and Twy P merge.
	HOT ²	Area not visible from tower. Limited air traffic services provided.
	HOT ³	Area not visible from tower. Limited air traffic services provided.

09183

AIRPORT DIAGRAM

ABILENE/ABILENE RGNL (ABI)
ABILENE, TEXAS



AIRPORT DIAGRAM

09183

ABILENE, TEXAS
ABILENE/ABILENE RGNL (ABI)


07298

AIRPORT DIAGRAM

AFD-482 [USAF]

ALTUS AFB (KLTS)

ALTUS, OKLAHOMA



AIRPORT DIAGRAM

WGS DATUM


ALTUS, OKLAHOMA

ALTUS AFB (KLTS)

09183

AIRPORT DIAGRAM

AMARILLO/RICK HUSBAND AMARILLO INTL (AMA)
AL-19 (FAA) AMARILLO, TEXAS



AIRPORT DIAGRAM

09183


AMARILLO, TEXAS
AMARILLO/RICK HUSBAND AMARILLO INTL (AMA)

09183

AIRPORT DIAGRAM

ARDMORE MUNI (ADM)
ARDMORE, OKLAHOMA

AL-22 (FAA)



AIRPORT DIAGRAM

ARDMORE, OKLAHOMA
ARDMORE MUNI (ADM)


09183

09239

AIRPORT DIAGRAM

AL-5189 (FAA)

ARLINGTON MUNI (GKY)
ARLINGTON, TEXAS



AIRPORT DIAGRAM

09239


ARLINGTON, TEXAS
ARLINGTON MUNI (GKY)

09295

AIRPORT DIAGRAM

AL-556 (FAA)

AUSTIN-BERGSTROM INTL (AUS)
AUSTIN, TEXAS



AIRPORT DIAGRAM

09295

AUSTIN, TEXAS
AUSTIN-BERGSTROM INTL (AUS)


08129

BARKSDALE AFB (KBAD)

AIRPORT DIAGRAM

AFD-391 [USAF]

BOSSIER CITY, LOUISIANA



AIRPORT DIAGRAM

WGS-84 DATUM

BOSSIER CITY, LOUISIANA

BARKSDALE AFB (KBAD)

AIRPORT DIAGRAM

AL-40 (FAA)



BATON ROUGE, LOUISIANA
BATON ROUGE METROPOLITAN, RYAN FIELD (BTR)

09127


09295

AIRPORT DIAGRAM

BEAUMONT-PORT ARTHUR/SOUTHEAST TEXAS RGNL (BPT)

AL-521 (FAA)

BEAUMONT-PORT ARTHUR, TEXAS



AIRPORT DIAGRAM

09295

 BEAUMONT-PORT ARTHUR, TEXAS
 BEAUMONT-PORT ARTHUR/SOUTHEAST TEXAS RGNL (BPT)


06159

AIRPORT DIAGRAM

AFD-133 [USA]

BIGGS AAF (KBIF)

FORT BLISS, TEXAS



AIRPORT DIAGRAM

FORT BLISS, TEXAS

BIGGS AAF (KBIF)

09183

AIRPORT DIAGRAM

BROWNSVILLE/ SOUTH PADRE ISLAND INTL (BRO)

AL-61 (FAA)

BROWNSVILLE, TEXAS

ATIS

128.55


BROWNSVILLE TOWER ★

118.9 239.3

GND CON

121.9

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.



AIRPORT DIAGRAM


09183

BROWNSVILLE, TEXAS
BROWNSVILLE/ SOUTH PADRE ISLAND INTL (BRO)

09183

AIRPORT DIAGRAM

CLINTON-SHERMAN (CSM)
CLINTON, OKLAHOMA



AIRPORT DIAGRAM

CLINTON, OKLAHOMA
CLINTON-SHERMAN (CSM)

09183


09295

AIRPORT DIAGRAM

COLLEGE STATION/EASTERWOOD FIELD (CLL)

AL-928 (FAA)

COLLEGE STATION, TEXAS



AIRPORT DIAGRAM

09295

COLLEGE STATION, TEXAS
COLLEGE STATION/EASTERWOOD FIELD (CLL)


08269

AIRPORT DIAGRAM

AFD-91 [USAF]

COLUMBUS AFB (KCBM)

COLUMBUS, MISSISSIPPI



AIRPORT DIAGRAM

WGS-84 DATUM

COLUMBUS, MISSISSIPPI
COLUMBUS AFB (KCBM)

09183


AIRPORT DIAGRAM

COLUMBUS/GOLDEN TRIANGLE RGNL (GTR)

AL-5855 (FAA)

COLUMBUS-WESTPOINT-STARKVILLE, MISSISSIPPI

ATIS
126.375
GOLDEN TRIANGLE TOWER
118.2 298.875
GND CON
135.375 322.475
CLNC DEL
135.375 322.475
126.25 (When Tower Closed)



AIRPORT DIAGRAM

09183

COLUMBUS-WESTPOINT-STARKVILLE, MISSISSIPPI
COLUMBUS/GOLDEN TRIANGLE RGNL (GTR)


09015

CORPUS CHRISTI NAS (TRUAX FLD) (KNGP)

AIRPORT DIAGRAM

AFD-98 [USN]

CORPUS CHRISTI, TEXAS




AIRPORT DIAGRAM

CORPUS CHRISTI, TEXAS
CORPUS CHRISTI NAS (TRUAX FLD) (KNGP)

08325

AIRPORT DIAGRAM

AL-768 (FAA)

DALLAS/ADDISON (ADS)
DALLAS, TEXAS

AIRPORT DIAGRAM


08325

DALLAS, TEXAS
DALLAS/ADDISON (ADS)

09239

AIRPORT DIAGRAM


AL-742 (FAA)

DALLAS EXECUTIVE (RBD)
DALLAS, TEXAS

AIRPORT DIAGRAM

09239


DALLAS, TEXAS
DALLAS EXECUTIVE (RBD)



09015

AIRPORT DIAGRAM

AL-5866 (FAA)

DENTON MUNI (DTO)
DENTON, TEXAS

AIRPORT DIAGRAM

09015

DENTON, TEXAS
DENTON MUNI (DTO)


08269

DYESS AFB (KDYS)

AIRPORT DIAGRAM

AFD-2 [USAF]

ABILENE, TEXAS



AIRPORT DIAGRAM


ABILENE, TEXAS
DYESS AFB (KDYS)

09295

AIRPORT DIAGRAM

AL-134 (FAA)

EL PASO INTL (ELP)
EL PASO, TEXAS



AIRPORT DIAGRAM

09295

EL PASO, TEXAS
EL PASO INTL (ELP)


09239

AIRPORT DIAGRAM

AL-136 (FAA)

ENID WOODRING RGNL (WDG)

ENID, OKLAHOMA



AIRPORT DIAGRAM

09239


ENID, OKLAHOMA
ENID WOODRING RGNL (WDG)

09015

AIRPORT DIAGRAM

AL-728 (FAA)

FAYETTEVILLE/DRAKE FIELD (F'YV)
FAYETTEVILLE, ARKANSAS



AIRPORT DIAGRAM

09015

FAYETTEVILLE, ARKANSAS
FAYETTEVILLE/DRAKE FIELD (F'YV)


09183

AIRPORT DIAGRAM

FAYETTEVILLE/ NORTHWEST ARKANSAS RGNL (XNA)

AL-9274 (FAA)

FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS



AIRPORT DIAGRAM

09183


FAYETTEVILLE/SPRINGDALE/ROGERS, ARKANSAS
FAYETTEVILLE/ NORTHWEST ARKANSAS RGNL (XNA)

09295

AIRPORT DIAGRAM

FORT WORTH MEACHAM INTL (F'TW)
FORT WORTH, TEXAS

AL-159 (FAA)



AIRPORT DIAGRAM

09295

FORT WORTH, TEXAS
FORT WORTH MEACHAM INTL (F'TW)


07354

FORT WORTH NAS JRB (CARSWELL FLD) (NFW)

AIRPORT DIAGRAM

AFD-160 [USN]

FORT WORTH, TEXAS



AIRPORT DIAGRAM

FORT WORTH, TEXAS


FORT WORTH NAS JRB (CARSWELL FLD) (NFW)

09127

AIRPORT DIAGRAM

AL-6113 (FAA)

GAINESVILLE MUNI (GLE)
GAINESVILLE, TEXAS



AIRPORT DIAGRAM


09127

GAINESVILLE, TEXAS
GAINESVILLE MUNI (GLE)

08157

AIRPORT DIAGRAM

AL-5724 (FAA)

GEORGETOWN MUNI (GTU)
GEORGETOWN, TEXAS

AIRPORT DIAGRAM


08157

GEORGETOWN, TEXAS
GEORGETOWN MUNI (GTU)

06327

AIRPORT DIAGRAM

GRAND PRAIRIE / GRAND PRAIRIE MUNI (GPM)
AL-9209 (FAA) GRAND PRAIRIE, TEXAS



AIRPORT DIAGRAM


06327

GRAND PRAIRIE, TEXAS
GRAND PRAIRIE MUNI (GPM)

07354

AIRPORT DIAGRAM

AL-572 (FAA)

GREENVILLE/MID DELTA RGNL (GLH)
GREENVILLE, MISSISSIPPI

AIRPORT DIAGRAM


07354

GREENVILLE, MISSISSIPPI
GREENVILLE/MID DELTA RGNL (GLH)

09295

AIRPORT DIAGRAM

AL-576 (FAA)

GULFPORT-BILOXI INTL (GPT)
GULFPORT, MISSISSIPPI

AIRPORT DIAGRAM

09295

GULFPORT, MISSISSIPPI
GULFPORT-BILOXI INTL (GPT)


09239

HOOD AAF (KHLR)

FT HOOD, TEXAS

AIRPORT DIAGRAM

AFD-5031 [USA]



AIRPORT DIAGRAM

FT HOOD, TEXAS


HOOD AAF (KHLR)

09071

AIRPORT DIAGRAM

HOUSTON/DAVID WAYNE HOOKS MEMORIAL (DWH)
AL-5457 (FAA)

HOUSTON, TEXAS



AIRPORT DIAGRAM


09071

HOUSTON, TEXAS
HOUSTON/DAVID WAYNE HOOKS MEMORIAL (DWH)

09239

AIRPORT DIAGRAM

AL-197 (FAA)

HOUSTON/ ELLINGTON FIELD (EFD)
HOUSTON, TEXAS

AIRPORT DIAGRAM

09239


HOUSTON, TEXAS
HOUSTON/ ELLINGTON FIELD (EFD)

09239

AIRPORT DIAGRAM

HOUSTON/GEORGE BUSH INTERCONTINENTAL/HOUSTON (IAH)
AL-5461 (FAA)

HOUSTON, TEXAS



09295

AIRPORT DIAGRAM

HOUSTON/ LONE STAR EXECUTIVE (C XO)

AL-5573 (FAA)

HOUSTON, TEXAS

ATIS

118.325

LONE STAR TOWER*

124.125


GND CON

120.45

CLNC DEL

120.45

119.55 (When Tower Closed)



AIRPORT DIAGRAM

09295


HOUSTON, TEXAS
HOUSTON/ LONE STAR EXECUTIVE (C XO)

09295

AIRPORT DIAGRAM

AL-5537 (FAA)

HOUSTON/ SUGAR LAND RGNL (SGR)
HOUSTON, TEXAS



AIRPORT DIAGRAM

09295

HOUSTON, TEXAS
HOUSTON/ SUGAR LAND RGNL (SGR)


09127

AIRPORT DIAGRAM

HOUSTON/ WILLIAM P. HOBBY (HOU)

AL-198 (FAA)

HOUSTON, TEXAS



AIRPORT DIAGRAM

09127

HOUSTON, TEXAS


HOUSTON/ WILLIAM P. HOBBY (HOU)

SC, 22 OCT 2009 to 17 DEC 2009

08101

AIRPORT DIAGRAM

AL-206 (FAA)

JACKSON/HAWKINS FIELD (HKS)
JACKSON, MISSISSIPPI


AIRPORT DIAGRAM

08101

JACKSON, MISSISSIPPI
JACKSON/HAWKINS FIELD (HKS)

08157

AIRPORT DIAGRAM

JACKSON-EVERS INTL (JAN)
JACKSON, MISSISSIPPI

AIRPORT DIAGRAM

08157

JACKSON, MISSISSIPPI
JACKSON-EVERS INTL (JAN)

09239


AIRPORT DIAGRAM

AFD-49 [USAF]


KEESLER AFB (KBIX)

BILOXI, MISSISSIPPI

ATIS 281.55
 KEESLER TOWER ★
 120.75 269.075
 GND CON
 121.8 275.8
 CLNC DEL
 121.8 275.8



AUGUST 2009
 ANNUAL RATE OF CHANGE
 0.1° W



Rwy 3-21
 PCN 35 F/B/W/T
 S, T, ST, TT, TRT, TDT
 Rwy 3 Ldg 6031'
 Rwy 21 Ldg 6630'

AIRPORT DIAGRAM

WGS-84 DATUM

BILOXI, MISSISSIPPI
 KEESLER AFB (KBIX)


09239

AIRPORT DIAGRAM

AFD-918 [USN]

KINGSVILLE NAS (KNQI)

KINGSVILLE, TEXAS




09239

AIRPORT DIAGRAM

LA GRANGE/ FAYETTE RGNL AIR CENTER (3T5)

AL-9154 (FAA)

LA GRANGE, TEXAS



AIRPORT DIAGRAM

09239

LA GRANGE, TEXAS
LA GRANGE/ FAYETTE RGNL AIR CENTER (3T5)


09239

AIRPORT DIAGRAM

AL-5111 (FAA)

LAKE CHARLES/CHENNAULT INTL (CWF)

LAKE CHARLES, LOUISIANA




AIRPORT DIAGRAM

09239

LAKE CHARLES, LOUISIANA
LAKE CHARLES/CHENNAULT INTL (CWF)

LAKE CHARLES RGNL (LCH)
LAKE CHARLES, LOUISIANA

ATIS 118.75
LAKE CHARLES TOWER
120.7 257.8
GND CON
121.8
CLNC DEL
126.25
UNICOM 122.95



AIRPORT DIAGRAM

08157

LAKE CHARLES, LOUISIANA
LAKE CHARLES RGNL (LCH)


09183

LAUGHLIN AFB (KDLF)

AIRPORT DIAGRAM

AFD-111 [USAF]

DEL RIO, TEXAS



AIRPORT DIAGRAM


DEL RIO, TEXAS

LAUGHLIN AFB (KDLF)

09295

AIRPORT DIAGRAM

AL-924 (FAA)

LAWTON-FORT SILL RGNL (LAW)
LAWTON, OKLAHOMA

AIRPORT DIAGRAM

09295

LAWTON, OKLAHOMA
LAWTON-FORT SILL RGNL (LAW)


09183

AIRPORT DIAGRAM

AFD-738 [USAF]

LITTLE ROCK AFB (KLRF)

JACKSONVILLE, ARKANSAS



AIRPORT DIAGRAM


JACKSONVILLE, ARKANSAS

LITTLE ROCK AFB (KLRF)

09295

AIRPORT DIAGRAM

AL-233 (FAA)

LITTLE ROCK/ADAMS FIELD (LIT)
LITTLE ROCK, ARKANSAS

AIRPORT DIAGRAM

09295


LITTLE ROCK, ARKANSAS
LITTLE ROCK/ADAMS FIELD (LIT)

09015

AIRPORT DIAGRAM

AL-807 (FAA)

LONGVIEW/ EAST TEXAS RGNL (GGG)
LONGVIEW, TEXAS



AIRPORT DIAGRAM

09015

LONGVIEW, TEXAS
LONGVIEW/ EAST TEXAS RGNL (GGG)


09071

AIRPORT DIAGRAM

AL-241 (FAA)

LUBBOCK PRESTON SMITH INTL (LBB)

LUBBOCK, TEXAS



AIRPORT DIAGRAM


09071

LUBBOCK, TEXAS
LUBBOCK PRESTON SMITH INTL (LBB)

09071

AIRPORT DIAGRAM

MC ALLEN MILLER INTL (MFE)
MC ALLEN, TEXAS



AIRPORT DIAGRAM


09071

MC ALLEN, TEXAS
MC ALLEN MILLER INTL (MFE)

09015

AIRPORT DIAGRAM

MC KINNEY/ COLLIN COUNTY RGNL AT MC KINNEY (TKI)
AL-6644 (FAA)
MC KINNEY, TEXAS



AIRPORT DIAGRAM

09015


MC KINNEY, TEXAS
MC KINNEY/ COLLIN COUNTY RGNL AT MC KINNEY (TKI)

09015

AIRPORT DIAGRAM

AL-6002 (FAA)

MENA INTERMOUNTAIN MUNI (MEZ)
MENA, ARKANSAS



AIRPORT DIAGRAM

09015

MENA, ARKANSAS
MENA INTERMOUNTAIN MUNI (MEZ)


09071

AIRPORT DIAGRAM

AL-254 (FAA)

MERIDIAN/KEY FIELD (MEI)

MERIDIAN, MISSISSIPPI



AIRPORT DIAGRAM

09071

MERIDIAN, MISSISSIPPI
MERIDIAN/KEY FIELD (MEI)


09295

MERIDIAN NAS (MC CAIN FIELD) (KNMM)

AIRPORT DIAGRAM

[USN] AFD-5079

MERIDIAN, MISSISSIPPI




AIRPORT DIAGRAM

 MERIDIAN, MISSISSIPPI
 MERIDIAN NAS (MC CAIN FIELD) (KNMM)

09127

AIRPORT DIAGRAM

AL-258 (FAA)

MIDLAND INTL (MAF)
MIDLAND, TEXAS

AIRPORT DIAGRAM


09127

MIDLAND, TEXAS
MIDLAND INTL (MAF)

09071

AIRPORT DIAGRAM

AL-270 (FAA)

MONROE RGNL (MLU)
MONROE, LOUISIANA

AIRPORT DIAGRAM


09071

MONROE, LOUISIANA
MONROE RGNL (MLU)

09071

AIRPORT DIAGRAM

AL-6080 (FAA)

NEW BRAUNFELS MUNI (BAZ)
NEW BRAUNFELS, TEXAS

AIRPORT DIAGRAM


09071

NEW BRAUNFELS, TEXAS
NEW BRAUNFELS MUNI (BAZ)

09295

AIRPORT DIAGRAM

AL-5040 (FAA)

NEW IBERIA/ACADIANA RGNL (A.R.A.)
NEW IBERIA, LOUISIANA

AIRPORT DIAGRAM

09295


NEW IBERIA, LOUISIANA
NEW IBERIA/ACADIANA RGNL (A.R.A.)

09071

AIRPORT DIAGRAM

AL-288 (FAA)

NEW ORLEANS/LAKEFRONT (NEW)
NEW ORLEANS, LOUISIANA




AIRPORT DIAGRAM

09071

NEW ORLEANS, LOUISIANA
NEW ORLEANS/ LAKEFRONT (NEW)

09071

AIRPORT DIAGRAM

NEW ORLEANS/ LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)
AL-609 (FAA) NEW ORLEANS, LOUISIANA

AIRPORT DIAGRAM

09071


NEW ORLEANS, LOUISIANA
NEW ORLEANS/ LOUIS ARMSTRONG NEW ORLEANS INTL (MSY)

09239

AIRPORT DIAGRAM

AFD-630 [USN]

NEW ORLEANS NAS JRB
(ALVIN CALLENDER FLD) (KNBG)
NEW ORLEANS, LOUISIANA



AIRPORT DIAGRAM


WGS-84 DATUM

NEW ORLEANS, LOUISIANA
NEW ORLEANS NAS JRB
(ALVIN CALLENDER FLD) (KNBG)

09295

AIRPORT DIAGRAM

NORMAN/ UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)
AL-5672 (FAA) NORMAN, OKLAHOMA



AIRPORT DIAGRAM

09295


NORMAN, OKLAHOMA
NORMAN/ UNIVERSITY OF OKLAHOMA WESTHEIMER (OUN)

09295

AIRPORT DIAGRAM

OKLAHOMA CITY/CLARENCE E. PAGE MUNI (RCE)
AL-298 (FAA) OKLAHOMA CITY, OKLAHOMA

AWOS-3
125.05
CTAF/UNICOM
123.0



AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA
OKLAHOMA CITY/CLARENCE E. PAGE MUNI (RCE)

09295

09239


AIRPORT DIAGRAM

AFD-6553 [USN]

ORANGE GROVE NALF (KNOG)

ORANGE GROVE, TEXAS

ATIS ★ 254.325
 ORANGE GROVE TOWER ★
 281.425 318.85
 GND CON
 229.4



AIRPORT DIAGRAM

WGS-84 DATUM

ORANGE GROVE, TEXAS
 ORANGE GROVE NALF (KNOG)


09183

AIRPORT DIAGRAM

AFD-906 [USA]

ROBERT GRAY AAF (KGRK)

FORT HOOD, TEXAS



AIRPORT DIAGRAM


FORT HOOD, TEXAS

ROBERT GRAY AAF (KGRK)

09015

AIRPORT DIAGRAM

SAN ANGELO RGNL/ MATHIS FIELD (SJT)
AL-367 (FAA)
SAN ANGELO, TEXAS



AIRPORT DIAGRAM

09015


SAN ANGELO, TEXAS
SAN ANGELO RGNL/ MATHIS FIELD (SJT)

09239

AIRPORT DIAGRAM

AL-369 (FAA)

SAN ANTONIO INTL (SAT)
SAN ANTONIO, TEXAS



AIRPORT DIAGRAM

09239

SAN ANTONIO, TEXAS
SAN ANTONIO INTL (SAT)


09071

AIRPORT DIAGRAM

SAN ANTONIO/ STINSON MUNI (SSF)

AL-372 (FAA)

SAN ANTONIO, TEXAS



AIRPORT DIAGRAM


09071

 SAN ANTONIO, TEXAS
 SAN ANTONIO/ STINSON MUNI (SSF)

09127

AIRPORT DIAGRAM

SHERMAN/DENISON/GRAYSON COUNTY (GYI)
AL-389 (FAA) SHERMAN/DENISON, TEXAS



AIRPORT DIAGRAM


09127

SHERMAN/DENISON, TEXAS
SHERMAN/DENISON/GRAYSON COUNTY (GYI)

09183

AIRPORT DIAGRAM

AL-392 (FAA)

SHREVEPORT DOWNTOWN (DTN)
SHREVEPORT, LOUISIANA

AIRPORT DIAGRAM


09183

SHREVEPORT, LOUISIANA
SHREVEPORT DOWNTOWN (DTN)

09183

AIRPORT DIAGRAM

AL-884 (FAA)

SHREVEPORT RGNL (SHV)
SHREVEPORT, LOUISIANA

AIRPORT DIAGRAM


09183

SHREVEPORT, LOUISIANA
SHREVEPORT RGNL (SHV)

06215

AIRPORT DIAGRAM

AL-5165 (FAA)

SPRINGDALE MUNI (ASG)
SPRINGDALE, ARKANSAS

AIRPORT DIAGRAM

06215


SPRINGDALE, ARKANSAS
SPRINGDALE MUNI (ASG)

09183

AIRPORT DIAGRAM

AL-5151 (FAA)

STILLWATER RGNL (SWO)
STILLWATER, OKLAHOMA



AIRPORT DIAGRAM

09183


STILLWATER, OKLAHOMA
STILLWATER RGNL (SWO)

09071

AIRPORT DIAGRAM

 TEXARKANA RGNL-WEBB FIELD (TXK)
 TEXARKANA, ARKANSAS

AL-420 (FAA)



AIRPORT DIAGRAM


09071

 TEXARKANA, ARKANSAS
 TEXARKANA RGNL-WEBB FIELD (TXK)

09239

AIRPORT DIAGRAM

AFD-299 [USAF]

TINKER AFB (KTIK)
OKLAHOMA CITY, OKLAHOMA


AIRPORT DIAGRAM

OKLAHOMA CITY, OKLAHOMA
TINKER AFB (KTIK)

09295

AIRPORT DIAGRAM

AL-5427 (FAA)


TULSA/RICHARD LLOYD JONES JR. (RVS)
TULSA, OKLAHOMA

AIRPORT DIAGRAM

09295

TULSA, OKLAHOMA
TULSA/RICHARD LLOYD JONES JR. (RVS)

AIRPORT DIAGRAM

TULSA INTL (TUL)
TULSA, OKLAHOMA


AIRPORT DIAGRAM

TULSA, OKLAHOMA
TULSA INTL (TUL)

09183

AIRPORT DIAGRAM

AL-854 (FAA)

TUPELO RGNL (TUP)
TUPELO, MISSISSIPPI

AIRPORT DIAGRAM

09183

TUPELO, MISSISSIPPI
TUPELO RGNL (TUP)


09295

AIRPORT DIAGRAM

AL-622 (FAA)

TYLER POUNDS RGNL (TYR)

TYLER, TEXAS



AIRPORT DIAGRAM

09295

TYLER, TEXAS

TYLER POUNDS RGNL (TYR)


09127

AIRPORT DIAGRAM

[USAF] AFD-135

VANCE AFB (KEND)

ENID, OKLAHOMA



AIRPORT DIAGRAM

 ENID, OKLAHOMA
 VANCE AFB (KEND)

09239

AIRPORT DIAGRAM

AL-579 (FAA)

WACO/TSTC WACO (CNW)
WACO, TEXAS

AWOS-3


134.225

TSTC TOWER ★

124.0 255.7

GND CON

121.7



AIRPORT DIAGRAM

09239

WACO, TEXAS
WACO/TSTC WACO (CNW)

09295


AIRPORT DIAGRAM

AL-439 (FAA)

WACO RGNL (ACT)
WACO, TEXAS

ATIS
123.85
WACO TOWER ★
119.3 257.8
GND CON
121.9

D




AIRPORT DIAGRAM

09295

WACO, TEXAS
WACO RGNL (ACT)

WICHITA FALLS, TEXAS



WICHITA FALLS/SHEPPARD AFB/WICHITA FALLS MUNI (KSPS)

SC, 22 OCT 2009 to 17 DEC 2009

**INTENTIONALLY
LEFT
BLANK**

**INTENTIONALLY
LEFT
BLANK**

NATIONAL WEATHER SERVICE (NWS) UPPER AIR OBSERVING STATIONS (UAOS) AND WEATHER RADAR NETWORK

